

TABLE: Element Joint Forces - Frames

Frame	Joint	OutputCase	CaseType	StepType	F1	F2	F3	M1	M2	M3	FrameElem
Text	Text	Text	Text	Text	KN	KN	KN	KN-m	KN-m	KN-m	Text
1	1	DEAD	LinStatic		0,02	0,001655	-0,006548	-0,0006755	0	-0,0025	1-1
1	18	DEAD	LinStatic		-0,02	-0,001655	0,006548	-0,0008475	0,0185	0,0025	1-1
1	1	CM	LinStatic		0,01	-0,321	0,466	0,0996	0	0,0074	1-1
1	18	CM	LinStatic		-0,01	0,321	-0,442	0,196	0,0095	-0,0074	1-1
1	1	CV	LinStatic		0	0	0	0	0	0	1-1
1	18	CV	LinStatic		0	0	0	0	0	0	1-1
1	1	L	LinStatic		0,043	-0,497	-1,843	-0,021	0	0,0777	1-1
1	18	L	LinStatic		-0,043	0,497	1,843	0,4786	0,0392	-0,0777	1-1
1	1	COMB1	Combination		0,086	-1,179	-2,494	0,1027	0	0,1357	1-1
1	18	COMB1	Combination		-0,086	1,055	2,494	0,9252	0,0794	-0,1357	1-1
1	1	COMB5	Combination		0,086	-1,179	-2,494	0,1027	0	0,1357	1-1
1	18	COMB5	Combination		-0,086	1,055	2,494	0,9252	0,0794	-0,1357	1-1
1	1	COMB6	Combination		0,086	-1,179	-2,494	0,1027	0	0,1357	1-1
1	18	COMB6	Combination		-0,086	1,055	2,494	0,9252	0,0794	-0,1357	1-1
1	1	COMB7	Combination		0,039	0,188	-1,205	-0,146	0	0,0147	1-1
1	18	COMB7	Combination		-0,039	-0,064	1,205	0,0302	0,0361	-0,0147	1-1
1	1	COMB8	Combination		0,039	0,188	-1,205	-0,146	0	0,0147	1-1
1	18	COMB8	Combination		-0,039	-0,064	1,205	0,0302	0,0361	-0,0147	1-1
1	1	COMB9	Combination		0,075	-1,594	-1,51	0,2895	0	0,1386	1-1
1	18	COMB9	Combination		-0,075	1,304	1,51	1,0433	0,069	-0,1386	1-1
1	1	COMB10	Combination		-0,035	1,597	1,497	-0,2908	0	-0,1436	1-1
1	18	COMB10	Combination		0,035	-1,307	-1,497	-1,045	-0,032	0,1436	1-1
1	1	COMB11	Combination		0,007863	1,1	-0,346	-0,3118	0	-0,0659	1-1
1	18	COMB11	Combination		-0,007863	-0,81	0,346	-0,5665	0,0072	0,0659	1-1
1	1	COMB12	Combination		0,118	-2,091	-3,353	0,2684	0	0,2163	1-1
1	18	COMB12	Combination		-0,118	1,801	3,353	1,5219	0,1083	-0,2163	1-1
1	1	ENV	Combination	Max	0,118	1,597	1,497	0,2895	0	0,2163	1-1
1	18	ENV	Combination	Max	0,035	1,801	3,353	1,5219	0,1083	0,1436	1-1
1	1	ENV	Combination	Min	-0,035	-2,091	-3,353	-0,3118	0	-0,1436	1-1
1	18	ENV	Combination	Min	-0,118	-1,307	-1,497	-1,045	-0,032	-0,2163	1-1
1	18	DEAD	LinStatic		-0,0006589	-0,0004537	-0,007428	0,0008176	-0,001	0,0016	1-2
1	2	DEAD	LinStatic		0,0006589	0,0004537	0,007428	-0,0001007	0	-0,0016	1-2
1	18	CM	LinStatic		-0,001986	0,205	0,883	-0,2321	-0,0031	-0,0011	1-2
1	2	CM	LinStatic		0,001986	-0,205	-0,841	-0,0917	0	0,0011	1-2
1	18	CV	LinStatic		0	0	0	0	0	0	1-2
1	2	CV	LinStatic		0	0	0	0	0	0	1-2
1	18	L	LinStatic		0,021	0,164	-1,028	-0,681	0,0329	-0,0338	1-2
1	2	L	LinStatic		-0,021	-0,164	1,028	0,4212	0	0,0338	1-2
1	18	COMB1	Combination		0,039	0,303	-1,34	-1,2998	0,0619	-0,0605	1-2
1	2	COMB1	Combination		-0,039	-0,517	1,34	0,6522	0	0,0605	1-2
1	18	COMB5	Combination		0,039	0,303	-1,34	-1,2998	0,0619	-0,0605	1-2
1	2	COMB5	Combination		-0,039	-0,517	1,34	0,6522	0	0,0605	1-2
1	18	COMB6	Combination		0,039	0,303	-1,34	-1,2998	0,0619	-0,0605	1-2
1	2	COMB6	Combination		-0,039	-0,517	1,34	0,6522	0	0,0605	1-2
1	18	COMB7	Combination		0,001132	0,025	-0,732	-0,0605	0,0018	-0,0038	1-2
1	2	COMB7	Combination		-0,001132	0,189	0,732	0,19	0	0,0038	1-2
1	18	COMB8	Combination		0,001132	0,025	-0,732	-0,0605	0,0018	-0,0038	1-2
1	2	COMB8	Combination		-0,001132	0,189	0,732	0,19	0	0,0038	1-2
1	18	COMB9	Combination		0,044	0,325	-0,717	-1,4451	0,0691	-0,0646	1-2
1	2	COMB9	Combination		-0,044	-0,822	0,717	0,5392	0	0,0646	1-2
1	18	COMB10	Combination		-0,045	-0,325	0,702	1,4467	-0,0712	0,0679	1-2
1	2	COMB10	Combination		0,045	0,823	-0,702	-0,5394	0	-0,0679	1-2
1	18	COMB11	Combination		-0,024	-0,161	-0,326	0,7657	-0,0383	0,0341	1-2
1	2	COMB11	Combination		0,024	0,659	0,326	-0,1182	0	-0,0341	1-2
1	18	COMB12	Combination		0,065	0,489	-1,746	-2,126	0,102	-0,0984	1-2
1	2	COMB12	Combination		-0,065	-0,987	1,746	0,9604	0	0,0984	1-2
1	18	ENV	Combination	Max	0,065	0,489	0,702	1,4467	0,102	0,0679	1-2
1	2	ENV	Combination	Max	0,045	0,823	1,746	0,9604	0	0,0984	1-2
1	18	ENV	Combination	Min	-0,045	-0,325	-1,746	-2,126	-0,0712	-0,0984	1-2
1	2	ENV	Combination	Min	-0,065	-0,987	-0,702	-0,5394	0	-0,0679	1-2
2	3	DEAD	LinStatic		0,017	-0,007617	-0,72	0,0027	0	-0,004	2-1
2	17	DEAD	LinStatic		-0,017	0,007617	0,72	0,0044	0,0152	0,004	2-1
2	3	CM	LinStatic		0,018	-0,471	0,817	0,1251	0	-0,002	2-1
2	17	CM	LinStatic		-0,018	0,471	-0,792	0,3081	0,0164	0,002	2-1
2	3	CV	LinStatic		0	0	0	0	0	0	2-1
2	17	CV	LinStatic		0	0	0	0	0	0	2-1
2	3	L	LinStatic		0,01	-0,765	-2,352	-0,0282	0	0,1287	2-1
2	17	L	LinStatic		-0,01	0,765	2,352	0,7323	0,0093	-0,1287	2-1
2	3	COMB1	Combination		0,011	-1,703	-3,025	0,1041	0	0,1938	2-1
2	17	COMB1	Combination		-0,011	1,579	3,025	1,4057	0,01	-0,1938	2-1
2	3	COMB5	Combination		0,011	-1,703	-3,025	0,1041	0	0,1938	2-1
2	17	COMB5	Combination		-0,011	1,579	3,025	1,4057	0,01	-0,1938	2-1
2	3	COMB6	Combination		0,011	-1,703	-3,025	0,1041	0	0,1938	2-1
2	17	COMB6	Combination		-0,011	1,579	3,025	1,4057	0,01	-0,1938	2-1
2	3	COMB7	Combination		0,042	0,157	-3,12	-0,1551	0	0,0558	2-1
2	17	COMB7	Combination		-0,042	-0,033	3,12	0,0677	0,0389	-0,0558	2-1
2	3	COMB8	Combination		0,042	0,157	-3,12	-0,1551	0	0,0558	2-1

2	17	COMB8	Combination		-0,042	-0,033	3,12	0,0677	0,0389	-0,0558	2-1
2	3	COMB9	Combination		-0,02	-2,178	-0,609	0,3051	0	0,1571	2-1
2	17	COMB9	Combination		0,02	1,888	0,609	1,5653	-0,0185	-0,1571	2-1
2	3	COMB10	Combination		0,053	2,163	-0,831	-0,2998	0	-0,165	2-1
2	17	COMB10	Combination		-0,053	-1,873	0,831	-1,5566	0,0489	0,165	2-1
2	3	COMB11	Combination		0,063	1,397	-3,184	-0,328	0	-0,0362	2-1
2	17	COMB11	Combination		-0,063	-1,107	3,184	-0,8242	0,0581	0,0362	2-1
2	3	COMB12	Combination		-0,009993	-2,943	-2,961	0,277	0	0,2858	2-1
2	17	COMB12	Combination		0,009993	2,654	2,961	2,2976	-0,0092	-0,2858	2-1
2	3	ENV	Combination	Max	0,063	2,163	-0,609	0,3051	0	0,2858	2-1
2	17	ENV	Combination	Max	0,02	2,654	3,184	2,2976	0,0581	0,165	2-1
2	3	ENV	Combination	Min	-0,02	-2,943	-3,184	-0,328	0	-0,165	2-1
2	17	ENV	Combination	Min	-0,063	-1,873	0,609	-1,5566	-0,0185	-0,2858	2-1
2	17	DEAD	LinStatic		0,002541	0,0002806	-0,83	-0,0005941	0,0008955	0,0025	2-2
2	199	DEAD	LinStatic		-0,002541	-0,0002806	0,83	0,000214	0,0025	-0,0025	2-2
2	17	CM	LinStatic		-0,064	0,346	0,991	-0,3439	-0,0211	-0,0047	2-2
2	199	CM	LinStatic		0,064	-0,346	-0,955	-0,1243	-0,066	0,0047	2-2
2	17	CV	LinStatic		0	0	0	0	0	0	2-2
2	199	CV	LinStatic		0	0	0	0	0	0	2-2
2	17	L	LinStatic		-0,012	0,22	-1,779	-0,973	0,0012	0,0025	2-2
2	199	L	LinStatic		0,012	-0,22	1,779	0,6752	-0,0171	-0,0025	2-2
2	17	COMB1	Combination		-0,006944	0,484	-2,654	-1,8514	0,0026	0,0252	2-2
2	199	COMB1	Combination		0,006944	-0,667	2,654	1,0721	-0,012	-0,0252	2-2
2	17	COMB5	Combination		-0,006944	0,484	-2,654	-1,8514	0,0026	0,0252	2-2
2	199	COMB5	Combination		0,006944	-0,667	2,654	1,0721	-0,012	-0,0252	2-2
2	17	COMB6	Combination		-0,006944	0,484	-2,654	-1,8514	0,0026	0,0252	2-2
2	199	COMB6	Combination		0,006944	-0,667	2,654	1,0721	-0,012	-0,0252	2-2
2	17	COMB7	Combination		-0,011	-0,043	-2,563	-0,0958	0,0016	-0,0153	2-2
2	199	COMB7	Combination		0,011	0,226	2,563	0,2787	-0,0171	0,0153	2-2
2	17	COMB8	Combination		-0,011	-0,043	-2,563	-0,0958	0,0016	-0,0153	2-2
2	199	COMB8	Combination		0,011	0,226	2,563	0,2787	-0,0171	0,0153	2-2
2	17	COMB9	Combination		0,007754	0,615	-0,936	-2,0487	0,0021	0,0497	2-2
2	199	COMB9	Combination		-0,007754	-1,042	0,936	0,9259	0,0084	-0,0497	2-2
2	17	COMB10	Combination		-0,002672	-0,615	-0,724	2,0475	-0,000283	-0,0447	2-2
2	199	COMB10	Combination		0,002672	1,042	0,724	-0,9254	-0,0033	0,0447	2-2
2	17	COMB11	Combination		-0,014	-0,395	-2,503	1,0745	0,0009532	-0,0423	2-2
2	199	COMB11	Combination		0,014	0,822	2,503	-0,2503	-0,0205	0,0423	2-2
2	17	COMB12	Combination		-0,003965	0,835	-2,715	-3,0217	0,0033	0,0522	2-2
2	199	COMB12	Combination		0,003965	-1,262	2,715	1,601	-0,0087	-0,0522	2-2
2	17	ENV	Combination	Max	0,007754	0,835	-0,724	2,0475	0,0033	0,0522	2-2
2	199	ENV	Combination	Max	0,014	1,042	2,715	1,601	0,0084	0,0447	2-2
2	17	ENV	Combination	Min	-0,014	-0,615	-2,715	-3,0217	-0,000283	-0,0447	2-2
2	199	ENV	Combination	Min	-0,007754	-1,262	0,724	-0,9254	-0,0205	-0,0522	2-2
2	199	DEAD	LinStatic		-0,011	0,0007419	-1,013	0,0008468	-0,0025	-0,0023	2-3
2	4	DEAD	LinStatic		0,011	-0,0007419	1,013	-0,001	0	0,0023	2-3
2	199	CM	LinStatic		0,293	0,359	2,039	0,1122	0,066	-0,0058	2-3
2	4	CM	LinStatic		-0,293	-0,359	-2,033	-0,193	0	0,0058	2-3
2	199	CV	LinStatic		0	0	0	0	0	0	2-3
2	4	CV	LinStatic		0	0	0	0	0	0	2-3
2	199	L	LinStatic		0,076	1,06	-1,243	-0,8324	0,0171	-0,1739	2-3
2	4	L	LinStatic		-0,076	-1,06	1,243	0,594	0	0,1739	2-3
2	199	COMB1	Combination		0,054	1,754	-2,249	-1,3804	0,012	-0,2634	2-3
2	4	COMB1	Combination		-0,054	-1,784	2,249	0,9823	0	0,2634	2-3
2	199	COMB5	Combination		0,054	1,754	-2,249	-1,3804	0,012	-0,2634	2-3
2	4	COMB5	Combination		-0,054	-1,784	2,249	0,9823	0	0,2634	2-3
2	199	COMB6	Combination		0,054	1,754	-2,249	-1,3804	0,012	-0,2634	2-3
2	4	COMB6	Combination		-0,054	-1,784	2,249	0,9823	0	0,2634	2-3
2	199	COMB7	Combination		0,076	0,366	-2,264	-0,2827	0,0171	-0,0892	2-3
2	4	COMB7	Combination		-0,076	-0,336	2,264	0,2037	0	0,0892	2-3
2	199	COMB8	Combination		0,076	0,366	-2,264	-0,2827	0,0171	-0,0892	2-3
2	4	COMB8	Combination		-0,076	-0,336	2,264	0,2037	0	0,0892	2-3
2	199	COMB9	Combination		-0,037	1,62	-0,995	-1,2798	-0,0084	-0,2057	2-3
2	4	COMB9	Combination		0,037	-1,691	0,995	0,9074	0	0,2057	2-3
2	199	COMB10	Combination		0,015	-1,618	-1,031	1,2815	0,0033	0,201	2-3
2	4	COMB10	Combination		-0,015	1,689	1,031	-0,9094	0	-0,201	2-3
2	199	COMB11	Combination		0,091	-0,559	-2,274	0,4491	0,0205	0,027	2-3
2	4	COMB11	Combination		-0,091	0,63	2,274	-0,3154	0	-0,027	2-3
2	199	COMB12	Combination		0,039	2,679	-2,238	-2,1122	0,0087	-0,3796	2-3
2	4	COMB12	Combination		-0,039	-2,75	2,238	1,5014	0	0,3796	2-3
2	199	ENV	Combination	Max	0,091	2,679	-0,995	1,2815	0,0205	0,201	2-3
2	4	ENV	Combination	Max	0,037	1,689	2,274	1,5014	0	0,3796	2-3
2	199	ENV	Combination	Min	-0,037	-1,618	-2,274	-2,1122	-0,0084	-0,3796	2-3
2	4	ENV	Combination	Min	-0,091	-2,75	0,995	-0,9094	0	-0,201	2-3
3	5	DEAD	LinStatic		0,011	-0,001512	-0,369	-0,0015	0	-0,0052	3-1
3	22	DEAD	LinStatic		-0,011	0,001512	0,369	0,0029	0,0102	0,0052	3-1
3	5	CM	LinStatic		0,049	-0,481	2,714	0,1139	0	-0,0095	3-1
3	22	CM	LinStatic		-0,049	0,481	-2,69	0,3288	0,0453	0,0095	3-1
3	5	CV	LinStatic		0	0	0	0	0	0	3-1
3	22	CV	LinStatic		0	0	0	0	0	0	3-1
3	5	L	LinStatic		0,01	-0,829	-1,106	-0,1553	0	0,1218	3-1

3	22	L	LinStatic		-0,01	0,829	1,106	0,9179	0,0093	-0,1218 3-1
3	5	COMB1	Combination		-0,0003528	-1,73	-1,379	-0,1594	0	0,2128 3-1
3	22	COMB1	Combination		0,0003528	1,606	1,379	1,6942	-0,0003246	-0,2128 3-1
3	5	COMB5	Combination		-0,0003528	-1,73	-1,379	-0,1594	0	0,2128 3-1
3	22	COMB5	Combination		0,0003528	1,606	1,379	1,6942	-0,0003246	-0,2128 3-1
3	5	COMB6	Combination		-0,0003528	-1,73	-1,379	-0,1594	0	0,2128 3-1
3	22	COMB6	Combination		0,0003528	1,606	1,379	1,6942	-0,0003246	-0,2128 3-1
3	5	COMB7	Combination		0,043	0,069	-1,571	-0,1542	0	0,0204 3-1
3	22	COMB7	Combination		-0,043	0,055	1,571	0,1474	0,0393	-0,0204 3-1
3	5	COMB8	Combination		0,043	0,069	-1,571	-0,1542	0	0,0204 3-1
3	22	COMB8	Combination		-0,043	0,055	1,571	0,1474	0,0393	-0,0204 3-1
3	5	COMB9	Combination		-0,039	-2,101	-0,144	-0,0077	0	0,2192 3-1
3	22	COMB9	Combination		0,039	1,811	0,144	1,8075	-0,036	-0,2192 3-1
3	5	COMB10	Combination		0,061	2,098	-0,594	0,0047	0	0,2296 3-1
3	22	COMB10	Combination		-0,061	-1,808	0,594	-1,8017	0,0565	0,2296 3-1
3	5	COMB11	Combination		0,071	1,269	-1,7	-0,1506	0	-0,1078 3-1
3	22	COMB11	Combination		-0,071	-0,979	1,7	-0,8838	0,0658	0,1078 3-1
3	5	COMB12	Combination		-0,029	-2,93	-1,25	-0,1629	0	0,341 3-1
3	22	COMB12	Combination		0,029	2,64	1,25	2,7254	-0,0268	-0,341 3-1
3	5	ENV	Combination	Max	0,071	2,098	-0,144	0,0047	0	0,341 3-1
3	22	ENV	Combination	Max	0,039	2,64	1,7	2,7254	0,0658	0,2296 3-1
3	5	ENV	Combination	Min	-0,039	-2,93	-1,7	-0,1629	0	-0,2296 3-1
3	22	ENV	Combination	Min	-0,071	-1,808	0,144	-1,8017	-0,036	-0,341 3-1
3	22	DEAD	LinStatic		-0,008955	0,004449	-0,388	-0,0014	-0,0029	0,0042 3-2
3	198	DEAD	LinStatic		0,008955	-0,004449	0,388	-0,0014	-0,0027	-0,0042 3-2
3	22	CM	LinStatic		-0,095	0,35	2,3	-0,3201	-0,0108	-0,0121 3-2
3	198	CM	LinStatic		0,095	-0,35	-2,284	0,1043	-0,0477	0,0121 3-2
3	22	CV	LinStatic		0	0	0	0	0	0 3-2
3	198	CV	LinStatic		0	0	0	0	0	0 3-2
3	22	L	LinStatic		-0,134	-0,014	-1,063	-0,9748	-0,0547	-0,0208 3-2
3	198	L	LinStatic		0,134	0,014	1,063	0,9835	-0,0282	0,0208 3-2
3	22	COMB1	Combination		-0,199	0,142	-1,682	-1,7963	-0,0899	-0,0269 3-2
3	198	COMB1	Combination		0,199	-0,225	1,682	1,6831	-0,0328	0,0269 3-2
3	22	COMB5	Combination		-0,199	0,142	-1,682	-1,7963	-0,0899	-0,0269 3-2
3	198	COMB5	Combination		0,199	-0,225	1,682	1,6831	-0,0328	0,0269 3-2
3	22	COMB6	Combination		-0,199	0,142	-1,682	-1,7963	-0,0899	-0,0269 3-2
3	198	COMB6	Combination		0,199	-0,225	1,682	1,6831	-0,0328	0,0269 3-2
3	22	COMB7	Combination		-0,088	-0,161	-1,22	-0,1559	-0,0251	-0,0063 3-2
3	198	COMB7	Combination		0,088	0,245	1,22	0,2812	-0,029	0,0063 3-2
3	22	COMB8	Combination		-0,088	-0,161	-1,22	-0,1559	-0,0251	-0,0063 3-2
3	198	COMB8	Combination		0,088	0,245	1,22	0,2812	-0,029	0,0063 3-2
3	22	COMB9	Combination		-0,139	0,358	-0,927	-1,9152	-0,0785	-0,0199 3-2
3	198	COMB9	Combination		0,139	-0,553	0,927	1,6342	-0,0071	0,0199 3-2
3	22	COMB10	Combination		0,121	-0,349	0,151	1,9124	0,0728	0,0283 3-2
3	198	COMB10	Combination		-0,121	0,544	-0,151	-1,637	0,0018	-0,0283 3-2
3	22	COMB11	Combination		-0,014	-0,364	-0,912	0,9377	0,0181	0,0075 3-2
3	198	COMB11	Combination		0,014	0,558	0,912	-0,6535	-0,0265	-0,0075 3-2
3	22	COMB12	Combination		-0,273	0,344	-1,99	-2,8899	-0,1332	-0,0407 3-2
3	198	COMB12	Combination		0,273	-0,538	1,99	2,6178	-0,0353	0,0407 3-2
3	22	ENV	Combination	Max	0,121	0,358	0,151	1,9124	0,0728	0,0283 3-2
3	198	ENV	Combination	Max	0,273	0,558	1,99	2,6178	0,0018	0,0407 3-2
3	22	ENV	Combination	Min	-0,273	-0,364	-1,99	-2,8899	-0,1332	-0,0407 3-2
3	198	ENV	Combination	Min	-0,121	-0,553	-0,151	-1,637	-0,0353	-0,0283 3-2
3	198	DEAD	LinStatic		0,002774	-0,002306	-0,662	0,0009178	0,0027	0,0004066 3-3
3	6	DEAD	LinStatic		-0,002774	0,002306	0,662	0,0013	0	-0,0004066 3-3
3	198	CM	LinStatic		0,05	0,339	3,937	-0,1806	0,0477	-0,0072 3-3
3	6	CM	LinStatic		-0,05	-0,339	-3,912	-0,1463	0	0,0072 3-3
3	198	CV	LinStatic		0	0	0	0	0	0 3-3
3	6	CV	LinStatic		0	0	0	0	0	0 3-3
3	198	L	LinStatic		0,029	0,853	-0,19	-1,2386	0,0282	0,0566 3-3
3	6	L	LinStatic		-0,029	-0,853	0,19	0,4169	0	-0,0566 3-3
3	198	COMB1	Combination		0,034	1,397	-0,966	-2,1443	0,0328	0,0988 3-3
3	6	COMB1	Combination		-0,034	-1,528	0,966	0,7356	0	-0,0988 3-3
3	198	COMB5	Combination		0,034	1,397	-0,966	-2,1443	0,0328	0,0988 3-3
3	6	COMB5	Combination		-0,034	-1,528	0,966	0,7356	0	-0,0988 3-3
3	198	COMB6	Combination		0,034	1,397	-0,966	-2,1443	0,0328	0,0988 3-3
3	6	COMB6	Combination		-0,034	-1,528	0,966	0,7356	0	-0,0988 3-3
3	198	COMB7	Combination		0,03	0,304	-0,738	-0,3312	0,029	0,0152 3-3
3	6	COMB7	Combination		-0,03	-0,174	0,738	0,1007	0	-0,0152 3-3
3	198	COMB8	Combination		0,03	0,304	-0,738	-0,3312	0,029	0,0152 3-3
3	6	COMB8	Combination		-0,03	-0,174	0,738	0,1007	0	-0,0152 3-3
3	198	COMB9	Combination		0,007379	1,273	-0,929	-2,1144	0,0071	0,0979 3-3
3	6	COMB9	Combination		-0,007379	-1,577	0,929	0,742	0	-0,0979 3-3
3	198	COMB10	Combination		-0,00183	-1,278	-0,396	2,1162	-0,0018	-0,0971 3-3
3	6	COMB10	Combination		0,00183	1,581	0,396	-0,7394	0	0,0971 3-3
3	198	COMB11	Combination		0,027	-0,425	-0,586	0,8776	0,0265	-0,0405 3-3
3	6	COMB11	Combination		-0,027	0,728	0,586	-0,3225	0	0,0405 3-3
3	198	COMB12	Combination		0,037	2,126	-1,118	-3,353	0,0353	0,1545 3-3
3	6	COMB12	Combination		-0,037	-2,43	1,118	1,1589	0	-0,1545 3-3
3	198	ENV	Combination	Max	0,037	2,126	-0,396	2,1162	0,0353	0,1545 3-3

3	6	ENV	Combination	Max	0,00183	1,581	1,118	1,1589	0	0,0971 3-3
3	198	ENV	Combination	Min	-0,00183	-1,278	-1,118	-3,353	-0,0018	-0,0971 3-3
3	6	ENV	Combination	Min	-0,037	-2,43	0,396	-0,7394	0	-0,1545 3-3
4	7	DEAD	LinStatic		-0,019	-0,009654	-0,224	0,0017	0	-0,0111 4-1
4	72	DEAD	LinStatic		0,019	0,009654	0,224	0,0072	-0,0175	0,0111 4-1
4	7	CM	LinStatic		-0,026	-0,778	7,195	0,2402	0	-0,0195 4-1
4	72	CM	LinStatic		0,026	0,778	-7,17	0,4755	-0,0244	0,0195 4-1
4	7	CV	LinStatic		0	0	0	0	0	0 4-1
4	72	CV	LinStatic		0	0	0	0	0	0 4-1
4	7	L	LinStatic		0,064	-2,089	2,111	0,3479	0	0,17 4-1
4	72	L	LinStatic		-0,064	2,089	-2,111	1,5744	0,0592	-0,17 4-1
4	7	COMB1	Combination		0,071	-4,071	2,721	0,7894	0	0,2726 4-1
4	72	COMB1	Combination		-0,071	3,947	-2,721	2,8989	0,0658	-0,2726 4-1
4	7	COMB5	Combination		0,071	-4,071	2,721	0,7894	0	0,2726 4-1
4	72	COMB5	Combination		-0,071	3,947	-2,721	2,8989	0,0658	-0,2726 4-1
4	7	COMB6	Combination		0,071	-4,071	2,721	0,7894	0	0,2726 4-1
4	72	COMB6	Combination		-0,071	3,947	-2,721	2,8989	0,0658	-0,2726 4-1
4	7	COMB7	Combination		0,019	-0,127	1,053	-0,0903	0	0,0453 4-1
4	72	COMB7	Combination		-0,019	0,251	-1,053	0,2643	0,0177	-0,0453 4-1
4	7	COMB8	Combination		0,019	-0,127	1,053	-0,0903	0	0,0453 4-1
4	72	COMB8	Combination		-0,019	0,251	-1,053	0,2643	0,0177	-0,0453 4-1
4	7	COMB9	Combination		0,042	-4,611	1,722	1,028	0	0,2542 4-1
4	72	COMB9	Combination		-0,042	4,321	-1,722	3,0809	0,0386	-0,2542 4-1
4	7	COMB10	Combination		-0,08	4,592	-2,171	-1,0246	0	-0,2763 4-1
4	72	COMB10	Combination		0,08	-4,302	2,171	-3,0665	-0,0735	0,2763 4-1
4	7	COMB11	Combination		-0,016	2,502	-0,059	-0,6768	0	-0,1063 4-1
4	72	COMB11	Combination		0,016	-2,213	0,059	-1,4921	-0,0143	0,1063 4-1
4	7	COMB12	Combination		0,106	-6,7	3,834	1,3759	0	0,4242 4-1
4	72	COMB12	Combination		-0,106	6,411	-3,834	4,6552	0,0978	-0,4242 4-1
4	7	ENV	Combination	Max	0,106	4,592	3,834	1,3759	0	0,4242 4-1
4	72	ENV	Combination	Max	0,08	6,411	2,171	4,6552	0,0978	0,2763 4-1
4	7	ENV	Combination	Min	-0,08	-6,7	-2,171	-1,0246	0	-0,2763 4-1
4	72	ENV	Combination	Min	-0,106	-4,302	-3,834	-3,0665	-0,0735	-0,4242 4-1
4	72	DEAD	LinStatic		0,012	0,006786	-0,232	-0,0072	0,019	0,0029 4-2
4	8	DEAD	LinStatic		-0,012	-0,006786	0,232	-0,0035	0	-0,0029 4-2
4	72	CM	LinStatic		0,006649	0,437	6,537	-0,4755	0,0105	0,00009168 4-2
4	8	CM	LinStatic		-0,006649	-0,437	-6,495	-0,2158	0	-0,00009168 4-2
4	72	CV	LinStatic		0	0	0	0	0	0 4-2
4	8	CV	LinStatic		0	0	0	0	0	0 4-2
4	72	L	LinStatic		-0,064	0,511	1,014	-1,5744	-0,1007	-0,0142 4-2
4	8	L	LinStatic		0,064	-0,511	-1,014	0,7663	0	0,0142 4-2
4	72	COMB1	Combination		-0,091	0,946	0,483	-2,8989	-0,1437	-0,0159 4-2
4	8	COMB1	Combination		0,091	-1,159	-0,483	1,2358	0	0,0159 4-2
4	72	COMB5	Combination		-0,091	0,946	0,483	-2,8989	-0,1437	-0,0159 4-2
4	8	COMB5	Combination		0,091	-1,159	-0,483	1,2358	0	0,0159 4-2
4	72	COMB6	Combination		-0,091	0,946	0,483	-2,8989	-0,1437	-0,0159 4-2
4	8	COMB6	Combination		0,091	-1,159	-0,483	1,2358	0	0,0159 4-2
4	72	COMB7	Combination		-0,012	0,09	1,081	-0,2643	-0,0195	-0,0067 4-2
4	8	COMB7	Combination		0,012	0,123	-1,081	0,2899	0	0,0067 4-2
4	72	COMB8	Combination		-0,012	0,09	1,081	-0,2643	-0,0195	-0,0067 4-2
4	8	COMB8	Combination		0,012	0,123	-1,081	0,2899	0	0,0067 4-2
4	72	COMB9	Combination		-0,08	1,005	-0,93	-3,0809	-0,1259	-0,0079 4-2
4	8	COMB9	Combination		0,08	-1,503	0,93	1,1001	0	0,0079 4-2
4	72	COMB10	Combination		0,104	-0,991	0,466	3,0665	0,1639	0,0137 4-2
4	8	COMB10	Combination		-0,104	1,489	-0,466	-1,1071	0	-0,0137 4-2
4	72	COMB11	Combination		0,04	-0,48	1,48	1,4921	0,0633	-0,0005185 4-2
4	8	COMB11	Combination		-0,04	0,978	-1,48	-0,3408	0	0,0005185 4-2
4	72	COMB12	Combination		-0,143	1,516	0,084	-4,6552	-0,2266	-0,0221 4-2
4	8	COMB12	Combination		0,143	-2,014	-0,084	1,8664	0	0,0221 4-2
4	72	ENV	Combination	Max	0,104	1,516	1,48	3,0665	0,1639	0,0137 4-2
4	8	ENV	Combination	Max	0,143	1,489	0,93	1,8664	0	0,0221 4-2
4	72	ENV	Combination	Min	-0,143	-0,991	-0,93	-4,6552	-0,2266	-0,0221 4-2
4	8	ENV	Combination	Min	-0,104	-2,014	-1,48	-1,1071	0	-0,0137 4-2
5	8	DEAD	LinStatic		0,298	0,001422	-0,252	0,0025	0	0,0028 5-1
5	5	DEAD	LinStatic		-0,298	-0,001422	0,252	0,0004371	0	0,0006829 5-1
5	8	CM	LinStatic		-3,498	-0,015	2,991	0,0588	0	0,0012 5-1
5	5	CM	LinStatic		3,498	0,015	-2,905	-0,0892	0	-0,0373 5-1
5	8	CV	LinStatic		0	0	0	0	0	0 5-1
5	5	CV	LinStatic		0	0	0	0	0	0 5-1
5	8	L	LinStatic		-2,646	-0,48	2,229	0,3651	0	-0,0893 5-1
5	5	L	LinStatic		2,646	-0,747	-2,229	-0,0876	0	0,4186 5-1
5	8	COMB1	Combination		-2,77	-0,581	2,334	0,7523	0	-0,0342 5-1
5	5	COMB1	Combination		2,77	-1,083	-2,334	-0,2302	0	0,6538 5-1
5	8	COMB5	Combination		-2,77	-0,581	2,334	0,7523	0	-0,0342 5-1
5	5	COMB5	Combination		2,77	-1,083	-2,334	-0,2302	0	0,6538 5-1
5	8	COMB6	Combination		-2,77	-0,581	2,334	0,7523	0	-0,0342 5-1
5	5	COMB6	Combination		2,77	-1,083	-2,334	-0,2302	0	0,6538 5-1
5	8	COMB7	Combination		-1,924	-0,377	1,621	-0,0171	0	-0,1387 5-1
5	5	COMB7	Combination		1,924	-0,414	-1,621	0,056	0	0,1848 5-1
5	8	COMB8	Combination		-1,924	-0,377	1,621	-0,0171	0	-0,1387 5-1

5	5	COMB8	Combination		1,924	-0,414	-1,621	0,056	0	0,1848 5-1
5	8	COMB9	Combination		-0,688	-0,236	0,58	0,9002	0	0,1246 5-1
5	5	COMB9	Combination		0,688	-0,781	-0,58	-0,3335	0	0,5479 5-1
5	8	COMB10	Combination		1,285	0,239	-1,083	-0,8951	0	-0,119 5-1
5	5	COMB10	Combination		-1,285	0,778	1,083	0,3343	0	-0,5465 5-1
5	8	COMB11	Combination		-1,36	-0,241	1,146	-0,53	0	-0,2083 5-1
5	5	COMB11	Combination		1,36	0,031	-1,146	0,2468	0	-0,1279 5-1
5	8	COMB12	Combination		-3,334	-0,717	2,809	1,2653	0	0,0354 5-1
5	5	COMB12	Combination		3,334	-1,528	-2,809	-0,4211	0	0,9665 5-1
5	8	ENV	Combination	Max	1,285	0,239	2,809	1,2653	0	0,1246 5-1
5	5	ENV	Combination	Max	3,334	0,778	1,083	0,3343	0	0,9665 5-1
5	8	ENV	Combination	Min	-3,334	-0,717	-1,083	-0,8951	0	-0,2083 5-1
5	5	ENV	Combination	Min	-1,285	-1,528	-2,809	-0,4211	0	-0,5465 5-1
6	6	DEAD	LinStatic		0,681	0,001052	-0,621	0,0016	0	0,0018 6-1
6	3	DEAD	LinStatic		-0,681	-0,001052	0,621	0,000794	0	0,0007972 6-1
6	6	CM	LinStatic		-1,436	-0,015	1,353	0,0445	0	-0,0054 6-1
6	3	CM	LinStatic		1,436	0,015	-1,264	-0,0779	0	-0,0313 6-1
6	6	CV	LinStatic		0	0	0	0	0	0 6-1
6	3	CV	LinStatic		0	0	0	0	0	0 6-1
6	6	L	LinStatic		-0,788	-0,539	0,718	0,2167	0	-0,1127 6-1
6	3	L	LinStatic		0,788	-0,731	-0,718	-0,0009809	0	0,3494 6-1
6	6	COMB1	Combination		-0,185	-0,696	0,169	0,4788	0	-0,0997 6-1
6	3	COMB1	Combination		0,185	-1,025	-0,169	-0,1077	0	0,507 6-1
6	6	COMB5	Combination		-0,185	-0,696	0,169	0,4788	0	-0,0997 6-1
6	3	COMB5	Combination		0,185	-1,025	-0,169	-0,1077	0	0,507 6-1
6	6	COMB6	Combination		-0,185	-0,696	0,169	0,4788	0	-0,0997 6-1
6	3	COMB6	Combination		0,185	-1,025	-0,169	-0,1077	0	0,507 6-1
6	6	COMB7	Combination		-0,029	-0,381	0,026	-0,0423	0	-0,1221 6-1
6	3	COMB7	Combination		0,029	-0,438	-0,026	0,1073	0	0,1935 6-1
6	6	COMB8	Combination		-0,029	-0,381	0,026	-0,0423	0	-0,1221 6-1
6	3	COMB8	Combination		0,029	-0,438	-0,026	0,1073	0	0,1935 6-1
6	6	COMB9	Combination		0,498	-0,367	-0,454	0,6095	0	0,028 6-1
6	3	COMB9	Combination		-0,498	-0,686	0,454	-0,25	0	0,3665 6-1
6	6	COMB10	Combination		0,863	0,369	-0,787	-0,6064	0	-0,0244 6-1
6	3	COMB10	Combination		-0,863	0,684	0,787	0,2516	0	-0,3649 6-1
6	6	COMB11	Combination		0,075	-0,17	-0,069	-0,3897	0	-0,1371 6-1
6	3	COMB11	Combination		-0,075	-0,047	0,069	0,2506	0	-0,0155 6-1
6	6	COMB12	Combination		-0,29	-0,906	0,264	0,8262	0	-0,0848 6-1
6	3	COMB12	Combination		0,29	-1,417	-0,264	-0,251	0	0,7159 6-1
6	6	ENV	Combination	Max	0,863	0,369	0,264	0,8262	0	0,028 6-1
6	3	ENV	Combination	Max	0,29	0,684	0,787	0,2516	0	0,7159 6-1
6	6	ENV	Combination	Min	-0,29	-0,906	-0,787	-0,6064	0	-0,1371 6-1
6	3	ENV	Combination	Min	-0,863	-1,417	-0,264	-0,251	0	-0,3649 6-1
7	4	DEAD	LinStatic		0,997	0,001418	-0,976	0,0018	0	0,0017 7-1
7	1	DEAD	LinStatic		-0,997	-0,001418	0,976	0,0017	0	0,0018 7-1
7	4	CM	LinStatic		0,535	-0,008238	-0,477	0,0285	0	-0,0039 7-1
7	1	CM	LinStatic		-0,535	0,008238	0,569	-0,0484	0	-0,0165 7-1
7	4	CV	LinStatic		0	0	0	0	0	0 7-1
7	1	CV	LinStatic		0	0	0	0	0	0 7-1
7	4	L	LinStatic		0,201	-0,47	-0,196	0,2642	0	0,0137 7-1
7	1	L	LinStatic		-0,201	-0,843	0,196	0,1871	0	0,4474 7-1
7	4	COMB1	Combination		0,799	-0,571	-0,782	0,566	0	0,1209 7-1
7	1	COMB1	Combination		-0,799	-1,209	0,782	0,2046	0	0,6664 7-1
7	4	COMB5	Combination		0,799	-0,571	-0,782	0,566	0	0,1209 7-1
7	1	COMB5	Combination		-0,799	-1,209	0,782	0,2046	0	0,6664 7-1
7	4	COMB6	Combination		0,799	-0,571	-0,782	0,566	0	0,1209 7-1
7	1	COMB6	Combination		-0,799	-1,209	0,782	0,2046	0	0,6664 7-1
7	4	COMB7	Combination		1,597	-0,366	-1,563	-0,0341	0	-0,09 7-1
7	1	COMB7	Combination		-1,597	-0,481	1,563	0,1729	0	0,2318 7-1
7	4	COMB8	Combination		1,597	-0,366	-1,563	-0,0341	0	-0,09 7-1
7	1	COMB8	Combination		-1,597	-0,481	1,563	0,1729	0	0,2318 7-1
7	4	COMB9	Combination		0,066	-0,238	-0,065	0,7019	0	0,2479 7-1
7	1	COMB9	Combination		-0,066	-0,851	0,065	0,0386	0	0,5088 7-1
7	4	COMB10	Combination		1,928	0,241	-1,887	-0,6984	0	-0,2444 7-1
7	1	COMB10	Combination		-1,928	0,848	1,887	-0,0353	0	-0,5053 7-1
7	4	COMB11	Combination		2,128	-0,229	-2,083	-0,4342	0	-0,2307 7-1
7	1	COMB11	Combination		-2,128	0,004508	2,083	0,1518	0	-0,0579 7-1
7	4	COMB12	Combination		0,267	-0,708	-0,261	0,9661	0	0,2616 7-1
7	1	COMB12	Combination		-0,267	-1,694	0,261	0,2257	0	0,9562 7-1
7	4	ENV	Combination	Max	2,128	0,241	-0,065	0,9661	0	0,2616 7-1
7	1	ENV	Combination	Max	-0,066	0,848	2,083	0,2257	0	0,9562 7-1
7	4	ENV	Combination	Min	0,066	-0,708	-2,083	-0,6984	0	-0,2444 7-1
7	1	ENV	Combination	Min	-2,128	-1,694	0,065	-0,0353	0	-0,5053 7-1
8	7	DEAD	LinStatic		-0,079	0,003126	0,066	-0,0043	0	-0,0037 8-1
8	21	DEAD	LinStatic		0,079	-0,003126	-0,066	0,0021	-0,0005865	0,0009851 8-1
8	7	CM	LinStatic		-1,536	0,013	1,323	-0,1104	0	-0,0392 8-1
8	21	CM	LinStatic		1,536	-0,013	-1,293	0,1011	0,0037	0,0282 8-1
8	7	CV	LinStatic		0	0	0	0	0	0 8-1
8	21	CV	LinStatic		0	0	0	0	0	0 8-1
8	7	L	LinStatic		1,757	-1,423	-1,485	0,1641	0	0,8455 8-1

8	21	L	LinStatic	-1,757	0,993	1,485	0,7209	0,0056	0,197 8-1
8	7	COMB1	Combination	2,816	-2,248	-2,383	0,183	0	1,3814 8-1
8	21	COMB1	Combination	-2,816	1,665	2,383	1,2508	0,0061	0,3075 8-1
8	7	COMB5	Combination	2,816	-2,248	-2,383	0,183	0	1,3814 8-1
8	21	COMB5	Combination	-2,816	1,665	2,383	1,2508	0,0061	0,3075 8-1
8	7	COMB6	Combination	2,816	-2,248	-2,383	0,183	0	1,3814 8-1
8	21	COMB6	Combination	-2,816	1,665	2,383	1,2508	0,0061	0,3075 8-1
8	7	COMB7	Combination	0,541	-0,591	-0,455	0,1366	0	0,3023 8-1
8	21	COMB7	Combination	-0,541	0,314	0,455	0,1951	0,004	0,0885 8-1
8	7	COMB8	Combination	0,541	-0,591	-0,455	0,1366	0	0,3023 8-1
8	21	COMB8	Combination	-0,541	0,314	0,455	0,1951	0,004	0,0885 8-1
8	7	COMB9	Combination	2,575	-1,93	-2,183	0,0498	0	1,2554 8-1
8	21	COMB9	Combination	-2,575	1,573	2,183	1,2336	0,0019	0,2565 8-1
8	7	COMB10	Combination	-2,733	1,936	2,316	-0,0585	0	-1,2627 8-1
8	21	COMB10	Combination	2,733	-1,58	-2,316	-1,2295	-0,0031	-0,2545 8-1
8	7	COMB11	Combination	-0,975	0,513	0,831	0,1057	0	-0,4172 8-1
8	21	COMB11	Combination	0,975	-0,587	-0,831	-0,5086	0,0025	-0,0575 8-1
8	7	COMB12	Combination	4,332	-3,353	-3,669	0,2139	0	2,1009 8-1
8	21	COMB12	Combination	-4,332	2,566	3,669	1,9545	0,0075	0,4535 8-1
8	7	ENV	Combination Max	4,332	1,936	2,316	0,2139	0	2,1009 8-1
8	21	ENV	Combination Max	2,733	2,566	3,669	1,9545	0,0075	0,4535 8-1
8	7	ENV	Combination Min	-2,733	-3,353	-3,669	-0,0585	0	-1,2627 8-1
8	21	ENV	Combination Min	-4,332	-1,58	-2,316	-1,2295	-0,0031	-0,2545 8-1
8	21	DEAD	LinStatic	-0,076	0,0006359	0,064	-0,0017	-0,0011	-0,0032 8-2
8	9	DEAD	LinStatic	0,076	-0,0006359	-0,064	0,0009275	0	0,0023 8-2
8	21	CM	LinStatic	-1,472	0,017	1,281	-0,097	0,0094	-0,0304 8-2
8	9	CM	LinStatic	1,472	-0,017	-1,231	0,0768	0	0,0066 8-2
8	21	CV	LinStatic	0	0	0	0	0	0 8-2
8	9	CV	LinStatic	0	0	0	0	0	0 8-2
8	21	L	LinStatic	1,736	-0,807	-1,481	-0,5888	-0,0103	0,1738 8-2
8	9	L	LinStatic	-1,736	0,091	1,481	1,1361	0	0,471 8-2
8	21	COMB1	Combination	2,796	-1,355	-2,382	-1,0235	-0,0121	0,3278 8-2
8	9	COMB1	Combination	-2,796	0,384	2,382	2,0844	0	0,9219 8-2
8	21	COMB5	Combination	2,796	-1,355	-2,382	-1,0235	-0,0121	0,3278 8-2
8	9	COMB5	Combination	-2,796	0,384	2,382	2,0844	0	0,9219 8-2
8	21	COMB6	Combination	2,796	-1,355	-2,382	-1,0235	-0,0121	0,3278 8-2
8	9	COMB6	Combination	-2,796	0,384	2,382	2,0844	0	0,9219 8-2
8	21	COMB7	Combination	0,524	-0,257	-0,452	-0,1575	-0,0107	0,0132 8-2
8	9	COMB7	Combination	-0,524	-0,205	0,452	0,1897	0	0,0247 8-2
8	21	COMB8	Combination	0,524	-0,257	-0,452	-0,1575	-0,0107	0,0132 8-2
8	9	COMB8	Combination	-0,524	-0,205	0,452	0,1897	0	0,0247 8-2
8	21	COMB9	Combination	2,575	-1,28	-2,188	-1,012	-0,0028	0,3638 8-2
8	9	COMB9	Combination	-2,575	0,686	2,188	2,2114	0	1,0491 8-2
8	21	COMB10	Combination	-2,727	1,281	2,315	1,0086	0,0005745	-0,3702 8-2
8	9	COMB10	Combination	2,727	-0,688	-2,315	-2,2095	0	-1,0445 8-2
8	21	COMB11	Combination	-0,991	0,475	0,834	0,4198	-0,0098	-0,1965 8-2
8	9	COMB11	Combination	0,991	-0,597	-0,834	-1,0734	0	-0,5735 8-2
8	21	COMB12	Combination	4,311	-2,087	-3,669	-1,6008	-0,0131	0,5375 8-2
8	9	COMB12	Combination	-4,311	0,777	3,669	3,3475	0	1,5201 8-2
8	21	ENV	Combination Max	4,311	1,281	2,315	1,0086	0,0005745	0,5375 8-2
8	9	ENV	Combination Max	2,727	0,777	3,669	3,3475	0	1,5201 8-2
8	21	ENV	Combination Min	-2,727	-2,087	-3,669	-1,6008	-0,0131	-0,3702 8-2
8	9	ENV	Combination Min	-4,311	-0,688	-2,315	-2,2095	0	-1,0445 8-2
9	10	DEAD	LinStatic	0,016	0,005566	0,725	-0,0018	0	-0,004 9-1
9	19	DEAD	LinStatic	-0,016	-0,005566	-0,725	-0,0034	0,0152	0,004 9-1
9	10	CM	LinStatic	0,016	-0,103	0,676	0,0113	0	0,0062 9-1
9	19	CM	LinStatic	-0,016	0,103	-0,652	0,0833	0,0149	-0,0062 9-1
9	10	CV	LinStatic	0	0	0	0	0	0 9-1
9	19	CV	LinStatic	0	0	0	0	0	0 9-1
9	10	L	LinStatic	0,047	-0,362	-1,34	0,0017	0	0,0253 9-1
9	19	L	LinStatic	-0,047	0,362	1,34	0,3311	0,0435	-0,0253 9-1
9	10	COMB1	Combination	0,09	-0,635	-2,244	-0,0039	0	0,0441 9-1
9	19	COMB1	Combination	-0,09	0,635	2,244	0,5883	0,0832	-0,0441 9-1
9	10	COMB5	Combination	0,09	-0,635	-2,244	-0,0039	0	0,0441 9-1
9	19	COMB5	Combination	-0,09	0,635	2,244	0,5883	0,0832	-0,0441 9-1
9	10	COMB6	Combination	0,09	-0,635	-2,244	-0,0039	0	0,0441 9-1
9	19	COMB6	Combination	-0,09	0,635	2,244	0,5883	0,0832	-0,0441 9-1
9	10	COMB7	Combination	0,037	-0,077	1,013	0,0038	0	-0,0016 9-1
9	19	COMB7	Combination	-0,037	0,077	-1,013	0,0671	0,0343	0,0016 9-1
9	10	COMB8	Combination	0,037	-0,077	1,013	0,0038	0	-0,0016 9-1
9	19	COMB8	Combination	-0,037	0,077	-1,013	0,0671	0,0343	0,0016 9-1
9	10	COMB9	Combination	0,079	-0,646	-3,075	-0,0107	0	0,0493 9-1
9	19	COMB9	Combination	-0,079	0,646	3,075	0,6047	0,0722	-0,0493 9-1
9	10	COMB10	Combination	-0,046	0,657	4,524	0,0072	0	-0,0573 9-1
9	19	COMB10	Combination	0,046	-0,657	-4,524	-0,6114	-0,0419	0,0573 9-1
9	10	COMB11	Combination	0,001805	0,295	3,184	0,0089	0	-0,032 9-1
9	19	COMB11	Combination	-0,001805	-0,295	-3,184	-0,2803	0,0017	0,032 9-1
9	10	COMB12	Combination	0,126	-1,007	-4,415	-0,0091	0	0,0746 9-1
9	19	COMB12	Combination	-0,126	1,007	4,415	0,9358	0,1158	-0,0746 9-1
9	10	ENV	Combination Max	0,126	0,657	4,524	0,0089	0	0,0746 9-1

9	19	ENV	Combination	Max	0,046	1,007	4,415	0,9358	0,1158	0,0573	9-1
9	10	ENV	Combination	Min	-0,046	-1,007	-4,415	-0,0107	0	-0,0573	9-1
9	19	ENV	Combination	Min	-0,126	-0,657	-4,524	-0,6114	-0,0419	-0,0746	9-1
9	19	DEAD	LinStatic		0,002653	0,0006074	0,833	-0,0003217	0,000935	0,0026	9-2
9	201	DEAD	LinStatic		-0,002653	-0,0006074	-0,833	-0,0005013	0,0027	-0,0026	9-2
9	19	CM	LinStatic		-0,00447	0,088	1,037	-0,0988	-0,0056	-0,0012	9-2
9	201	CM	LinStatic		0,00447	-0,088	-1,001	-0,0202	-0,0004807	0,0012	9-2
9	19	CV	LinStatic		0	0	0	0	0	0	9-2
9	201	CV	LinStatic		0	0	0	0	0	0	9-2
9	19	L	LinStatic		-0,03	0,028	-1,288	-0,4485	0,0147	0,000391	9-2
9	201	L	LinStatic		0,03	-0,028	1,288	0,4104	-0,0557	-0,000391	9-2
9	19	COMB1	Combination		-0,033	0,065	-2,203	-0,8081	0,0384	0,0018	9-2
9	201	COMB1	Combination		0,033	-0,065	2,203	0,7204	-0,0832	-0,0018	9-2
9	19	COMB5	Combination		-0,033	0,065	-2,203	-0,8081	0,0384	0,0018	9-2
9	201	COMB5	Combination		0,033	-0,065	2,203	0,7204	-0,0832	-0,0018	9-2
9	19	COMB6	Combination		-0,033	0,065	-2,203	-0,8081	0,0384	0,0018	9-2
9	201	COMB6	Combination		0,033	-0,065	2,203	0,7204	-0,0832	-0,0018	9-2
9	19	COMB7	Combination		-0,022	-0,007187	1,294	-0,0895	-0,0071	0,0042	9-2
9	201	COMB7	Combination		0,022	0,007187	-1,294	0,0993	-0,0228	-0,0042	9-2
9	19	COMB8	Combination		-0,022	-0,007187	1,294	-0,0895	-0,0071	0,0042	9-2
9	201	COMB8	Combination		0,022	0,007187	-1,294	0,0993	-0,0228	-0,0042	9-2
9	19	COMB9	Combination		-0,01	0,084	-3,246	-0,8386	0,054	-0,0002661	9-2
9	201	COMB9	Combination		0,01	-0,084	3,246	0,7242	-0,0679	0,0002661	9-2
9	19	COMB10	Combination		0,016	-0,083	4,912	0,838	-0,0521	0,0055	9-2
9	201	COMB10	Combination		-0,016	0,083	-4,912	-0,7252	0,0732	-0,0055	9-2
9	19	COMB11	Combination		-0,015	-0,055	3,625	0,3895	-0,0374	0,0059	9-2
9	201	COMB11	Combination		0,015	0,055	-3,625	-0,3149	0,0175	-0,0059	9-2
9	19	COMB12	Combination		-0,04	0,113	-4,534	-1,2871	0,0687	0,0001249	9-2
9	201	COMB12	Combination		0,04	-0,113	4,534	1,1346	-0,1235	-0,0001249	9-2
9	19	ENV	Combination	Max	0,016	0,113	4,912	0,838	0,0687	0,0059	9-2
9	201	ENV	Combination	Max	0,04	0,083	4,534	1,1346	0,0732	0,0002661	9-2
9	19	ENV	Combination	Min	-0,04	-0,083	-4,534	-1,2871	-0,0521	-0,0002661	9-2
9	201	ENV	Combination	Min	-0,016	-0,113	-4,912	-0,7252	-0,1235	-0,0059	9-2
9	201	DEAD	LinStatic		-0,012	0,0003089	1,016	-0,0012	-0,0027	-0,0024	9-3
9	11	DEAD	LinStatic		0,012	-0,0003089	-1,016	0,0011	0	0,0024	9-3
9	201	CM	LinStatic		0,002137	0,082	1,69	0,0229	0,0004807	-0,0036	9-3
9	11	CM	LinStatic		-0,002137	-0,082	-1,684	-0,0414	0	0,0036	9-3
9	201	CV	LinStatic		0	0	0	0	0	0	9-3
9	11	CV	LinStatic		0	0	0	0	0	0	9-3
9	201	L	LinStatic		0,247	0,163	-1,614	-0,5287	0,0557	-0,2933	9-3
9	11	L	LinStatic		-0,247	-0,163	1,614	0,4919	0	0,2933	9-3
9	201	COMB1	Combination		0,37	0,306	-2,854	-0,9285	0,0832	-0,5238	9-3
9	11	COMB1	Combination		-0,37	-0,306	2,854	0,8596	0	0,5238	9-3
9	201	COMB5	Combination		0,37	0,306	-2,854	-0,9285	0,0832	-0,5238	9-3
9	11	COMB5	Combination		-0,37	-0,306	2,854	0,8596	0	0,5238	9-3
9	201	COMB6	Combination		0,37	0,306	-2,854	-0,9285	0,0832	-0,5238	9-3
9	11	COMB6	Combination		-0,37	-0,306	2,854	0,8596	0	0,5238	9-3
9	201	COMB7	Combination		0,101	0,021	1,659	-0,1312	0,0228	-0,0677	9-3
9	11	COMB7	Combination		-0,101	-0,021	-1,659	0,1264	0	0,0677	9-3
9	201	COMB8	Combination		0,101	0,021	1,659	-0,1312	0,0228	-0,0677	9-3
9	11	COMB8	Combination		-0,101	-0,021	-1,659	0,1264	0	0,0677	9-3
9	201	COMB9	Combination		0,302	0,333	-4,249	-0,9314	0,0679	-0,5346	9-3
9	11	COMB9	Combination		-0,302	-0,333	4,249	0,8565	0	0,5346	9-3
9	201	COMB10	Combination		-0,325	-0,333	6,281	0,9291	-0,0732	0,5297	9-3
9	11	COMB10	Combination		0,325	0,333	-6,281	-0,8543	0	-0,5297	9-3
9	201	COMB11	Combination		-0,078	-0,169	4,668	0,4004	-0,0175	0,2364	9-3
9	11	COMB11	Combination		0,078	0,169	-4,668	-0,3624	0	-0,2364	9-3
9	201	COMB12	Combination		0,549	0,497	-5,862	-1,4601	0,1235	-0,8279	9-3
9	11	COMB12	Combination		-0,549	-0,497	5,862	1,3484	0	0,8279	9-3
9	201	ENV	Combination	Max	0,549	0,497	6,281	0,9291	0,1235	0,5297	9-3
9	11	ENV	Combination	Max	0,325	0,333	5,862	1,3484	0	0,8279	9-3
9	201	ENV	Combination	Min	-0,325	-0,333	-5,862	-1,4601	-0,0732	-0,8279	9-3
9	11	ENV	Combination	Min	-0,549	-0,497	-6,281	-0,8543	0	-0,5297	9-3
10	12	DEAD	LinStatic		0,011	0,002152	0,368	0,0012	0	-0,0052	10-1
10	23	DEAD	LinStatic		-0,011	-0,002152	-0,368	-0,0032	0,0103	0,0052	10-1
10	12	CM	LinStatic		-0,005225	-0,103	0,935	0,0235	0	0,0019	10-1
10	23	CM	LinStatic		0,005225	0,103	-0,91	0,0711	-0,0048	-0,0019	10-1
10	12	CV	LinStatic		0	0	0	0	0	0	10-1
10	23	CV	LinStatic		0	0	0	0	0	0	10-1
10	12	L	LinStatic		0,016	-0,335	-1,727	-0,0142	0	0,0015	10-1
10	23	L	LinStatic		-0,016	0,335	1,727	0,3227	0,0144	-0,0015	10-1
10	12	COMB1	Combination		0,03	-0,58	-2,951	-0,0341	0	-0,0016	10-1
10	23	COMB1	Combination		-0,03	0,58	2,951	0,5673	0,0279	0,0016	10-1
10	12	COMB5	Combination		0,03	-0,58	-2,951	-0,0341	0	-0,0016	10-1
10	23	COMB5	Combination		-0,03	0,58	2,951	0,5673	0,0279	0,0016	10-1
10	12	COMB6	Combination		0,03	-0,58	-2,951	-0,0341	0	-0,0016	10-1
10	23	COMB6	Combination		-0,03	0,58	2,951	0,5673	0,0279	0,0016	10-1
10	12	COMB7	Combination		0,023	-0,087	0,233	0,008	0	-0,0058	10-1
10	23	COMB7	Combination		-0,023	0,087	-0,233	0,0718	0,0216	0,0058	10-1
10	12	COMB8	Combination		0,023	-0,087	0,233	0,008	0	-0,0058	10-1

10	23	COMB8	Combination		-0,023	0,087	-0,233	0,0718	0,0216	0,0058	10-1
10	12	COMB9	Combination		0,019	-0,573	-3,347	-0,0479	0	-0,0003061	10-1
10	23	COMB9	Combination		-0,019	0,573	3,347	0,5749	0,0177	0,0003061	10-1
10	12	COMB10	Combination		0,003185	0,577	4,082	0,0502	0	-0,01	10-1
10	23	COMB10	Combination		-0,003185	-0,577	-4,082	-0,5812	0,0029	0,01	10-1
10	12	COMB11	Combination		0,019	0,242	2,356	0,036	0	-0,0086	10-1
10	23	COMB11	Combination		-0,019	-0,242	-2,356	-0,2585	0,0174	0,0086	10-1
10	12	COMB12	Combination		0,035	-0,908	-5,073	-0,0621	0	0,0011	10-1
10	23	COMB12	Combination		-0,035	0,908	5,073	0,8976	0,0321	-0,0011	10-1
10	12	ENV	Combination	Max	0,035	0,577	4,082	0,0502	0	0,0011	10-1
10	23	ENV	Combination	Max	-0,003185	0,908	5,073	0,8976	0,0321	0,01	10-1
10	12	ENV	Combination	Min	0,003185	-0,908	-5,073	-0,0621	0	-0,01	10-1
10	23	ENV	Combination	Min	-0,035	-0,577	-4,082	-0,5812	0,0029	-0,0011	10-1
10	23	DEAD	LinStatic		-0,00903	-0,004626	0,388	0,0015	-0,0029	0,0042	10-2
10	200	DEAD	LinStatic		0,00903	0,004626	-0,388	0,0013	-0,0027	-0,0042	10-2
10	23	CM	LinStatic		-0,016	0,071	0,818	-0,0696	-0,0119	0,0059	10-2
10	200	CM	LinStatic		0,016	-0,071	-0,801	0,026	0,0022	-0,0059	10-2
10	23	CV	LinStatic		0	0	0	0	0	0	10-2
10	200	CV	LinStatic		0	0	0	0	0	0	10-2
10	23	L	LinStatic		-0,027	-0,037	-1,855	-0,3491	0,0129	0,0217	10-2
10	200	L	LinStatic		0,027	0,037	1,855	0,3717	-0,0296	-0,0217	10-2
10	23	COMB1	Combination		-0,022	-0,066	-3,166	-0,6181	0,0325	0,0425	10-2
10	200	COMB1	Combination		0,022	0,066	3,166	0,6586	-0,0462	-0,0425	10-2
10	23	COMB5	Combination		-0,022	-0,066	-3,166	-0,6181	0,0325	0,0425	10-2
10	200	COMB5	Combination		0,022	0,066	3,166	0,6586	-0,0462	-0,0425	10-2
10	23	COMB6	Combination		-0,022	-0,066	-3,166	-0,6181	0,0325	0,0425	10-2
10	200	COMB6	Combination		0,022	0,066	3,166	0,6586	-0,0462	-0,0425	10-2
10	23	COMB7	Combination		-0,05	-0,017	0,231	-0,077	-0,0125	0,0093	10-2
10	200	COMB7	Combination		0,05	0,017	-0,231	0,0874	-0,0183	-0,0093	10-2
10	23	COMB8	Combination		-0,05	-0,017	0,231	-0,077	-0,0125	0,0093	10-2
10	200	COMB8	Combination		0,05	0,017	-0,231	0,0874	-0,0183	-0,0093	10-2
10	23	COMB9	Combination		0,023	-0,062	-3,576	-0,6298	0,0496	0,0429	10-2
10	200	COMB9	Combination		-0,023	0,062	3,576	0,6678	-0,0353	-0,0429	10-2
10	23	COMB10	Combination		-0,041	0,052	4,351	0,6328	-0,0553	-0,0346	10-2
10	200	COMB10	Combination		0,041	-0,052	-4,351	-0,6652	0,0298	0,0346	10-2
10	23	COMB11	Combination		-0,068	0,016	2,496	0,2838	-0,0424	-0,0129	10-2
10	200	COMB11	Combination		0,068	-0,016	-2,496	-0,2935	0,0002862	0,0129	10-2
10	23	COMB12	Combination		-0,003894	-0,098	-5,431	-0,9788	0,0624	0,0646	10-2
10	200	COMB12	Combination		0,003894	0,098	5,431	1,0395	-0,0648	-0,0646	10-2
10	23	ENV	Combination	Max	0,023	0,052	4,351	0,6328	0,0624	0,0646	10-2
10	200	ENV	Combination	Max	0,068	0,098	5,431	1,0395	0,0298	0,0346	10-2
10	23	ENV	Combination	Min	-0,068	-0,098	-5,431	-0,9788	-0,0553	-0,0346	10-2
10	200	ENV	Combination	Min	-0,023	-0,052	-4,351	-0,6652	-0,0648	-0,0646	10-2
10	200	DEAD	LinStatic		0,002815	0,002149	0,662	-0,0007355	0,0027	0,0003616	10-3
10	13	DEAD	LinStatic		-0,002815	-0,002149	-0,662	-0,0013	0	-0,0003616	10-3
10	200	CM	LinStatic		-0,002309	0,074	1,828	-0,0389	-0,0022	0,0004403	10-3
10	13	CM	LinStatic		0,002309	-0,074	-1,802	-0,0328	0	-0,0004403	10-3
10	200	CV	LinStatic		0	0	0	0	0	0	10-3
10	13	CV	LinStatic		0	0	0	0	0	0	10-3
10	200	L	LinStatic		0,031	-0,0047	-2,324	-0,4733	0,0296	-0,071	10-3
10	13	L	LinStatic		-0,031	0,0047	2,324	0,4779	0	0,071	10-3
10	200	COMB1	Combination		0,048	-0,0005169	-4,064	-0,8382	0,0462	-0,1259	10-3
10	13	COMB1	Combination		-0,048	0,0005169	4,064	0,8387	0	0,1259	10-3
10	200	COMB5	Combination		0,048	-0,0005169	-4,064	-0,8382	0,0462	-0,1259	10-3
10	13	COMB5	Combination		-0,048	0,0005169	4,064	0,8387	0	0,1259	10-3
10	200	COMB6	Combination		0,048	-0,0005169	-4,064	-0,8382	0,0462	-0,1259	10-3
10	13	COMB6	Combination		-0,048	0,0005169	4,064	0,8387	0	0,1259	10-3
10	200	COMB7	Combination		0,019	-0,004585	0,741	-0,11	0,0183	-0,0153	10-3
10	13	COMB7	Combination		-0,019	0,004585	-0,741	0,1144	0	0,0153	10-3
10	200	COMB8	Combination		0,019	-0,004585	0,741	-0,11	0,0183	-0,0153	10-3
10	13	COMB8	Combination		-0,019	0,004585	-0,741	0,1144	0	0,0153	10-3
10	200	COMB9	Combination		0,037	0,006895	-4,944	-0,8504	0,0353	-0,1287	10-3
10	13	COMB9	Combination		-0,037	-0,006895	4,944	0,8437	0	0,1287	10-3
10	200	COMB10	Combination		-0,031	-0,002597	6,269	0,8489	-0,0298	0,1294	10-3
10	13	COMB10	Combination		0,031	0,002597	-6,269	-0,8464	0	-0,1294	10-3
10	200	COMB11	Combination		-0,0002971	-0,007297	3,945	0,3756	-0,0002862	0,0585	10-3
10	13	COMB11	Combination		0,0002971	0,007297	-3,945	-0,3685	0	-0,0585	10-3
10	200	COMB12	Combination		0,067	0,002195	-7,268	-1,3237	0,0648	-0,1997	10-3
10	13	COMB12	Combination		-0,067	-0,002195	7,268	1,3216	0	0,1997	10-3
10	200	ENV	Combination	Max	0,067	0,006895	6,269	0,8489	0,0648	0,1294	10-3
10	13	ENV	Combination	Max	0,031	0,007297	7,268	1,3216	0	0,1997	10-3
10	200	ENV	Combination	Min	-0,031	-0,007297	-7,268	-1,3237	-0,0298	-0,1997	10-3
10	13	ENV	Combination	Min	-0,067	-0,006895	-6,269	-0,8464	0	-0,1294	10-3
11	14	DEAD	LinStatic		-0,019	0,009572	0,224	-0,0016	0	-0,0111	11-1
11	86	DEAD	LinStatic		0,019	-0,009572	-0,224	-0,0072	-0,0175	0,0111	11-1
11	14	CM	LinStatic		-0,0007372	-0,154	2,226	0,0512	0	-0,0052	11-1
11	86	CM	LinStatic		0,0007372	0,154	-2,202	0,0902	-0,0006782	0,0052	11-1
11	14	CV	LinStatic		0	0	0	0	0	0	11-1
11	86	CV	LinStatic		0	0	0	0	0	0	11-1
11	14	L	LinStatic		0,02	-0,729	-2,579	0,1462	0	0,0051	11-1

11	86	L	LinStatic	-0,02	0,729	2,579	0,5248	0,0182	-0,0051	11-1
11	14	COMB1	Combination	0,017	-1,275	-4,543	0,249	0	0,0007721	11-1
11	86	COMB1	Combination	-0,017	1,275	4,543	0,9237	0,0153	-0,0007721	11-1
11	14	COMB5	Combination	0,017	-1,275	-4,543	0,249	0	0,0007721	11-1
11	86	COMB5	Combination	-0,017	1,275	4,543	0,9237	0,0153	-0,0007721	11-1
11	14	COMB6	Combination	0,017	-1,275	-4,543	0,249	0	0,0007721	11-1
11	86	COMB6	Combination	-0,017	1,275	4,543	0,9237	0,0153	-0,0007721	11-1
11	14	COMB7	Combination	-0,015	-0,165	-0,166	0,04	0	-0,0127	11-1
11	86	COMB7	Combination	0,015	0,165	0,166	0,1115	-0,0138	0,0127	11-1
11	14	COMB8	Combination	-0,015	-0,165	-0,166	0,04	0	-0,0127	11-1
11	86	COMB8	Combination	0,015	0,165	0,166	0,1115	-0,0138	0,0127	11-1
11	14	COMB9	Combination	0,018	-1,285	-4,882	0,2422	0	0,0047	11-1
11	86	COMB9	Combination	-0,018	1,285	4,882	0,9403	0,0165	-0,0047	11-1
11	14	COMB10	Combination	-0,056	1,305	5,33	-0,2455	0	-0,0268	11-1
11	86	COMB10	Combination	0,056	-1,305	-5,33	-0,9547	-0,0515	0,0268	11-1
11	14	COMB11	Combination	-0,036	0,575	2,751	-0,0993	0	-0,0217	11-1
11	86	COMB11	Combination	0,036	-0,575	-2,751	-0,4299	-0,0332	0,0217	11-1
11	14	COMB12	Combination	0,038	-2,015	-7,46	0,3884	0	0,0098	11-1
11	86	COMB12	Combination	-0,038	2,015	7,46	1,4651	0,0347	-0,0098	11-1
11	14	ENV	Combination	0,038	1,305	5,33	0,3884	0	0,0098	11-1
11	86	ENV	Combination	0,056	2,015	7,46	1,4651	0,0347	0,0268	11-1
11	14	ENV	Combination	-0,056	-2,015	-7,46	-0,2455	0	-0,0268	11-1
11	86	ENV	Combination	-0,038	-1,305	-5,33	-0,9547	-0,0515	-0,0098	11-1
11	86	DEAD	LinStatic	0,012	-0,006759	0,232	0,0072	0,019	0,0029	11-2
11	15	DEAD	LinStatic	-0,012	0,006759	-0,232	0,0035	0	-0,0029	11-2
11	86	CM	LinStatic	0,003766	0,083	2,056	-0,0902	0,006	0,0001475	11-2
11	15	CM	LinStatic	-0,003766	-0,083	-2,014	-0,0412	0	-0,0001475	11-2
11	86	CV	LinStatic	0	0	0	0	0	0	11-2
11	15	CV	LinStatic	0	0	0	0	0	0	11-2
11	86	L	LinStatic	-0,008905	0,024	-2,954	-0,5248	-0,0141	-0,0157	11-2
11	15	L	LinStatic	0,008905	-0,024	2,954	0,487	0	0,0157	11-2
11	86	COMB1	Combination	-0,004522	0,04	-5,197	-0,9237	-0,0071	-0,0233	11-2
11	15	COMB1	Combination	0,004522	-0,04	5,197	0,8605	0	0,0233	11-2
11	86	COMB5	Combination	-0,004522	0,04	-5,197	-0,9237	-0,0071	-0,0233	11-2
11	15	COMB5	Combination	0,004522	-0,04	5,197	0,8605	0	0,0233	11-2
11	86	COMB6	Combination	-0,004522	0,04	-5,197	-0,9237	-0,0071	-0,0233	11-2
11	15	COMB6	Combination	0,004522	-0,04	5,197	0,8605	0	0,0233	11-2
11	86	COMB7	Combination	0,011	-0,00572	-0,245	-0,1115	0,0171	-0,0022	11-2
11	15	COMB7	Combination	-0,011	0,00572	0,245	0,1206	0	0,0022	11-2
11	86	COMB8	Combination	0,011	-0,00572	-0,245	-0,1115	0,0171	-0,0022	11-2
11	15	COMB8	Combination	-0,011	0,00572	0,245	0,1206	0	0,0022	11-2
11	86	COMB9	Combination	-0,005827	0,047	-5,545	-0,9403	-0,0092	-0,0217	11-2
11	15	COMB9	Combination	0,005827	-0,047	5,545	0,8667	0	0,0217	11-2
11	86	COMB10	Combination	0,03	-0,06	6,01	0,9547	0,0473	0,0275	11-2
11	15	COMB10	Combination	-0,03	0,06	-6,01	-0,8597	0	-0,0275	11-2
11	86	COMB11	Combination	0,021	-0,036	3,056	0,4299	0,0332	0,0119	11-2
11	15	COMB11	Combination	-0,021	0,036	-3,056	-0,3727	0	-0,0119	11-2
11	86	COMB12	Combination	-0,015	0,071	-8,499	-1,4651	-0,0233	-0,0374	11-2
11	15	COMB12	Combination	0,015	-0,071	8,499	1,3537	0	0,0374	11-2
11	86	ENV	Combination	0,03	0,071	6,01	0,9547	0,0473	0,0275	11-2
11	15	ENV	Combination	0,015	0,06	8,499	1,3537	0	0,0374	11-2
11	86	ENV	Combination	-0,015	-0,06	-8,499	-1,4651	-0,0233	-0,0374	11-2
11	15	ENV	Combination	-0,03	-0,071	-6,01	-0,8597	0	-0,0275	11-2
12	15	DEAD	LinStatic	0,298	-0,001405	0,251	-0,0025	0	0,0028	12-1
12	12	DEAD	LinStatic	-0,298	0,001405	-0,251	-0,0004071	0	0,0006573	12-1
12	15	CM	LinStatic	1,475	-0,006134	1,286	0,0088	0	0,0038	12-1
12	12	CM	LinStatic	-1,475	0,006134	-1,2	-0,0216	0	0,0114	12-1
12	15	CV	LinStatic	0	0	0	0	0	0	12-1
12	12	CV	LinStatic	0	0	0	0	0	0	12-1
12	15	L	LinStatic	-1,217	0,062	-1,025	0,2772	0	-0,0795	12-1
12	12	L	LinStatic	1,217	-0,062	1,025	-0,1491	0	-0,0726	12-1
12	15	COMB1	Combination	-2,062	0,105	-1,738	0,4854	0	-0,1345	12-1
12	12	COMB1	Combination	2,062	-0,105	1,738	-0,2675	0	-0,1239	12-1
12	15	COMB5	Combination	-2,062	0,105	-1,738	0,4854	0	-0,1345	12-1
12	12	COMB5	Combination	2,062	-0,105	1,738	-0,2675	0	-0,1239	12-1
12	15	COMB6	Combination	-2,062	0,105	-1,738	0,4854	0	-0,1345	12-1
12	12	COMB6	Combination	2,062	-0,105	1,738	-0,2675	0	-0,1239	12-1
12	15	COMB7	Combination	0,225	0,016	0,19	0,0641	0	-0,0189	12-1
12	12	COMB7	Combination	-0,225	-0,016	-0,19	-0,0314	0	-0,0199	12-1
12	15	COMB8	Combination	0,225	0,016	0,19	0,0641	0	-0,0189	12-1
12	12	COMB8	Combination	-0,225	-0,016	-0,19	-0,0314	0	-0,0199	12-1
12	15	COMB9	Combination	-2,371	0,102	-1,998	0,489	0	-0,1321	12-1
12	12	COMB9	Combination	2,371	-0,102	1,998	-0,2759	0	-0,1208	12-1
12	15	COMB10	Combination	2,967	-0,105	2,5	-0,494	0	0,1377	12-1
12	12	COMB10	Combination	-2,967	0,105	-2,5	0,2751	0	0,1221	12-1
12	15	COMB11	Combination	1,75	-0,044	1,475	-0,2167	0	0,0582	12-1
12	12	COMB11	Combination	-1,75	0,044	-1,475	0,126	0	0,0495	12-1
12	15	COMB12	Combination	-3,587	0,164	-3,023	0,7662	0	-0,2116	12-1
12	12	COMB12	Combination	3,587	-0,164	3,023	-0,425	0	-0,1933	12-1
12	15	ENV	Combination	2,967	0,164	2,5	0,7662	0	0,1377	12-1

12	12	ENV	Combination	Max	3,587	0,105	3,023	0,2751	0	0,1221 12-1
12	15	ENV	Combination	Min	-3,587	-0,105	-3,023	-0,494	0	-0,2116 12-1
12	12	ENV	Combination	Min	-2,967	-0,164	-2,5	-0,425	0	-0,1933 12-1
13	13	DEAD	LinStatic		0,683	-0,001189	0,623	-0,0017	0	0,002 13-1
13	10	DEAD	LinStatic		-0,683	0,001189	-0,623	-0,0009638	0	0,000974 13-1
13	13	CM	LinStatic		1,396	-0,011	1,317	0,0062	0	0,0098 13-1
13	10	CM	LinStatic		-1,396	0,011	-1,228	-0,0314	0	0,0178 13-1
13	13	CV	LinStatic		0	0	0	0	0	0 13-1
13	10	CV	LinStatic		0	0	0	0	0	0 13-1
13	13	L	LinStatic		-0,691	0,00143	-0,63	0,214	0	-0,0109 13-1
13	10	L	LinStatic		0,691	-0,00143	0,63	-0,2108	0	0,0074 13-1
13	13	COMB1	Combination		-1,163	-0,002545	-1,06	0,3735	0	-0,0127 13-1
13	10	COMB1	Combination		1,163	0,002545	1,06	-0,3793	0	0,0189 13-1
13	13	COMB5	Combination		-1,163	-0,002545	-1,06	0,3735	0	-0,0127 13-1
13	10	COMB5	Combination		1,163	0,002545	1,06	-0,3793	0	0,0189 13-1
13	13	COMB6	Combination		-1,163	-0,002545	-1,06	0,3735	0	-0,0127 13-1
13	10	COMB6	Combination		1,163	0,002545	1,06	-0,3793	0	0,0189 13-1
13	13	COMB7	Combination		1,148	0,003027	1,046	0,051	0	-0,0053 13-1
13	10	COMB7	Combination		-1,148	-0,003027	-1,046	-0,0442	0	-0,0022 13-1
13	13	COMB8	Combination		1,148	0,003027	1,046	0,051	0	-0,0053 13-1
13	10	COMB8	Combination		-1,148	-0,003027	-1,046	-0,0442	0	-0,0022 13-1
13	13	COMB9	Combination		-2,013	-0,007689	-1,835	0,3746	0	-0,0066 13-1
13	10	COMB9	Combination		2,013	0,007689	1,835	-0,3919	0	0,0256 13-1
13	13	COMB10	Combination		3,38	0,00531	3,081	-0,378	0	0,0105 13-1
13	10	COMB10	Combination		-3,38	-0,00531	-3,081	0,39	0	-0,0237 13-1
13	13	COMB11	Combination		2,689	0,006741	2,451	-0,164	0	-0,0004104 13-1
13	10	COMB11	Combination		-2,689	-0,006741	-2,451	0,1792	0	-0,0162 13-1
13	13	COMB12	Combination		-2,704	-0,006259	-2,465	0,5886	0	-0,0176 13-1
13	10	COMB12	Combination		2,704	0,006259	2,465	-0,6026	0	0,033 13-1
13	13	ENV	Combination	Max	3,38	0,006741	3,081	0,5886	0	0,0105 13-1
13	10	ENV	Combination	Max	2,704	0,007689	2,465	0,39	0	0,033 13-1
13	13	ENV	Combination	Min	-2,704	-0,007689	-2,465	-0,378	0	-0,0176 13-1
13	10	ENV	Combination	Min	-3,38	-0,006741	-3,081	-0,6026	0	-0,0237 13-1
14	11	DEAD	LinStatic		0,99	-0,001133	0,969	-0,0014	0	0,0014 14-1
14	1	DEAD	LinStatic		-0,99	0,001133	-0,969	-0,0013	0	0,0014 14-1
14	11	CM	LinStatic		1,432	-0,021	1,448	0,0045	0	0,0216 14-1
14	1	CM	LinStatic		-1,432	0,021	-1,356	-0,0555	0	0,0306 14-1
14	11	CV	LinStatic		0	0	0	0	0	0 14-1
14	1	CV	LinStatic		0	0	0	0	0	0 14-1
14	11	L	LinStatic		-0,023	-0,058	-0,022	0,1981	0	0,0351 14-1
14	1	L	LinStatic		0,023	0,058	0,022	-0,3384	0	0,1083 14-1
14	11	COMB1	Combination		-0,141	-0,106	-0,138	0,3492	0	0,0646 14-1
14	1	COMB1	Combination		0,141	0,106	0,138	-0,6047	0	0,1965 14-1
14	11	COMB5	Combination		-0,141	-0,106	-0,138	0,3492	0	0,0646 14-1
14	1	COMB5	Combination		0,141	0,106	0,138	-0,6047	0	0,1965 14-1
14	11	COMB6	Combination		-0,141	-0,106	-0,138	0,3492	0	0,0646 14-1
14	1	COMB6	Combination		0,141	0,106	0,138	-0,6047	0	0,1965 14-1
14	11	COMB7	Combination		2,076	-0,013	2,032	0,0441	0	0,0083 14-1
14	1	COMB7	Combination		-2,076	0,013	-2,032	-0,0748	0	0,023 14-1
14	11	COMB8	Combination		2,076	-0,013	2,032	0,0441	0	0,0083 14-1
14	1	COMB8	Combination		-2,076	0,013	-2,032	-0,0748	0	0,023 14-1
14	11	COMB9	Combination		-1,596	-0,11	-1,562	0,3545	0	0,067 14-1
14	1	COMB9	Combination		1,596	0,11	1,562	-0,6196	0	0,2038 14-1
14	11	COMB10	Combination		3,577	0,107	3,501	-0,3574	0	-0,0643 14-1
14	1	COMB10	Combination		-3,577	-0,107	-3,501	0,617	0	-0,2009 14-1
14	11	COMB11	Combination		3,554	0,049	3,478	-0,1593	0	-0,0292 14-1
14	1	COMB11	Combination		-3,554	-0,049	-3,478	0,2785	0	-0,0926 14-1
14	11	COMB12	Combination		-1,619	-0,168	-1,584	0,5526	0	0,1022 14-1
14	1	COMB12	Combination		1,619	0,168	1,584	-0,9581	0	0,3121 14-1
14	11	ENV	Combination	Max	3,577	0,107	3,501	0,5526	0	0,1022 14-1
14	1	ENV	Combination	Max	1,619	0,168	1,584	0,617	0	0,3121 14-1
14	11	ENV	Combination	Min	-1,619	-0,168	-1,584	-0,3574	0	-0,0643 14-1
14	1	ENV	Combination	Min	-3,577	-0,107	-3,501	-0,9581	0	-0,2009 14-1
15	14	DEAD	LinStatic		-0,079	-0,003101	-0,066	0,0043	0	-0,0037 15-1
15	25	DEAD	LinStatic		0,079	0,003101	0,066	-0,0021	-0,0005868	0,001 15-1
15	14	CM	LinStatic		0,296	-0,002691	0,274	-0,0152	0	0,00008535 15-1
15	25	CM	LinStatic		-0,296	0,002691	-0,244	0,0171	-0,0065	-0,0024 15-1
15	14	CV	LinStatic		0	0	0	0	0	0 15-1
15	25	CV	LinStatic		0	0	0	0	0	0 15-1
15	14	L	LinStatic		-0,94	-0,313	-0,792	-0,0195	0	-0,2243 15-1
15	25	L	LinStatic		0,94	0,313	0,792	0,249	-0,005	-0,046 15-1
15	14	COMB1	Combination		-1,744	-0,549	-1,472	-0,038	0	-0,3912 15-1
15	25	COMB1	Combination		1,744	0,549	1,472	0,4405	-0,0073	-0,0831 15-1
15	14	COMB5	Combination		-1,744	-0,549	-1,472	-0,038	0	-0,3912 15-1
15	25	COMB5	Combination		1,744	0,549	1,472	0,4405	-0,0073	-0,0831 15-1
15	14	COMB6	Combination		-1,744	-0,549	-1,472	-0,038	0	-0,3912 15-1
15	25	COMB6	Combination		1,744	0,549	1,472	0,4405	-0,0073	-0,0831 15-1
15	14	COMB7	Combination		-0,293	-0,083	-0,244	0,0076	0	-0,0648 15-1
15	25	COMB7	Combination		0,293	0,083	0,244	0,0532	-0,0039	-0,0069 15-1
15	14	COMB8	Combination		-0,293	-0,083	-0,244	0,0076	0	-0,0648 15-1

15	25	COMB8	Combination	0,293	0,083	0,244	0,0532	-0,0039	-0,0069 15-1
15	14	COMB9	Combination	-1,772	-0,547	-1,499	-0,0488	0	-0,3845 15-1
15	25	COMB9	Combination	1,772	0,547	1,499	0,4498	-0,0045	-0,0879 15-1
15	14	COMB10	Combination	1,614	0,541	1,366	0,0575	0	0,3771 15-1
15	25	COMB10	Combination	-1,614	-0,541	-1,366	-0,4539	0,0033	0,0899 15-1
15	14	COMB11	Combination	0,674	0,228	0,574	0,038	0	0,1528 15-1
15	25	COMB11	Combination	-0,674	-0,228	-0,574	-0,205	-0,0017	0,0439 15-1
15	14	COMB12	Combination	-2,712	-0,86	-2,291	-0,0683	0	-0,6088 15-1
15	25	COMB12	Combination	2,712	0,86	2,291	0,6988	-0,0095	-0,1339 15-1
15	14	ENV	Combination Max	1,614	0,541	1,366	0,0575	0	0,3771 15-1
15	25	ENV	Combination Max	2,712	0,86	2,291	0,6988	0,0033	0,0899 15-1
15	14	ENV	Combination Min	-2,712	-0,86	-2,291	-0,0683	0	-0,6088 15-1
15	25	ENV	Combination Min	-1,614	-0,541	-1,366	-0,4539	-0,0095	-0,1339 15-1
15	25	DEAD	LinStatic	-0,076	-0,0006393	-0,064	0,0017	-0,0011	-0,0032 15-2
15	16	DEAD	LinStatic	0,076	0,0006393	0,064	-0,0009454	0	0,0023 15-2
15	25	CM	LinStatic	0,23	0,0002774	0,226	-0,0158	-0,0073	0,0007415 15-2
15	16	CM	LinStatic	-0,23	-0,0002774	-0,176	0,0155	0	-0,0003429 15-2
15	25	CV	LinStatic	0	0	0	0	0	0 15-2
15	16	CV	LinStatic	0	0	0	0	0	0 15-2
15	25	L	LinStatic	-0,929	-0,264	-0,795	-0,2341	0,0082	-0,0953 15-2
15	16	L	LinStatic	0,929	0,264	0,795	0,5563	0	-0,2843 15-2
15	25	COMB1	Combination	-1,725	-0,462	-1,473	-0,4149	0,0132	-0,1675 15-2
15	16	COMB1	Combination	1,725	0,462	1,473	0,9783	0	-0,4962 15-2
15	25	COMB5	Combination	-1,725	-0,462	-1,473	-0,4149	0,0132	-0,1675 15-2
15	16	COMB5	Combination	1,725	0,462	1,473	0,9783	0	-0,4962 15-2
15	25	COMB6	Combination	-1,725	-0,462	-1,473	-0,4149	0,0132	-0,1675 15-2
15	16	COMB6	Combination	1,725	0,462	1,473	0,9783	0	-0,4962 15-2
15	25	COMB7	Combination	-0,287	-0,068	-0,244	-0,0499	0,000978	-0,0295 15-2
15	16	COMB7	Combination	0,287	0,068	0,244	0,1325	0	-0,0677 15-2
15	25	COMB8	Combination	-0,287	-0,068	-0,244	-0,0499	0,000978	-0,0295 15-2
15	16	COMB8	Combination	0,287	0,068	0,244	0,1325	0	-0,0677 15-2
15	25	COMB9	Combination	-1,754	-0,461	-1,498	-0,424	0,0131	-0,1642 15-2
15	16	COMB9	Combination	1,754	0,461	1,498	0,9859	0	-0,4976 15-2
15	25	COMB10	Combination	1,602	0,459	1,37	0,4275	-0,0153	0,1578 15-2
15	16	COMB10	Combination	-1,602	-0,459	-1,37	-0,9878	0	0,5023 15-2
15	25	COMB11	Combination	0,672	0,195	0,576	0,1933	-0,0071	0,0625 15-2
15	16	COMB11	Combination	-0,672	-0,195	-0,576	-0,4314	0	0,218 15-2
15	25	COMB12	Combination	-2,684	-0,725	-2,293	-0,6582	0,0213	-0,2595 15-2
15	16	COMB12	Combination	2,684	0,725	2,293	1,5422	0	-0,7819 15-2
15	25	ENV	Combination Max	1,602	0,459	1,37	0,4275	0,0213	0,1578 15-2
15	16	ENV	Combination Max	2,684	0,725	2,293	1,5422	0	0,5023 15-2
15	25	ENV	Combination Min	-2,684	-0,725	-2,293	-0,6582	-0,0153	-0,2595 15-2
15	16	ENV	Combination Min	-1,602	-0,459	-1,37	-0,9878	0	-0,7819 15-2
16	5	DEAD	LinStatic	-0,258	0,00376	-0,122	-0,0025	0	0,0028 16-1
16	17	DEAD	LinStatic	0,258	-0,00376	0,122	-0,0019	0	0,0065 16-1
16	5	CM	LinStatic	1,658	-0,02	0,821	-0,0165	0	-0,0265 16-1
16	17	CM	LinStatic	-1,658	0,02	-0,748	0,0395	0	-0,0221 16-1
16	5	CV	LinStatic	0	0	0	0	0	0 16-1
16	17	CV	LinStatic	0	0	0	0	0	0 16-1
16	5	L	LinStatic	1,55	-0,6	0,733	-0,1262	0	-0,1806 16-1
16	17	L	LinStatic	-1,55	-0,439	-0,733	0,2203	0	-0,0183 16-1
16	5	COMB1	Combination	1,917	-0,829	0,907	-0,262	0	-0,2283 16-1
16	17	COMB1	Combination	-1,917	-0,579	-0,907	0,4081	0	-0,0805 16-1
16	5	COMB5	Combination	1,917	-0,829	0,907	-0,262	0	-0,2283 16-1
16	17	COMB5	Combination	-1,917	-0,579	-0,907	0,4081	0	-0,0805 16-1
16	5	COMB6	Combination	1,917	-0,829	0,907	-0,262	0	-0,2283 16-1
16	17	COMB6	Combination	-1,917	-0,579	-0,907	0,4081	0	-0,0805 16-1
16	5	COMB7	Combination	0,668	-0,363	0,316	0,0046	0	-0,1274 16-1
16	17	COMB7	Combination	-0,668	-0,306	-0,316	0,0287	0	0,057 16-1
16	5	COMB8	Combination	0,668	-0,363	0,316	0,0046	0	-0,1274 16-1
16	17	COMB8	Combination	-0,668	-0,306	-0,316	0,0287	0	0,057 16-1
16	5	COMB9	Combination	1,2	-0,539	0,568	-0,3136	0	-0,1149 16-1
16	17	COMB9	Combination	-1,2	-0,322	-0,568	0,4408	0	-0,1539 16-1
16	5	COMB10	Combination	-1,715	0,547	-0,812	0,3086	0	0,1205 16-1
16	17	COMB10	Combination	1,715	0,314	0,812	-0,4446	0	0,1669 16-1
16	5	COMB11	Combination	-0,165	-0,053	-0,078	0,1824	0	-0,0601 16-1
16	17	COMB11	Combination	0,165	-0,125	0,078	-0,2243	0	0,1486 16-1
16	5	COMB12	Combination	2,75	-1,139	1,301	-0,4398	0	-0,2955 16-1
16	17	COMB12	Combination	-2,75	-0,76	-1,301	0,6611	0	-0,1722 16-1
16	5	ENV	Combination Max	2,75	0,547	1,301	0,3086	0	0,1205 16-1
16	17	ENV	Combination Max	1,715	0,314	0,812	0,6611	0	0,1669 16-1
16	5	ENV	Combination Min	-1,715	-1,139	-0,812	-0,4398	0	-0,2955 16-1
16	17	ENV	Combination Min	-2,75	-0,76	-1,301	-0,4446	0	-0,1722 16-1
17	3	DEAD	LinStatic	-0,159	0,004414	-0,065	-0,0023	0	0,004 17-1
17	18	DEAD	LinStatic	0,159	-0,004414	0,065	-0,0021	0	0,0069 17-1
17	3	CM	LinStatic	0,563	0,007856	0,264	-0,0235	0	-0,0066 17-1
17	18	CM	LinStatic	-0,563	0,007856	-0,193	0,0313	0	-0,0128 17-1
17	3	CV	LinStatic	0	0	0	0	0	0 17-1
17	18	CV	LinStatic	0	0	0	0	0	0 17-1
17	3	L	LinStatic	0,386	-0,48	0,157	-0,1354	0	-0,0642 17-1

17	18	L	LinStatic	-0,386	-0,533	-0,157	0,109	0	0,1292 17-1
17	3	COMB1	Combination	0,629	-0,649	0,255	-0,2617	0	-0,0387 17-1
17	18	COMB1	Combination	-0,629	-0,724	-0,255	0,2239	0	0,1318 17-1
17	3	COMB5	Combination	0,629	-0,649	0,255	-0,2617	0	-0,0387 17-1
17	18	COMB5	Combination	-0,629	-0,724	-0,255	0,2239	0	0,1318 17-1
17	3	COMB6	Combination	0,629	-0,649	0,255	-0,2617	0	-0,0387 17-1
17	18	COMB6	Combination	-0,629	-0,724	-0,255	0,2239	0	0,1318 17-1
17	3	COMB7	Combination	-0,175	-0,303	-0,071	-0,0138	0	-0,0817 17-1
17	18	COMB7	Combination	0,175	-0,35	0,071	-0,0101	0	0,1406 17-1
17	3	COMB8	Combination	-0,175	-0,303	-0,071	-0,0138	0	-0,0817 17-1
17	18	COMB8	Combination	0,175	-0,35	0,071	-0,0101	0	0,1406 17-1
17	3	COMB9	Combination	0,779	-0,399	0,316	-0,2916	0	0,0542 17-1
17	18	COMB9	Combination	-0,779	-0,44	-0,316	0,271	0	-0,0033 17-1
17	3	COMB10	Combination	-1,097	0,408	-0,445	0,2869	0	-0,0462 17-1
17	18	COMB10	Combination	1,097	0,432	0,445	-0,2752	0	0,0172 17-1
17	3	COMB11	Combination	-0,711	-0,072	-0,289	0,1515	0	-0,1104 17-1
17	18	COMB11	Combination	0,711	-0,101	0,289	-0,1662	0	0,1464 17-1
17	3	COMB12	Combination	1,165	-0,879	0,473	-0,427	0	-0,01 17-1
17	18	COMB12	Combination	-1,165	-0,973	-0,473	0,38	0	0,1259 17-1
17	3	ENV	Combination	1,165	0,408	0,473	0,2869	0	0,0542 17-1
17	18	ENV	Combination	1,097	0,432	0,445	0,38	0	0,1464 17-1
17	3	ENV	Combination	-1,097	-0,879	-0,445	-0,427	0	-0,1104 17-1
17	18	ENV	Combination	-1,165	-0,973	-0,473	-0,2752	0	-0,0033 17-1
18	12	DEAD	LinStatic	-0,259	-0,003963	0,122	0,0027	0	0,003 18-1
18	19	DEAD	LinStatic	0,259	0,003963	-0,122	0,002	0	0,0068 18-1
18	12	CM	LinStatic	-1,346	-0,00568	0,673	-0,0009996	0	0,0099 18-1
18	19	CM	LinStatic	1,346	0,00568	-0,601	0,0076	0	0,0041 18-1
18	12	CV	LinStatic	0	0	0	0	0	0 18-1
18	19	CV	LinStatic	0	0	0	0	0	0 18-1
18	12	L	LinStatic	-0,577	-0,038	0,273	-0,0233	0	0,0543 18-1
18	19	L	LinStatic	0,577	0,038	-0,273	0,0676	0	0,0393 18-1
18	12	COMB1	Combination	-0,909	-0,071	0,43	-0,0396	0	0,1003 18-1
18	19	COMB1	Combination	0,909	0,071	-0,43	0,1222	0	0,0743 18-1
18	12	COMB5	Combination	-0,909	-0,071	0,43	-0,0396	0	0,1003 18-1
18	19	COMB5	Combination	0,909	0,071	-0,43	0,1222	0	0,0743 18-1
18	12	COMB6	Combination	-0,909	-0,071	0,43	-0,0396	0	0,1003 18-1
18	19	COMB6	Combination	0,909	0,071	-0,43	0,1222	0	0,0743 18-1
18	12	COMB7	Combination	-0,761	-0,013	0,36	-0,0017	0	0,0144 18-1
18	19	COMB7	Combination	0,761	0,013	-0,36	0,0169	0	0,0177 18-1
18	12	COMB8	Combination	-0,761	-0,013	0,36	-0,0017	0	0,0144 18-1
18	19	COMB8	Combination	0,761	0,013	-0,36	0,0169	0	0,0177 18-1
18	12	COMB9	Combination	-0,431	-0,071	0,204	-0,0415	0	0,1032 18-1
18	19	COMB9	Combination	0,431	0,071	-0,204	0,1248	0	0,0728 18-1
18	12	COMB10	Combination	-0,086	0,063	0,041	0,0469	0	-0,0972 18-1
18	19	COMB10	Combination	0,086	-0,063	-0,041	-0,1209	0	-0,0592 18-1
18	12	COMB11	Combination	-0,663	0,025	0,314	0,0236	0	-0,0428 18-1
18	19	COMB11	Combination	0,663	-0,025	-0,314	-0,0533	0	-0,02 18-1
18	12	COMB12	Combination	-1,008	-0,109	0,477	-0,0648	0	0,1575 18-1
18	19	COMB12	Combination	1,008	0,109	-0,477	0,1924	0	0,1121 18-1
18	12	ENV	Combination	-0,086	0,063	0,477	0,0469	0	0,1575 18-1
18	19	ENV	Combination	1,008	0,109	-0,041	0,1924	0	0,1121 18-1
18	12	ENV	Combination	-1,008	-0,109	0,041	-0,0648	0	-0,0972 18-1
18	19	ENV	Combination	0,086	-0,063	-0,477	-0,1209	0	-0,0592 18-1
19	10	DEAD	LinStatic	-0,153	-0,00408	0,062	0,002	0	0,0035 19-1
19	18	DEAD	LinStatic	0,153	0,00408	-0,062	0,002	0	0,0065 19-1
19	10	CM	LinStatic	-1,313	-0,018	0,568	0,0079	0	0,0269 19-1
19	18	CM	LinStatic	1,313	0,018	-0,497	0,0106	0	0,0188 19-1
19	10	CV	LinStatic	0	0	0	0	0	0 19-1
19	18	CV	LinStatic	0	0	0	0	0	0 19-1
19	10	L	LinStatic	-1,775	-0,057	0,72	0,0236	0	0,0839 19-1
19	18	L	LinStatic	1,775	0,057	-0,72	0,0334	0	0,0565 19-1
19	10	COMB1	Combination	-2,874	-0,113	1,167	0,0539	0	0,1628 19-1
19	18	COMB1	Combination	2,874	0,113	-1,167	0,0598	0	0,1173 19-1
19	10	COMB5	Combination	-2,874	-0,113	1,167	0,0539	0	0,1628 19-1
19	18	COMB5	Combination	2,874	0,113	-1,167	0,0598	0	0,1173 19-1
19	10	COMB6	Combination	-2,874	-0,113	1,167	0,0539	0	0,1628 19-1
19	18	COMB6	Combination	2,874	0,113	-1,167	0,0598	0	0,1173 19-1
19	10	COMB7	Combination	-0,981	-0,008479	0,398	-0,0026	0	0,0122 19-1
19	18	COMB7	Combination	0,981	0,008479	-0,398	0,0111	0	0,0088 19-1
19	10	COMB8	Combination	-0,981	-0,008479	0,398	-0,0026	0	0,0122 19-1
19	18	COMB8	Combination	0,981	0,008479	-0,398	0,0111	0	0,0088 19-1
19	10	COMB9	Combination	-2,361	-0,127	0,958	0,0679	0	0,1793 19-1
19	18	COMB9	Combination	2,361	0,127	-0,958	0,0589	0	0,1332 19-1
19	10	COMB10	Combination	2,055	0,118	-0,834	-0,0639	0	-0,1722 19-1
19	18	COMB10	Combination	-2,055	-0,118	0,834	-0,0548	0	-0,1201 19-1
19	10	COMB11	Combination	0,28	0,061	-0,114	-0,0402	0	-0,0883 19-1
19	18	COMB11	Combination	-0,28	-0,061	0,114	-0,0214	0	-0,0636 19-1
19	10	COMB12	Combination	-4,136	-0,183	1,679	0,0916	0	0,2633 19-1
19	18	COMB12	Combination	4,136	0,183	-1,679	0,0923	0	0,1897 19-1
19	10	ENV	Combination	2,055	0,118	1,679	0,0916	0	0,2633 19-1

19	18	ENV	Combination	Max	4,136	0,183	0,834	0,0923	0	0,1897	19-1
19	10	ENV	Combination	Min	-4,136	-0,183	-0,834	-0,0639	0	-0,1722	19-1
19	18	ENV	Combination	Min	-2,055	-0,118	-1,679	-0,0548	0	-0,1201	19-1
20	8	DEAD	LinStatic		-0,173	-0,006224	-0,045	-0,0019	-0,0049	0,0069	20-1
20	9	DEAD	LinStatic		0,173	0,006224	0,045	-0,0015	-0,0042	0,0074	20-1
20	8	CM	LinStatic		1,637	0,022	0,648	0,0028	0,1139	-0,0315	20-1
20	9	CM	LinStatic		-1,637	-0,022	-0,207	0,0093	-0,0281	-0,0195	20-1
20	8	CV	LinStatic		0	0	0	0	0	0	20-1
20	9	CV	LinStatic		0	0	0	0	0	0	20-1
20	8	L	LinStatic		-0,645	0,048	0,349	-0,0091	0,2429	-0,0415	20-1
20	9	L	LinStatic		0,645	-0,048	0,549	0,0354	-0,1201	-0,069	20-1
20	8	COMB1	Combination		-1,421	-0,046	0,18	-0,0267	0,2721	-0,0477	20-1
20	9	COMB1	Combination		1,421	-0,273	0,719	0,0887	-0,1134	-0,2128	20-1
20	8	COMB5	Combination		-1,421	-0,046	0,18	-0,0267	0,2721	-0,0477	20-1
20	9	COMB5	Combination		1,421	-0,273	0,719	0,0887	-0,1134	-0,2128	20-1
20	8	COMB6	Combination		-1,421	-0,046	0,18	-0,0267	0,2721	-0,0477	20-1
20	9	COMB6	Combination		1,421	-0,273	0,719	0,0887	-0,1134	-0,2128	20-1
20	8	COMB7	Combination		-0,216	0,13	0,428	0,0048	0,2039	-0,0213	20-1
20	9	COMB7	Combination		0,216	0,189	0,471	-0,0211	-0,1353	0,0895	20-1
20	8	COMB8	Combination		-0,216	0,13	0,428	0,0048	0,2039	-0,0213	20-1
20	9	COMB8	Combination		0,216	0,189	0,471	-0,0211	-0,1353	0,0895	20-1
20	8	COMB9	Combination		-1,579	-0,212	-0,334	-0,0387	0,0746	-0,0239	20-1
20	9	COMB9	Combination		1,579	-0,533	0,334	0,1265	0,0212	-0,3452	20-1
20	8	COMB10	Combination		1,234	0,199	0,244	0,0349	-0,0844	0,0377	20-1
20	9	COMB10	Combination		-1,234	0,545	-0,244	-0,1296	-0,0297	0,36	20-1
20	8	COMB11	Combination		0,588	0,248	0,593	0,0259	0,1585	-0,0038	20-1
20	9	COMB11	Combination		-0,588	0,497	0,305	-0,0942	-0,1498	0,2909	20-1
20	8	COMB12	Combination		-2,225	-0,164	0,015	-0,0477	0,3175	-0,0653	20-1
20	9	COMB12	Combination		2,225	-0,581	0,884	0,1619	-0,0989	-0,4143	20-1
20	8	ENV	Combination	Max	1,234	0,248	0,593	0,0349	0,3175	0,0377	20-1
20	9	ENV	Combination	Max	2,225	0,545	0,884	0,1619	0,0212	0,36	20-1
20	8	ENV	Combination	Min	-2,225	-0,212	-0,334	-0,0477	-0,0844	-0,0653	20-1
20	9	ENV	Combination	Min	-1,234	-0,581	-0,244	-0,1296	-0,1498	-0,4143	20-1
21	6	DEAD	LinStatic		-0,369	-0,004705	-0,065	-0,0013	-0,0044	0,0054	21-1
21	8	DEAD	LinStatic		0,369	0,004705	0,065	-0,00062	-0,0023	0,0062	21-1
21	6	CM	LinStatic		-0,913	0,015	0,068	-0,0052	0,0866	-0,0192	21-1
21	8	CM	LinStatic		0,913	-0,015	0,399	0,0115	-0,1126	-0,018	21-1
21	6	CV	LinStatic		0	0	0	0	0	0	21-1
21	8	CV	LinStatic		0	0	0	0	0	0	21-1
21	6	L	LinStatic		-2,043	0,156	0,201	0,097	0,2836	-0,1861	21-1
21	8	L	LinStatic		2,043	-0,156	0,751	-0,0319	-0,1089	-0,1985	21-1
21	6	COMB1	Combination		-2,973	0,11	0,094	0,1521	0,3472	-0,2655	21-1
21	8	COMB1	Combination		2,973	-0,448	0,858	-0,0352	-0,0467	-0,4243	21-1
21	6	COMB5	Combination		-2,973	0,11	0,094	0,1521	0,3472	-0,2655	21-1
21	8	COMB5	Combination		2,973	-0,448	0,858	-0,0352	-0,0467	-0,4243	21-1
21	6	COMB6	Combination		-2,973	0,11	0,094	0,1521	0,3472	-0,2655	21-1
21	8	COMB6	Combination		2,973	-0,448	0,858	-0,0352	-0,0467	-0,4243	21-1
21	6	COMB7	Combination		-1,849	0,192	0,177	0,0393	0,2113	-0,0958	21-1
21	8	COMB7	Combination		1,849	0,146	0,775	-0,0298	-0,1759	0,0397	21-1
21	6	COMB8	Combination		-1,849	0,192	0,177	0,0393	0,2113	-0,0958	21-1
21	8	COMB8	Combination		1,849	0,146	0,775	-0,0298	-0,1759	0,0397	21-1
21	6	COMB9	Combination		-1,68	-0,1	-0,162	0,1302	0,1542	-0,1925	21-1
21	8	COMB9	Combination		1,68	-0,689	0,162	-0,0069	0,1483	-0,5351	21-1
21	6	COMB10	Combination		0,943	0,091	0,032	-0,1329	-0,1629	0,2033	21-1
21	8	COMB10	Combination		-0,943	0,699	-0,032	0,0057	-0,153	0,5475	21-1
21	6	COMB11	Combination		-1,1	0,246	0,232	-0,0359	0,1206	0,0173	21-1
21	8	COMB11	Combination		1,1	0,543	0,72	-0,0262	-0,262	0,349	21-1
21	6	COMB12	Combination		-3,723	0,056	0,038	0,2272	0,4378	-0,3785	21-1
21	8	COMB12	Combination		3,723	-0,845	0,914	-0,0388	0,0394	-0,7336	21-1
21	6	ENV	Combination	Max	0,943	0,246	0,232	0,2272	0,4378	0,2033	21-1
21	8	ENV	Combination	Max	3,723	0,699	0,914	0,0057	0,1483	0,5475	21-1
21	6	ENV	Combination	Min	-3,723	-0,1	-0,162	-0,1329	-0,1629	-0,3785	21-1
21	8	ENV	Combination	Min	-0,943	-0,845	-0,032	-0,0388	-0,262	-0,7336	21-1
22	4	DEAD	LinStatic		-0,323	-0,003477	-0,035	-0,0004698	-0,0033	0,004	22-1
22	6	DEAD	LinStatic		0,323	0,003477	0,035	-0,0003954	-0,0019	0,0046	22-1
22	4	CM	LinStatic		-1,703	0,002498	0,066	-0,0103	0,1014	-0,0046	22-1
22	6	CM	LinStatic		1,703	-0,002498	0,397	0,0109	-0,0855	-0,0015	22-1
22	4	CV	LinStatic		0	0	0	0	0	0	22-1
22	6	CV	LinStatic		0	0	0	0	0	0	22-1
22	4	L	LinStatic		-1,931	-0,013	0,309	0,0853	0,2133	-0,0032	22-1
22	6	L	LinStatic		1,931	0,013	0,634	-0,0885	-0,1337	0,0356	22-1
22	4	COMB1	Combination		-2,466	-0,18	0,273	0,1434	0,219	0,0508	22-1
22	6	COMB1	Combination		2,466	-0,155	0,67	-0,1465	-0,0955	-0,0204	22-1
22	4	COMB5	Combination		-2,466	-0,18	0,273	0,1434	0,219	0,0508	22-1
22	6	COMB5	Combination		2,466	-0,155	0,67	-0,1465	-0,0955	-0,0204	22-1
22	4	COMB6	Combination		-2,466	-0,18	0,273	0,1434	0,219	0,0508	22-1
22	6	COMB6	Combination		2,466	-0,155	0,67	-0,1465	-0,0955	-0,0204	22-1
22	4	COMB7	Combination		-2,042	0,147	0,276	0,0262	0,2009	-0,0492	22-1
22	6	COMB7	Combination		2,042	0,188	0,667	-0,0314	-0,1758	0,1009	22-1
22	4	COMB8	Combination		-2,042	0,147	0,276	0,0262	0,2009	-0,0492	22-1

22	6	COMB8	Combination		2,042	0,188	0,667	-0,0314	-0,1758	0,1009	22-1
22	4	COMB9	Combination		-0,818	-0,384	-0,038	0,1363	0,0178	0,1207	22-1
22	6	COMB9	Combination		0,818	-0,398	0,038	-0,1347	0,0918	-0,137	22-1
22	4	COMB10	Combination		0,171	0,377	-0,031	-0,1372	-0,0245	-0,1126	22-1
22	6	COMB10	Combination		-0,171	0,405	0,031	0,1339	-0,0956	0,1461	22-1
22	4	COMB11	Combination		-1,76	0,364	0,278	-0,052	0,1888	-0,1158	22-1
22	6	COMB11	Combination		1,76	0,418	0,665	0,0453	-0,2293	0,1817	22-1
22	4	COMB12	Combination		-2,749	-0,398	0,271	0,2216	0,2311	0,1175	22-1
22	6	COMB12	Combination		2,749	-0,384	0,672	-0,2232	-0,042	-0,1013	22-1
22	4	ENV	Combination	Max	0,171	0,377	0,278	0,2216	0,2311	0,1207	22-1
22	6	ENV	Combination	Max	2,749	0,418	0,672	0,1339	0,0918	0,1817	22-1
22	4	ENV	Combination	Min	-2,749	-0,398	-0,038	-0,1372	-0,0245	-0,1158	22-1
22	6	ENV	Combination	Min	-0,171	-0,398	0,031	-0,2232	-0,2293	-0,137	22-1
23	2	DEAD	LinStatic		-0,066	-0,002724	-0,00469	-0,0004267	-0,0033	0,0033	23-1
23	4	DEAD	LinStatic		0,066	0,002724	0,00469	0,0002017	-0,0028	0,0035	23-1
23	2	CM	LinStatic		-1,23	0,005476	0,17	0,0016	0,0554	-0,0111	23-1
23	4	CM	LinStatic		1,23	-0,005476	0,291	-0,0011	-0,1044	-0,0024	23-1
23	2	CV	LinStatic		0	0	0	0	0	0	23-1
23	4	CV	LinStatic		0	0	0	0	0	0	23-1
23	2	L	LinStatic		-0,947	-0,207	0,344	-0,0352	0,0455	0,2271	23-1
23	4	L	LinStatic		0,947	0,207	0,595	0,0181	-0,2763	0,2842	23-1
23	2	COMB1	Combination		-0,917	-0,508	0,288	-0,0593	-0,0386	0,4435	23-1
23	4	COMB1	Combination		0,917	0,174	0,651	0,0312	-0,3335	0,3995	23-1
23	2	COMB5	Combination		-0,917	-0,508	0,288	-0,0593	-0,0386	0,4435	23-1
23	4	COMB5	Combination		0,917	0,174	0,651	0,0312	-0,3335	0,3995	23-1
23	2	COMB6	Combination		-0,917	-0,508	0,288	-0,0593	-0,0386	0,4435	23-1
23	4	COMB6	Combination		0,917	0,174	0,651	0,0312	-0,3335	0,3995	23-1
23	2	COMB7	Combination		-1,109	0,089	0,391	-0,012	0,1231	0,0173	23-1
23	4	COMB7	Combination		1,109	0,245	0,548	0,0055	-0,2248	0,1758	23-1
23	2	COMB8	Combination		-1,109	0,089	0,391	-0,012	0,1231	0,0173	23-1
23	4	COMB8	Combination		1,109	0,245	0,548	0,0055	-0,2248	0,1758	23-1
23	2	COMB9	Combination		0,158	-0,699	-0,125	-0,0557	-0,192	0,5006	23-1
23	4	COMB9	Combination		-0,158	-0,08	0,125	0,0301	-0,1296	0,2644	23-1
23	2	COMB10	Combination		-0,29	0,693	0,116	0,0548	0,1854	-0,494	23-1
23	4	COMB10	Combination		0,29	0,085	-0,116	-0,0297	0,1239	-0,2575	23-1
23	2	COMB11	Combination		-1,237	0,486	0,46	0,0196	0,2309	-0,2669	23-1
23	4	COMB11	Combination		1,237	0,292	0,479	-0,0116	-0,1524	0,0267	23-1
23	2	COMB12	Combination		-0,789	-0,906	0,22	-0,0909	-0,1465	0,7277	23-1
23	4	COMB12	Combination		0,789	0,127	0,72	0,0482	-0,406	0,5486	23-1
23	2	ENV	Combination	Max	0,158	0,693	0,46	0,0548	0,2309	0,7277	23-1
23	4	ENV	Combination	Max	1,237	0,292	0,72	0,0482	0,1239	0,5486	23-1
23	2	ENV	Combination	Min	-1,237	-0,906	-0,125	-0,0909	-0,192	-0,494	23-1
23	4	ENV	Combination	Min	-0,158	-0,08	-0,116	-0,0297	-0,406	-0,2575	23-1
26	17	DEAD	LinStatic		-0,161	-0,011	-0,016	-0,0014	0	0,0131	26-1
26	22	DEAD	LinStatic		0,161	0,011	0,016	-0,0013	0	0,0138	26-1
26	17	CM	LinStatic		-0,408	-0,0002464	-0,008206	-0,0005932	0	0,002	26-1
26	22	CM	LinStatic		0,408	0,0002464	0,074	0,0005318	0	-0,0014	26-1
26	17	CV	LinStatic		0	0	0	0	0	0	26-1
26	22	CV	LinStatic		0	0	0	0	0	0	26-1
26	17	L	LinStatic		0,087	-0,364	0,008741	0,1198	0	-0,0002198	26-1
26	22	L	LinStatic		-0,087	-0,579	-0,008741	-0,093	0	-0,2653	26-1
26	17	COMB1	Combination		0,179	-0,478	0,018	0,2076	0	-0,0267	26-1
26	22	COMB1	Combination		-0,179	-0,801	-0,018	-0,1673	0	-0,3727	26-1
26	17	COMB5	Combination		0,179	-0,478	0,018	0,2076	0	-0,0267	26-1
26	22	COMB5	Combination		-0,179	-0,801	-0,018	-0,1673	0	-0,3727	26-1
26	17	COMB6	Combination		0,179	-0,478	0,018	0,2076	0	-0,0267	26-1
26	22	COMB6	Combination		-0,179	-0,801	-0,018	-0,1673	0	-0,3727	26-1
26	17	COMB7	Combination		-0,326	-0,273	-0,033	0,0291	0	0,0524	26-1
26	22	COMB7	Combination		0,326	-0,336	0,033	-0,0212	0	-0,1304	26-1
26	17	COMB8	Combination		-0,326	-0,273	-0,033	0,0291	0	0,0524	26-1
26	22	COMB8	Combination		0,326	-0,336	0,033	-0,0212	0	-0,1304	26-1
26	17	COMB9	Combination		0,428	-0,25	0,043	0,2068	0	-0,0791	26-1
26	22	COMB9	Combination		-0,428	-0,532	-0,043	-0,1718	0	-0,2689	26-1
26	17	COMB10	Combination		-0,749	0,228	-0,076	-0,2097	0	0,1053	26-1
26	22	COMB10	Combination		0,749	0,554	0,076	0,1692	0	0,2965	26-1
26	17	COMB11	Combination		-0,663	-0,136	-0,067	-0,09	0	0,1051	26-1
26	22	COMB11	Combination		0,663	-0,026	0,067	0,0762	0	0,0312	26-1
26	17	COMB12	Combination		0,515	-0,614	0,052	0,3266	0	-0,0794	26-1
26	22	COMB12	Combination		-0,515	-1,111	-0,052	-0,2648	0	-0,5342	26-1
26	17	ENV	Combination	Max	0,515	0,228	0,052	0,3266	0	0,1053	26-1
26	22	ENV	Combination	Max	0,749	0,554	0,076	0,1692	0	0,2965	26-1
26	17	ENV	Combination	Min	-0,749	-0,614	-0,076	-0,2097	0	-0,0794	26-1
26	22	ENV	Combination	Min	-0,515	-1,111	-0,052	-0,2648	0	-0,5342	26-1
27	19	DEAD	LinStatic		0,056	-0,01	-0,001884	0,0003208	0	0,0126	27-1
27	18	DEAD	LinStatic		-0,056	0,01	0,001884	0,0005061	0	0,0121	27-1
27	19	CM	LinStatic		-1,456	-0,021	0,081	0,0093	0	0,0281	27-1
27	18	CM	LinStatic		1,456	0,021	-0,016	-0,0076	0	0,0246	27-1
27	19	CV	LinStatic		0	0	0	0	0	0	27-1
27	18	CV	LinStatic		0	0	0	0	0	0	27-1
27	19	L	LinStatic		-0,195	-0,074	0,006511	0,0433	0	0,0959	27-1

27	18	L	LinStatic	0,195	0,074	-0,006511	-0,0372	0	0,0878	27-1
27	19	COMB1	Combination	0,023	-0,157	-0,0007747	0,0851	0	0,1997	27-1
27	18	COMB1	Combination	-0,023	0,157	0,0007747	-0,0721	0	0,1893	27-1
27	19	COMB5	Combination	0,023	-0,157	-0,0007747	0,0851	0	0,1997	27-1
27	18	COMB5	Combination	-0,023	0,157	0,0007747	-0,0721	0	0,1893	27-1
27	19	COMB6	Combination	0,023	-0,157	-0,0007747	0,0851	0	0,1997	27-1
27	18	COMB6	Combination	-0,023	0,157	0,0007747	-0,0721	0	0,1893	27-1
27	19	COMB7	Combination	-0,3	-0,011	0,01	0,0022	0	0,0174	27-1
27	18	COMB7	Combination	0,3	0,011	-0,01	-0,0012	0	0,0104	27-1
27	19	COMB8	Combination	-0,3	-0,011	0,01	0,0022	0	0,0174	27-1
27	18	COMB8	Combination	0,3	0,011	-0,01	-0,0012	0	0,0104	27-1
27	19	COMB9	Combination	0,433	-0,181	-0,014	0,0971	0	0,2253	27-1
27	18	COMB9	Combination	-0,433	0,181	0,014	-0,0822	0	0,2208	27-1
27	19	COMB10	Combination	-0,321	0,161	0,011	-0,0964	0	-0,2	27-1
27	18	COMB10	Combination	0,321	-0,161	-0,011	0,0832	0	-0,1967	27-1
27	19	COMB11	Combination	-0,515	0,086	0,017	-0,0531	0	-0,1041	27-1
27	18	COMB11	Combination	0,515	-0,086	-0,017	0,046	0	-0,1089	27-1
27	19	COMB12	Combination	0,239	-0,255	-0,007977	0,1404	0	0,3212	27-1
27	18	COMB12	Combination	-0,239	0,255	0,007977	-0,1193	0	0,3086	27-1
27	19	ENV	Combination	0,433	0,161	0,017	0,1404	0	0,3212	27-1
27	18	ENV	Combination	0,515	0,255	0,014	0,0832	0	0,3086	27-1
27	19	ENV	Combination	-0,515	-0,255	-0,014	-0,0964	0	-0,2	27-1
27	18	ENV	Combination	-0,433	-0,161	-0,017	-0,1193	0	-0,1967	27-1
28	5	DEAD	LinStatic	2,186	0,022	0,37	0,0045	0	-0,017	28-1
28	7	DEAD	LinStatic	-2,186	-0,022	-0,37	0,0047	0	-0,0375	28-1
28	5	CM	LinStatic	-5,319	-0,158	-0,835	-0,0031	0	0,1548	28-1
28	7	CM	LinStatic	5,319	0,158	0,968	-0,0629	0	0,2348	28-1
28	5	CV	LinStatic	0	0	0	0	0	0	28-1
28	7	CV	LinStatic	0	0	0	0	0	0	28-1
28	5	L	LinStatic	0,302	1,004	0,527	0,6781	0	-1,3588	28-1
28	7	L	LinStatic	-0,302	-1,004	0,425	-0,2579	0	-1,1208	28-1
28	5	COMB1	Combination	4,424	1,553	1,226	1,1794	0	-2,2395	28-1
28	7	COMB1	Combination	-4,424	-1,891	-0,274	-0,4587	0	-2,0134	28-1
28	5	COMB5	Combination	4,424	1,553	1,226	1,1794	0	-2,2395	28-1
28	7	COMB5	Combination	-4,424	-1,891	-0,274	-0,4587	0	-2,0134	28-1
28	5	COMB6	Combination	4,424	1,553	1,226	1,1794	0	-2,2395	28-1
28	7	COMB6	Combination	-4,424	-1,891	-0,274	-0,4587	0	-2,0134	28-1
28	5	COMB7	Combination	0,552	0,499	0,57	0,1859	0	-0,512	28-1
28	7	COMB7	Combination	-0,552	-0,161	0,382	-0,0477	0	-0,3032	28-1
28	5	COMB8	Combination	0,552	0,499	0,57	0,1859	0	-0,512	28-1
28	7	COMB8	Combination	-0,552	-0,161	0,382	-0,0477	0	-0,3032	28-1
28	5	COMB9	Combination	6,702	1,251	1,136	1,1636	0	-2,0324	28-1
28	7	COMB9	Combination	-6,702	-2,04	-1,136	-0,4748	0	-2,0326	28-1
28	5	COMB10	Combination	-2,331	-1,207	-0,395	-1,1546	0	1,9985	28-1
28	7	COMB10	Combination	2,331	1,996	0,395	0,4842	0	1,9577	28-1
28	5	COMB11	Combination	-2,029	-0,203	0,132	-0,4765	0	0,6397	28-1
28	7	COMB11	Combination	2,029	0,992	0,82	0,2263	0	0,8369	28-1
28	5	COMB12	Combination	7,004	2,255	1,663	1,8418	0	-3,3911	28-1
28	7	COMB12	Combination	-7,004	-3,044	-0,711	-0,7327	0	-3,1535	28-1
28	5	ENV	Combination	7,004	2,255	1,663	1,8418	0	1,9985	28-1
28	7	ENV	Combination	2,331	1,996	0,82	0,4842	0	1,9577	28-1
28	5	ENV	Combination	-2,331	-1,207	-0,395	-1,1546	0	-3,3911	28-1
28	7	ENV	Combination	-7,004	-3,044	-1,136	-0,7327	0	-3,1535	28-1
29	3	DEAD	LinStatic	1,526	-0,003806	0,154	-0,00002816	0	0,0064	29-1
29	5	DEAD	LinStatic	-1,526	0,003806	-0,154	-0,000919	0	0,003	29-1
29	3	CM	LinStatic	-0,209	-0,00004132	0,045	0,0051	0	0,0356	29-1
29	5	CM	LinStatic	0,209	0,00004132	0,087	-0,0051	0	-0,0355	29-1
29	3	CV	LinStatic	0	0	0	0	0	0	29-1
29	5	CV	LinStatic	0	0	0	0	0	0	29-1
29	3	L	LinStatic	-3,872	0,552	0,082	0,4466	0	-1,1772	29-1
29	5	L	LinStatic	3,872	-0,552	0,862	-0,3091	0	-0,1873	29-1
29	3	COMB1	Combination	-5,616	0,756	-0,094	0,7575	0	-1,9232	29-1
29	5	COMB1	Combination	5,616	-1,091	1,038	-0,5277	0	-0,357	29-1
29	3	COMB5	Combination	-5,616	0,756	-0,094	0,7575	0	-1,9232	29-1
29	5	COMB5	Combination	5,616	-1,091	1,038	-0,5277	0	-0,357	29-1
29	3	COMB6	Combination	-5,616	0,756	-0,094	0,7575	0	-1,9232	29-1
29	5	COMB6	Combination	5,616	-1,091	1,038	-0,5277	0	-0,357	29-1
29	3	COMB7	Combination	0,924	0,342	0,565	0,1356	0	-0,4183	29-1
29	5	COMB7	Combination	-0,924	-0,006457	0,379	-0,0923	0	-0,0115	29-1
29	3	COMB8	Combination	0,924	0,342	0,565	0,1356	0	-0,4183	29-1
29	5	COMB8	Combination	-0,924	-0,006457	0,379	-0,0923	0	-0,0115	29-1
29	3	COMB9	Combination	-6,105	0,479	-0,615	0,7254	0	-1,7493	29-1
29	5	COMB9	Combination	6,105	-1,261	0,615	-0,5089	0	-0,4001	29-1
29	3	COMB10	Combination	9,156	-0,487	0,922	-0,7255	0	1,7621	29-1
29	5	COMB10	Combination	-9,156	1,269	-0,922	0,5071	0	0,4061	29-1
29	3	COMB11	Combination	5,284	0,066	1,004	-0,2789	0	0,5849	29-1
29	5	COMB11	Combination	-5,284	0,716	-0,061	0,198	0	0,2188	29-1
29	3	COMB12	Combination	-9,976	1,032	-0,533	1,172	0	-2,9265	29-1
29	5	COMB12	Combination	9,976	-1,814	1,477	-0,818	0	-0,5873	29-1
29	3	ENV	Combination	9,156	1,032	1,004	1,172	0	1,7621	29-1

29	5	ENV	Combination	Max	9,976	1,269	1,477	0,5071	0	0,4061	29-1
29	3	ENV	Combination	Min	-9,976	-0,487	-0,615	-0,7255	0	-2,9265	29-1
29	5	ENV	Combination	Min	-9,156	-1,814	-0,922	-0,818	0	-0,5873	29-1
30	1	DEAD	LinStatic		0,839	-0,015	0,028	-0,000148	0	0,0217	30-1
30	3	DEAD	LinStatic		-0,839	0,015	-0,028	-0,0011	0	0,0153	30-1
30	1	CM	LinStatic		1,489	-0,002036	0,115	0,0287	0	0,024	30-1
30	3	CM	LinStatic		-1,489	0,002036	0,016	-0,0288	0	-0,019	30-1
30	1	CV	LinStatic		0	0	0	0	0	0	30-1
30	3	CV	LinStatic		0	0	0	0	0	0	30-1
30	1	L	LinStatic		-5,143	0,001436	0,298	0,2821	0	-0,4716	30-1
30	3	L	LinStatic		5,143	-0,001436	0,641	-0,282	0	0,4681	30-1
30	1	COMB1	Combination		-9,142	-0,179	0,164	0,4912	0	-0,763	30-1
30	3	COMB1	Combination		9,142	-0,154	0,775	-0,4922	0	0,7935	30-1
30	1	COMB5	Combination		-9,142	-0,179	0,164	0,4912	0	-0,763	30-1
30	3	COMB5	Combination		9,142	-0,154	0,775	-0,4922	0	0,7935	30-1
30	1	COMB6	Combination		-9,142	-0,179	0,164	0,4912	0	-0,763	30-1
30	3	COMB6	Combination		9,142	-0,154	0,775	-0,4922	0	0,7935	30-1
30	1	COMB7	Combination		0,534	0,152	0,487	0,0728	0	-0,1368	30-1
30	3	COMB7	Combination		-0,534	0,182	0,452	-0,074	0	0,1732	30-1
30	1	COMB8	Combination		0,534	0,152	0,487	0,0728	0	-0,1368	30-1
30	3	COMB8	Combination		-0,534	0,182	0,452	-0,074	0	0,1732	30-1
30	1	COMB9	Combination		-10,45	-0,401	-0,349	0,488	0	-0,7089	30-1
30	3	COMB9	Combination		10,45	-0,377	0,349	-0,489	0	0,739	30-1
30	1	COMB10	Combination		12,127	0,371	0,405	-0,4883	0	0,7524	30-1
30	3	COMB10	Combination		-12,127	0,407	-0,405	0,4868	0	-0,7084	30-1
30	1	COMB11	Combination		6,985	0,373	0,703	-0,2061	0	0,2807	30-1
30	3	COMB11	Combination		-6,985	0,406	0,236	0,2048	0	-0,2403	30-1
30	1	COMB12	Combination		-15,593	-0,4	-0,052	0,7701	0	-1,1805	30-1
30	3	COMB12	Combination		15,593	-0,379	0,991	-0,771	0	1,2071	30-1
30	1	ENV	Combination	Max	12,127	0,373	0,703	0,7701	0	0,7524	30-1
30	3	ENV	Combination	Max	15,593	0,407	0,991	0,4868	0	1,2071	30-1
30	1	ENV	Combination	Min	-15,593	-0,401	-0,349	-0,4883	0	-1,1805	30-1
30	3	ENV	Combination	Min	-12,127	-0,379	-0,405	-0,771	0	-0,7084	30-1
31	10	DEAD	LinStatic		-0,84	-0,015	0,028	0,0007443	0	0,015	31-1
31	1	DEAD	LinStatic		0,84	0,015	-0,028	0,0004732	0	0,0214	31-1
31	10	CM	LinStatic		-0,263	0,006703	0,074	0,0238	0	0,0036	31-1
31	1	CM	LinStatic		0,263	-0,006703	0,057	-0,0244	0	-0,0201	31-1
31	10	CV	LinStatic		0	0	0	0	0	0	31-1
31	1	CV	LinStatic		0	0	0	0	0	0	31-1
31	10	L	LinStatic		-1,871	-0,367	0,063	0,1401	0	0,3131	31-1
31	1	L	LinStatic		1,871	0,367	-0,063	-0,1098	0	0,5931	31-1
31	10	COMB1	Combination		-3,906	-0,66	0,131	0,2482	0	0,5575	31-1
31	1	COMB1	Combination		3,906	0,66	-0,131	-0,1937	0	1,0739	31-1
31	10	COMB5	Combination		-3,906	-0,66	0,131	0,2482	0	0,5575	31-1
31	1	COMB5	Combination		3,906	0,66	-0,131	-0,1937	0	1,0739	31-1
31	10	COMB6	Combination		-3,906	-0,66	0,131	0,2482	0	0,5575	31-1
31	1	COMB6	Combination		3,906	0,66	-0,131	-0,1937	0	1,0739	31-1
31	10	COMB7	Combination		-1,517	-0,103	0,051	0,0334	0	0,0988	31-1
31	1	COMB7	Combination		1,517	0,103	-0,051	-0,0249	0	0,1551	31-1
31	10	COMB8	Combination		-1,517	-0,103	0,051	0,0334	0	0,0988	31-1
31	1	COMB8	Combination		1,517	0,103	-0,051	-0,0249	0	0,1551	31-1
31	10	COMB9	Combination		-3,627	-0,665	0,121	0,2514	0	0,5503	31-1
31	1	COMB9	Combination		3,627	0,665	-0,121	-0,1964	0	1,0933	31-1
31	10	COMB10	Combination		1,947	0,636	-0,065	-0,2499	0	-0,5202	31-1
31	1	COMB10	Combination		-1,947	-0,636	0,065	0,1974	0	-1,0506	31-1
31	10	COMB11	Combination		0,076	0,269	-0,002548	-0,1098	0	-0,2071	31-1
31	1	COMB11	Combination		-0,076	-0,269	0,002548	0,0876	0	-0,4575	31-1
31	10	COMB12	Combination		-5,498	-1,032	0,184	0,3915	0	0,8634	31-1
31	1	COMB12	Combination		5,498	1,032	-0,184	-0,3062	0	1,6864	31-1
31	10	ENV	Combination	Max	1,947	0,636	0,184	0,3915	0	0,8634	31-1
31	1	ENV	Combination	Max	5,498	1,032	0,065	0,1974	0	1,6864	31-1
31	10	ENV	Combination	Min	-5,498	-1,032	-0,065	-0,2499	0	-0,5202	31-1
31	1	ENV	Combination	Min	-1,947	-0,636	-0,184	-0,3062	0	-1,0506	31-1
32	12	DEAD	LinStatic		-1,525	-0,003935	0,154	0,0011	0	0,0031	32-1
32	10	DEAD	LinStatic		1,525	0,003935	-0,154	-0,00007307	0	0,0067	32-1
32	12	CM	LinStatic		-2,578	0,0006656	0,326	0,0115	0	0,0109	32-1
32	10	CM	LinStatic		2,578	-0,0006656	-0,194	-0,0117	0	-0,0126	32-1
32	12	CV	LinStatic		0	0	0	0	0	0	32-1
32	10	CV	LinStatic		0	0	0	0	0	0	32-1
32	12	L	LinStatic		1,354	-0,338	-0,136	0,0388	0	0,434	32-1
32	10	L	LinStatic		-1,354	0,338	0,136	0,0454	0	0,4012	32-1
32	12	COMB1	Combination		2,232	-0,619	-0,225	0,0729	0	0,7932	32-1
32	10	COMB1	Combination		-2,232	0,619	0,225	0,081	0	0,735	32-1
32	12	COMB5	Combination		2,232	-0,619	-0,225	0,0729	0	0,7932	32-1
32	10	COMB5	Combination		-2,232	0,619	0,225	0,081	0	0,735	32-1
32	12	COMB6	Combination		2,232	-0,619	-0,225	0,0729	0	0,7932	32-1
32	10	COMB6	Combination		-2,232	0,619	0,225	0,081	0	0,735	32-1
32	12	COMB7	Combination		-2,574	-0,065	0,259	0,0067	0	0,0809	32-1
32	10	COMB7	Combination		2,574	0,065	-0,259	0,0096	0	0,0807	32-1
32	12	COMB8	Combination		-2,574	-0,065	0,259	0,0067	0	0,0809	32-1

32	10	COMB8	Combination		2,574	0,065	-0,259	0,0096	0	0,0807	32-1
32	12	COMB9	Combination		4,082	-0,649	-0,411	0,0783	0	0,8341	32-1
32	10	COMB9	Combination		-4,082	0,649	0,411	0,0833	0	0,77	32-1
32	12	COMB10	Combination		-7,132	0,642	0,719	-0,0762	0	-0,828	32-1
32	10	COMB10	Combination		7,132	-0,642	-0,719	-0,0835	0	-0,7567	32-1
32	12	COMB11	Combination		-5,778	0,303	0,582	-0,0374	0	-0,394	32-1
32	10	COMB11	Combination		5,778	-0,303	-0,582	-0,0381	0	-0,3555	32-1
32	12	COMB12	Combination		5,436	-0,988	-0,548	0,1171	0	1,2681	32-1
32	10	COMB12	Combination		-5,436	0,988	0,548	0,1287	0	1,1712	32-1
32	12	ENV	Combination	Max	5,436	0,642	0,719	0,1171	0	1,2681	32-1
32	10	ENV	Combination	Max	7,132	0,988	0,548	0,1287	0	1,1712	32-1
32	12	ENV	Combination	Min	-7,132	-0,988	-0,548	-0,0762	0	-0,828	32-1
32	10	ENV	Combination	Min	-5,436	-0,642	-0,719	-0,0835	0	-0,7567	32-1
33	14	DEAD	LinStatic		-2,185	0,022	0,37	-0,0047	0	-0,0374	33-1
33	12	DEAD	LinStatic		2,185	-0,022	-0,37	-0,0045	0	-0,017	33-1
33	14	CM	LinStatic		-5,53	0,081	1,004	-0,0213	0	-0,1322	33-1
33	12	CM	LinStatic		5,53	-0,081	-0,871	-0,0124	0	-0,0669	33-1
33	14	CV	LinStatic		0	0	0	0	0	0	33-1
33	12	CV	LinStatic		0	0	0	0	0	0	33-1
33	14	L	LinStatic		6,322	-0,319	-1,071	-0,0144	0	0,5246	33-1
33	12	L	LinStatic		-6,322	0,319	1,071	0,1479	0	0,2627	33-1
33	14	COMB1	Combination		11,357	-0,6	-1,925	-0,0169	0	0,9789	33-1
33	12	COMB1	Combination		-11,357	0,6	1,925	0,2683	0	0,5042	33-1
33	14	COMB5	Combination		11,357	-0,6	-1,925	-0,0169	0	0,9789	33-1
33	12	COMB5	Combination		-11,357	0,6	1,925	0,2683	0	0,5042	33-1
33	14	COMB6	Combination		11,357	-0,6	-1,925	-0,0169	0	0,9789	33-1
33	12	COMB6	Combination		-11,357	0,6	1,925	0,2683	0	0,5042	33-1
33	14	COMB7	Combination		-3,083	0,007027	0,522	-0,0214	0	-0,0044	33-1
33	12	COMB7	Combination		3,083	-0,007027	-0,522	0,0184	0	-0,013	33-1
33	14	COMB8	Combination		-3,083	0,007027	0,522	-0,0214	0	-0,0044	33-1
33	12	COMB8	Combination		3,083	-0,007027	-0,522	0,0184	0	-0,013	33-1
33	14	COMB9	Combination		14,662	-0,687	-2,485	0,0004599	0	1,1098	33-1
33	12	COMB9	Combination		-14,662	0,687	2,485	0,287	0	0,5863	33-1
33	14	COMB10	Combination		-19,031	0,731	3,225	-0,0099	0	-1,1846	33-1
33	12	COMB10	Combination		19,031	-0,731	-3,225	-0,296	0	-0,6204	33-1
33	14	COMB11	Combination		-12,709	0,412	2,154	-0,0243	0	-0,6599	33-1
33	12	COMB11	Combination		12,709	-0,412	-2,154	-0,1481	0	-0,3577	33-1
33	14	COMB12	Combination		20,984	-1,005	-3,556	-0,014	0	1,6344	33-1
33	12	COMB12	Combination		-20,984	1,005	3,556	0,4348	0	0,849	33-1
33	14	ENV	Combination	Max	20,984	0,731	3,225	0,0004599	0	1,6344	33-1
33	12	ENV	Combination	Max	19,031	1,005	3,556	0,4348	0	0,849	33-1
33	14	ENV	Combination	Min	-19,031	-1,005	-3,556	-0,0243	0	-1,1846	33-1
33	12	ENV	Combination	Min	-20,984	-0,731	-3,225	-0,296	0	-0,6204	33-1
34	11	DEAD	LinStatic		0,068	-0,003079	-0,005025	0,0002956	-0,0032	0,0039	34-1
34	2	DEAD	LinStatic		-0,068	0,003079	0,005025	-0,00004131	-0,0035	0,0037	34-1
34	11	CM	LinStatic		-2,054	0,004948	0,083	-0,0117	0,001	-0,0042	34-1
34	2	CM	LinStatic		2,054	-0,004948	-0,018	0,0113	-0,0461	-0,0081	34-1
34	11	CV	LinStatic		0	0	0	0	0	0	34-1
34	2	CV	LinStatic		0	0	0	0	0	0	34-1
34	11	L	LinStatic		-2,278	-0,285	-0,048	-0,0014	-0,1343	0,3613	34-1
34	2	L	LinStatic		2,278	0,285	0,048	0,0249	-0,1734	0,3415	34-1
34	11	COMB1	Combination		-2,944	-0,509	-0,108	-0,0078	-0,2296	0,6429	34-1
34	2	COMB1	Combination		2,944	0,509	0,108	0,0498	-0,2791	0,6137	34-1
34	11	COMB5	Combination		-2,944	-0,509	-0,108	-0,0078	-0,2296	0,6429	34-1
34	2	COMB5	Combination		2,944	0,509	0,108	0,0498	-0,2791	0,6137	34-1
34	11	COMB6	Combination		-2,944	-0,509	-0,108	-0,0078	-0,2296	0,6429	34-1
34	2	COMB6	Combination		2,944	0,509	0,108	0,0498	-0,2791	0,6137	34-1
34	11	COMB7	Combination		-1,475	-0,066	0,0005943	0,0055	-0,0456	0,0875	34-1
34	2	COMB7	Combination		1,475	0,066	-0,0005943	-0,00001859	-0,0748	0,0767	34-1
34	11	COMB8	Combination		-1,475	-0,066	0,0005943	0,0055	-0,0456	0,0875	34-1
34	2	COMB8	Combination		1,475	0,066	-0,0005943	-0,00001859	-0,0748	0,0767	34-1
34	11	COMB9	Combination		-1,645	-0,519	-0,131	-0,0152	-0,2179	0,6519	34-1
34	2	COMB9	Combination		1,645	0,519	0,131	0,0581	-0,2419	0,6303	34-1
34	11	COMB10	Combination		1,782	0,513	0,121	0,0158	0,2115	-0,6441	34-1
34	2	COMB10	Combination		-1,782	-0,513	-0,121	-0,0581	0,2348	-0,6228	34-1
34	11	COMB11	Combination		-0,496	0,228	0,073	0,0144	0,0771	-0,2828	34-1
34	2	COMB11	Combination		0,496	-0,228	-0,073	-0,0332	0,0614	-0,2813	34-1
34	11	COMB12	Combination		-3,923	-0,804	-0,18	-0,0166	-0,3523	1,0132	34-1
34	2	COMB12	Combination		3,923	0,804	0,18	0,083	-0,4154	0,9718	34-1
34	11	ENV	Combination	Max	1,782	0,513	0,121	0,0158	0,2115	1,0132	34-1
34	2	ENV	Combination	Max	3,923	0,804	0,18	0,083	0,2348	0,9718	34-1
34	11	ENV	Combination	Min	-3,923	-0,804	-0,18	-0,0166	-0,3523	-0,6441	34-1
34	2	ENV	Combination	Min	-1,782	-0,513	-0,121	-0,0581	-0,4154	-0,6228	34-1
35	13	DEAD	LinStatic		0,32	-0,00338	-0,035	0,0002456	-0,002	0,0045	35-1
35	11	DEAD	LinStatic		-0,32	0,00338	0,035	0,0005956	-0,0036	0,0039	35-1
35	13	CM	LinStatic		-1,1	-0,001917	0,145	-0,0021	0,0129	0,0019	35-1
35	11	CM	LinStatic		1,1	0,001917	-0,079	0,0026	-0,0094	0,0028	35-1
35	13	CV	LinStatic		0	0	0	0	0	0	35-1
35	11	CV	LinStatic		0	0	0	0	0	0	35-1
35	13	L	LinStatic		-1,508	-0,293	0,079	0,0304	-0,0883	0,3699	35-1

35	11	L	LinStatic		1,508	0,293	-0,079	0,0424	-0,093	0,353	35-1
35	13	COMB1	Combination		-2,067	-0,52	0,072	0,0524	-0,1626	0,6581	35-1
35	11	COMB1	Combination		2,067	0,52	-0,072	0,0771	-0,1746	0,627	35-1
35	13	COMB5	Combination		-2,067	-0,52	0,072	0,0524	-0,1626	0,6581	35-1
35	11	COMB5	Combination		2,067	0,52	-0,072	0,0771	-0,1746	0,627	35-1
35	13	COMB6	Combination		-2,067	-0,52	0,072	0,0524	-0,1626	0,6581	35-1
35	11	COMB6	Combination		2,067	0,52	-0,072	0,0771	-0,1746	0,627	35-1
35	13	COMB7	Combination		-0,308	-0,072	0,016	0,0089	-0,0179	0,0906	35-1
35	11	COMB7	Combination		0,308	0,072	-0,016	0,009	-0,0186	0,0868	35-1
35	13	COMB8	Combination		-0,308	-0,072	0,016	0,0089	-0,0179	0,0906	35-1
35	11	COMB8	Combination		0,308	0,072	-0,016	0,009	-0,0186	0,0868	35-1
35	13	COMB9	Combination		-1,732	-0,527	0,03	0,051	-0,1708	0,6666	35-1
35	11	COMB9	Combination		1,732	0,527	-0,03	0,0801	-0,1855	0,634	35-1
35	13	COMB10	Combination		2,373	0,52	-0,099	-0,0505	0,1668	-0,6576	35-1
35	11	COMB10	Combination		-2,373	-0,52	0,099	-0,0789	0,1784	-0,6263	35-1
35	13	COMB11	Combination		0,864	0,227	-0,021	-0,0201	0,0785	-0,2877	35-1
35	11	COMB11	Combination		-0,864	-0,227	0,021	-0,0364	0,0854	-0,2733	35-1
35	13	COMB12	Combination		-3,24	-0,819	0,109	0,0814	-0,259	1,0365	35-1
35	11	COMB12	Combination		3,24	0,819	-0,109	0,1225	-0,2785	0,9871	35-1
35	13	ENV	Combination	Max	2,373	0,52	0,109	0,0814	0,1668	1,0365	35-1
35	11	ENV	Combination	Max	3,24	0,819	0,099	0,1225	0,1784	0,9871	35-1
35	13	ENV	Combination	Min	-3,24	-0,819	-0,099	-0,0505	-0,259	-0,6576	35-1
35	11	ENV	Combination	Min	-2,373	-0,52	-0,109	-0,0789	-0,2785	-0,6263	35-1
36	15	DEAD	LinStatic		0,369	-0,004676	-0,065	0,0006439	-0,0023	0,0061	36-1
36	13	DEAD	LinStatic		-0,369	0,004676	0,065	0,0013	-0,0043	0,0054	36-1
36	15	CM	LinStatic		-0,344	-0,004361	0,092	0,0015	0,0168	0,006	36-1
36	13	CM	LinStatic		0,344	0,004361	-0,025	0,0002905	-0,0158	0,0048	36-1
36	15	CV	LinStatic		0	0	0	0	0	0	36-1
36	13	CV	LinStatic		0	0	0	0	0	0	36-1
36	15	L	LinStatic		-1,187	-0,236	0,145	0,0434	-0,0657	0,3006	36-1
36	13	L	LinStatic		1,187	0,236	-0,145	0,0553	-0,074	0,282	36-1
36	15	COMB1	Combination		-1,792	-0,422	0,2	0,0772	-0,1203	0,5382	36-1
36	13	COMB1	Combination		1,792	0,422	-0,2	0,0996	-0,1347	0,5048	36-1
36	15	COMB5	Combination		-1,792	-0,422	0,2	0,0772	-0,1203	0,5382	36-1
36	13	COMB5	Combination		1,792	0,422	-0,2	0,0996	-0,1347	0,5048	36-1
36	15	COMB6	Combination		-1,792	-0,422	0,2	0,0772	-0,1203	0,5382	36-1
36	13	COMB6	Combination		1,792	0,422	-0,2	0,0996	-0,1347	0,5048	36-1
36	15	COMB7	Combination		0,154	-0,059	-0,041	0,0109	-0,0158	0,0754	36-1
36	13	COMB7	Combination		-0,154	0,059	0,041	0,0137	-0,0218	0,07	36-1
36	15	COMB8	Combination		0,154	-0,059	-0,041	0,0109	-0,0158	0,0754	36-1
36	13	COMB8	Combination		-0,154	0,059	0,041	0,0137	-0,0218	0,07	36-1
36	15	COMB9	Combination		-1,902	-0,429	0,217	0,0779	-0,1242	0,546	36-1
36	13	COMB9	Combination		1,902	0,429	-0,217	0,1015	-0,1359	0,5127	36-1
36	15	COMB10	Combination		2,639	0,419	-0,347	-0,0766	0,1195	-0,5337	36-1
36	13	COMB10	Combination		-2,639	-0,419	0,347	-0,0989	0,1274	-0,5019	36-1
36	15	COMB11	Combination		1,452	0,183	-0,203	-0,0332	0,0538	-0,2331	36-1
36	13	COMB11	Combination		-1,452	-0,183	0,203	-0,0435	0,0534	-0,2198	36-1
36	15	COMB12	Combination		-3,089	-0,665	0,362	0,1213	-0,1899	0,8466	36-1
36	13	COMB12	Combination		3,089	0,665	-0,362	0,1568	-0,2099	0,7947	36-1
36	15	ENV	Combination	Max	2,639	0,419	0,362	0,1213	0,1195	0,8466	36-1
36	13	ENV	Combination	Max	3,089	0,665	0,347	0,1568	0,1274	0,7947	36-1
36	15	ENV	Combination	Min	-3,089	-0,665	-0,347	-0,0766	-0,1899	-0,5337	36-1
36	13	ENV	Combination	Min	-2,639	-0,419	-0,362	-0,0989	-0,2099	-0,5019	36-1
37	16	DEAD	LinStatic		0,173	-0,006199	-0,045	0,0015	-0,0042	0,0074	37-1
37	15	DEAD	LinStatic		-0,173	0,006199	0,045	0,0019	-0,0049	0,0069	37-1
37	16	CM	LinStatic		0,51	-0,008118	-0,098	0,0021	0,0012	0,0088	37-1
37	15	CM	LinStatic		-0,51	0,008118	0,161	0,0024	-0,0206	0,0099	37-1
37	16	CV	LinStatic		0	0	0	0	0	0	37-1
37	15	CV	LinStatic		0	0	0	0	0	0	37-1
37	16	L	LinStatic		-1,308	-0,132	0,326	0,0619	0,036	0,1649	37-1
37	15	L	LinStatic		1,308	0,132	-0,326	0,0105	-0,0025	0,1392	37-1
37	16	COMB1	Combination		-2,236	-0,24	0,553	0,1109	0,0577	0,299	37-1
37	15	COMB1	Combination		2,236	0,24	-0,553	0,0206	-0,0097	0,2534	37-1
37	16	COMB5	Combination		-2,236	-0,24	0,553	0,1109	0,0577	0,299	37-1
37	15	COMB5	Combination		2,236	0,24	-0,553	0,0206	-0,0097	0,2534	37-1
37	16	COMB6	Combination		-2,236	-0,24	0,553	0,1109	0,0577	0,299	37-1
37	15	COMB6	Combination		2,236	0,24	-0,553	0,0206	-0,0097	0,2534	37-1
37	16	COMB7	Combination		-0,034	-0,037	0,008388	0,0159	0,0059	0,0456	37-1
37	15	COMB7	Combination		0,034	0,037	-0,008388	0,0041	-0,005	0,0387	37-1
37	16	COMB8	Combination		-0,034	-0,037	0,008388	0,0159	0,0059	0,0456	37-1
37	15	COMB8	Combination		0,034	0,037	-0,008388	0,0041	-0,005	0,0387	37-1
37	16	COMB9	Combination		-2,397	-0,244	0,591	0,1124	0,0563	0,303	37-1
37	15	COMB9	Combination		2,397	0,244	-0,591	0,0211	-0,0104	0,2575	37-1
37	16	COMB10	Combination		2,742	0,231	-0,681	-0,1093	-0,0647	-0,2882	37-1
37	15	COMB10	Combination		-2,742	-0,231	0,681	-0,0173	0,0006194	-0,2437	37-1
37	16	COMB11	Combination		1,435	0,099	-0,355	-0,0474	-0,0287	-0,1233	37-1
37	15	COMB11	Combination		-1,435	-0,099	0,355	-0,0068	-0,0019	-0,1045	37-1
37	16	COMB12	Combination		-3,705	-0,376	0,916	0,1742	0,0923	0,4679	37-1
37	15	COMB12	Combination		3,705	0,376	-0,916	0,0316	-0,0129	0,3966	37-1
37	16	ENV	Combination	Max	2,742	0,231	0,916	0,1742	0,0923	0,4679	37-1

37	15	ENV	Combination	Max	3,705	0,376	0,681	0,0316	0,0006194	0,3966 37-1
37	16	ENV	Combination	Min	-3,705	-0,376	-0,681	-0,1093	-0,0647	-0,2882 37-1
37	15	ENV	Combination	Min	-2,742	-0,231	-0,916	-0,0173	-0,0129	-0,2437 37-1
38	23	DEAD	LinStatic		0,159	-0,011	-0,016	0,0014	0	0,0141 38-1
38	19	DEAD	LinStatic		-0,159	0,011	0,016	0,0014	0	0,0135 38-1
38	23	CM	LinStatic		-0,158	-0,004234	0,049	0,0025	0	0,0083 38-1
38	19	CM	LinStatic		0,158	0,004234	0,017	-0,0014	0	0,0021 38-1
38	23	CV	LinStatic		0	0	0	0	0	0 38-1
38	19	CV	LinStatic		0	0	0	0	0	0 38-1
38	23	L	LinStatic		0,158	-0,045	-0,016	0,0046	0	0,0691 38-1
38	19	L	LinStatic		-0,158	0,045	0,016	0,0064	0	0,0408 38-1
38	23	COMB1	Combination		0,402	-0,09	-0,04	0,0099	0	0,1376 38-1
38	19	COMB1	Combination		-0,402	0,09	0,04	0,0124	0	0,0842 38-1
38	23	COMB5	Combination		0,402	-0,09	-0,04	0,0099	0	0,1376 38-1
38	19	COMB5	Combination		-0,402	0,09	0,04	0,0124	0	0,0842 38-1
38	23	COMB6	Combination		0,402	-0,09	-0,04	0,0099	0	0,1376 38-1
38	19	COMB6	Combination		-0,402	0,09	0,04	0,0124	0	0,0842 38-1
38	23	COMB7	Combination		0,234	-0,022	-0,024	0,0021	0	0,0288 38-1
38	19	COMB7	Combination		-0,234	0,022	0,024	0,0033	0	0,0245 38-1
38	23	COMB8	Combination		0,234	-0,022	-0,024	0,0021	0	0,0288 38-1
38	19	COMB8	Combination		-0,234	0,022	0,024	0,0033	0	0,0245 38-1
38	23	COMB9	Combination		0,356	-0,091	-0,036	0,0105	0	0,1411 38-1
38	19	COMB9	Combination		-0,356	0,091	0,036	0,0121	0	0,0832 38-1
38	23	COMB10	Combination		-0,037	0,068	0,003694	-0,0078	0	-0,1129 38-1
38	19	COMB10	Combination		0,037	-0,068	-0,003694	-0,0092	0	-0,0561 38-1
38	23	COMB11	Combination		0,122	0,024	-0,012	-0,0031	0	-0,0438 38-1
38	19	COMB11	Combination		-0,122	-0,024	0,012	-0,0028	0	-0,0153 38-1
38	23	COMB12	Combination		0,514	-0,135	-0,052	0,0152	0	0,2102 38-1
38	19	COMB12	Combination		-0,514	0,135	0,052	0,0185	0	0,124 38-1
38	23	ENV	Combination	Max	0,514	0,068	0,003694	0,0152	0	0,2102 38-1
38	19	ENV	Combination	Max	0,037	0,135	0,052	0,0185	0	0,124 38-1
38	23	ENV	Combination	Min	-0,037	-0,135	-0,052	-0,0078	0	-0,1129 38-1
38	19	ENV	Combination	Min	-0,514	-0,068	-0,003694	-0,0092	0	-0,0561 38-1
41	18	DEAD	LinStatic		-0,058	-0,011	-0,001941	-0,0004239	0	0,0128 41-1
41	17	DEAD	LinStatic		0,058	0,011	0,001941	-0,0004514	0	0,0133 41-1
41	18	CM	LinStatic		-2,146	-0,018	-0,039	0,0017	0	0,0211 41-1
41	17	CM	LinStatic		2,146	0,018	0,105	-0,0032	0	0,0235 41-1
41	18	CV	LinStatic		0	0	0	0	0	0 41-1
41	17	CV	LinStatic		0	0	0	0	0	0 41-1
41	18	L	LinStatic		-1,414	-0,027	-0,047	0,0972	0	-0,0064 41-1
41	17	L	LinStatic		1,414	0,027	0,047	-0,0994	0	0,072 41-1
41	18	COMB1	Combination		-1,722	-0,252	-0,058	0,1629	0	0,0879 41-1
41	17	COMB1	Combination		1,722	-0,081	0,058	-0,17	0	0,1235 41-1
41	18	COMB5	Combination		-1,722	-0,252	-0,058	0,1629	0	0,0879 41-1
41	17	COMB5	Combination		1,722	-0,081	0,058	-0,17	0	0,1235 41-1
41	18	COMB6	Combination		-1,722	-0,252	-0,058	0,1629	0	0,0879 41-1
41	17	COMB6	Combination		1,722	-0,081	0,058	-0,17	0	0,1235 41-1
41	18	COMB7	Combination		-1,222	0,178	-0,041	0,0306	0	-0,0751 41-1
41	17	COMB7	Combination		1,222	0,156	0,041	-0,0296	0	0,0472 41-1
41	18	COMB8	Combination		-1,222	0,178	-0,041	0,0306	0	-0,0751 41-1
41	17	COMB8	Combination		1,222	0,156	0,041	-0,0296	0	0,0472 41-1
41	18	COMB9	Combination		-0,642	-0,513	-0,021	0,154	0	0,203 41-1
41	17	COMB9	Combination		0,642	-0,266	0,021	-0,1642	0	0,1024 41-1
41	18	COMB10	Combination		0,525	0,492	0,018	-0,1549	0	-0,1773 41-1
41	17	COMB10	Combination		-0,525	0,287	-0,018	0,1633	0	-0,0758 41-1
41	18	COMB11	Combination		-0,888	0,465	-0,03	-0,0577	0	-0,1838 41-1
41	17	COMB11	Combination		0,888	0,313	0,03	0,064	0	-0,0037 41-1
41	18	COMB12	Combination		-2,055	-0,539	-0,069	0,2512	0	0,1966 41-1
41	17	COMB12	Combination		2,055	-0,239	0,069	-0,2636	0	0,1745 41-1
41	18	ENV	Combination	Max	0,525	0,492	0,018	0,2512	0	0,203 41-1
41	17	ENV	Combination	Max	2,055	0,313	0,069	0,1633	0	0,1745 41-1
41	18	ENV	Combination	Min	-2,055	-0,539	-0,069	-0,1549	0	-0,1838 41-1
41	17	ENV	Combination	Min	-0,525	-0,266	-0,018	-0,2636	0	-0,0758 41-1
42	206	DEAD	LinStatic		-0,018	0,002481	-0,002543	0,0007765	0,000366	-0,0036 42-1
42	46	DEAD	LinStatic		0,018	-0,002481	0,002543	0,0003639	0,0017	-0,0022 42-1
42	206	CM	LinStatic		0,064	-0,003739	0,052	-0,0058	0,0308	0,011 42-1
42	46	CM	LinStatic		-0,064	0,003739	0,012	0,0041	-0,0132	-0,0021 42-1
42	206	CV	LinStatic		0	0	0	0	0	0 42-1
42	46	CV	LinStatic		0	0	0	0	0	0 42-1
42	206	L	LinStatic		-0,029	0,191	0,014	0,2134	0,0398	-0,0706 42-1
42	46	L	LinStatic		0,029	-0,191	-0,014	-0,1255	0,0073	-0,3828 42-1
42	206	COMB1	Combination		-0,054	0,319	0,018	0,3619	0,0579	-0,0964 42-1
42	46	COMB1	Combination		0,054	-0,319	-0,018	-0,2154	0,0098	-0,6586 42-1
42	206	COMB5	Combination		-0,054	0,319	0,018	0,3619	0,0579	-0,0964 42-1
42	46	COMB5	Combination		0,054	-0,319	-0,018	-0,2154	0,0098	-0,6586 42-1
42	206	COMB6	Combination		-0,054	0,319	0,018	0,3619	0,0579	-0,0964 42-1
42	46	COMB6	Combination		0,054	-0,319	-0,018	-0,2154	0,0098	-0,6586 42-1
42	206	COMB7	Combination		-0,04	0,069	0,005103	0,0665	0,0224	-0,052 42-1
42	46	COMB7	Combination		0,04	-0,069	-0,005103	-0,0348	0,0081	-0,1115 42-1
42	206	COMB8	Combination		-0,04	0,069	0,005103	0,0665	0,0224	-0,052 42-1

42	46	COMB8	Combination		0,04	-0,069	-0,005103	-0,0348	0,0081	-0,1115	42-1
42	206	COMB9	Combination		-0,034	0,294	0,013	0,3454	0,0418	-0,0554	42-1
42	46	COMB9	Combination		0,034	-0,294	-0,013	-0,2104	0,0036	-0,6406	42-1
42	206	COMB10	Combination		-0,001583	-0,289	-0,018	-0,3438	-0,0411	0,0481	42-1
42	46	COMB10	Combination		0,001583	0,289	0,018	0,2111	-0,0002248	0,6361	42-1
42	206	COMB11	Combination		-0,031	-0,097	-0,003581	-0,1304	-0,0013	-0,0225	42-1
42	46	COMB11	Combination		0,031	0,097	0,003581	0,0856	0,007	0,2533	42-1
42	206	COMB12	Combination		-0,063	0,485	0,027	0,5588	0,0816	-0,126	42-1
42	46	COMB12	Combination		0,063	-0,485	-0,027	-0,3358	0,0109	-1,0234	42-1
42	206	ENV	Combination	Max	-0,001583	0,485	0,027	0,5588	0,0816	0,0481	42-1
42	46	ENV	Combination	Max	0,063	0,289	0,018	0,2111	0,0109	0,6361	42-1
42	206	ENV	Combination	Min	-0,063	-0,289	-0,018	-0,3438	-0,0411	-0,126	42-1
42	46	ENV	Combination	Min	0,001583	-0,485	-0,027	-0,3358	-0,0002248	-1,0234	42-1
43	26	DEAD	LinStatic		0,841	0,015	0,028	0,0002764	0	-0,0213	43-1
43	27	DEAD	LinStatic		-0,841	-0,015	-0,028	0,0009418	0	-0,0151	43-1
43	26	CM	LinStatic		1,486	0,001314	0,115	-0,0286	0	-0,0207	43-1
43	27	CM	LinStatic		-1,486	-0,001314	0,016	0,0287	0	0,0174	43-1
43	26	CV	LinStatic		0	0	0	0	0	0	43-1
43	27	CV	LinStatic		0	0	0	0	0	0	43-1
43	26	L	LinStatic		9,065	-0,013	0,773	0,2531	0	-0,5025	43-1
43	27	L	LinStatic		-9,065	0,013	0,166	-0,2542	0	0,5338	43-1
43	26	COMB1	Combination		16,071	-0,165	1,007	0,4116	0	-0,8561	43-1
43	27	COMB1	Combination		-16,071	-0,169	-0,068	-0,4114	0	0,8508	43-1
43	26	COMB5	Combination		16,071	-0,165	1,007	0,4116	0	-0,8561	43-1
43	27	COMB5	Combination		-16,071	-0,169	-0,068	-0,4114	0	0,8508	43-1
43	26	COMB6	Combination		16,071	-0,165	1,007	0,4116	0	-0,8561	43-1
43	27	COMB6	Combination		-16,071	-0,169	-0,068	-0,4114	0	0,8508	43-1
43	26	COMB7	Combination		3,741	0,169	0,595	0,0952	0	-0,1916	43-1
43	27	COMB7	Combination		-3,741	0,165	0,344	-0,095	0	0,1866	43-1
43	26	COMB8	Combination		3,741	0,169	0,595	0,0952	0	-0,1916	43-1
43	27	COMB8	Combination		-3,741	0,165	0,344	-0,095	0	0,1866	43-1
43	26	COMB9	Combination		15,225	-0,374	0,509	0,3694	0	-0,7965	43-1
43	27	COMB9	Combination		-15,225	-0,404	-0,509	-0,3681	0	0,7599	43-1
43	26	COMB10	Combination		-13,544	0,404	-0,453	-0,3688	0	0,7538	43-1
43	27	COMB10	Combination		13,544	0,375	0,453	0,37	0	-0,79	43-1
43	26	COMB11	Combination		-4,479	0,391	0,32	-0,1157	0	0,2513	43-1
43	27	COMB11	Combination		4,479	0,387	0,619	0,1159	0	-0,2562	43-1
43	26	COMB12	Combination		24,291	-0,387	1,282	0,6225	0	-1,299	43-1
43	27	COMB12	Combination		-24,291	-0,391	-0,343	-0,6223	0	1,2936	43-1
43	26	ENV	Combination	Max	24,291	0,404	1,282	0,6225	0	0,7538	43-1
43	27	ENV	Combination	Max	13,544	0,387	0,619	0,37	0	1,2936	43-1
43	26	ENV	Combination	Min	-13,544	-0,387	-0,453	-0,3688	0	-1,299	43-1
43	27	ENV	Combination	Min	-24,291	-0,404	-0,509	-0,6223	0	-0,79	43-1
44	27	DEAD	LinStatic		1,527	0,003845	0,154	0,00001248	0	-0,0065	44-1
44	28	DEAD	LinStatic		-1,527	-0,003845	-0,154	0,0009445	0	-0,003	44-1
44	27	CM	LinStatic		-0,21	0,0001684	0,045	-0,0054	0	-0,0336	44-1
44	28	CM	LinStatic		0,21	-0,0001684	0,087	0,0055	0	0,0332	44-1
44	27	CV	LinStatic		0	0	0	0	0	0	44-1
44	28	CV	LinStatic		0	0	0	0	0	0	44-1
44	27	L	LinStatic		6,199	0,409	1,096	0,4176	0	-1,0334	44-1
44	28	L	LinStatic		-6,199	-0,409	-0,153	-0,3157	0	0,0224	44-1
44	27	COMB1	Combination		11,795	0,639	1,66	0,7181	0	-1,8559	44-1
44	28	COMB1	Combination		-11,795	-0,974	-0,717	-0,5174	0	-0,1362	44-1
44	27	COMB5	Combination		11,795	0,639	1,66	0,7181	0	-1,8559	44-1
44	28	COMB5	Combination		-11,795	-0,974	-0,717	-0,5174	0	-0,1362	44-1
44	27	COMB6	Combination		11,795	0,639	1,66	0,7181	0	-1,8559	44-1
44	28	COMB6	Combination		-11,795	-0,974	-0,717	-0,5174	0	-0,1362	44-1
44	27	COMB7	Combination		3,656	0,187	0,84	0,1172	0	-0,224	44-1
44	28	COMB7	Combination		-3,656	0,148	0,103	-0,1122	0	0,1751	44-1
44	27	COMB8	Combination		3,656	0,187	0,84	0,1172	0	-0,224	44-1
44	28	COMB8	Combination		-3,656	0,148	0,103	-0,1122	0	0,1751	44-1
44	27	COMB9	Combination		11,022	0,531	1,11	0,701	0	-1,9104	44-1
44	28	COMB9	Combination		-11,022	-1,313	-1,11	-0,4717	0	-0,3662	44-1
44	27	COMB10	Combination		-7,968	-0,523	-0,803	-0,701	0	1,8973	44-1
44	28	COMB10	Combination		7,968	1,305	0,803	0,4736	0	0,3603	44-1
44	27	COMB11	Combination		-1,77	-0,114	0,293	-0,2834	0	0,8639	44-1
44	28	COMB11	Combination		1,77	0,896	0,65	0,1578	0	0,3827	44-1
44	27	COMB12	Combination		17,22	0,94	2,207	1,1187	0	-2,9438	44-1
44	28	COMB12	Combination		-17,22	-1,722	-1,263	-0,7874	0	-0,3438	44-1
44	27	ENV	Combination	Max	17,22	0,94	2,207	1,1187	0	1,8973	44-1
44	28	ENV	Combination	Max	7,968	1,305	0,803	0,4736	0	0,3827	44-1
44	27	ENV	Combination	Min	-7,968	-0,523	-0,803	-0,701	0	-2,9438	44-1
44	28	ENV	Combination	Min	-17,22	-1,722	-1,263	-0,7874	0	-0,3662	44-1
45	28	DEAD	LinStatic		2,186	-0,022	0,37	-0,0045	0	0,017	45-1
45	29	DEAD	LinStatic		-2,186	0,022	-0,37	-0,0047	0	0,0375	45-1
45	28	CM	LinStatic		-5,317	0,157	-0,834	0,0028	0	-0,1525	45-1
45	29	CM	LinStatic		5,317	-0,157	0,967	0,0631	0	-0,2364	45-1
45	28	CV	LinStatic		0	0	0	0	0	0	45-1
45	29	CV	LinStatic		0	0	0	0	0	0	45-1
45	28	L	LinStatic		-7,676	1,09	-0,825	0,6849	0	-1,3667	45-1

45	29	L	LinStatic		7,676	-1,09	1,777	-0,2287	0	-1,3256	45-1
45	28	COMB1	Combination		-10,138	1,77	-1,242	1,1814	0	-2,4034	45-1
45	29	COMB1	Combination		10,138	-2,108	2,194	-0,3698	0	-2,3859	45-1
45	28	COMB5	Combination		-10,138	1,77	-1,242	1,1814	0	-2,4034	45-1
45	29	COMB5	Combination		10,138	-2,108	2,194	-0,3698	0	-2,3859	45-1
45	28	COMB6	Combination		-10,138	1,77	-1,242	1,1814	0	-2,4034	45-1
45	29	COMB6	Combination		10,138	-2,108	2,194	-0,3698	0	-2,3859	45-1
45	28	COMB7	Combination		-0,843	0,366	0,333	0,1794	0	-0,2961	45-1
45	29	COMB7	Combination		0,843	-0,028	0,619	-0,0969	0	-0,1904	45-1
45	28	COMB8	Combination		-0,843	0,366	0,333	0,1794	0	-0,2961	45-1
45	29	COMB8	Combination		0,843	-0,028	0,619	-0,0969	0	-0,1904	45-1
45	28	COMB9	Combination		-8,658	1,616	-1,467	1,1645	0	-2,4416	45-1
45	29	COMB9	Combination		8,658	-2,405	1,467	-0,3231	0	-2,524	45-1
45	28	COMB10	Combination		13,03	-1,66	2,208	-1,1736	0	2,4756	45-1
45	29	COMB10	Combination		-13,03	2,449	-2,208	0,3137	0	2,5989	45-1
45	28	COMB11	Combination		5,353	-0,57	1,383	-0,4886	0	1,1088	45-1
45	29	COMB11	Combination		-5,353	1,359	-0,431	0,085	0	1,2733	45-1
45	28	COMB12	Combination		-16,335	2,706	-2,292	1,8494	0	-3,8083	45-1
45	29	COMB12	Combination		16,335	-3,495	3,244	-0,5517	0	-3,8495	45-1
45	28	ENV	Combination	Max	13,03	2,706	2,208	1,8494	0	2,4756	45-1
45	29	ENV	Combination	Max	16,335	2,449	3,244	0,3137	0	2,5989	45-1
45	28	ENV	Combination	Min	-16,335	-1,66	-2,292	-1,1736	0	-3,8083	45-1
45	29	ENV	Combination	Min	-13,03	-3,495	-2,208	-0,5517	0	-3,8495	45-1
46	30	DEAD	LinStatic		0,298	-0,001435	-0,251	-0,0025	-1,089E-17	-0,0028	46-1
46	28	DEAD	LinStatic		-0,298	0,001435	0,251	-0,0004648	-2,005E-18	-0,0007061	46-1
46	30	CM	LinStatic		-3,496	0,015	2,989	-0,0588	-2,536E-16	-0,0012	46-1
46	28	CM	LinStatic		3,496	-0,015	-2,904	0,0892	3,849E-16	0,0373	46-1
46	30	CV	LinStatic		0	0	0	0	0	0	46-1
46	28	CV	LinStatic		0	0	0	0	0	0	46-1
46	30	L	LinStatic		-4,618	-0,458	3,891	0,3535	1,525E-15	-0,0749	46-1
46	28	L	LinStatic		4,618	-0,769	-3,891	-0,0293	-1,263E-16	0,4596	46-1
46	30	COMB1	Combination		-6,439	-0,541	5,426	0,6605	2,85E-15	-0,0246	46-1
46	28	COMB1	Combination		6,439	-1,123	-5,426	-0,0546	-2,356E-16	0,7436	46-1
46	30	COMB5	Combination		-6,439	-0,541	5,426	0,6605	2,85E-15	-0,0246	46-1
46	28	COMB5	Combination		6,439	-1,123	-5,426	-0,0546	-2,356E-16	0,7436	46-1
46	30	COMB6	Combination		-6,439	-0,541	5,426	0,6605	2,85E-15	-0,0246	46-1
46	28	COMB6	Combination		6,439	-1,123	-5,426	-0,0546	-2,356E-16	0,7436	46-1
46	30	COMB7	Combination		-2,2	-0,378	1,854	0,0415	1,789E-16	-0,1309	46-1
46	28	COMB7	Combination		2,2	-0,413	-1,854	-0,0049	-2,111E-17	0,1743	46-1
46	30	COMB8	Combination		-2,2	-0,378	1,854	0,0415	1,789E-16	-0,1309	46-1
46	28	COMB8	Combination		2,2	-0,413	-1,854	-0,0049	-2,111E-17	0,1743	46-1
46	30	COMB9	Combination		-4,646	-0,191	3,916	0,7197	3,105E-15	0,1211	46-1
46	28	COMB9	Combination		4,646	-0,826	-3,916	-0,0585	-2,522E-16	0,6635	46-1
46	30	COMB10	Combination		5,243	0,188	-4,418	-0,7247	-3,127E-15	-0,1268	46-1
46	28	COMB10	Combination		-5,243	0,829	4,418	0,0575	2,482E-16	-0,6649	46-1
46	30	COMB11	Combination		0,625	-0,27	-0,527	-0,3712	-1,602E-15	-0,2017	46-1
46	28	COMB11	Combination		-0,625	0,06	0,527	0,0282	1,219E-16	-0,2053	46-1
46	30	COMB12	Combination		-9,264	-0,649	7,807	1,0731	4,631E-15	0,0462	46-1
46	28	COMB12	Combination		9,264	-1,596	-7,807	-0,0877	-3,786E-16	1,1232	46-1
46	30	ENV	Combination	Max	5,243	0,188	7,807	1,0731	4,631E-15	0,1211	46-1
46	28	ENV	Combination	Max	9,264	0,829	4,418	0,0575	2,482E-16	1,1232	46-1
46	30	ENV	Combination	Min	-9,264	-0,649	-4,418	-0,7247	-3,127E-15	-0,2017	46-1
46	28	ENV	Combination	Min	-5,243	-1,596	-7,807	-0,0877	-3,786E-16	-0,6649	46-1
47	26	DEAD	LinStatic		0,02	-0,0003554	-0,00007477	0,0002005	-2,847E-17	0,0025	47-1
47	42	DEAD	LinStatic		-0,02	0,0003554	0,00007477	0,0001265	0,0184	-0,0025	47-1
47	26	CM	LinStatic		0,01	0,323	0,47	-0,1	8,608E-17	-0,0074	47-1
47	42	CM	LinStatic		-0,01	-0,323	-0,445	-0,1969	0,0094	0,0074	47-1
47	26	CV	LinStatic		0	0	0	0	0	0	47-1
47	42	CV	LinStatic		0	0	0	0	0	0	47-1
47	26	L	LinStatic		-0,006805	-0,505	0,094	-0,0088	-8,337E-16	0,072	47-1
47	42	L	LinStatic		0,006805	0,505	-0,094	0,4735	-0,0063	-0,072	47-1
47	26	COMB1	Combination		0,004272	-0,875	0,998	0,022	-1,43E-15	0,1234	47-1
47	42	COMB1	Combination		-0,004272	0,751	-0,998	0,7263	0,0039	-0,1234	47-1
47	26	COMB5	Combination		0,004272	-0,875	0,998	0,022	-1,43E-15	0,1234	47-1
47	42	COMB5	Combination		-0,004272	0,751	-0,998	0,7263	0,0039	-0,1234	47-1
47	26	COMB6	Combination		0,004272	-0,875	0,998	0,022	-1,43E-15	0,1234	47-1
47	42	COMB6	Combination		-0,004272	0,751	-0,998	0,7263	0,0039	-0,1234	47-1
47	26	COMB7	Combination		0,022	-0,135	-0,811	-0,0393	-2,944E-16	0,0254	47-1
47	42	COMB7	Combination		-0,022	0,26	0,811	0,221	0,0204	-0,0254	47-1
47	26	COMB8	Combination		0,022	-0,135	-0,811	-0,0393	-2,944E-16	0,0254	47-1
47	42	COMB8	Combination		-0,022	0,26	0,811	0,221	0,0204	-0,0254	47-1
47	26	COMB9	Combination		-0,0008841	-0,864	2,11	0,0718	-1,353E-15	0,1168	47-1
47	42	COMB9	Combination		0,0008841	0,574	-2,11	0,5896	-0,0008134	-0,1168	47-1
47	26	COMB10	Combination		0,041	0,863	-2,111	-0,0714	1,296E-15	-0,1119	47-1
47	42	COMB10	Combination		-0,041	-0,573	2,111	-0,5894	0,0377	0,1119	47-1
47	26	COMB11	Combination		0,034	0,358	-2,017	-0,0802	4,627E-16	-0,0399	47-1
47	42	COMB11	Combination		-0,034	-0,068	2,017	-0,1159	0,0314	0,0399	47-1
47	26	COMB12	Combination		-0,007689	-1,369	2,204	0,0629	-2,187E-15	0,1888	47-1
47	42	COMB12	Combination		0,007689	1,079	-2,204	1,0631	-0,0071	-0,1888	47-1
47	26	ENV	Combination	Max	0,041	0,863	2,204	0,0718	1,296E-15	0,1888	47-1

47	42	ENV	Combination	Max	0,007689	1,079	2,111	1,0631	0,0377	0,1119 47-1
47	26	ENV	Combination	Min	-0,007689	-1,369	-2,111	-0,0802	-2,187E-15	-0,1119 47-1
47	42	ENV	Combination	Min	-0,041	-0,573	-2,204	-0,5894	-0,0071	-0,1888 47-1
47	42	DEAD	LinStatic		-0,0006996	-0,00007028	0,0001054	0,000003222	-0,0011	-0,0015 47-2
47	31	DEAD	LinStatic		0,0006996	0,00007028	-0,0001054	0,0001078	0	0,0015 47-2
47	42	CM	LinStatic		-0,002	-0,206	0,887	0,2331	-0,0032	0,0012 47-2
47	31	CM	LinStatic		0,002	0,206	-0,845	0,0921	0	-0,0012 47-2
47	42	CV	LinStatic		0	0	0	0	0	0 47-2
47	31	CV	LinStatic		0	0	0	0	0	0 47-2
47	42	L	LinStatic		-0,035	0,143	0,209	-0,6587	-0,0547	-0,0403 47-2
47	31	L	LinStatic		0,035	-0,143	-0,209	0,4332	0	0,0403 47-2
47	42	COMB1	Combination		-0,056	0,066	0,933	-1,043	-0,089	-0,0662 47-2
47	31	COMB1	Combination		0,056	-0,279	-0,933	0,7708	0	0,0662 47-2
47	42	COMB5	Combination		-0,056	0,066	0,933	-1,043	-0,089	-0,0662 47-2
47	31	COMB5	Combination		0,056	-0,279	-0,933	0,7708	0	0,0662 47-2
47	42	COMB6	Combination		-0,056	0,066	0,933	-1,043	-0,089	-0,0662 47-2
47	31	COMB6	Combination		0,056	-0,279	-0,933	0,7708	0	0,0662 47-2
47	42	COMB7	Combination		-0,014	0,22	-0,514	-0,2744	-0,0226	-0,0175 47-2
47	31	COMB7	Combination		0,014	-0,006329	0,514	0,0959	0	0,0175 47-2
47	42	COMB8	Combination		-0,014	0,22	-0,514	-0,2744	-0,0226	-0,0175 47-2
47	31	COMB8	Combination		0,014	-0,006329	0,514	0,0959	0	0,0175 47-2
47	42	COMB9	Combination		-0,05	-0,18	1,689	-0,8967	-0,0786	-0,0584 47-2
47	31	COMB9	Combination		0,05	-0,318	-1,689	0,7875	0	0,0584 47-2
47	42	COMB10	Combination		0,048	0,18	-1,688	0,8967	0,0764	0,0553 47-2
47	31	COMB10	Combination		-0,048	0,318	1,688	-0,7873	0	-0,0553 47-2
47	42	COMB11	Combination		0,014	0,322	-1,479	0,238	0,0217	0,015 47-2
47	31	COMB11	Combination		-0,014	0,175	1,479	-0,354	0	-0,015 47-2
47	42	COMB12	Combination		-0,084	-0,037	1,898	-1,5554	-0,1333	-0,0987 47-2
47	31	COMB12	Combination		0,084	-0,461	-1,898	1,2207	0	0,0987 47-2
47	42	ENV	Combination	Max	0,048	0,322	1,898	0,8967	0,0764	0,0553 47-2
47	31	ENV	Combination	Max	0,084	0,318	1,688	1,2207	0	0,0987 47-2
47	42	ENV	Combination	Min	-0,084	-0,18	-1,688	-1,5554	-0,1333	-0,0987 47-2
47	31	ENV	Combination	Min	-0,048	-0,461	-1,898	-0,7873	0	-0,0553 47-2
48	27	DEAD	LinStatic		0,016	0,006983	-0,722	-0,0023	-4,576E-17	0,0039 48-1
48	43	DEAD	LinStatic		-0,016	-0,006983	0,722	-0,0041	0,0151	-0,0039 48-1
48	27	CM	LinStatic		0,018	0,469	0,815	-0,1243	-2,371E-17	0,002 48-1
48	43	CM	LinStatic		-0,018	-0,469	-0,791	-0,3073	0,0163	-0,002 48-1
48	27	CV	LinStatic		0	0	0	0	0	0 48-1
48	43	CV	LinStatic		0	0	0	0	0	0 48-1
48	27	L	LinStatic		0,057	-0,555	-2,049	-0,084	-1,237E-15	0,1068 48-1
48	43	L	LinStatic		-0,057	0,555	2,049	0,5945	0,0521	-0,1068 48-1
48	27	COMB1	Combination		0,114	-0,846	-2,242	-0,1327	-2,078E-15	0,1794 48-1
48	43	COMB1	Combination		-0,114	0,722	2,242	0,854	0,1044	-0,1794 48-1
48	27	COMB5	Combination		0,114	-0,846	-2,242	-0,1327	-2,078E-15	0,1794 48-1
48	43	COMB5	Combination		-0,114	0,722	2,242	0,854	0,1044	-0,1794 48-1
48	27	COMB6	Combination		0,114	-0,846	-2,242	-0,1327	-2,078E-15	0,1794 48-1
48	43	COMB6	Combination		-0,114	0,722	2,242	0,854	0,1044	-0,1794 48-1
48	27	COMB7	Combination		0,033	-0,25	-3,299	-0,0399	-4,875E-16	0,0421 48-1
48	43	COMB7	Combination		-0,033	0,374	3,299	0,3267	0,0301	-0,0421 48-1
48	27	COMB8	Combination		0,033	-0,25	-3,299	-0,0399	-4,875E-16	0,0421 48-1
48	43	COMB8	Combination		-0,033	0,374	3,299	0,3267	0,0301	-0,0421 48-1
48	27	COMB9	Combination		0,111	-0,689	0,511	-0,1106	-1,901E-15	0,1641 48-1
48	43	COMB9	Combination		-0,111	0,399	-0,511	0,6111	0,1019	-0,1641 48-1
48	27	COMB10	Combination		-0,078	0,703	-1,955	0,106	1,81E-15	-0,1562 48-1
48	43	COMB10	Combination		0,078	-0,413	1,955	-0,6193	-0,0716	0,1562 48-1
48	27	COMB11	Combination		-0,021	0,148	-4,004	0,022	5,727E-16	-0,0494 48-1
48	43	COMB11	Combination		0,021	0,142	4,004	-0,0248	-0,0195	0,0494 48-1
48	27	COMB12	Combination		0,167	-1,244	-1,538	-0,1946	-3,138E-15	0,2709 48-1
48	43	COMB12	Combination		-0,167	0,954	1,538	1,2056	0,154	-0,2709 48-1
48	27	ENV	Combination	Max	0,167	0,703	0,511	0,106	1,81E-15	0,2709 48-1
48	43	ENV	Combination	Max	0,078	0,954	4,004	1,2056	0,154	0,1562 48-1
48	27	ENV	Combination	Min	-0,078	-1,244	-4,004	-0,1946	-3,138E-15	-0,1562 48-1
48	43	ENV	Combination	Min	-0,167	-0,413	-0,511	-0,6193	-0,0716	-0,2709 48-1
48	43	DEAD	LinStatic		0,002538	-0,0001501	-0,831	0,0004283	0,0008685	-0,0025 48-2
48	203	DEAD	LinStatic		-0,002538	0,0001501	0,831	-0,0002247	0,0026	0,0025 48-2
48	43	CM	LinStatic		-0,064	-0,345	0,991	0,3431	-0,0211	0,0046 48-2
48	203	CM	LinStatic		0,064	0,345	-0,955	0,124	-0,0659	-0,0046 48-2
48	43	CV	LinStatic		0	0	0	0	0	0 48-2
48	203	CV	LinStatic		0	0	0	0	0	0 48-2
48	43	L	LinStatic		-0,115	0,059	-1,426	-0,8183	-0,049	0,0224 48-2
48	203	L	LinStatic		0,115	-0,059	1,426	0,7388	-0,1065	-0,0224 48-2
48	43	COMB1	Combination		-0,175	-0,131	-1,766	-1,2479	-0,0697	0,0458 48-2
48	203	COMB1	Combination		0,175	-0,052	1,766	1,3016	-0,1677	-0,0458 48-2
48	43	COMB5	Combination		-0,175	-0,131	-1,766	-1,2479	-0,0697	0,0458 48-2
48	203	COMB5	Combination		0,175	-0,052	1,766	1,3016	-0,1677	-0,0458 48-2
48	43	COMB6	Combination		-0,175	-0,131	-1,766	-1,2479	-0,0697	0,0458 48-2
48	203	COMB6	Combination		0,175	-0,052	1,766	1,3016	-0,1677	-0,0458 48-2
48	43	COMB7	Combination		-0,049	0,248	-2,748	-0,3878	-0,0266	-0,0061 48-2
48	203	COMB7	Combination		0,049	-0,065	2,748	0,1756	-0,0401	0,0061 48-2
48	43	COMB8	Combination		-0,049	0,248	-2,748	-0,3878	-0,0266	-0,0061 48-2

48	203	COMB8	Combination		0,049	-0,065	2,748	0,1756	-0,0401	0,0061 48-2
48	43	COMB9	Combination		-0,144	-0,442	0,315	-1,003	-0,0494	0,0581 48-2
48	203	COMB9	Combination		0,144	0,016	-0,315	1,3134	-0,1463	-0,0581 48-2
48	43	COMB10	Combination		0,149	0,442	-1,976	1,0039	0,0511	-0,0631 48-2
48	203	COMB10	Combination		-0,149	-0,015	1,976	-1,3139	0,1514	0,0631 48-2
48	43	COMB11	Combination		0,035	0,501	-3,402	0,1856	0,0021	-0,0407 48-2
48	203	COMB11	Combination		-0,035	-0,074	3,402	-0,575	0,0449	0,0407 48-2
48	43	COMB12	Combination		-0,259	-0,384	-1,112	-1,8213	-0,0984	0,0804 48-2
48	203	COMB12	Combination		0,259	-0,043	1,112	2,0522	-0,2528	-0,0804 48-2
48	43	ENV	Combination	Max	0,149	0,501	0,315	1,0039	0,0511	0,0804 48-2
48	203	ENV	Combination	Max	0,259	0,016	3,402	2,0522	0,1514	0,0631 48-2
48	43	ENV	Combination	Min	-0,259	-0,442	-3,402	-1,8213	-0,0984	-0,0631 48-2
48	203	ENV	Combination	Min	-0,149	-0,074	-0,315	-1,3139	-0,2528	-0,0804 48-2
48	203	DEAD	LinStatic		-0,011	-0,0004941	-1,014	-0,001	-0,0026	-0,0024 48-3
48	32	DEAD	LinStatic		0,011	0,0004941	1,014	0,0012	-2,829E-09	-0,0024 48-3
48	203	CM	LinStatic		0,293	-0,358	2,038	-0,1122	0,0659	0,0058 48-3
48	32	CM	LinStatic		-0,293	0,358	-2,032	0,1928	-6,773E-09	-0,0058 48-3
48	203	CV	LinStatic		0	0	0	0	0	0 48-3
48	32	CV	LinStatic		0	0	0	0	0	0 48-3
48	203	L	LinStatic		0,473	0,871	-0,133	-0,8909	0,1065	-0,1581 48-3
48	32	L	LinStatic		-0,473	-0,871	0,133	0,6949	1,848E-07	0,1581 48-3
48	203	COMB1	Combination		0,745	1,093	0,052	-1,5863	0,1677	-0,235 48-3
48	32	COMB1	Combination		-0,745	-1,124	-0,052	1,3369	2,746E-07	0,235 48-3
48	203	COMB5	Combination		0,745	1,093	0,052	-1,5863	0,1677	-0,235 48-3
48	32	COMB5	Combination		-0,745	-1,124	-0,052	1,3369	2,746E-07	0,235 48-3
48	203	COMB6	Combination		0,745	1,093	0,052	-1,5863	0,1677	-0,235 48-3
48	32	COMB6	Combination		-0,745	-1,124	-0,052	1,3369	2,746E-07	0,235 48-3
48	203	COMB7	Combination		0,178	0,647	-2,347	-0,1975	0,0401	-0,0764 48-3
48	32	COMB7	Combination		-0,178	-0,617	2,347	0,0553	8,924E-08	0,0764 48-3
48	203	COMB8	Combination		0,178	0,647	-2,347	-0,1975	0,0401	-0,0764 48-3
48	32	COMB8	Combination		-0,178	-0,617	2,347	0,0553	8,924E-08	0,0764 48-3
48	203	COMB9	Combination		0,65	0,52	1,785	-1,6213	0,1463	-0,1827 48-3
48	32	COMB9	Combination		-0,65	-0,591	-1,785	1,4964	2,135E-07	0,1827 48-3
48	203	COMB10	Combination		-0,673	-0,521	-3,813	1,6192	-0,1514	0,1875 48-3
48	32	COMB10	Combination		0,673	0,592	3,813	-1,494	-2,191E-07	-0,1875 48-3
48	203	COMB11	Combination		-0,2	0,35	-3,946	0,7283	-0,0449	0,0294 48-3
48	32	COMB11	Combination		0,2	-0,279	3,946	-0,7991	-3,436E-08	-0,0294 48-3
48	203	COMB12	Combination		1,124	1,391	1,652	-2,5122	0,2528	-0,3408 48-3
48	32	COMB12	Combination		-1,124	-1,462	-1,652	2,1913	3,982E-07	0,3408 48-3
48	203	ENV	Combination	Max	1,124	1,391	1,785	1,6192	0,2528	0,1875 48-3
48	32	ENV	Combination	Max	0,673	0,592	3,946	2,1913	3,982E-07	0,3408 48-3
48	203	ENV	Combination	Min	-0,673	-0,521	-3,946	-2,5122	-0,1514	-0,3408 48-3
48	32	ENV	Combination	Min	-1,124	-1,462	-1,785	-1,494	-2,191E-07	-0,1875 48-3
49	28	DEAD	LinStatic		0,011	0,001518	-0,369	0,0015	0	0,0052 49-1
49	47	DEAD	LinStatic		-0,011	-0,001518	0,369	-0,0029	0,0103	-0,0052 49-1
49	28	CM	LinStatic		0,049	0,481	2,714	-0,114	0	0,0095 49-1
49	47	CM	LinStatic		-0,049	-0,481	-2,69	-0,3288	0,0451	-0,0095 49-1
49	28	CV	LinStatic		0	0	0	0	0	0 49-1
49	47	CV	LinStatic		0	0	0	0	0	0 49-1
49	28	L	LinStatic		0,124	-0,574	1,378	-0,2085	0	0,1629 49-1
49	47	L	LinStatic		-0,124	0,574	-1,378	0,7369	0,1144	-0,1629 49-1
49	28	COMB1	Combination		0,203	-0,812	3,182	-0,3712	0	0,278 49-1
49	47	COMB1	Combination		-0,203	0,688	-3,182	1,0613	0,1871	-0,278 49-1
49	28	COMB5	Combination		0,203	-0,812	3,182	-0,3712	0	0,278 49-1
49	47	COMB5	Combination		-0,203	0,688	-3,182	1,0613	0,1871	-0,278 49-1
49	28	COMB6	Combination		0,203	-0,812	3,182	-0,3712	0	0,278 49-1
49	47	COMB6	Combination		-0,203	0,688	-3,182	1,0613	0,1871	-0,278 49-1
49	28	COMB7	Combination		0,068	-0,333	-1,164	-0,0428	0	0,0581 49-1
49	47	COMB7	Combination		-0,068	0,458	1,164	0,4067	0,0623	-0,0581 49-1
49	28	COMB8	Combination		0,068	-0,333	-1,164	-0,0428	0	0,0581 49-1
49	47	COMB8	Combination		-0,068	0,458	1,164	0,4067	0,0623	-0,0581 49-1
49	28	COMB9	Combination		0,169	-0,557	4,701	-0,3816	0	0,2617 49-1
49	47	COMB9	Combination		-0,169	0,267	-4,701	0,7608	0,1559	-0,2617 49-1
49	28	COMB10	Combination		-0,147	0,56	-5,439	0,3846	0	-0,2513 49-1
49	47	COMB10	Combination		0,147	-0,27	5,439	-0,7665	-0,1354	0,2513 49-1
49	28	COMB11	Combination		-0,023	-0,014	-4,061	0,1761	0	-0,0884 49-1
49	47	COMB11	Combination		0,023	0,304	4,061	-0,0297	-0,0209	0,0884 49-1
49	28	COMB12	Combination		0,294	-1,131	6,079	-0,5902	0	0,4245 49-1
49	47	COMB12	Combination		-0,294	0,841	-6,079	1,4976	0,2703	-0,4245 49-1
49	28	ENV	Combination	Max	0,294	0,56	6,079	0,3846	0	0,4245 49-1
49	47	ENV	Combination	Max	0,147	0,841	5,439	1,4976	0,2703	0,2513 49-1
49	28	ENV	Combination	Min	-0,147	-1,131	-5,439	-0,5902	0	-0,2513 49-1
49	47	ENV	Combination	Min	-0,294	-0,27	-6,079	-0,7665	-0,1354	-0,4245 49-1
49	47	DEAD	LinStatic		-0,009038	-0,00443	-0,388	0,0014	-0,0029	-0,0042 49-2
49	202	DEAD	LinStatic		0,009038	0,00443	0,388	0,0014	-0,0027	0,0042 49-2
49	47	CM	LinStatic		-0,094	-0,35	2,299	0,3201	-0,0106	0,0121 49-2
49	202	CM	LinStatic		0,094	0,35	-2,283	-0,1043	-0,0476	-0,0121 49-2
49	47	CV	LinStatic		0	0	0	0	0	0 49-2
49	202	CV	LinStatic		0	0	0	0	0	0 49-2
49	47	L	LinStatic		-0,132	-0,25	1,553	-0,7894	0,0016	-0,0344 49-2

49	202	L	LinStatic	0,132	0,25	-1,553	0,9434	-0,0832	0,0344	49-2
49	47	COMB1	Combination	-0,185	-0,581	3,154	-1,1755	0,0152	-0,0352	49-2
49	202	COMB1	Combination	0,185	0,498	-3,154	1,5084	-0,1294	0,0352	49-2
49	47	COMB5	Combination	-0,185	-0,581	3,154	-1,1755	0,0152	-0,0352	49-2
49	202	COMB5	Combination	0,185	0,498	-3,154	1,5084	-0,1294	0,0352	49-2
49	47	COMB6	Combination	-0,185	-0,581	3,154	-1,1755	0,0152	-0,0352	49-2
49	202	COMB6	Combination	0,185	0,498	-3,154	1,5084	-0,1294	0,0352	49-2
49	47	COMB7	Combination	-0,098	0,073	-0,824	-0,4005	-0,0178	-0,042	49-2
49	202	COMB7	Combination	0,098	0,01	0,824	0,3812	-0,0425	0,042	49-2
49	47	COMB8	Combination	-0,098	0,073	-0,824	-0,4005	-0,0178	-0,042	49-2
49	202	COMB8	Combination	0,098	0,01	0,824	0,3812	-0,0425	0,042	49-2
49	47	COMB9	Combination	-0,111	-0,768	4,253	-0,9029	0,0356	0,0037	49-2
49	202	COMB9	Combination	0,111	0,573	-4,253	1,3164	-0,1041	-0,0037	49-2
49	47	COMB10	Combination	0,093	0,759	-5,029	0,9056	-0,0413	-0,0121	49-2
49	202	COMB10	Combination	-0,093	-0,564	5,029	-1,3136	0,0987	0,0121	49-2
49	47	COMB11	Combination	-0,039	0,509	-3,476	0,1162	-0,0398	-0,0466	49-2
49	202	COMB11	Combination	0,039	-0,315	3,476	-0,3702	0,0155	0,0466	49-2
49	47	COMB12	Combination	-0,244	-1,017	5,806	-1,6922	0,0371	-0,0307	49-2
49	202	COMB12	Combination	0,244	0,823	-5,806	2,2598	-0,1873	0,0307	49-2
49	47	ENV	Combination	0,093	0,759	5,806	0,9056	0,0371	0,0037	49-2
49	202	ENV	Combination	0,244	0,823	5,029	2,2598	0,0987	0,0466	49-2
49	47	ENV	Combination	-0,244	-1,017	-5,029	-1,6922	-0,0413	-0,0466	49-2
49	202	ENV	Combination	-0,093	-0,564	-5,806	-1,3136	-0,1873	-0,0037	49-2
49	202	DEAD	LinStatic	0,002797	0,002302	-0,662	-0,0009274	0,0027	-0,0003796	49-3
49	33	DEAD	LinStatic	-0,002797	-0,002302	0,662	-0,0013	1,036E-10	0,0003796	49-3
49	202	CM	LinStatic	0,049	-0,339	3,938	0,1806	0,0476	0,0072	49-3
49	33	CM	LinStatic	-0,049	0,339	-3,912	0,1463	-1,97E-09	-0,0072	49-3
49	202	CV	LinStatic	0	0	0	0	0	0	49-3
49	33	CV	LinStatic	0	0	0	0	0	0	49-3
49	202	L	LinStatic	0,086	0,658	3,487	-1,1536	0,0832	0,052	49-3
49	33	L	LinStatic	-0,086	-0,658	-3,487	0,5194	-1,418E-08	-0,052	49-3
49	202	COMB1	Combination	0,134	0,749	5,846	-1,8184	0,1294	0,1012	49-3
49	33	COMB1	Combination	-0,134	-0,879	-5,846	1,0341	-2,761E-08	-0,1012	49-3
49	202	COMB5	Combination	0,134	0,749	5,846	-1,8184	0,1294	0,1012	49-3
49	33	COMB5	Combination	-0,134	-0,879	-5,846	1,0341	-2,761E-08	-0,1012	49-3
49	202	COMB6	Combination	0,134	0,749	5,846	-1,8184	0,1294	0,1012	49-3
49	33	COMB6	Combination	-0,134	-0,879	-5,846	1,0341	-2,761E-08	-0,1012	49-3
49	202	COMB7	Combination	0,044	0,572	-0,197	-0,4906	0,0425	0,002	49-3
49	33	COMB7	Combination	-0,044	-0,442	0,197	0,002	-5,48E-10	-0,002	49-3
49	202	COMB8	Combination	0,044	0,572	-0,197	-0,4906	0,0425	0,002	49-3
49	33	COMB8	Combination	-0,044	-0,442	0,197	0,002	-5,48E-10	-0,002	49-3
49	202	COMB9	Combination	0,108	0,209	6,387	-1,55	0,1041	0,1153	49-3
49	33	COMB9	Combination	-0,108	-0,512	-6,387	1,2027	-3,147E-08	-0,1153	49-3
49	202	COMB10	Combination	-0,102	-0,204	-7,712	1,5482	-0,0987	-0,1161	49-3
49	33	COMB10	Combination	0,102	0,508	7,712	-1,2053	3,168E-08	0,1161	49-3
49	202	COMB11	Combination	-0,016	0,454	-4,225	0,3946	-0,0155	-0,0641	49-3
49	33	COMB11	Combination	0,016	-0,151	4,225	-0,686	1,749E-08	0,0641	49-3
49	202	COMB12	Combination	0,194	0,867	9,874	-2,7036	0,1873	0,1673	49-3
49	33	COMB12	Combination	-0,194	-1,171	-9,874	1,7221	-4,565E-08	-0,1673	49-3
49	202	ENV	Combination	0,194	0,867	9,874	1,5482	0,1873	0,1673	49-3
49	33	ENV	Combination	0,102	0,508	7,712	1,7221	3,168E-08	0,1161	49-3
49	202	ENV	Combination	-0,102	-0,204	-7,712	-2,7036	-0,0987	-0,1161	49-3
49	33	ENV	Combination	-0,194	-1,171	-9,874	-1,2053	-4,565E-08	-0,1673	49-3
50	29	DEAD	LinStatic	-0,019	0,009672	-0,224	-0,0017	-1,276E-16	0,011	50-1
50	74	DEAD	LinStatic	0,019	-0,009672	0,224	-0,0072	-0,0175	-0,011	50-1
50	29	CM	LinStatic	-0,027	0,778	7,193	-0,2403	-2,268E-16	0,0196	50-1
50	74	CM	LinStatic	0,027	-0,778	-7,168	-0,4754	-0,0244	-0,0196	50-1
50	29	CV	LinStatic	0	0	0	0	0	0	50-1
50	74	CV	LinStatic	0	0	0	0	0	0	50-1
50	29	L	LinStatic	-0,053	-1,725	7,422	0,2289	-1,845E-15	0,1592	50-1
50	74	L	LinStatic	0,053	1,725	-7,422	1,3584	-0,0487	-0,1592	50-1
50	29	COMB1	Combination	-0,13	-2,693	12,417	0,3639	-3,63E-15	0,3134	50-1
50	74	COMB1	Combination	0,13	2,569	-12,417	2,0568	-0,1198	-0,3134	50-1
50	29	COMB5	Combination	-0,13	-2,693	12,417	0,3639	-3,63E-15	0,3134	50-1
50	74	COMB5	Combination	0,13	2,569	-12,417	2,0568	-0,1198	-0,3134	50-1
50	29	COMB6	Combination	-0,13	-2,693	12,417	0,3639	-3,63E-15	0,3134	50-1
50	74	COMB6	Combination	0,13	2,569	-12,417	2,0568	-0,1198	-0,3134	50-1
50	29	COMB7	Combination	-0,014	-0,738	1,979	0,0906	-3,14E-16	0,0271	50-1
50	74	COMB7	Combination	0,014	0,862	-1,979	0,6456	-0,0126	-0,0271	50-1
50	29	COMB8	Combination	-0,014	-0,738	1,979	0,0906	-3,14E-16	0,0271	50-1
50	74	COMB8	Combination	0,014	0,862	-1,979	0,6456	-0,0126	-0,0271	50-1
50	29	COMB9	Combination	-0,155	-2,271	11,953	0,3171	-3,997E-15	0,345	50-1
50	74	COMB9	Combination	0,155	1,981	-11,953	1,6391	-0,1426	-0,345	50-1
50	29	COMB10	Combination	0,117	2,291	-12,401	-0,3205	3,741E-15	-0,3229	50-1
50	74	COMB10	Combination	-0,117	-2,001	12,401	-1,6536	0,1077	0,3229	50-1
50	29	COMB11	Combination	0,064	0,565	-4,979	-0,0916	1,897E-15	-0,1637	50-1
50	74	COMB11	Combination	-0,064	-0,275	4,979	-0,2951	0,0589	0,1637	50-1
50	29	COMB12	Combination	-0,208	-3,997	19,375	0,5461	-5,841E-15	0,5042	50-1
50	74	COMB12	Combination	0,208	3,707	-19,375	2,9976	-0,1913	-0,5042	50-1
50	29	ENV	Combination	0,117	2,291	19,375	0,5461	3,741E-15	0,5042	50-1

50	74	ENV	Combination	Max	0,208	3,707	12,401	2,9976	0,1077	0,3229	50-1
50	29	ENV	Combination	Min	-0,208	-3,997	-12,401	-0,3205	-5,841E-15	-0,3229	50-1
50	74	ENV	Combination	Min	-0,117	-2,001	-19,375	-1,6536	-0,1913	-0,5042	50-1
50	74	DEAD	LinStatic		0,012	-0,006803	-0,232	0,0072	0,019	-0,0029	50-2
50	30	DEAD	LinStatic		-0,012	0,006803	0,232	0,0035	0	0,0029	50-2
50	74	CM	LinStatic		0,006674	-0,437	6,535	0,4754	0,0105	-0,00007211	50-2
50	30	CM	LinStatic		-0,006674	0,437	-6,493	0,2157	0	0,00007211	50-2
50	74	CV	LinStatic		0	0	0	0	0	0	50-2
50	30	CV	LinStatic		0	0	0	0	0	0	50-2
50	74	L	LinStatic		0,056	0,302	8,432	-1,3584	0,0889	-0,0103	50-2
50	30	L	LinStatic		-0,056	-0,302	-8,432	0,8814	0	0,0103	50-2
50	74	COMB1	Combination		0,118	0,159	13,776	-2,0568	0,1868	-0,0169	50-2
50	30	COMB1	Combination		-0,118	-0,372	-13,776	1,637	0	0,0169	50-2
50	74	COMB5	Combination		0,118	0,159	13,776	-2,0568	0,1868	-0,0169	50-2
50	30	COMB5	Combination		-0,118	-0,372	-13,776	1,637	0	0,0169	50-2
50	74	COMB6	Combination		0,118	0,159	13,776	-2,0568	0,1868	-0,0169	50-2
50	30	COMB6	Combination		-0,118	-0,372	-13,776	1,637	0	0,0169	50-2
50	74	COMB7	Combination		0,018	0,431	2,624	-0,6456	0,029	-0,0096	50-2
50	30	COMB7	Combination		-0,018	-0,218	-2,624	0,1329	0	0,0096	50-2
50	74	COMB8	Combination		0,018	0,431	2,624	-0,6456	0,029	-0,0096	50-2
50	30	COMB8	Combination		-0,018	-0,218	-2,624	0,1329	0	0,0096	50-2
50	74	COMB9	Combination		0,129	-0,324	12,779	-1,6391	0,2031	-0,0114	50-2
50	30	COMB9	Combination		-0,129	-0,173	-12,779	1,7583	0	0,0114	50-2
50	74	COMB10	Combination		-0,104	0,311	-13,243	1,6536	-0,1651	0,0056	50-2
50	30	COMB10	Combination		0,104	0,187	13,243	-1,7512	0	-0,0056	50-2
50	74	COMB11	Combination		-0,048	0,613	-4,811	0,2951	-0,0762	-0,0047	50-2
50	30	COMB11	Combination		0,048	-0,115	4,811	-0,8698	0	0,0047	50-2
50	74	COMB12	Combination		0,185	-0,022	21,21	-2,9976	0,292	-0,0217	50-2
50	30	COMB12	Combination		-0,185	-0,475	-21,21	2,6397	0	0,0217	50-2
50	74	ENV	Combination	Max	0,185	0,613	21,21	1,6536	0,292	0,0056	50-2
50	30	ENV	Combination	Max	0,104	0,187	13,243	2,6397	0	0,0217	50-2
50	74	ENV	Combination	Min	-0,104	-0,324	-13,243	-2,9976	-0,1651	-0,0217	50-2
50	30	ENV	Combination	Min	-0,185	-0,475	-21,21	-1,7512	0	-0,0056	50-2
51	31	DEAD	LinStatic		-0,067	0,002934	-0,004648	0,0002414	-0,0031	-0,0036	51-1
51	32	DEAD	LinStatic		0,067	-0,002934	0,004648	8,182E-07	-0,0028	-0,0037	51-1
51	31	CM	LinStatic		-1,233	-0,005314	0,17	-0,0018	0,0561	0,0109	51-1
51	32	CM	LinStatic		1,233	0,005314	0,291	0,0014	-0,1043	0,0022	51-1
51	31	CV	LinStatic		0	0	0	0	0	0	51-1
51	32	CV	LinStatic		0	0	0	0	0	0	51-1
51	31	L	LinStatic		-1,49	-0,219	0,46	-0,0305	0,2412	0,2479	51-1
51	32	L	LinStatic		1,49	0,219	0,479	0,0124	-0,1413	0,2922	51-1
51	31	COMB1	Combination		-1,948	-0,521	0,481	-0,0483	0,29	0,4694	51-1
51	32	COMB1	Combination		1,948	0,188	0,458	0,0191	-0,1013	0,4057	51-1
51	31	COMB5	Combination		-1,948	-0,521	0,481	-0,0483	0,29	0,4694	51-1
51	32	COMB5	Combination		1,948	0,188	0,458	0,0191	-0,1013	0,4057	51-1
51	31	COMB6	Combination		-1,948	-0,521	0,481	-0,0483	0,29	0,4694	51-1
51	32	COMB6	Combination		1,948	0,188	0,458	0,0191	-0,1013	0,4057	51-1
51	31	COMB7	Combination		-1,166	0,09	0,43	-0,0121	0,1862	0,0192	51-1
51	32	COMB7	Combination		1,166	0,244	0,509	0,0058	-0,1869	0,1712	51-1
51	31	COMB8	Combination		-1,166	0,09	0,43	-0,0121	0,1862	0,0192	51-1
51	32	COMB8	Combination		1,166	0,244	0,509	0,0058	-0,1869	0,1712	51-1
51	31	COMB9	Combination		-0,979	-0,71	0,054	-0,042	0,118	0,5216	51-1
51	32	COMB9	Combination		0,979	-0,069	-0,054	0,0155	0,097	0,2699	51-1
51	31	COMB10	Combination		0,845	0,716	-0,064	0,0424	-0,1242	-0,5288	51-1
51	32	COMB10	Combination		-0,845	0,063	0,064	-0,0155	-0,1026	-0,2773	51-1
51	31	COMB11	Combination		-0,645	0,497	0,397	0,012	0,117	-0,2809	51-1
51	32	COMB11	Combination		0,645	0,282	0,543	-0,0031	-0,2439	0,0149	51-1
51	31	COMB12	Combination		-2,47	-0,928	0,515	-0,0724	0,3593	0,7696	51-1
51	32	COMB12	Combination		2,47	0,15	0,425	0,0279	-0,0443	0,5621	51-1
51	31	ENV	Combination	Max	0,845	0,716	0,515	0,0424	0,3593	0,7696	51-1
51	32	ENV	Combination	Max	2,47	0,282	0,543	0,0279	0,097	0,5621	51-1
51	31	ENV	Combination	Min	-2,47	-0,928	-0,064	-0,0724	-0,1242	-0,5288	51-1
51	32	ENV	Combination	Min	-0,845	-0,069	-0,054	-0,0155	-0,2439	-0,2773	51-1
52	32	DEAD	LinStatic		-0,323	0,003545	-0,035	0,0004886	-0,0034	-0,0041	52-1
52	33	DEAD	LinStatic		0,323	-0,003545	0,035	0,0003935	-0,002	-0,0047	52-1
52	32	CM	LinStatic		-1,702	-0,002577	0,066	0,0103	0,1012	0,0048	52-1
52	33	CM	LinStatic		1,702	0,002577	0,397	-0,011	-0,0855	0,0016	52-1
52	32	CV	LinStatic		0	0	0	0	0	0	52-1
52	33	CV	LinStatic		0	0	0	0	0	0	52-1
52	32	L	LinStatic		-2,664	-0,00915	0,182	0,0906	0,1832	-0,006	52-1
52	33	L	LinStatic		2,664	0,00915	0,762	-0,0929	-0,2366	0,0286	52-1
52	32	COMB1	Combination		-3,884	-0,175	0,04	0,1644	0,1702	0,0509	52-1
52	33	COMB1	Combination		3,884	-0,16	0,904	-0,1663	-0,2704	-0,0322	52-1
52	32	COMB5	Combination		-3,884	-0,175	0,04	0,1644	0,1702	0,0509	52-1
52	33	COMB5	Combination		3,884	-0,16	0,904	-0,1663	-0,2704	-0,0322	52-1
52	32	COMB6	Combination		-3,884	-0,175	0,04	0,1644	0,1702	0,0509	52-1
52	33	COMB6	Combination		3,884	-0,16	0,904	-0,1663	-0,2704	-0,0322	52-1
52	32	COMB7	Combination		-2,09	0,164	0,254	0,0179	0,1893	-0,0711	52-1
52	33	COMB7	Combination		2,09	0,171	0,689	-0,0188	-0,2068	0,0801	52-1
52	32	COMB8	Combination		-2,09	0,164	0,254	0,0179	0,1893	-0,0711	52-1

52	33	COMB8	Combination		2,09	0,171	0,689	-0,0188	-0,2068	0,0801	52-1
52	32	COMB9	Combination		-2,415	-0,392	-0,285	0,1714	-0,0257	0,1382	52-1
52	33	COMB9	Combination		2,415	-0,39	0,285	-0,1716	-0,0762	-0,1357	52-1
52	32	COMB10	Combination		1,769	0,399	0,215	-0,1704	0,0188	-0,1464	52-1
52	33	COMB10	Combination		-1,769	0,383	-0,215	0,1724	0,0723	0,1264	52-1
52	32	COMB11	Combination		-0,895	0,39	0,397	-0,0798	0,202	-0,1524	52-1
52	33	COMB11	Combination		0,895	0,392	0,547	0,0795	-0,1643	0,155	52-1
52	32	COMB12	Combination		-5,079	-0,401	-0,103	0,262	0,1575	0,1322	52-1
52	33	COMB12	Combination		5,079	-0,381	1,046	-0,2645	-0,3129	-0,1071	52-1
52	32	ENV	Combination	Max	1,769	0,399	0,397	0,262	0,202	0,1382	52-1
52	33	ENV	Combination	Max	5,079	0,392	1,046	0,1724	0,0723	0,155	52-1
52	32	ENV	Combination	Min	-5,079	-0,401	-0,285	-0,1704	-0,0257	-0,1524	52-1
52	33	ENV	Combination	Min	-1,769	-0,39	-0,215	-0,2645	-0,3129	-0,1357	52-1
53	33	DEAD	LinStatic		-0,369	0,004755	-0,065	0,0014	-0,0044	-0,0055	53-1
53	30	DEAD	LinStatic		0,369	-0,004755	0,065	0,0006372	-0,0024	-0,0062	53-1
53	33	CM	LinStatic		-0,912	-0,015	0,069	0,0052	0,0867	0,0192	53-1
53	30	CM	LinStatic		0,912	0,015	0,399	-0,0115	-0,1126	0,018	53-1
53	33	CV	LinStatic		0	0	0	0	0	0	53-1
53	30	CV	LinStatic		0	0	0	0	0	0	53-1
53	33	L	LinStatic		-1,581	0,156	0,115	0,0993	0,083	-0,1873	53-1
53	30	L	LinStatic		1,581	-0,156	0,837	-0,034	-0,3118	-0,1981	53-1
53	33	COMB1	Combination		-2,158	0,1	-0,048	0,1621	0,0036	-0,2524	53-1
53	30	COMB1	Combination		2,158	-0,438	1	-0,0493	-0,3936	-0,413	53-1
53	33	COMB5	Combination		-2,158	0,1	-0,048	0,1621	0,0036	-0,2524	53-1
53	30	COMB5	Combination		2,158	-0,438	1	-0,0493	-0,3936	-0,413	53-1
53	33	COMB6	Combination		-2,158	0,1	-0,048	0,1621	0,0036	-0,2524	53-1
53	30	COMB6	Combination		2,158	-0,438	1	-0,0493	-0,3936	-0,413	53-1
53	33	COMB7	Combination		-1,741	0,221	0,148	0,0393	0,1537	-0,1332	53-1
53	30	COMB7	Combination		1,741	0,117	0,804	-0,0175	-0,2346	0,0042	53-1
53	33	COMB8	Combination		-1,741	0,221	0,148	0,0393	0,1537	-0,1332	53-1
53	30	COMB8	Combination		1,741	0,117	0,804	-0,0175	-0,2346	0,0042	53-1
53	33	COMB9	Combination		-0,855	-0,136	-0,294	0,1446	-0,1796	-0,1446	53-1
53	30	COMB9	Combination		0,855	-0,653	0,294	-0,0366	-0,1879	-0,4929	53-1
53	33	COMB10	Combination		0,118	0,146	0,163	-0,1419	0,1708	0,1336	53-1
53	30	COMB10	Combination		-0,118	0,643	-0,163	0,0378	0,1832	0,4804	53-1
53	33	COMB11	Combination		-1,463	0,302	0,279	-0,0425	0,2539	-0,0537	53-1
53	30	COMB11	Combination		1,463	0,487	0,673	0,0038	-0,1286	0,2823	53-1
53	33	COMB12	Combination		-2,436	0,02	-0,178	0,2439	-0,0965	-0,3319	53-1
53	30	COMB12	Combination		2,436	-0,809	1,13	-0,0706	-0,4997	-0,6911	53-1
53	33	ENV	Combination	Max	0,118	0,302	0,279	0,2439	0,2539	0,1336	53-1
53	30	ENV	Combination	Max	2,436	0,643	1,13	0,0378	0,1832	0,4804	53-1
53	33	ENV	Combination	Min	-2,436	-0,136	-0,294	-0,1419	-0,1796	-0,3319	53-1
53	30	ENV	Combination	Min	-0,118	-0,809	-0,163	-0,0706	-0,4997	-0,6911	53-1
54	30	DEAD	LinStatic		-0,173	0,006276	-0,045	0,0019	-0,0049	-0,007	54-1
54	34	DEAD	LinStatic		0,173	-0,006276	0,045	0,0016	-0,0042	-0,0075	54-1
54	30	CM	LinStatic		1,637	-0,022	0,648	-0,0028	0,1138	0,0315	54-1
54	34	CM	LinStatic		-1,637	0,022	-0,206	-0,0093	-0,0281	0,0195	54-1
54	30	CV	LinStatic		0	0	0	0	0	0	54-1
54	34	CV	LinStatic		0	0	0	0	0	0	54-1
54	30	L	LinStatic		2,275	0,063	1,031	-0,0167	0,1731	-0,0516	54-1
54	34	L	LinStatic		-2,275	-0,063	-0,133	0,0513	-0,08	-0,0939	54-1
54	30	COMB1	Combination		3,834	-0,045	1,411	-0,0398	0,1558	-0,0342	54-1
54	34	COMB1	Combination		-3,834	-0,274	-0,512	0,1023	-0,0434	-0,2283	54-1
54	30	COMB5	Combination		3,834	-0,045	1,411	-0,0398	0,1558	-0,0342	54-1
54	34	COMB5	Combination		-3,834	-0,274	-0,512	0,1023	-0,0434	-0,2283	54-1
54	30	COMB6	Combination		3,834	-0,045	1,411	-0,0398	0,1558	-0,0342	54-1
54	34	COMB6	Combination		-3,834	-0,274	-0,512	0,1023	-0,0434	-0,2283	54-1
54	30	COMB7	Combination		0,37	0,185	0,561	0,0102	0,1806	-0,0829	54-1
54	34	COMB7	Combination		-0,37	0,135	0,337	0,0034	-0,125	0,0256	54-1
54	30	COMB8	Combination		0,37	0,185	0,561	0,0102	0,1806	-0,0829	54-1
54	34	COMB8	Combination		-0,37	0,135	0,337	0,0034	-0,125	0,0256	54-1
54	30	COMB9	Combination		3,869	-0,262	0,946	-0,0565	-0,0338	0,0498	54-1
54	34	COMB9	Combination		-3,869	-0,483	-0,946	0,117	0,0909	-0,3036	54-1
54	30	COMB10	Combination		-4,215	0,275	-1,036	0,0603	0,024	-0,0637	54-1
54	34	COMB10	Combination		4,215	0,47	1,036	-0,1138	-0,0994	0,2887	54-1
54	30	COMB11	Combination		-1,94	0,338	-0,004892	0,0436	0,1971	-0,1153	54-1
54	34	COMB11	Combination		1,94	0,407	0,903	-0,0625	-0,1794	0,1948	54-1
54	30	COMB12	Combination		6,144	-0,199	1,977	-0,0732	0,1394	-0,0018	54-1
54	34	COMB12	Combination		-6,144	-0,546	-1,079	0,1683	0,011	-0,3975	54-1
54	30	ENV	Combination	Max	6,144	0,338	1,977	0,0603	0,1971	0,0498	54-1
54	34	ENV	Combination	Max	4,215	0,47	1,036	0,1683	0,0909	0,2887	54-1
54	30	ENV	Combination	Min	-4,215	-0,262	-1,036	-0,0732	-0,0338	-0,1153	54-1
54	34	ENV	Combination	Min	-6,144	-0,546	-1,079	-0,1138	-0,1794	-0,3975	54-1
55	35	DEAD	LinStatic		0,298	0,001421	0,251	0,0025	0	-0,0028	55-1
55	36	DEAD	LinStatic		-0,298	-0,001421	-0,251	0,0004498	0	-0,0006927	55-1
55	35	CM	LinStatic		1,473	0,005999	1,284	-0,0089	0	-0,0036	55-1
55	36	CM	LinStatic		-1,473	-0,005999	-1,199	0,0214	0	-0,0112	55-1
55	35	CV	LinStatic		0	0	0	0	0	0	55-1
55	36	CV	LinStatic		0	0	0	0	0	0	55-1
55	35	L	LinStatic		2,106	0,057	1,775	0,2759	0	-0,0759	55-1

55	36	L	LinStatic	-2,106	-0,057	-1,775	-0,1577	0	-0,0644	55-1
55	35	COMB1	Combination	3,805	0,105	3,207	0,4905	0	-0,1399	55-1
55	36	COMB1	Combination	-3,805	-0,105	-3,207	-0,2715	0	-0,12	55-1
55	35	COMB5	Combination	3,805	0,105	3,207	0,4905	0	-0,1399	55-1
55	36	COMB5	Combination	-3,805	-0,105	-3,207	-0,2715	0	-0,12	55-1
55	35	COMB6	Combination	3,805	0,105	3,207	0,4905	0	-0,1399	55-1
55	36	COMB6	Combination	-3,805	-0,105	-3,207	-0,2715	0	-0,12	55-1
55	35	COMB7	Combination	1,004	0,011	0,846	0,0664	0	-0,0176	55-1
55	36	COMB7	Combination	-1,004	-0,011	-0,846	-0,043	0	-0,0101	55-1
55	35	COMB8	Combination	1,004	0,011	0,846	0,0664	0	-0,0176	55-1
55	36	COMB8	Combination	-1,004	-0,011	-0,846	-0,043	0	-0,0101	55-1
55	35	COMB9	Combination	3,567	0,111	3,006	0,4974	0	-0,1455	55-1
55	36	COMB9	Combination	-3,567	-0,111	-3,006	-0,2661	0	-0,1289	55-1
55	35	COMB10	Combination	-2,97	-0,108	-2,503	-0,4924	0	0,1399	55-1
55	36	COMB10	Combination	2,97	0,108	2,503	0,267	0	0,1275	55-1
55	35	COMB11	Combination	-0,864	-0,051	-0,728	-0,2164	0	0,064	55-1
55	36	COMB11	Combination	0,864	0,051	0,728	0,1093	0	0,0631	55-1
55	35	COMB12	Combination	5,673	0,168	4,781	0,7733	0	-0,2214	55-1
55	36	COMB12	Combination	-5,673	-0,168	-4,781	-0,4239	0	-0,1932	55-1
55	35	ENV	Combination	5,673	0,168	4,781	0,7733	0	0,1399	55-1
55	36	ENV	Combination	2,97	0,108	2,503	0,267	0	0,1275	55-1
55	35	ENV	Combination	-2,97	-0,108	-2,503	-0,4924	0	-0,2214	55-1
55	36	ENV	Combination	-5,673	-0,168	-4,781	-0,4239	0	-0,1932	55-1
56	37	DEAD	LinStatic	0,682	0,001038	0,621	0,0016	0	-0,0018	56-1
56	38	DEAD	LinStatic	-0,682	-0,001038	-0,621	0,0007806	0	-0,0007877	56-1
56	37	CM	LinStatic	1,402	0,012	1,322	-0,0058	0	-0,0103	56-1
56	38	CM	LinStatic	-1,402	-0,012	-1,233	0,0317	0	-0,0181	56-1
56	37	CV	LinStatic	0	0	0	0	0	0	56-1
56	38	CV	LinStatic	0	0	0	0	0	0	56-1
56	37	L	LinStatic	3,259	0,00124	2,97	0,2142	0	-0,0108	56-1
56	38	L	LinStatic	-3,259	-0,00124	-2,97	-0,2114	0	0,0077	56-1
56	37	COMB1	Combination	5,841	0,009318	5,323	0,3803	0	-0,0272	56-1
56	38	COMB1	Combination	-5,841	-0,009318	-5,323	-0,3593	0	0,0041	56-1
56	37	COMB5	Combination	5,841	0,009318	5,323	0,3803	0	-0,0272	56-1
56	38	COMB5	Combination	-5,841	-0,009318	-5,323	-0,3593	0	0,0041	56-1
56	37	COMB6	Combination	5,841	0,009318	5,323	0,3803	0	-0,0272	56-1
56	38	COMB6	Combination	-5,841	-0,009318	-5,323	-0,3593	0	0,0041	56-1
56	37	COMB7	Combination	2,04	-0,004763	1,859	0,0511	0	0,0021	56-1
56	38	COMB7	Combination	-2,04	0,004763	-1,859	-0,0619	0	0,0097	56-1
56	37	COMB8	Combination	2,04	-0,004763	1,859	0,0511	0	0,0021	56-1
56	38	COMB8	Combination	-2,04	0,004763	-1,859	-0,0619	0	0,0097	56-1
56	37	COMB9	Combination	5,116	0,017	4,663	0,3856	0	-0,0359	56-1
56	38	COMB9	Combination	-5,116	-0,017	-4,663	-0,3463	0	-0,0073	56-1
56	37	COMB10	Combination	-3,753	-0,015	-3,42	-0,3825	0	0,0323	56-1
56	38	COMB10	Combination	3,753	0,015	3,42	0,3478	0	0,0057	56-1
56	37	COMB11	Combination	-0,494	-0,014	-0,45	-0,1683	0	0,0215	56-1
56	38	COMB11	Combination	0,494	0,014	0,45	0,1364	0	0,0134	56-1
56	37	COMB12	Combination	8,374	0,019	7,632	0,5997	0	-0,0466	56-1
56	38	COMB12	Combination	-8,374	-0,019	-7,632	-0,5576	0	0,0004436	56-1
56	37	ENV	Combination	8,374	0,019	7,632	0,5997	0	0,0323	56-1
56	38	ENV	Combination	3,753	0,015	3,42	0,3478	0	0,0134	56-1
56	37	ENV	Combination	-3,753	-0,015	-3,42	-0,3825	0	-0,0466	56-1
56	38	ENV	Combination	-8,374	-0,019	-7,632	-0,5576	0	-0,0073	56-1
57	39	DEAD	LinStatic	0,996	0,001283	0,974	0,0017	-7,5E-18	-0,0016	57-1
57	26	DEAD	LinStatic	-0,996	-0,001283	-0,974	0,0014	-5,882E-18	-0,0016	57-1
57	39	CM	LinStatic	1,43	0,021	1,445	-0,0048	2,06E-17	-0,0214	57-1
57	26	CM	LinStatic	-1,43	-0,021	-1,354	0,0557	-2,402E-16	-0,0306	57-1
57	39	CV	LinStatic	0	0	0	0	0	0	57-1
57	26	CV	LinStatic	0	0	0	0	0	0	57-1
57	39	L	LinStatic	4,449	-0,052	4,355	0,2021	-8,72E-16	0,0295	57-1
57	26	L	LinStatic	-4,449	0,052	-4,355	-0,3272	1,412E-15	0,0983	57-1
57	39	COMB1	Combination	7,861	-0,071	7,693	0,3612	-1,559E-15	0,0277	57-1
57	26	COMB1	Combination	-7,861	0,071	-7,693	-0,5326	2,298E-15	0,1474	57-1
57	39	COMB5	Combination	7,861	-0,071	7,693	0,3612	-1,559E-15	0,0277	57-1
57	26	COMB5	Combination	-7,861	0,071	-7,693	-0,5326	2,298E-15	0,1474	57-1
57	39	COMB6	Combination	7,861	-0,071	7,693	0,3612	-1,559E-15	0,0277	57-1
57	26	COMB6	Combination	-7,861	0,071	-7,693	-0,5326	2,298E-15	0,1474	57-1
57	39	COMB7	Combination	3,029	-0,03	2,965	0,0464	-2,004E-16	0,028	57-1
57	26	COMB7	Combination	-3,029	0,03	-2,965	-0,1191	5,137E-16	0,0462	57-1
57	39	COMB8	Combination	3,029	-0,03	2,965	0,0464	-2,004E-16	0,028	57-1
57	26	COMB8	Combination	-3,029	0,03	-2,965	-0,1191	5,137E-16	0,0462	57-1
57	39	COMB9	Combination	6,632	-0,046	6,491	0,3689	-1,592E-15	-0,0019	57-1
57	26	COMB9	Combination	-6,632	0,046	-6,491	-0,4811	2,076E-15	0,1165	57-1
57	39	COMB10	Combination	-4,641	0,049	-4,542	-0,3655	1,577E-15	-0,0012	57-1
57	26	COMB10	Combination	4,641	-0,049	4,542	0,4838	-2,088E-15	-0,1197	57-1
57	39	COMB11	Combination	-0,192	-0,002798	-0,188	-0,1634	7,05E-16	0,0282	57-1
57	26	COMB11	Combination	0,192	0,002798	0,188	0,1566	-6,758E-16	-0,0213	57-1
57	39	COMB12	Combination	11,082	-0,098	10,846	0,571	-2,464E-15	0,0275	57-1
57	26	COMB12	Combination	-11,082	0,098	-10,846	-0,8082	3,488E-15	0,2148	57-1
57	39	ENV	Combination	11,082	0,049	10,846	0,571	1,577E-15	0,0282	57-1

57	26	ENV	Combination	Max	4,641	0,098	4,542	0,4838	3,488E-15	0,2148 57-1
57	39	ENV	Combination	Min	-4,641	-0,098	-4,542	-0,3655	-2,464E-15	-0,0019 57-1
57	26	ENV	Combination	Min	-11,082	-0,049	-10,846	-0,8082	-2,088E-15	-0,1197 57-1
58	33	DEAD	LinStatic		0,681	-0,001071	-0,621	-0,0016	-6,8E-18	-0,0018 58-1
58	27	DEAD	LinStatic		-0,681	0,001071	0,621	-0,0008348	-3,602E-18	-0,0008341 58-1
58	33	CM	LinStatic		-1,436	0,015	1,353	-0,0446	-1,925E-16	0,0053 58-1
58	27	CM	LinStatic		1,436	-0,015	-1,264	0,0778	3,357E-16	0,0312 58-1
58	33	CV	LinStatic		0	0	0	0	0	0 58-1
58	27	CV	LinStatic		0	0	0	0	0	0 58-1
58	33	L	LinStatic		-1,142	-0,529	1,04	0,2016	8,698E-16	-0,1094 58-1
58	27	L	LinStatic		1,142	-0,741	-1,04	0,036	1,554E-16	0,3701 58-1
58	33	COMB1	Combination		-1,018	-0,672	0,928	0,3994	1,724E-15	-0,0966 58-1
58	27	COMB1	Combination		1,018	-1,049	-0,928	0,0251	1,082E-16	0,5624 58-1
58	33	COMB5	Combination		-1,018	-0,672	0,928	0,3994	1,724E-15	-0,0966 58-1
58	27	COMB5	Combination		1,018	-1,049	-0,928	0,0251	1,082E-16	0,5624 58-1
58	33	COMB6	Combination		-1,018	-0,672	0,928	0,3994	1,724E-15	-0,0966 58-1
58	27	COMB6	Combination		1,018	-1,049	-0,928	0,0251	1,082E-16	0,5624 58-1
58	33	COMB7	Combination		0,097	-0,389	-0,089	0,0005417	2,337E-18	-0,1258 58-1
58	27	COMB7	Combination		-0,097	-0,43	0,089	0,0453	1,954E-16	0,176 58-1
58	33	COMB8	Combination		0,097	-0,389	-0,089	0,0005417	2,337E-18	-0,1258 58-1
58	27	COMB8	Combination		-0,097	-0,43	0,089	0,0453	1,954E-16	0,176 58-1
58	33	COMB9	Combination		-0,62	-0,331	0,565	0,4638	2,001E-15	0,0322 58-1
58	27	COMB9	Combination		0,62	-0,722	-0,565	-0,0244	-1,053E-16	0,4499 58-1
58	33	COMB10	Combination		1,982	0,329	-1,807	-0,467	-2,015E-15	-0,0358 58-1
58	27	COMB10	Combination		-1,982	0,724	1,807	0,0227	9,813E-17	-0,4516 58-1
58	33	COMB11	Combination		0,841	-0,2	-0,766	-0,2654	-1,145E-15	-0,1452 58-1
58	27	COMB11	Combination		-0,841	-0,017	0,766	0,0588	2,536E-16	-0,0815 58-1
58	33	COMB12	Combination		-1,761	-0,861	1,605	0,6654	2,871E-15	-0,0772 58-1
58	27	COMB12	Combination		1,761	-1,462	-1,605	0,0116	5,009E-17	0,82 58-1
58	33	ENV	Combination	Max	1,982	0,329	1,605	0,6654	2,871E-15	0,0322 58-1
58	27	ENV	Combination	Max	1,761	0,724	1,807	0,0588	2,536E-16	0,82 58-1
58	33	ENV	Combination	Min	-1,761	-0,861	-1,807	-0,467	-2,015E-15	-0,1452 58-1
58	27	ENV	Combination	Min	-1,982	-1,462	-1,605	-0,0244	-1,053E-16	-0,4516 58-1
59	40	DEAD	LinStatic		-0,079	0,0031	-0,066	-0,0043	-5,339E-17	0,0037 59-1
59	50	DEAD	LinStatic		0,079	-0,0031	0,066	0,0021	-0,0005855	-0,000984 59-1
59	40	CM	LinStatic		0,295	0,002595	0,273	0,0152	1,878E-16	-0,0001508 59-1
59	50	CM	LinStatic		-0,295	-0,002595	-0,243	-0,0171	-0,0065	0,0024 59-1
59	40	CV	LinStatic		0	0	0	0	0	0 59-1
59	50	CV	LinStatic		0	0	0	0	0	0 59-1
59	40	L	LinStatic		0,928	-0,288	0,793	-0,0473	-5,835E-16	-0,1915 59-1
59	50	L	LinStatic		-0,928	0,288	-0,793	0,258	-0,0043	-0,0568 59-1
59	40	COMB1	Combination		1,558	-0,513	1,33	-0,0783	-9,668E-16	-0,3452 59-1
59	50	COMB1	Combination		-1,558	0,513	-1,33	0,4545	-0,0065	-0,0979 59-1
59	40	COMB5	Combination		1,558	-0,513	1,33	-0,0783	-9,668E-16	-0,3452 59-1
59	50	COMB5	Combination		-1,558	0,513	-1,33	0,4545	-0,0065	-0,0979 59-1
59	40	COMB6	Combination		1,558	-0,513	1,33	-0,0783	-9,668E-16	-0,3452 59-1
59	50	COMB6	Combination		-1,558	0,513	-1,33	0,4545	-0,0065	-0,0979 59-1
59	40	COMB7	Combination		0,139	-0,056	0,122	-0,0249	-3,071E-16	-0,0304 59-1
59	50	COMB7	Combination		-0,139	0,056	-0,122	0,0656	-0,0033	-0,0176 59-1
59	40	COMB8	Combination		0,139	-0,056	0,122	-0,0249	-3,071E-16	-0,0304 59-1
59	50	COMB8	Combination		-0,139	0,056	-0,122	0,0656	-0,0033	-0,0176 59-1
59	40	COMB9	Combination		1,576	-0,531	1,343	-0,0667	-8,23E-16	-0,3637 59-1
59	50	COMB9	Combination		-1,576	0,531	-1,343	0,4558	-0,0042	-0,0947 59-1
59	40	COMB10	Combination		-1,734	0,537	-1,476	0,058	7,162E-16	0,371 59-1
59	50	COMB10	Combination		1,734	-0,537	1,476	-0,4517	0,0031	0,0927 59-1
59	40	COMB11	Combination		-0,806	0,25	-0,683	0,0107	1,327E-16	0,1796 59-1
59	50	COMB11	Combination		0,806	-0,25	0,683	-0,1937	-0,0012	0,0359 59-1
59	40	COMB12	Combination		2,504	-0,819	2,136	-0,1139	-1,407E-15	-0,5552 59-1
59	50	COMB12	Combination		-2,504	0,819	-2,136	0,7137	-0,0085	-0,1514 59-1
59	40	ENV	Combination	Max	2,504	0,537	2,136	0,058	7,162E-16	0,371 59-1
59	50	ENV	Combination	Max	1,734	0,819	1,476	0,7137	0,0031	0,0927 59-1
59	40	ENV	Combination	Min	-1,734	-0,819	-1,476	-0,1139	-1,407E-15	-0,5552 59-1
59	50	ENV	Combination	Min	-2,504	-0,537	-2,136	-0,4517	-0,0085	-0,1514 59-1
59	50	DEAD	LinStatic		-0,076	0,0006215	-0,064	-0,0017	-0,0011	0,0032 59-2
59	41	DEAD	LinStatic		0,076	-0,0006215	0,064	0,0009288	-6,89E-18	-0,0023 59-2
59	50	CM	LinStatic		0,23	-0,0002812	0,226	0,0158	-0,0073	-0,000808 59-2
59	41	CM	LinStatic		-0,23	0,0002812	-0,176	-0,0154	1,146E-16	0,0004039 59-2
59	50	CV	LinStatic		0	0	0	0	0	0 59-2
59	41	CV	LinStatic		0	0	0	0	0	0 59-2
59	50	L	LinStatic		0,927	-0,245	0,79	-0,2452	-0,0056	-0,0783 59-2
59	41	L	LinStatic		-0,927	0,245	-0,79	0,5445	-4,039E-15	-0,2742 59-2
59	50	COMB1	Combination		1,558	-0,439	1,33	-0,4305	-0,0106	-0,1402 59-2
59	41	COMB1	Combination		-1,558	0,439	-1,33	0,9663	-7,168E-15	-0,4909 59-2
59	50	COMB5	Combination		1,558	-0,439	1,33	-0,4305	-0,0106	-0,1402 59-2
59	41	COMB5	Combination		-1,558	0,439	-1,33	0,9663	-7,168E-15	-0,4909 59-2
59	50	COMB6	Combination		1,558	-0,439	1,33	-0,4305	-0,0106	-0,1402 59-2
59	41	COMB6	Combination		-1,558	0,439	-1,33	0,9663	-7,168E-15	-0,4909 59-2
59	50	COMB7	Combination		0,142	-0,05	0,123	-0,0633	-0,0028	-0,0099 59-2
59	41	COMB7	Combination		-0,142	0,05	-0,123	0,1245	-9,233E-16	-0,0622 59-2
59	50	COMB8	Combination		0,142	-0,05	0,123	-0,0633	-0,0028	-0,0099 59-2

59	41	COMB8	Combination	-0,142	0,05	-0,123	0,1245	-9,233E-16	-0,0622 59-2
59	50	COMB9	Combination	1,576	-0,453	1,345	-0,4301	-0,0103	-0,1489 59-2
59	41	COMB9	Combination	-1,576	0,453	-1,345	0,9831	-7,292E-15	-0,5025 59-2
59	50	COMB10	Combination	-1,728	0,455	-1,473	0,4267	0,0081	0,1554 59-2
59	41	COMB10	Combination	1,728	-0,455	1,473	-0,9812	7,279E-15	0,4979 59-2
59	50	COMB11	Combination	-0,802	0,209	-0,682	0,1815	0,0025	0,0771 59-2
59	41	COMB11	Combination	0,802	-0,209	0,682	-0,4368	3,24E-15	0,2236 59-2
59	50	COMB12	Combination	2,503	-0,699	2,135	-0,6754	-0,0159	-0,2272 59-2
59	41	COMB12	Combination	-2,503	0,699	-2,135	1,5276	-1,133E-14	-0,7767 59-2
59	50	ENV	Combination	2,503	0,455	2,135	0,4267	0,0081	0,1554 59-2
59	41	ENV	Combination	1,728	0,699	1,473	1,5276	7,279E-15	0,4979 59-2
59	50	ENV	Combination	-1,728	-0,699	-1,473	-0,6754	-0,0159	-0,2272 59-2
59	41	ENV	Combination	-2,503	-0,455	-2,135	-0,9812	-1,133E-14	-0,7767 59-2
60	32	DEAD	LinStatic	0,996	-0,001269	-0,974	-0,0016	-6,976E-18	-0,0015 60-1
60	26	DEAD	LinStatic	-0,996	0,001269	0,974	-0,0015	-6,26E-18	-0,0016 60-1
60	32	CM	LinStatic	0,529	0,008463	-0,472	-0,0282	-1,217E-16	0,0042 60-1
60	26	CM	LinStatic	-0,529	-0,008463	0,563	0,0487	2,1E-16	0,0167 60-1
60	32	CV	LinStatic	0	0	0	0	0	0 60-1
60	26	CV	LinStatic	0	0	0	0	0	0 60-1
60	32	L	LinStatic	2,575	-0,476	-2,52	0,2481	1,07E-15	0,0057 60-1
60	26	L	LinStatic	-2,575	-0,837	2,52	0,1875	8,091E-16	0,4394 60-1
60	32	COMB1	Combination	5,025	-0,577	-4,918	0,5083	2,193E-15	0,1077 60-1
60	26	COMB1	Combination	-5,025	-1,203	4,918	0,249	1,075E-15	0,6662 60-1
60	32	COMB5	Combination	5,025	-0,577	-4,918	0,5083	2,193E-15	0,1077 60-1
60	26	COMB5	Combination	-5,025	-1,203	4,918	0,249	1,075E-15	0,6662 60-1
60	32	COMB6	Combination	5,025	-0,577	-4,918	0,5083	2,193E-15	0,1077 60-1
60	26	COMB6	Combination	-5,025	-1,203	4,918	0,249	1,075E-15	0,6662 60-1
60	32	COMB7	Combination	2,117	-0,379	-2,072	-0,0154	-6,65E-17	-0,0993 60-1
60	26	COMB7	Combination	-2,117	-0,468	2,072	0,1231	5,313E-16	0,2094 60-1
60	32	COMB8	Combination	2,117	-0,379	-2,072	-0,0154	-6,65E-17	-0,0993 60-1
60	26	COMB8	Combination	-2,117	-0,468	2,072	0,1231	5,313E-16	0,2094 60-1
60	32	COMB9	Combination	4,388	-0,232	-4,295	0,6094	2,63E-15	0,24 60-1
60	26	COMB9	Combination	-4,388	-0,857	4,295	0,1454	6,275E-16	0,5313 60-1
60	32	COMB10	Combination	-2,397	0,23	2,346	-0,6127	-2,644E-15	-0,2431 60-1
60	26	COMB10	Combination	2,397	0,859	-2,346	-0,1483	-6,401E-16	-0,5345 60-1
60	32	COMB11	Combination	0,178	-0,247	-0,174	-0,3646	-1,573E-15	-0,2373 60-1
60	26	COMB11	Combination	-0,178	0,022	0,174	0,0392	1,691E-16	-0,0951 60-1
60	32	COMB12	Combination	6,963	-0,709	-6,815	0,8575	3,7E-15	0,2457 60-1
60	26	COMB12	Combination	-6,963	-1,693	6,815	0,3329	1,437E-15	0,9707 60-1
60	32	ENV	Combination	6,963	0,23	2,346	0,8575	3,7E-15	0,2457 60-1
60	26	ENV	Combination	2,397	0,859	6,815	0,3329	1,437E-15	0,9707 60-1
60	32	ENV	Combination	-2,397	-0,709	-6,815	-0,6127	-2,644E-15	-0,2431 60-1
60	26	ENV	Combination	-6,963	-1,693	-2,346	-0,1483	-6,401E-16	-0,5345 60-1
61	29	DEAD	LinStatic	-0,079	-0,003093	0,066	0,0043	0	0,0037 61-1
61	46	DEAD	LinStatic	0,079	0,003093	-0,066	-0,0021	-0,0005853	-0,0009825 61-1
61	29	CM	LinStatic	-1,536	-0,013	1,323	0,1105	0	0,0394 61-1
61	46	CM	LinStatic	1,536	0,013	-1,293	-0,1011	0,0037	-0,0283 61-1
61	29	CV	LinStatic	0	0	0	0	0	0 61-1
61	46	CV	LinStatic	0	0	0	0	0	0 61-1
61	29	L	LinStatic	-2,379	-1,442	2,023	0,211	0	0,8646 61-1
61	46	L	LinStatic	2,379	1,012	-2,023	0,6882	0,0031	0,1947 61-1
61	29	COMB1	Combination	-4,553	-2,309	3,867	0,392	0	1,476 61-1
61	46	COMB1	Combination	4,553	1,725	-3,867	1,0859	0,0018	0,265 61-1
61	29	COMB5	Combination	-4,553	-2,309	3,867	0,392	0	1,476 61-1
61	46	COMB5	Combination	4,553	1,725	-3,867	1,0859	0,0018	0,265 61-1
61	29	COMB6	Combination	-4,553	-2,309	3,867	0,392	0	1,476 61-1
61	46	COMB6	Combination	4,553	1,725	-3,867	1,0859	0,0018	0,265 61-1
61	29	COMB7	Combination	-0,363	-0,582	0,312	0,0386	0	0,2605 61-1
61	46	COMB7	Combination	0,363	0,305	-0,312	0,2864	0,0032	0,1224 61-1
61	29	COMB8	Combination	-0,363	-0,582	0,312	0,0386	0	0,2605 61-1
61	46	COMB8	Combination	0,363	0,305	-0,312	0,2864	0,0032	0,1224 61-1
61	29	COMB9	Combination	-4,967	-2,017	4,214	0,4166	0	1,4217 61-1
61	46	COMB9	Combination	4,967	1,66	-4,214	0,9306	-0,0022	0,1653 61-1
61	29	COMB10	Combination	4,809	2,011	-4,082	-0,408	0	-1,4144 61-1
61	46	COMB10	Combination	-4,809	-1,654	4,082	-0,9348	0,001	-0,1673 61-1
61	29	COMB11	Combination	2,43	0,569	-2,058	-0,197	0	-0,5499 61-1
61	46	COMB11	Combination	-2,43	-0,642	2,058	-0,2466	0,0041	0,0274 61-1
61	29	COMB12	Combination	-7,347	-3,459	6,238	0,6276	0	2,2863 61-1
61	46	COMB12	Combination	7,347	2,673	-6,238	1,6189	0,0009086	0,36 61-1
61	29	ENV	Combination	4,809	2,011	6,238	0,6276	0	2,2863 61-1
61	46	ENV	Combination	7,347	2,673	4,082	1,6189	0,0041	0,36 61-1
61	29	ENV	Combination	-7,347	-3,459	-4,082	-0,408	0	-1,4144 61-1
61	46	ENV	Combination	-4,809	-1,654	-6,238	-0,9348	-0,0022	-0,1673 61-1
61	46	DEAD	LinStatic	-0,076	-0,0006121	0,064	0,0017	-0,0011	0,0032 61-2
61	34	DEAD	LinStatic	0,076	0,0006121	-0,064	-0,0009441	0	-0,0023 61-2
61	46	CM	LinStatic	-1,472	-0,017	1,281	0,097	0,0095	0,0304 61-2
61	34	CM	LinStatic	1,472	0,017	-1,231	-0,0768	0	-0,0066 61-2
61	46	CV	LinStatic	0	0	0	0	0	0 61-2
61	34	CV	LinStatic	0	0	0	0	0	0 61-2
61	46	L	LinStatic	-2,409	-0,821	2,037	-0,5627	-0,0104	0,1881 61-2

61	34	L	LinStatic	2,409	0,105	-2,037	1,1271	0	0,4767 61-2
61	46	COMB1	Combination	-4,587	-1,407	3,886	-0,8705	-0,0116	0,3937 61-2
61	34	COMB1	Combination	4,587	0,436	-3,886	1,9945	0	0,9304 61-2
61	46	COMB5	Combination	-4,587	-1,407	3,886	-0,8705	-0,0116	0,3937 61-2
61	34	COMB5	Combination	4,587	0,436	-3,886	1,9945	0	0,9304 61-2
61	46	COMB6	Combination	-4,587	-1,407	3,886	-0,8705	-0,0116	0,3937 61-2
61	34	COMB6	Combination	4,587	0,436	-3,886	1,9945	0	0,9304 61-2
61	46	COMB7	Combination	-0,383	-0,236	0,317	-0,2516	-0,0113	-0,011 61-2
61	34	COMB7	Combination	0,383	-0,226	-0,317	0,2578	0	0,0182 61-2
61	46	COMB8	Combination	-0,383	-0,236	0,317	-0,2516	-0,0113	-0,011 61-2
61	34	COMB8	Combination	0,383	-0,226	-0,317	0,2578	0	0,0182 61-2
61	46	COMB9	Combination	-4,981	-1,367	4,227	-0,7203	-0,0014	0,4753 61-2
61	34	COMB9	Combination	4,981	0,773	-4,227	2,0252	0	1,0619 61-2
61	46	COMB10	Combination	4,828	1,365	-4,099	0,7237	-0,000779	-0,4688 61-2
61	34	COMB10	Combination	-4,828	-0,772	4,099	-2,0271	0	-1,0666 61-2
61	46	COMB11	Combination	2,42	0,545	-2,062	0,1609	-0,0111	-0,2807 61-2
61	34	COMB11	Combination	-2,42	-0,667	2,062	-0,9	0	-0,59 61-2
61	46	COMB12	Combination	-7,389	-2,187	6,264	-1,283	-0,0118	0,6634 61-2
61	34	COMB12	Combination	7,389	0,878	-6,264	3,1523	0	1,5386 61-2
61	46	ENV	Combination	4,828	1,365	6,264	0,7237	-0,000779	0,6634 61-2
61	34	ENV	Combination	7,389	0,878	4,099	3,1523	0	1,5386 61-2
61	46	ENV	Combination	-7,389	-2,187	-4,099	-1,283	-0,0118	-0,4688 61-2
61	34	ENV	Combination	-4,828	-0,772	-6,264	-2,0271	0	-1,0666 61-2
62	38	DEAD	LinStatic	0,016	-0,006832	0,722	0,0022	0	0,004 62-1
62	44	DEAD	LinStatic	-0,016	0,006832	-0,722	0,0041	0,0151	-0,004 62-1
62	38	CM	LinStatic	0,016	0,105	0,681	-0,0118	0	-0,0061 62-1
62	44	CM	LinStatic	-0,016	-0,105	-0,657	-0,0844	0,0149	0,0061 62-1
62	38	CV	LinStatic	0	0	0	0	0	0 62-1
62	44	CV	LinStatic	0	0	0	0	0	0 62-1
62	38	L	LinStatic	0,00368	-0,358	3,669	0,0003232	0	0,0285 62-1
62	44	L	LinStatic	-0,00368	0,358	-3,669	0,3293	0,0034	-0,0285 62-1
62	38	COMB1	Combination	0,013	-0,635	6,593	0,0166	0	0,0488 62-1
62	44	COMB1	Combination	-0,013	0,635	-6,593	0,5672	0,0118	-0,0488 62-1
62	38	COMB5	Combination	0,013	-0,635	6,593	0,0166	0	0,0488 62-1
62	44	COMB5	Combination	-0,013	0,635	-6,593	0,5672	0,0118	-0,0488 62-1
62	38	COMB6	Combination	0,013	-0,635	6,593	0,0166	0	0,0488 62-1
62	44	COMB6	Combination	-0,013	0,635	-6,593	0,5672	0,0118	-0,0488 62-1
62	38	COMB7	Combination	0,027	-0,096	2,189	-0,0115	0	0,0162 62-1
62	44	COMB7	Combination	-0,027	0,096	-2,189	0,0995	0,0252	-0,0162 62-1
62	38	COMB8	Combination	0,027	-0,096	2,189	-0,0115	0	0,0162 62-1
62	44	COMB8	Combination	-0,027	0,096	-2,189	0,0995	0,0252	-0,0162 62-1
62	38	COMB9	Combination	-0,0005487	-0,636	5,86	0,035	0	0,042 62-1
62	44	COMB9	Combination	0,0005487	0,636	-5,86	0,5497	-0,0005048	-0,042 62-1
62	38	COMB10	Combination	0,033	0,622	-4,416	-0,0306	0	-0,034 62-1
62	44	COMB10	Combination	-0,033	-0,622	4,416	-0,5415	0,0308	0,034 62-1
62	38	COMB11	Combination	0,037	0,264	-0,747	-0,0303	0	-0,0055 62-1
62	44	COMB11	Combination	-0,037	-0,264	0,747	-0,2123	0,0341	0,0055 62-1
62	38	COMB12	Combination	0,003132	-0,994	9,529	0,0353	0	0,0706 62-1
62	44	COMB12	Combination	-0,003132	0,994	-9,529	0,8789	0,0029	-0,0706 62-1
62	38	ENV	Combination	0,037	0,622	9,529	0,0353	0	0,0706 62-1
62	44	ENV	Combination	0,0005487	0,994	4,416	0,8789	0,0341	0,034 62-1
62	38	ENV	Combination	-0,0005487	-0,994	-4,416	-0,0306	0	-0,034 62-1
62	44	ENV	Combination	-0,037	-0,622	-9,529	-0,5415	-0,0005048	-0,0706 62-1
62	44	DEAD	LinStatic	0,002524	0,00004472	0,831	-0,0004684	0,0008524	-0,0025 62-2
62	205	DEAD	LinStatic	-0,002524	-0,00004472	-0,831	0,0004076	0,0026	0,0025 62-2
62	44	CM	LinStatic	-0,004325	-0,089	1,042	0,1002	-0,0055	0,0011 62-2
62	205	CM	LinStatic	0,004325	0,089	-1,006	0,0204	-0,0003856	-0,0011 62-2
62	44	CV	LinStatic	0	0	0	0	0	0 62-2
62	205	CV	LinStatic	0	0	0	0	0	0 62-2
62	44	L	LinStatic	-0,032	0,027	4,38	-0,4464	-0,0528	-0,00006145 62-2
62	205	L	LinStatic	0,032	-0,027	-4,38	0,4103	0,009	0,00006144 62-2
62	44	COMB1	Combination	-0,04	0,034	7,821	-0,7687	-0,0825	-0,0013 62-2
62	205	COMB1	Combination	0,04	-0,034	-7,821	0,7227	0,0283	0,0013 62-2
62	44	COMB5	Combination	-0,04	0,034	7,821	-0,7687	-0,0825	-0,0013 62-2
62	205	COMB5	Combination	0,04	-0,034	-7,821	0,7227	0,0283	0,0013 62-2
62	44	COMB6	Combination	-0,04	0,034	7,821	-0,7687	-0,0825	-0,0013 62-2
62	205	COMB6	Combination	0,04	-0,034	-7,821	0,7227	0,0283	0,0013 62-2
62	44	COMB7	Combination	-0,02	0,019	2,599	-0,1251	-0,0213	-0,0038 62-2
62	205	COMB7	Combination	0,02	-0,019	-2,599	0,0988	-0,0051	0,0038 62-2
62	44	COMB8	Combination	-0,02	0,019	2,599	-0,1251	-0,0213	-0,0038 62-2
62	205	COMB8	Combination	0,02	-0,019	-2,599	0,0988	-0,0051	0,0038 62-2
62	44	COMB9	Combination	-0,021	0,017	6,923	-0,7514	-0,0705	0,0004653 62-2
62	205	COMB9	Combination	0,021	-0,017	-6,923	0,7283	0,0415	-0,0004653 62-2
62	44	COMB10	Combination	0,026	-0,017	-5,262	0,7504	0,0722	-0,0054 62-2
62	205	COMB10	Combination	-0,026	0,017	5,262	-0,7275	-0,0364	0,0054 62-2
62	44	COMB11	Combination	-0,005857	0,009727	-0,882	0,304	0,0195	-0,0055 62-2
62	205	COMB11	Combination	0,005857	-0,009727	0,882	-0,3172	-0,0274	0,0055 62-2
62	44	COMB12	Combination	-0,054	0,044	11,303	-1,1978	-0,1233	0,0004039 62-2
62	205	COMB12	Combination	0,054	-0,044	-11,303	1,1387	0,0505	-0,0004039 62-2
62	44	ENV	Combination	0,026	0,044	11,303	0,7504	0,0722	0,0004653 62-2

62	205	ENV	Combination	Max	0,054	0,017	5,262	1,1387	0,0505	0,0055	62-2
62	44	ENV	Combination	Min	-0,054	-0,017	-5,262	-1,1978	-0,1233	-0,0055	62-2
62	205	ENV	Combination	Min	-0,026	-0,044	-11,303	-0,7275	-0,0364	-0,0004653	62-2
62	205	DEAD	LinStatic		-0,011	0,0007764	1,014	0,0007268	-0,0026	0,0022	62-3
62	39	DEAD	LinStatic		0,011	-0,0007764	-1,014	-0,0009012	-2,548E-09	-0,0022	62-3
62	205	CM	LinStatic		0,001714	-0,083	1,696	-0,0227	0,0003856	0,0036	62-3
62	39	CM	LinStatic		-0,001714	0,083	-1,69	0,0415	-4,21E-09	-0,0036	62-3
62	205	CV	LinStatic		0	0	0	0	0	0	62-3
62	39	CV	LinStatic		0	0	0	0	0	0	62-3
62	205	L	LinStatic		-0,04	0,176	5,791	-0,5291	-0,009	-0,2977	62-3
62	39	L	LinStatic		0,04	-0,176	-5,791	0,4895	3,479E-07	0,2977	62-3
62	205	COMB1	Combination		-0,126	0,297	10,26	-0,9348	-0,0283	-0,5181	62-3
62	39	COMB1	Combination		0,126	-0,297	-10,26	0,8681	6,055E-07	0,5181	62-3
62	205	COMB5	Combination		-0,126	0,297	10,26	-0,9348	-0,0283	-0,5181	62-3
62	39	COMB5	Combination		0,126	-0,297	-10,26	0,8681	6,055E-07	0,5181	62-3
62	205	COMB6	Combination		-0,126	0,297	10,26	-0,9348	-0,0283	-0,5181	62-3
62	39	COMB6	Combination		0,126	-0,297	-10,26	0,8681	6,055E-07	0,5181	62-3
62	205	COMB7	Combination		0,023	0,056	3,35	-0,1219	0,0051	-0,073	62-3
62	39	COMB7	Combination		-0,023	-0,056	-3,35	0,1092	8,528E-08	0,073	62-3
62	205	COMB8	Combination		0,023	0,056	3,35	-0,1219	0,0051	-0,073	62-3
62	39	COMB8	Combination		-0,023	-0,056	-3,35	0,1092	8,528E-08	0,073	62-3
62	205	COMB9	Combination		-0,185	0,281	9,076	-0,9477	-0,0415	-0,5172	62-3
62	39	COMB9	Combination		0,185	-0,281	-9,076	0,8845	6,044E-07	0,5172	62-3
62	205	COMB10	Combination		0,162	-0,279	-7,048	0,9492	0,0364	0,5215	62-3
62	39	COMB10	Combination		-0,162	0,279	7,048	-0,8863	-6,095E-07	-0,5215	62-3
62	205	COMB11	Combination		0,122	-0,104	-1,257	0,4201	0,0274	0,2238	62-3
62	39	COMB11	Combination		-0,122	0,104	1,257	-0,3968	-2,615E-07	-0,2238	62-3
62	205	COMB12	Combination		-0,225	0,457	14,867	-1,4768	-0,0505	-0,8149	62-3
62	39	COMB12	Combination		0,225	-0,457	-14,867	1,374	9,523E-07	0,8149	62-3
62	205	ENV	Combination	Max	0,162	0,457	14,867	0,9492	0,0364	0,5215	62-3
62	39	ENV	Combination	Max	0,225	0,279	7,048	1,374	9,523E-07	0,8149	62-3
62	205	ENV	Combination	Min	-0,225	-0,279	-7,048	-1,4768	-0,0505	-0,8149	62-3
62	39	ENV	Combination	Min	-0,162	-0,457	-14,867	-0,8863	-6,095E-07	-0,5215	62-3
63	36	DEAD	LinStatic		0,011	-0,001583	0,369	-0,0015	5,993E-17	0,0052	63-1
63	48	DEAD	LinStatic		-0,011	0,001583	-0,369	0,0029	0,0103	-0,0052	63-1
63	36	CM	LinStatic		-0,005249	0,101	0,931	-0,0225	-2,222E-17	-0,0019	63-1
63	48	CM	LinStatic		0,005249	-0,101	-0,907	-0,0702	-0,0048	0,0019	63-1
63	36	CV	LinStatic		0	0	0	0	0	0	63-1
63	48	CV	LinStatic		0	0	0	0	0	0	63-1
63	36	L	LinStatic		0,018	-0,312	2,78	-0,0363	9,518E-17	0,0082	63-1
63	48	L	LinStatic		-0,018	0,312	-2,78	0,3236	0,0166	-0,0082	63-1
63	36	COMB1	Combination		0,034	-0,558	5	-0,0566	1,831E-16	0,0158	63-1
63	48	COMB1	Combination		-0,034	0,558	-5	0,57	0,0308	-0,0158	63-1
63	36	COMB5	Combination		0,034	-0,558	5	-0,0566	1,831E-16	0,0158	63-1
63	48	COMB5	Combination		-0,034	0,558	-5	0,57	0,0308	-0,0158	63-1
63	36	COMB6	Combination		0,034	-0,558	5	-0,0566	1,831E-16	0,0158	63-1
63	48	COMB6	Combination		-0,034	0,558	-5	0,57	0,0308	-0,0158	63-1
63	36	COMB7	Combination		0,025	-0,07	1,296	-0,019	1,271E-16	0,011	63-1
63	48	COMB7	Combination		-0,025	0,07	-1,296	0,0831	0,0228	-0,011	63-1
63	36	COMB8	Combination		0,025	-0,07	1,296	-0,019	1,271E-16	0,011	63-1
63	48	COMB8	Combination		-0,025	0,07	-1,296	0,0831	0,0228	-0,011	63-1
63	36	COMB9	Combination		0,021	-0,571	4,69	-0,0454	1,252E-16	0,0108	63-1
63	48	COMB9	Combination		-0,021	0,571	-4,69	0,571	0,0196	-0,0108	63-1
63	36	COMB10	Combination		0,0009945	0,568	-3,952	0,0425	-5,376E-18	-0,0004641	63-1
63	48	COMB10	Combination		-0,0009945	-0,568	3,952	-0,5651	0,000915	0,0004641	63-1
63	36	COMB11	Combination		0,019	0,256	-1,173	0,0061	8,98E-17	0,0078	63-1
63	48	COMB11	Combination		-0,019	-0,256	1,173	-0,2415	0,0175	-0,0078	63-1
63	36	COMB12	Combination		0,039	-0,884	7,47	-0,0817	2,204E-16	0,019	63-1
63	48	COMB12	Combination		-0,039	0,884	-7,47	0,8946	0,0362	-0,019	63-1
63	36	ENV	Combination	Max	0,039	0,568	7,47	0,0425	2,204E-16	0,019	63-1
63	48	ENV	Combination	Max	-0,0009945	0,884	3,952	0,8946	0,0362	0,0004641	63-1
63	36	ENV	Combination	Min	0,0009945	-0,884	-3,952	-0,0817	-5,376E-18	-0,0004641	63-1
63	48	ENV	Combination	Min	-0,039	-0,568	-7,47	-0,5651	0,000915	-0,019	63-1
63	48	DEAD	LinStatic		-0,009032	0,004488	0,388	-0,0014	-0,0029	-0,0042	63-2
63	204	DEAD	LinStatic		0,009032	-0,004488	-0,388	-0,0014	-0,0027	0,0042	63-2
63	48	CM	LinStatic		-0,016	-0,07	0,816	0,0688	-0,0119	-0,0058	63-2
63	204	CM	LinStatic		0,016	0,07	-0,8	-0,0258	0,0022	0,0058	63-2
63	48	CV	LinStatic		0	0	0	0	0	0	63-2
63	204	CV	LinStatic		0	0	0	0	0	0	63-2
63	48	L	LinStatic		-0,098	-0,027	2,96	-0,3542	-0,058	0,0184	63-2
63	204	L	LinStatic		0,098	0,027	-2,96	0,3708	-0,0028	-0,0184	63-2
63	48	COMB1	Combination		-0,152	-0,047	5,329	-0,621	-0,094	0,028	63-2
63	204	COMB1	Combination		0,152	0,047	-5,329	0,65	0,0003236	-0,028	63-2
63	48	COMB5	Combination		-0,152	-0,047	5,329	-0,621	-0,094	0,028	63-2
63	204	COMB5	Combination		0,152	0,047	-5,329	0,65	0,0003236	-0,028	63-2
63	48	COMB6	Combination		-0,152	-0,047	5,329	-0,621	-0,094	0,028	63-2
63	204	COMB6	Combination		0,152	0,047	-5,329	0,65	0,0003236	-0,028	63-2
63	48	COMB7	Combination		-0,063	0,002295	1,367	-0,0902	-0,0276	0,0003621	63-2
63	204	COMB7	Combination		0,063	-0,002295	-1,367	0,0888	-0,0112	-0,0003621	63-2
63	48	COMB8	Combination		-0,063	0,002295	1,367	-0,0902	-0,0276	0,0003621	63-2

63	204	COMB8	Combination		0,063	-0,002295	-1,367	0,0888	-0,0112	-0,0003621	63-2
63	48	COMB9	Combination		-0,113	-0,053	5,01	-0,6206	-0,0803	0,028	63-2
63	204	COMB9	Combination		0,113	0,053	-5,01	0,6534	0,0108	-0,028	63-2
63	48	COMB10	Combination		0,095	0,062	-4,235	0,6178	0,0746	-0,0364	63-2
63	204	COMB10	Combination		-0,095	-0,062	4,235	-0,6561	-0,0162	0,0364	63-2
63	48	COMB11	Combination		-0,003708	0,035	-1,275	0,2636	0,0166	-0,018	63-2
63	204	COMB11	Combination		0,003708	-0,035	1,275	-0,2854	-0,0189	0,018	63-2
63	48	COMB12	Combination		-0,211	-0,08	7,971	-0,9748	-0,1383	0,0463	63-2
63	204	COMB12	Combination		0,211	0,08	-7,971	1,0242	0,008	-0,0463	63-2
63	48	ENV	Combination	Max	0,095	0,062	7,971	0,6178	0,0746	0,0463	63-2
63	204	ENV	Combination	Max	0,211	0,08	4,235	1,0242	0,0108	0,0364	63-2
63	48	ENV	Combination	Min	-0,211	-0,08	-4,235	-0,9748	-0,1383	-0,0364	63-2
63	204	ENV	Combination	Min	-0,095	-0,062	-7,971	-0,6561	-0,0189	-0,0463	63-2
63	204	DEAD	LinStatic		0,002796	-0,002303	0,663	0,0009376	0,0027	-0,0003801	63-3
63	37	DEAD	LinStatic		-0,002796	0,002303	-0,663	0,0013	1,037E-10	0,0003801	63-3
63	204	CM	LinStatic		-0,002314	-0,073	1,826	0,0382	-0,0022	-0,0003205	63-3
63	37	CM	LinStatic		0,002314	0,073	-1,8	0,0325	8,748E-11	0,0003205	63-3
63	204	CV	LinStatic		0	0	0	0	0	0	63-3
63	37	CV	LinStatic		0	0	0	0	0	0	63-3
63	204	L	LinStatic		0,002856	0,001301	4,888	-0,4772	0,0028	-0,0723	63-3
63	37	L	LinStatic		-0,002856	-0,001301	-4,888	0,4759	1,973E-08	0,0723	63-3
63	204	COMB1	Combination		-0,000336	-0,004484	8,695	-0,8377	-0,0003237	-0,1266	63-3
63	37	COMB1	Combination		0,000336	0,004484	-8,695	0,842	3,455E-08	0,1266	63-3
63	204	COMB5	Combination		-0,000336	-0,004484	8,695	-0,8377	-0,0003237	-0,1266	63-3
63	37	COMB5	Combination		0,000336	0,004484	-8,695	0,842	3,455E-08	0,1266	63-3
63	204	COMB6	Combination		-0,000336	-0,004484	8,695	-0,8377	-0,0003237	-0,1266	63-3
63	37	COMB6	Combination		0,000336	0,004484	-8,695	0,842	3,455E-08	0,1266	63-3
63	204	COMB7	Combination		0,012	0,002481	2,407	-0,1148	0,0112	-0,0187	63-3
63	37	COMB7	Combination		-0,012	-0,002481	-2,407	0,1124	5,108E-09	0,0187	63-3
63	204	COMB8	Combination		0,012	0,002481	2,407	-0,1148	0,0112	-0,0187	63-3
63	37	COMB8	Combination		-0,012	-0,002481	-2,407	0,1124	5,108E-09	0,0187	63-3
63	204	COMB9	Combination		-0,011	-0,01	7,998	-0,8424	-0,0108	-0,1262	63-3
63	37	COMB9	Combination		0,011	0,01	-7,998	0,8524	3,445E-08	0,1262	63-3
63	204	COMB10	Combination		0,017	0,005823	-6,673	0,8443	0,0162	0,1255	63-3
63	37	COMB10	Combination		-0,017	-0,005823	6,673	-0,8499	-3,425E-08	-0,1255	63-3
63	204	COMB11	Combination		0,02	0,007124	-1,784	0,3671	0,0189	0,0532	63-3
63	37	COMB11	Combination		-0,02	-0,007124	1,784	-0,374	-1,452E-08	-0,0532	63-3
63	204	COMB12	Combination		-0,00832	-0,009128	12,886	-1,3196	-0,008	-0,1985	63-3
63	37	COMB12	Combination		0,00832	0,009128	-12,886	1,3284	5,418E-08	0,1985	63-3
63	204	ENV	Combination	Max	0,02	0,007124	12,886	0,8443	0,0189	0,1255	63-3
63	37	ENV	Combination	Max	0,011	0,01	6,673	1,3284	5,418E-08	0,1985	63-3
63	204	ENV	Combination	Min	-0,011	-0,01	-6,673	-1,3196	-0,0108	-0,1985	63-3
63	37	ENV	Combination	Min	-0,02	-0,007124	-12,886	-0,8499	-3,425E-08	-0,1255	63-3
64	40	DEAD	LinStatic		-0,019	-0,009642	0,224	0,0017	0	0,011	64-1
64	88	DEAD	LinStatic		0,019	0,009642	-0,224	0,0072	-0,0175	-0,011	64-1
64	40	CM	LinStatic		-0,0007256	0,154	2,226	-0,0516	0	0,0051	64-1
64	88	CM	LinStatic		0,0007256	-0,154	-2,201	-0,0902	-0,0006675	-0,0051	64-1
64	40	CV	LinStatic		0	0	0	0	0	0	64-1
64	88	CV	LinStatic		0	0	0	0	0	0	64-1
64	40	L	LinStatic		-0,028	-0,709	3,493	0,1192	0	0,0259	64-1
64	88	L	LinStatic		0,028	0,709	-3,493	0,5327	-0,0253	-0,0259	64-1
64	40	COMB1	Combination		-0,066	-1,266	6,172	0,22	0	0,0505	64-1
64	88	COMB1	Combination		0,066	1,266	-6,172	0,9444	-0,0609	-0,0505	64-1
64	40	COMB5	Combination		-0,066	-1,266	6,172	0,22	0	0,0505	64-1
64	88	COMB5	Combination		0,066	1,266	-6,172	0,9444	-0,0609	-0,0505	64-1
64	40	COMB6	Combination		-0,066	-1,266	6,172	0,22	0	0,0505	64-1
64	88	COMB6	Combination		0,066	1,266	-6,172	0,9444	-0,0609	-0,0505	64-1
64	40	COMB7	Combination		-0,027	-0,171	1,262	0,0218	0	0,0233	64-1
64	88	COMB7	Combination		0,027	0,171	-1,262	0,1355	-0,0247	-0,0233	64-1
64	40	COMB8	Combination		-0,027	-0,171	1,262	0,0218	0	0,0233	64-1
64	88	COMB8	Combination		0,027	0,171	-1,262	0,1355	-0,0247	-0,0233	64-1
64	40	COMB9	Combination		-0,065	-1,287	5,952	0,233	0	0,0427	64-1
64	88	COMB9	Combination		0,065	1,287	-5,952	0,951	-0,0598	-0,0427	64-1
64	40	COMB10	Combination		0,027	1,268	-5,505	-0,2296	0	-0,0207	64-1
64	88	COMB10	Combination		-0,027	-1,268	5,505	-0,9365	0,0248	0,0207	64-1
64	40	COMB11	Combination		-0,0005305	0,559	-2,011	-0,1104	0	0,0052	64-1
64	88	COMB11	Combination		0,0005305	-0,559	2,011	-0,4038	-0,0004881	-0,0052	64-1
64	40	COMB12	Combination		-0,092	-1,996	9,446	0,3522	0	0,0686	64-1
64	88	COMB12	Combination		0,092	1,996	-9,446	1,4837	-0,0851	-0,0686	64-1
64	40	ENV	Combination	Max	0,027	1,268	9,446	0,3522	0	0,0686	64-1
64	88	ENV	Combination	Max	0,092	1,996	5,505	1,4837	0,0248	0,0207	64-1
64	40	ENV	Combination	Min	-0,092	-1,996	-5,505	-0,2296	0	-0,0207	64-1
64	88	ENV	Combination	Min	-0,027	-1,268	-9,446	-0,9365	-0,0851	-0,0686	64-1
64	88	DEAD	LinStatic		0,012	0,006806	0,232	-0,0072	0,019	-0,0029	64-2
64	35	DEAD	LinStatic		-0,012	-0,006806	-0,232	-0,0035	0	0,0029	64-2
64	88	CM	LinStatic		0,003755	-0,083	2,055	0,0902	0,0059	-0,0001868	64-2
64	35	CM	LinStatic		-0,003755	0,083	-2,014	0,0412	0	0,0001868	64-2
64	88	CV	LinStatic		0	0	0	0	0	0	64-2
64	35	CV	LinStatic		0	0	0	0	0	0	64-2
64	88	L	LinStatic		0,017	0,032	3,863	-0,5327	0,0269	-0,0132	64-2

64	35	L	LinStatic		-0,017	-0,032	-3,863	0,4814	0	0,0132	64-2
64	88	COMB1	Combination		0,041	0,061	6,833	-0,9444	0,0643	-0,0266	64-2
64	35	COMB1	Combination		-0,041	-0,061	-6,833	0,8481	0	0,0266	64-2
64	88	COMB5	Combination		0,041	0,061	6,833	-0,9444	0,0643	-0,0266	64-2
64	35	COMB5	Combination		-0,041	-0,061	-6,833	0,8481	0	0,0266	64-2
64	88	COMB6	Combination		0,041	0,061	6,833	-0,9444	0,0643	-0,0266	64-2
64	35	COMB6	Combination		-0,041	-0,061	-6,833	0,8481	0	0,0266	64-2
64	88	COMB7	Combination		0,017	0,018	1,356	-0,1355	0,0275	-0,0055	64-2
64	35	COMB7	Combination		-0,017	-0,018	-1,356	0,1076	0	0,0055	64-2
64	88	COMB8	Combination		0,017	0,018	1,356	-0,1355	0,0275	-0,0055	64-2
64	35	COMB8	Combination		-0,017	-0,018	-1,356	0,1076	0	0,0055	64-2
64	88	COMB9	Combination		0,039	0,057	6,622	-0,951	0,062	-0,0275	64-2
64	35	COMB9	Combination		-0,039	-0,057	-6,622	0,8603	0	0,0275	64-2
64	88	COMB10	Combination		-0,015	-0,044	-6,158	0,9365	-0,024	0,0218	64-2
64	35	COMB10	Combination		0,015	0,044	6,158	-0,8674	0	-0,0218	64-2
64	88	COMB11	Combination		0,00183	-0,011	-2,295	0,4038	0,0029	0,0085	64-2
64	35	COMB11	Combination		-0,00183	0,011	2,295	-0,386	0	-0,0085	64-2
64	88	COMB12	Combination		0,056	0,09	10,484	-1,4837	0,0889	-0,0407	64-2
64	35	COMB12	Combination		-0,056	-0,09	-10,484	1,3417	0	0,0407	64-2
64	88	ENV	Combination	Max	0,056	0,09	10,484	0,9365	0,0889	0,0218	64-2
64	35	ENV	Combination	Max	0,015	0,044	6,158	1,3417	0	0,0407	64-2
64	88	ENV	Combination	Min	-0,015	-0,044	-6,158	-1,4837	-0,024	-0,0407	64-2
64	35	ENV	Combination	Min	-0,056	-0,09	-10,484	-0,8674	0	-0,0218	64-2
65	38	DEAD	LinStatic		-0,156	0,004195	0,063	-0,0021	0	-0,0037	65-1
65	42	DEAD	LinStatic		0,156	-0,004195	-0,063	-0,0021	0	-0,0067	65-1
65	38	CM	LinStatic		-1,314	0,018	0,569	-0,0078	0	-0,0268	65-1
65	42	CM	LinStatic		1,314	-0,018	-0,498	-0,0106	0	-0,0188	65-1
65	38	CV	LinStatic		0	0	0	0	0	0	65-1
65	42	CV	LinStatic		0	0	0	0	0	0	65-1
65	38	L	LinStatic		-0,298	-0,055	0,121	0,0219	0	0,0827	65-1
65	42	L	LinStatic		0,298	0,055	-0,121	0,0337	0	0,0544	65-1
65	38	COMB1	Combination		-0,394	-0,084	0,16	0,0329	0	0,1239	65-1
65	42	COMB1	Combination		0,394	0,084	-0,16	0,0512	0	0,0833	65-1
65	38	COMB5	Combination		-0,394	-0,084	0,16	0,0329	0	0,1239	65-1
65	42	COMB5	Combination		0,394	0,084	-0,16	0,0512	0	0,0833	65-1
65	38	COMB6	Combination		-0,394	-0,084	0,16	0,0329	0	0,1239	65-1
65	42	COMB6	Combination		0,394	0,084	-0,16	0,0512	0	0,0833	65-1
65	38	COMB7	Combination		-0,513	-0,019	0,208	0,0067	0	0,034	65-1
65	42	COMB7	Combination		0,513	0,019	-0,208	0,012	0	0,0122	65-1
65	38	COMB8	Combination		-0,513	-0,019	0,208	0,0067	0	0,034	65-1
65	42	COMB8	Combination		0,513	0,019	-0,208	0,012	0	0,0122	65-1
65	38	COMB9	Combination		-0,018	-0,072	0,007225	0,0284	0	0,1011	65-1
65	42	COMB9	Combination		0,018	0,072	-0,007225	0,0436	0	0,0764	65-1
65	38	COMB10	Combination		-0,295	0,08	0,12	-0,0326	0	-0,1085	65-1
65	42	COMB10	Combination		0,295	-0,08	-0,12	-0,0478	0	-0,0897	65-1
65	38	COMB11	Combination		-0,592	0,025	0,24	-0,0107	0	-0,0258	65-1
65	42	COMB11	Combination		0,592	-0,025	-0,24	-0,0141	0	-0,0353	65-1
65	38	COMB12	Combination		-0,315	-0,127	0,128	0,0503	0	0,1837	65-1
65	42	COMB12	Combination		0,315	0,127	-0,128	0,0774	0	0,1308	65-1
65	38	ENV	Combination	Max	-0,018	0,08	0,24	0,0503	0	0,1837	65-1
65	42	ENV	Combination	Max	0,592	0,127	-0,007225	0,0774	0	0,1308	65-1
65	38	ENV	Combination	Min	-0,592	-0,127	0,007225	-0,0326	0	-0,1085	65-1
65	42	ENV	Combination	Min	0,018	-0,08	-0,24	-0,0478	0	-0,0897	65-1
66	27	DEAD	LinStatic		-0,156	-0,00422	-0,063	0,0022	-9,482E-18	-0,0038	66-1
66	42	DEAD	LinStatic		0,156	0,00422	0,063	0,002	-8,775E-18	-0,0067	66-1
66	27	CM	LinStatic		0,567	0,008183	0,265	0,0233	-1,004E-16	0,007	66-1
66	42	CM	LinStatic		-0,567	-0,008183	-0,195	-0,0315	1,358E-16	0,0132	66-1
66	27	CV	LinStatic		0	0	0	0	0	0	66-1
66	42	CV	LinStatic		0	0	0	0	0	0	66-1
66	27	L	LinStatic		-0,569	-0,487	-0,231	-0,1155	4,982E-16	-0,0706	66-1
66	42	L	LinStatic		0,569	-0,526	0,231	0,0962	-4,15E-16	0,1182	66-1
66	27	COMB1	Combination		-1,112	-0,663	-0,452	-0,199	8,588E-16	-0,0569	66-1
66	42	COMB1	Combination		1,112	-0,71	0,452	0,1756	-7,578E-16	0,1145	66-1
66	27	COMB5	Combination		-1,112	-0,663	-0,452	-0,199	8,588E-16	-0,0569	66-1
66	42	COMB5	Combination		1,112	-0,71	0,452	0,1756	-7,578E-16	0,1145	66-1
66	27	COMB6	Combination		-1,112	-0,663	-0,452	-0,199	8,588E-16	-0,0569	66-1
66	42	COMB6	Combination		1,112	-0,71	0,452	0,1756	-7,578E-16	0,1145	66-1
66	27	COMB7	Combination		-0,337	-0,32	-0,137	-0,0275	1,187E-16	-0,0919	66-1
66	42	COMB7	Combination		0,337	-0,333	0,137	0,0208	-8,971E-17	0,1084	66-1
66	27	COMB8	Combination		-0,337	-0,32	-0,137	-0,0275	1,187E-16	-0,0919	66-1
66	42	COMB8	Combination		0,337	-0,333	0,137	0,0208	-8,971E-17	0,1084	66-1
66	27	COMB9	Combination		-1,061	-0,405	-0,431	-0,1979	8,539E-16	0,037	66-1
66	42	COMB9	Combination		1,061	-0,435	0,431	0,1827	-7,883E-16	0,000439	66-1
66	27	COMB10	Combination		0,748	0,396	0,304	0,2023	-8,729E-16	-0,0446	66-1
66	42	COMB10	Combination		-0,748	0,443	-0,304	-0,1786	7,707E-16	-0,0138	66-1
66	27	COMB11	Combination		0,179	-0,091	0,073	0,0868	-3,747E-16	-0,1152	66-1
66	42	COMB11	Combination		-0,179	-0,082	-0,073	-0,0824	3,557E-16	0,1044	66-1
66	27	COMB12	Combination		-1,629	-0,892	-0,661	-0,3134	1,352E-15	-0,0336	66-1
66	42	COMB12	Combination		1,629	-0,961	0,661	0,2789	-1,203E-15	0,1186	66-1
66	27	ENV	Combination	Max	0,748	0,396	0,304	0,2023	1,352E-15	0,037	66-1

66	42	ENV	Combination	Max	1,629	0,443	0,661	0,2789	7,707E-16	0,1186 66-1
66	27	ENV	Combination	Min	-1,629	-0,892	-0,661	-0,3134	-8,729E-16	-0,1152 66-1
66	42	ENV	Combination	Min	-0,748	-0,961	-0,304	-0,1786	-1,203E-15	-0,0138 66-1
67	28	DEAD	LinStatic		-0,257	-0,003798	-0,122	0,0026	-1,106E-17	-0,0028 67-1
67	43	DEAD	LinStatic		0,257	0,003798	0,122	0,0019	-8,093E-18	-0,0066 67-1
67	28	CM	LinStatic		1,655	0,02	0,82	0,0166	-7,172E-17	0,0263 67-1
67	43	CM	LinStatic		-1,655	-0,02	-0,747	-0,0395	1,703E-16	0,0219 67-1
67	28	CV	LinStatic		0	0	0	0	0	0 67-1
67	43	CV	LinStatic		0	0	0	0	0	0 67-1
67	28	L	LinStatic		0,984	-0,56	0,466	-0,1314	5,668E-16	-0,1381 67-1
67	43	L	LinStatic		-0,984	-0,479	-0,466	0,1789	-7,72E-16	0,0376 67-1
67	28	COMB1	Combination		1,061	-0,772	0,502	-0,2382	1,028E-15	-0,1603 67-1
67	43	COMB1	Combination		-1,061	-0,635	-0,502	0,3183	-1,373E-15	-0,0088 67-1
67	28	COMB5	Combination		1,061	-0,772	0,502	-0,2382	1,028E-15	-0,1603 67-1
67	43	COMB5	Combination		-1,061	-0,635	-0,502	0,3183	-1,373E-15	-0,0088 67-1
67	28	COMB6	Combination		1,061	-0,772	0,502	-0,2382	1,028E-15	-0,1603 67-1
67	43	COMB6	Combination		-1,061	-0,635	-0,502	0,3183	-1,373E-15	-0,0088 67-1
67	28	COMB7	Combination		0,394	-0,355	0,186	-0,0194	8,366E-17	-0,1215 67-1
67	43	COMB7	Combination		-0,394	-0,314	-0,186	0,0433	-1,868E-16	0,0709 67-1
67	28	COMB8	Combination		0,394	-0,355	0,186	-0,0194	8,366E-17	-0,1215 67-1
67	43	COMB8	Combination		-0,394	-0,314	-0,186	0,0433	-1,868E-16	0,0709 67-1
67	28	COMB9	Combination		0,521	-0,49	0,247	-0,2527	1,091E-15	-0,0482 67-1
67	43	COMB9	Combination		-0,521	-0,371	-0,247	0,3227	-1,392E-15	-0,0996 67-1
67	28	COMB10	Combination		-1,035	0,483	-0,49	0,2579	-1,113E-15	0,0425 67-1
67	43	COMB10	Combination		1,035	0,378	0,49	-0,3189	1,376E-15	0,0865 67-1
67	28	COMB11	Combination		-0,051	-0,077	-0,024	0,1265	-5,458E-16	-0,0955 67-1
67	43	COMB11	Combination		0,051	-0,1	0,024	-0,14	6,043E-16	0,1241 67-1
67	28	COMB12	Combination		1,506	-1,05	0,712	-0,3841	1,657E-15	-0,1863 67-1
67	43	COMB12	Combination		-1,506	-0,849	-0,712	0,5016	-2,164E-15	-0,062 67-1
67	28	ENV	Combination	Max	1,506	0,483	0,712	0,2579	1,657E-15	0,0425 67-1
67	43	ENV	Combination	Max	1,035	0,378	0,49	0,5016	1,376E-15	0,1241 67-1
67	28	ENV	Combination	Min	-1,035	-1,05	-0,49	-0,3841	-1,113E-15	-0,1863 67-1
67	43	ENV	Combination	Min	-1,506	-0,849	-0,712	-0,3189	-2,164E-15	-0,0996 67-1
68	36	DEAD	LinStatic		-0,257	0,003815	0,122	-0,0026	0	-0,0028 68-1
68	44	DEAD	LinStatic		0,257	-0,003815	-0,122	-0,0019	0	-0,0066 68-1
68	36	CM	LinStatic		-1,352	0,006065	0,676	0,0007205	0	-0,0104 68-1
68	44	CM	LinStatic		1,352	-0,006065	-0,604	-0,0078	0	-0,0046 68-1
68	36	CV	LinStatic		0	0	0	0	0	0 68-1
68	44	CV	LinStatic		0	0	0	0	0	0 68-1
68	36	L	LinStatic		-1,177	-0,036	0,557	-0,0271	0	0,0548 68-1
68	44	L	LinStatic		1,177	0,036	-0,557	0,0697	0	0,0351 68-1
68	36	COMB1	Combination		-2,032	-0,06	0,962	-0,0506	0	0,0906 68-1
68	44	COMB1	Combination		2,032	0,06	-0,962	0,1209	0	0,058 68-1
68	36	COMB5	Combination		-2,032	-0,06	0,962	-0,0506	0	0,0906 68-1
68	44	COMB5	Combination		2,032	0,06	-0,962	0,1209	0	0,058 68-1
68	36	COMB6	Combination		-2,032	-0,06	0,962	-0,0506	0	0,0906 68-1
68	44	COMB6	Combination		2,032	0,06	-0,962	0,1209	0	0,058 68-1
68	36	COMB7	Combination		-0,837	-0,00503	0,396	-0,0089	0	0,0134 68-1
68	44	COMB7	Combination		0,837	0,00503	-0,396	0,0148	0	-0,0009844 68-1
68	36	COMB8	Combination		-0,837	-0,00503	0,396	-0,0089	0	0,0134 68-1
68	44	COMB8	Combination		0,837	0,00503	-0,396	0,0148	0	-0,0009844 68-1
68	36	COMB9	Combination		-1,652	-0,06	0,782	-0,0512	0	0,0872 68-1
68	44	COMB9	Combination		1,652	0,06	-0,782	0,1219	0	0,0622 68-1
68	36	COMB10	Combination		1,137	0,068	-0,538	0,0461	0	-0,0929 68-1
68	44	COMB10	Combination		-1,137	-0,068	0,538	-0,1257	0	-0,0754 68-1
68	36	COMB11	Combination		-0,04	0,032	0,019	0,0189	0	-0,0381 68-1
68	44	COMB11	Combination		0,04	-0,032	-0,019	-0,056	0	-0,0403 68-1
68	36	COMB12	Combination		-2,829	-0,097	1,339	-0,0784	0	0,1421 68-1
68	44	COMB12	Combination		2,829	0,097	-1,339	0,1916	0	0,0973 68-1
68	36	ENV	Combination	Max	1,137	0,068	1,339	0,0461	0	0,1421 68-1
68	44	ENV	Combination	Max	2,829	0,097	0,538	0,1916	0	0,0973 68-1
68	36	ENV	Combination	Min	-2,829	-0,097	-0,538	-0,0784	0	-0,0929 68-1
68	44	ENV	Combination	Min	-1,137	-0,068	-1,339	-0,1257	0	-0,0754 68-1
69	206	DEAD	LinStatic		0,06	-0,008053	0,001422	0,0009511	0,0018	0,0024 69-1
69	47	DEAD	LinStatic		-0,06	0,008053	-0,001422	0,000226	0,0056	-0,0102 69-1
69	206	CM	LinStatic		0,289	-0,001641	0,151	-0,009	-0,0457	-0,0079 69-1
69	47	CM	LinStatic		-0,289	0,001641	-0,125	0,0092	-0,0454	0,0063 69-1
69	206	CV	LinStatic		0	0	0	0	0	0 69-1
69	47	CV	LinStatic		0	0	0	0	0	0 69-1
69	206	L	LinStatic		0,302	-0,024	0,151	-0,1602	-0,0588	0,0772 69-1
69	47	L	LinStatic		-0,302	0,024	-0,151	0,1637	-0,0429	-0,1001 69-1
69	206	COMB1	Combination		0,469	-0,127	0,2	-0,2777	-0,0802	0,0945 69-1
69	47	COMB1	Combination		-0,469	0,127	-0,2	0,2963	-0,0442	-0,2168 69-1
69	206	COMB5	Combination		0,469	-0,127	0,2	-0,2777	-0,0802	0,0945 69-1
69	47	COMB5	Combination		-0,469	0,127	-0,2	0,2963	-0,0442	-0,2168 69-1
69	206	COMB6	Combination		0,469	-0,127	0,2	-0,2777	-0,0802	0,0945 69-1
69	47	COMB6	Combination		-0,469	0,127	-0,2	0,2963	-0,0442	-0,2168 69-1
69	206	COMB7	Combination		0,253	0,063	0,105	-0,0408	-0,0338	0,0646 69-1
69	47	COMB7	Combination		-0,253	-0,063	-0,105	0,0316	-0,0304	-0,0037 69-1
69	206	COMB8	Combination		0,253	0,063	0,105	-0,0408	-0,0338	0,0646 69-1

69	47	COMB8	Combination		-0,253	-0,063	-0,105	0,0316	-0,0304	-0,0037 69-1
69	206	COMB9	Combination		0,311	-0,23	0,112	-0,2755	-0,0523	0,0373 69-1
69	47	COMB9	Combination		-0,311	0,23	-0,112	0,309	-0,0106	-0,2587 69-1
69	206	COMB10	Combination		-0,192	0,214	-0,11	0,2774	0,0559	-0,0324 69-1
69	47	COMB10	Combination		0,192	-0,214	0,11	-0,3086	0,0217	0,2384 69-1
69	206	COMB11	Combination		0,11	0,19	0,042	0,1171	-0,0029	0,0447 69-1
69	47	COMB11	Combination		-0,11	-0,19	-0,042	-0,1449	-0,0212	0,1383 69-1
69	206	COMB12	Combination		0,613	-0,254	0,264	-0,4357	-0,1111	0,1144 69-1
69	47	COMB12	Combination		-0,613	0,254	-0,264	0,4727	-0,0534	-0,3588 69-1
69	206	ENV	Combination	Max	0,613	0,214	0,264	0,2774	0,0559	0,1144 69-1
69	47	ENV	Combination	Max	0,192	0,254	0,11	0,4727	0,0217	0,2384 69-1
69	206	ENV	Combination	Min	-0,192	-0,254	-0,11	-0,4357	-0,1111	-0,0324 69-1
69	47	ENV	Combination	Min	-0,613	-0,214	-0,264	-0,3086	-0,0534	-0,3588 69-1
70	207	DEAD	LinStatic		-0,018	-0,00249	-0,002552	-0,0007907	0,0003427	0,0036 70-1
70	21	DEAD	LinStatic		0,018	0,00249	0,002552	-0,0003537	0,0017	0,0023 70-1
70	207	CM	LinStatic		0,064	0,003764	0,052	0,0058	0,0309	-0,0111 70-1
70	21	CM	LinStatic		-0,064	-0,003764	0,012	-0,0041	-0,0131	0,0021 70-1
70	207	CV	LinStatic		0	0	0	0	0	0 70-1
70	21	CV	LinStatic		0	0	0	0	0	0 70-1
70	207	L	LinStatic		-0,021	0,186	0,004259	0,2176	0,0151	-0,0697 70-1
70	21	L	LinStatic		0,021	-0,186	-0,004259	-0,1321	0,0047	-0,3708 70-1
70	207	COMB1	Combination		-0,04	0,31	0,0009652	0,3698	0,0146	-0,0994 70-1
70	21	COMB1	Combination		0,04	-0,31	-0,0009652	-0,2273	0,006	-0,6353 70-1
70	207	COMB5	Combination		-0,04	0,31	0,0009652	0,3698	0,0146	-0,0994 70-1
70	21	COMB5	Combination		0,04	-0,31	-0,0009652	-0,2273	0,006	-0,6353 70-1
70	207	COMB6	Combination		-0,04	0,31	0,0009652	0,3698	0,0146	-0,0994 70-1
70	21	COMB6	Combination		0,04	-0,31	-0,0009652	-0,2273	0,006	-0,6353 70-1
70	207	COMB7	Combination		-0,038	0,057	0,002448	0,0637	0,0163	-0,0327 70-1
70	21	COMB7	Combination		0,038	-0,057	-0,002448	-0,0376	0,0067	-0,1017 70-1
70	207	COMB8	Combination		-0,038	0,057	0,002448	0,0637	0,0163	-0,0327 70-1
70	21	COMB8	Combination		0,038	-0,057	-0,002448	-0,0376	0,0067	-0,1017 70-1
70	207	COMB9	Combination		-0,02	0,293	-0,004282	0,3563	-0,0017	-0,0741 70-1
70	21	COMB9	Combination		0,02	-0,293	0,004282	-0,2216	0,000851	-0,6202 70-1
70	207	COMB10	Combination		-0,015	-0,298	-0,0008227	-0,3579	0,0024	0,0814 70-1
70	21	COMB10	Combination		0,015	0,298	0,0008227	0,2209	0,0025	0,6248 70-1
70	207	COMB11	Combination		-0,036	-0,112	0,003436	-0,1404	0,0175	0,0117 70-1
70	21	COMB11	Combination		0,036	0,112	-0,003436	0,0888	0,0072	0,254 70-1
70	207	COMB12	Combination		-0,041	0,479	-0,00002317	0,5739	0,0135	-0,1438 70-1
70	21	COMB12	Combination		0,041	-0,479	0,00002317	-0,3537	0,0056	-0,991 70-1
70	207	ENV	Combination	Max	-0,015	0,479	0,003436	0,5739	0,0175	0,0814 70-1
70	21	ENV	Combination	Max	0,041	0,298	0,004282	0,2209	0,0072	0,6248 70-1
70	207	ENV	Combination	Min	-0,041	-0,298	-0,004282	-0,3579	-0,0017	-0,1438 70-1
70	21	ENV	Combination	Min	0,015	-0,479	-0,003436	-0,3537	0,000851	-0,991 70-1
71	43	DEAD	LinStatic		-0,16	0,011	-0,016	0,0014	-6,094E-18	-0,0132 71-1
71	47	DEAD	LinStatic		0,16	-0,011	0,016	0,0013	-5,62E-18	-0,0138 71-1
71	43	CM	LinStatic		-0,413	0,0004652	-0,008624	0,0005821	-2,512E-18	-0,0023 71-1
71	47	CM	LinStatic		0,413	-0,0004652	0,075	-0,0004663	2,012E-18	0,0012 71-1
71	43	CV	LinStatic		0	0	0	0	0	0 71-1
71	47	CV	LinStatic		0	0	0	0	0	0 71-1
71	43	L	LinStatic		-0,945	0,111	-0,095	0,1387	-5,986E-16	-0,1729 71-1
71	47	L	LinStatic		0,945	-0,111	0,095	-0,1112	4,798E-16	-0,1002 71-1
71	43	COMB1	Combination		-1,644	0,025	-0,166	0,23	-9,925E-16	-0,2332 71-1
71	47	COMB1	Combination		1,644	-0,361	0,166	-0,182	7,853E-16	-0,2434 71-1
71	43	COMB5	Combination		-1,644	0,025	-0,166	0,23	-9,925E-16	-0,2332 71-1
71	47	COMB5	Combination		1,644	-0,361	0,166	-0,182	7,853E-16	-0,2434 71-1
71	43	COMB6	Combination		-1,644	0,025	-0,166	0,23	-9,925E-16	-0,2332 71-1
71	47	COMB6	Combination		1,644	-0,361	0,166	-0,182	7,853E-16	-0,2434 71-1
71	43	COMB7	Combination		-0,565	0,218	-0,057	0,0502	-2,168E-16	-0,139 71-1
71	47	COMB7	Combination		0,565	0,118	0,057	-0,0378	1,63E-16	0,0154 71-1
71	43	COMB8	Combination		-0,565	0,218	-0,057	0,0502	-2,168E-16	-0,139 71-1
71	47	COMB8	Combination		0,565	0,118	0,057	-0,0378	1,63E-16	0,0154 71-1
71	43	COMB9	Combination		-1,419	-0,213	-0,143	0,2112	-9,111E-16	-0,1231 71-1
71	47	COMB9	Combination		1,419	-0,569	0,143	-0,167	7,204E-16	-0,3157 71-1
71	43	COMB10	Combination		1,099	0,235	0,111	-0,2083	8,989E-16	0,0967 71-1
71	47	COMB10	Combination		-1,099	0,547	-0,111	0,1696	-7,316E-16	0,2881 71-1
71	43	COMB11	Combination		0,154	0,346	0,016	-0,0696	3,004E-16	-0,0762 71-1
71	47	COMB11	Combination		-0,154	0,436	-0,016	0,0584	-2,518E-16	0,1879 71-1
71	43	COMB12	Combination		-2,363	-0,103	-0,238	0,3499	-1,51E-15	-0,296 71-1
71	47	COMB12	Combination		2,363	-0,679	0,238	-0,2781	1,2E-15	-0,4159 71-1
71	43	ENV	Combination	Max	1,099	0,346	0,111	0,3499	8,989E-16	0,0967 71-1
71	47	ENV	Combination	Max	2,363	0,547	0,238	0,1696	1,2E-15	0,2881 71-1
71	43	ENV	Combination	Min	-2,363	-0,213	-0,238	-0,2083	-1,51E-15	-0,296 71-1
71	47	ENV	Combination	Min	-1,099	-0,679	-0,111	-0,2781	-7,316E-16	-0,4159 71-1
72	44	DEAD	LinStatic		0,058	0,01	-0,001932	-0,000308	0	-0,0129 72-1
72	42	DEAD	LinStatic		-0,058	-0,01	0,001932	-0,0005328	0	-0,0123 72-1
72	44	CM	LinStatic		-1,457	0,021	0,082	-0,0093	0	-0,0281 72-1
72	42	CM	LinStatic		1,457	-0,021	-0,016	0,0076	0	-0,0246 72-1
72	44	CV	LinStatic		0	0	0	0	0	0 72-1
72	42	CV	LinStatic		0	0	0	0	0	0 72-1
72	44	L	LinStatic		-1,273	-0,068	0,043	0,0419	0	0,0865 72-1

72	42	L	LinStatic	1,273	0,068	-0,043	-0,0363	0	0,0804	72-1
72	44	COMB1	Combination	-1,951	-0,1	0,065	0,0705	0	0,1242	72-1
72	42	COMB1	Combination	1,951	0,1	-0,065	-0,0623	0	0,1228	72-1
72	44	COMB5	Combination	-1,951	-0,1	0,065	0,0705	0	0,1242	72-1
72	42	COMB5	Combination	1,951	0,1	-0,065	-0,0623	0	0,1228	72-1
72	44	COMB6	Combination	-1,951	-0,1	0,065	0,0705	0	0,1242	72-1
72	42	COMB6	Combination	1,951	0,1	-0,065	-0,0623	0	0,1228	72-1
72	44	COMB7	Combination	-0,48	-0,015	0,016	0,0126	0	0,0232	72-1
72	42	COMB7	Combination	0,48	0,015	-0,016	-0,0113	0	0,0136	72-1
72	44	COMB8	Combination	-0,48	-0,015	0,016	0,0126	0	0,0232	72-1
72	42	COMB8	Combination	0,48	0,015	-0,016	-0,0113	0	0,0136	72-1
72	44	COMB9	Combination	-1,658	-0,089	0,055	0,0673	0	0,1049	72-1
72	42	COMB9	Combination	1,658	0,089	-0,055	-0,06	0	0,1151	72-1
72	44	COMB10	Combination	1,774	0,109	-0,059	-0,0679	0	-0,1307	72-1
72	42	COMB10	Combination	-1,774	-0,109	0,059	0,0589	0	-0,1397	72-1
72	44	COMB11	Combination	0,501	0,042	-0,017	-0,0261	0	-0,0442	72-1
72	42	COMB11	Combination	-0,501	-0,042	0,017	0,0226	0	-0,0592	72-1
72	44	COMB12	Combination	-2,931	-0,157	0,098	0,1092	0	0,1915	72-1
72	42	COMB12	Combination	2,931	0,157	-0,098	-0,0962	0	0,1956	72-1
72	44	ENV	Combination	1,774	0,109	0,098	0,1092	0	0,1915	72-1
72	42	ENV	Combination	2,931	0,157	0,059	0,0589	0	0,1956	72-1
72	44	ENV	Combination	-2,931	-0,157	-0,059	-0,0679	0	-0,1307	72-1
72	42	ENV	Combination	-1,774	-0,109	-0,098	-0,0962	0	-0,1397	72-1
73	38	DEAD	LinStatic	-0,841	0,015	0,028	-0,0008637	3,727E-18	-0,0156	73-1
73	26	DEAD	LinStatic	0,841	-0,015	-0,028	-0,0003893	1,68E-18	-0,0219	73-1
73	38	CM	LinStatic	-0,26	-0,006768	0,074	-0,0237	1,022E-16	-0,0006502	73-1
73	26	CM	LinStatic	0,26	0,006768	0,057	0,0243	-1,047E-16	0,0174	73-1
73	38	CV	LinStatic	0	0	0	0	0	0	73-1
73	26	CV	LinStatic	0	0	0	0	0	0	73-1
73	38	L	LinStatic	-0,148	-0,336	0,004964	0,1323	-5,71E-16	0,2977	73-1
73	26	L	LinStatic	0,148	0,336	-0,004964	-0,1046	4,514E-16	0,5314	73-1
73	38	COMB1	Combination	-0,603	-0,618	0,02	0,201	-8,675E-16	0,5268	73-1
73	26	COMB1	Combination	0,603	0,618	-0,02	-0,15	6,475E-16	0,9986	73-1
73	38	COMB5	Combination	-0,603	-0,618	0,02	0,201	-8,675E-16	0,5268	73-1
73	26	COMB5	Combination	0,603	0,618	-0,02	-0,15	6,475E-16	0,9986	73-1
73	38	COMB6	Combination	-0,603	-0,618	0,02	0,201	-8,675E-16	0,5268	73-1
73	26	COMB6	Combination	0,603	0,618	-0,02	-0,15	6,475E-16	0,9986	73-1
73	38	COMB7	Combination	-1,375	-0,023	0,046	0,0619	-2,67E-16	0,0375	73-1
73	26	COMB7	Combination	1,375	0,023	-0,046	-0,0599	2,587E-16	0,0203	73-1
73	38	COMB8	Combination	-1,375	-0,023	0,046	0,0619	-2,67E-16	0,0375	73-1
73	26	COMB8	Combination	1,375	0,023	-0,046	-0,0599	2,587E-16	0,0203	73-1
73	38	COMB9	Combination	0,06	-0,678	-0,00202	0,1615	-6,969E-16	0,5553	73-1
73	26	COMB9	Combination	-0,06	0,678	0,00202	-0,1055	4,553E-16	1,1195	73-1
73	38	COMB10	Combination	-1,742	0,708	0,058	-0,1632	7,043E-16	-0,5864	73-1
73	26	COMB10	Combination	1,742	-0,708	-0,058	0,1047	-4,519E-16	-1,1633	73-1
73	38	COMB11	Combination	-1,89	0,373	0,063	-0,0309	1,333E-16	-0,2887	73-1
73	26	COMB11	Combination	1,89	-0,373	-0,063	0,0001163	-5,019E-19	-0,632	73-1
73	38	COMB12	Combination	-0,088	-1,014	0,002944	0,2938	-1,268E-15	0,853	73-1
73	26	COMB12	Combination	0,088	1,014	-0,002944	-0,2101	9,067E-16	1,6509	73-1
73	38	ENV	Combination	0,06	0,708	0,063	0,2938	7,043E-16	0,853	73-1
73	26	ENV	Combination	1,89	1,014	0,00202	0,1047	9,067E-16	1,6509	73-1
73	38	ENV	Combination	-1,89	-1,014	-0,00202	-0,1632	-1,268E-15	-0,5864	73-1
73	26	ENV	Combination	-0,06	-0,708	-0,063	-0,2101	-4,519E-16	-1,1633	73-1
74	36	DEAD	LinStatic	-1,526	0,003686	0,154	-0,0009118	0	-0,0028	74-1
74	38	DEAD	LinStatic	1,526	-0,003686	-0,154	-0,000005349	0	-0,0063	74-1
74	36	CM	LinStatic	-2,579	0,0001274	0,326	-0,0117	0	-0,0095	74-1
74	38	CM	LinStatic	2,579	-0,0001274	-0,194	0,0116	0	0,0092	74-1
74	36	CV	LinStatic	0	0	0	0	0	0	74-1
74	38	CV	LinStatic	0	0	0	0	0	0	74-1
74	36	L	LinStatic	-7,788	-0,38	0,785	0,0377	0	0,4939	74-1
74	38	L	LinStatic	7,788	0,38	-0,785	0,0568	0	0,4445	74-1
74	36	COMB1	Combination	-13,934	-0,664	1,404	0,0564	0	0,8568	74-1
74	38	COMB1	Combination	13,934	0,664	-1,404	0,1088	0	0,7835	74-1
74	36	COMB5	Combination	-13,934	-0,664	1,404	0,0564	0	0,8568	74-1
74	38	COMB5	Combination	13,934	0,664	-1,404	0,1088	0	0,7835	74-1
74	36	COMB6	Combination	-13,934	-0,664	1,404	0,0564	0	0,8568	74-1
74	38	COMB6	Combination	13,934	0,664	-1,404	0,1088	0	0,7835	74-1
74	36	COMB7	Combination	-4,695	-0,088	0,473	0,0172	0	0,1253	74-1
74	38	COMB7	Combination	4,695	0,088	-0,473	0,0048	0	0,0929	74-1
74	36	COMB8	Combination	-4,695	-0,088	0,473	0,0172	0	0,1253	74-1
74	38	COMB8	Combination	4,695	0,088	-0,473	0,0048	0	0,0929	74-1
74	36	COMB9	Combination	-12,305	-0,668	1,24	0,0449	0	0,8507	74-1
74	38	COMB9	Combination	12,305	0,668	-1,24	0,1214	0	0,7994	74-1
74	36	COMB10	Combination	9,252	0,675	-0,932	-0,0467	0	-0,8563	74-1
74	38	COMB10	Combination	-9,252	-0,675	0,932	-0,1214	0	-0,812	74-1
74	36	COMB11	Combination	1,464	0,296	-0,147	-0,009	0	-0,3625	74-1
74	38	COMB11	Combination	-1,464	-0,296	0,147	-0,0646	0	-0,3675	74-1
74	36	COMB12	Combination	-20,093	-1,048	2,024	0,0826	0	1,3445	74-1
74	38	COMB12	Combination	20,093	1,048	-2,024	0,1782	0	1,2439	74-1
74	36	ENV	Combination	9,252	0,675	2,024	0,0826	0	1,3445	74-1

74	38	ENV	Combination	Max	20,093	1,048	0,932	0,1782	0	1,2439	74-1
74	36	ENV	Combination	Min	-20,093	-1,048	-0,932	-0,0467	0	-0,8563	74-1
74	38	ENV	Combination	Min	-9,252	-0,675	-2,024	-0,1214	0	-0,812	74-1
75	40	DEAD	LinStatic		-2,186	-0,022	0,37	0,0047	0	0,0375	75-1
75	36	DEAD	LinStatic		2,186	0,022	-0,37	0,0045	0	0,0169	75-1
75	40	CM	LinStatic		-5,53	-0,08	1,004	0,0216	0	0,1338	75-1
75	36	CM	LinStatic		5,53	0,08	-0,871	0,0121	0	0,065	75-1
75	40	CV	LinStatic		0	0	0	0	0	0	75-1
75	36	CV	LinStatic		0	0	0	0	0	0	75-1
75	40	L	LinStatic		-16,611	-0,515	2,815	0,032	0	0,8304	75-1
75	36	L	LinStatic		16,611	0,515	-2,815	0,1835	0	0,4409	75-1
75	40	COMB1	Combination		-29,315	-0,88	4,968	0,0462	0	1,4259	75-1
75	36	COMB1	Combination		29,315	0,88	-4,968	0,3223	0	0,7488	75-1
75	40	COMB5	Combination		-29,315	-0,88	4,968	0,0462	0	1,4259	75-1
75	36	COMB5	Combination		29,315	0,88	-4,968	0,3223	0	0,7488	75-1
75	40	COMB6	Combination		-29,315	-0,88	4,968	0,0462	0	1,4259	75-1
75	36	COMB6	Combination		29,315	0,88	-4,968	0,3223	0	0,7488	75-1
75	40	COMB7	Combination		-8,279	-0,193	1,403	0,0271	0	0,3098	75-1
75	36	COMB7	Combination		8,279	0,193	-1,403	0,0537	0	0,1669	75-1
75	40	COMB8	Combination		-8,279	-0,193	1,403	0,0271	0	0,3098	75-1
75	36	COMB8	Combination		8,279	0,193	-1,403	0,0537	0	0,1669	75-1
75	40	COMB9	Combination		-26,728	-0,824	4,529	0,0271	0	1,3397	75-1
75	36	COMB9	Combination		26,728	0,824	-4,529	0,3179	0	0,6958	75-1
75	40	COMB10	Combination		22,356	0,78	-3,788	-0,0177	0	-1,2647	75-1
75	36	COMB10	Combination		-22,356	-0,78	3,788	-0,3088	0	-0,6619	75-1
75	40	COMB11	Combination		5,745	0,265	-0,974	0,0143	0	-0,4344	75-1
75	36	COMB11	Combination		-5,745	-0,265	0,974	-0,1254	0	-0,221	75-1
75	40	COMB12	Combination		-43,339	-1,339	7,344	0,059	0	2,17	75-1
75	36	COMB12	Combination		43,339	1,339	-7,344	0,5013	0	1,1367	75-1
75	40	ENV	Combination	Max	22,356	0,78	7,344	0,059	0	2,17	75-1
75	36	ENV	Combination	Max	43,339	1,339	3,788	0,5013	0	1,1367	75-1
75	40	ENV	Combination	Min	-43,339	-1,339	-3,788	-0,0177	0	-1,2647	75-1
75	36	ENV	Combination	Min	-22,356	-0,78	-7,344	-0,3088	0	-0,6619	75-1
76	39	DEAD	LinStatic		0,067	0,002486	-0,004622	0,0001123	-0,0028	-0,0031	76-1
76	31	DEAD	LinStatic		-0,067	-0,002486	0,004622	-0,0003177	-0,0031	-0,003	76-1
76	39	CM	LinStatic		-2,053	-0,004836	0,083	0,0116	0,0005044	0,0041	76-1
76	31	CM	LinStatic		2,053	0,004836	-0,018	-0,0112	-0,0458	0,0078	76-1
76	39	CV	LinStatic		0	0	0	0	0	0	76-1
76	31	CV	LinStatic		0	0	0	0	0	0	76-1
76	39	L	LinStatic		-1,74	-0,298	0,133	-0,00013	0,1024	0,3718	76-1
76	31	L	LinStatic		1,74	0,298	-0,133	0,0247	0,0831	0,3632	76-1
76	39	COMB1	Combination		-2,164	-0,521	0,21	0,0068	0,1822	0,6502	76-1
76	31	COMB1	Combination		2,164	0,521	-0,21	0,0362	0,1577	0,6359	76-1
76	39	COMB5	Combination		-2,164	-0,521	0,21	0,0068	0,1822	0,6502	76-1
76	31	COMB5	Combination		2,164	0,521	-0,21	0,0362	0,1577	0,6359	76-1
76	39	COMB6	Combination		-2,164	-0,521	0,21	0,0068	0,1822	0,6502	76-1
76	31	COMB6	Combination		2,164	0,521	-0,21	0,0362	0,1577	0,6359	76-1
76	39	COMB7	Combination		-1,182	-0,069	0,047	-0,0069	0,017	0,0871	76-1
76	31	COMB7	Combination		1,182	0,069	-0,047	0,0126	0,0023	0,0844	76-1
76	39	COMB8	Combination		-1,182	-0,069	0,047	-0,0069	0,017	0,0871	76-1
76	31	COMB8	Combination		1,182	0,069	-0,047	0,0126	0,0023	0,0844	76-1
76	39	COMB9	Combination		-1,078	-0,524	0,185	0,0161	0,1899	0,6538	76-1
76	31	COMB9	Combination		1,078	0,524	-0,185	0,0272	0,1782	0,6404	76-1
76	39	COMB10	Combination		1,212	0,529	-0,194	-0,0159	-0,1955	-0,66	76-1
76	31	COMB10	Combination		-1,212	-0,529	0,194	-0,0278	-0,1843	-0,6465	76-1
76	39	COMB11	Combination		-0,528	0,231	-0,061	-0,016	-0,0931	-0,2883	76-1
76	31	COMB11	Combination		0,528	-0,231	0,061	-0,0031	-0,1012	-0,2833	76-1
76	39	COMB12	Combination		-2,818	-0,822	0,318	0,016	0,2923	1,0255	76-1
76	31	COMB12	Combination		2,818	0,822	-0,318	0,0519	0,2613	1,0036	76-1
76	39	ENV	Combination	Max	1,212	0,529	0,318	0,0161	0,2923	1,0255	76-1
76	31	ENV	Combination	Max	2,818	0,822	0,194	0,0519	0,2613	1,0036	76-1
76	39	ENV	Combination	Min	-2,818	-0,822	-0,194	-0,016	-0,1955	-0,66	76-1
76	31	ENV	Combination	Min	-1,212	-0,529	-0,318	-0,0278	-0,1843	-0,6465	76-1
77	37	DEAD	LinStatic		0,323	0,003591	-0,035	-0,0004569	-0,002	-0,0047	77-1
77	39	DEAD	LinStatic		-0,323	-0,003591	0,035	-0,0004368	-0,0034	-0,0042	77-1
77	37	CM	LinStatic		-1,103	0,001588	0,145	0,0025	0,0128	-0,0016	77-1
77	39	CM	LinStatic		1,103	-0,001588	-0,079	-0,0029	-0,0101	-0,0023	77-1
77	37	CV	LinStatic		0	0	0	0	0	0	77-1
77	39	CV	LinStatic		0	0	0	0	0	0	77-1
77	37	L	LinStatic		0,458	-0,294	0,039	0,0317	0,0999	0,3725	77-1
77	39	L	LinStatic		-0,458	0,294	-0,039	0,0415	0,1097	0,3541	77-1
77	37	COMB1	Combination		1,336	-0,513	0,009326	0,0567	0,1702	0,6495	77-1
77	39	COMB1	Combination		-1,336	0,513	-0,009326	0,071	0,1854	0,6188	77-1
77	37	COMB5	Combination		1,336	-0,513	0,009326	0,0567	0,1702	0,6495	77-1
77	39	COMB5	Combination		-1,336	0,513	-0,009326	0,071	0,1854	0,6188	77-1
77	37	COMB6	Combination		1,336	-0,513	0,009326	0,0567	0,1702	0,6495	77-1
77	39	COMB6	Combination		-1,336	0,513	-0,009326	0,071	0,1854	0,6188	77-1
77	37	COMB7	Combination		0,224	-0,068	-0,001133	0,0057	0,0256	0,0861	77-1
77	39	COMB7	Combination		-0,224	0,068	0,001133	0,0112	0,0273	0,0811	77-1
77	37	COMB8	Combination		0,224	-0,068	-0,001133	0,0057	0,0256	0,0861	77-1

77	39	COMB8	Combination	-0,224	0,068	0,001133	0,0112	0,0273	0,0811	77-1
77	37	COMB9	Combination	1,62	-0,516	-0,022	0,0591	0,1667	0,6526	77-1
77	39	COMB9	Combination	-1,62	0,516	0,022	0,0694	0,181	0,6231	77-1
77	37	COMB10	Combination	-0,975	0,524	-0,047	-0,06	-0,1706	-0,662	77-1
77	39	COMB10	Combination	0,975	-0,524	0,047	-0,0703	-0,1878	-0,6315	77-1
77	37	COMB11	Combination	-0,518	0,229	-0,008106	-0,0283	-0,0708	-0,2894	77-1
77	39	COMB11	Combination	0,518	-0,229	0,008106	-0,0288	-0,0781	-0,2774	77-1
77	37	COMB12	Combination	2,078	-0,811	0,016	0,0908	0,2666	1,0251	77-1
77	39	COMB12	Combination	-2,078	0,811	-0,016	0,111	0,2907	0,9773	77-1
77	37	ENV	Combination	2,078	0,524	0,016	0,0908	0,2666	1,0251	77-1
77	39	ENV	Combination	0,975	0,811	0,047	0,111	0,2907	0,9773	77-1
77	37	ENV	Combination	-0,975	-0,811	-0,047	-0,06	-0,1706	-0,662	77-1
77	39	ENV	Combination	-2,078	-0,524	-0,016	-0,0703	-0,1878	-0,6315	77-1
78	35	DEAD	LinStatic	0,368	0,004754	-0,065	-0,0006468	-0,0024	-0,0062	78-1
78	37	DEAD	LinStatic	-0,368	-0,004754	0,065	-0,0013	-0,0044	-0,0055	78-1
78	35	CM	LinStatic	-0,343	0,004367	0,092	-0,0017	0,0169	-0,0059	78-1
78	37	CM	LinStatic	0,343	-0,004367	-0,025	-0,000172	-0,0156	-0,0049	78-1
78	35	CV	LinStatic	0	0	0	0	0	0	78-1
78	37	CV	LinStatic	0	0	0	0	0	0	78-1
78	35	L	LinStatic	1,495	-0,237	-0,198	0,0437	0,0692	0,3012	78-1
78	37	L	LinStatic	-1,495	0,237	0,198	0,0556	0,0682	0,2847	78-1
78	35	COMB1	Combination	2,919	-0,411	-0,4	0,076	0,118	0,5223	78-1
78	37	COMB1	Combination	-2,919	0,411	0,4	0,0962	0,1159	0,4938	78-1
78	35	COMB5	Combination	2,919	-0,411	-0,4	0,076	0,118	0,5223	78-1
78	37	COMB5	Combination	-2,919	0,411	0,4	0,0962	0,1159	0,4938	78-1
78	35	COMB6	Combination	2,919	-0,411	-0,4	0,076	0,118	0,5223	78-1
78	37	COMB6	Combination	-2,919	0,411	0,4	0,0962	0,1159	0,4938	78-1
78	35	COMB7	Combination	0,808	-0,053	-0,126	0,01	0,0157	0,0675	78-1
78	37	COMB7	Combination	-0,808	0,053	0,126	0,0123	0,0118	0,0646	78-1
78	35	COMB8	Combination	0,808	-0,053	-0,126	0,01	0,0157	0,0675	78-1
78	37	COMB8	Combination	-0,808	0,053	0,126	0,0123	0,0118	0,0646	78-1
78	35	COMB9	Combination	2,831	-0,413	-0,385	0,0763	0,1169	0,5243	78-1
78	37	COMB9	Combination	-2,831	0,413	0,385	0,0965	0,1171	0,4952	78-1
78	35	COMB10	Combination	-2,094	0,422	0,255	-0,0776	-0,1216	-0,5368	78-1
78	37	COMB10	Combination	2,094	-0,422	-0,255	-0,0991	-0,1258	-0,5062	78-1
78	35	COMB11	Combination	-0,599	0,185	0,057	-0,0339	-0,0524	-0,2356	78-1
78	37	COMB11	Combination	0,599	-0,185	-0,057	-0,0435	-0,0576	-0,2215	78-1
78	35	COMB12	Combination	4,327	-0,65	-0,583	0,12	0,1861	0,8255	78-1
78	37	COMB12	Combination	-4,327	0,65	0,583	0,1521	0,1853	0,7799	78-1
78	35	ENV	Combination	4,327	0,422	0,255	0,12	0,1861	0,8255	78-1
78	37	ENV	Combination	2,094	0,65	0,583	0,1521	0,1853	0,7799	78-1
78	35	ENV	Combination	-2,094	-0,65	-0,583	-0,0776	-0,1216	-0,5368	78-1
78	37	ENV	Combination	-4,327	-0,422	-0,255	-0,0991	-0,1258	-0,5062	78-1
79	41	DEAD	LinStatic	0,173	0,006271	-0,045	-0,0016	-0,0042	-0,0075	79-1
79	35	DEAD	LinStatic	-0,173	-0,006271	0,045	-0,0019	-0,0049	-0,007	79-1
79	41	CM	LinStatic	0,51	0,008085	-0,098	-0,0021	0,0012	-0,0087	79-1
79	35	CM	LinStatic	-0,51	-0,008085	0,161	-0,0024	-0,0206	-0,0098	79-1
79	41	CV	LinStatic	0	0	0	0	0	0	79-1
79	35	CV	LinStatic	0	0	0	0	0	0	79-1
79	41	L	LinStatic	1,722	-0,129	-0,426	0,0614	-0,0353	0,161	79-1
79	35	L	LinStatic	-1,722	0,129	0,426	0,0095	-0,0008993	0,1368	79-1
79	41	COMB1	Combination	3,106	-0,22	-0,772	0,1061	-0,0677	0,2743	79-1
79	35	COMB1	Combination	-3,106	0,22	0,772	0,0144	-0,0066	0,2318	79-1
79	41	COMB5	Combination	3,106	-0,22	-0,772	0,1061	-0,0677	0,2743	79-1
79	35	COMB5	Combination	-3,106	0,22	0,772	0,0144	-0,0066	0,2318	79-1
79	41	COMB6	Combination	3,106	-0,22	-0,772	0,1061	-0,0677	0,2743	79-1
79	35	COMB6	Combination	-3,106	0,22	0,772	0,0144	-0,0066	0,2318	79-1
79	41	COMB7	Combination	0,683	-0,026	-0,17	0,0136	-0,0114	0,0327	79-1
79	35	COMB7	Combination	-0,683	0,026	0,17	0,0007945	-0,005	0,0279	79-1
79	41	COMB8	Combination	0,683	-0,026	-0,17	0,0136	-0,0114	0,0327	79-1
79	35	COMB8	Combination	-0,683	0,026	0,17	0,0007945	-0,005	0,0279	79-1
79	41	COMB9	Combination	3	-0,22	-0,747	0,1063	-0,0699	0,2744	79-1
79	35	COMB9	Combination	-3	0,22	0,747	0,014	-0,0067	0,2309	79-1
79	41	COMB10	Combination	-2,654	0,232	0,657	-0,1095	0,0615	-0,2893	79-1
79	35	COMB10	Combination	2,654	-0,232	-0,657	-0,0177	-0,0031	-0,2449	79-1
79	41	COMB11	Combination	-0,933	0,103	0,232	-0,048	0,0261	-0,1283	79-1
79	35	COMB11	Combination	0,933	-0,103	-0,232	-0,0083	-0,004	-0,1081	79-1
79	41	COMB12	Combination	4,721	-0,349	-1,173	0,1678	-0,1052	0,4354	79-1
79	35	COMB12	Combination	-4,721	0,349	1,173	0,0234	-0,0076	0,3678	79-1
79	41	ENV	Combination	4,721	0,232	0,657	0,1678	0,0615	0,4354	79-1
79	35	ENV	Combination	2,654	0,349	1,173	0,0234	-0,0031	0,3678	79-1
79	41	ENV	Combination	-2,654	-0,349	-1,173	-0,1095	-0,1052	-0,2893	79-1
79	35	ENV	Combination	-4,721	-0,232	-0,657	-0,0177	-0,0076	-0,2449	79-1
80	48	DEAD	LinStatic	0,16	0,011	-0,016	-0,0013	-5,61E-18	-0,0138	80-1
80	44	DEAD	LinStatic	-0,16	-0,011	0,016	-0,0014	-6,117E-18	-0,0132	80-1
80	48	CM	LinStatic	-0,156	0,004851	0,049	-0,0026	-1,121E-17	-0,009	80-1
80	44	CM	LinStatic	0,156	-0,004851	0,017	0,0014	6E-18	-0,003	80-1
80	48	CV	LinStatic	0	0	0	0	0	0	80-1
80	44	CV	LinStatic	0	0	0	0	0	0	80-1
80	48	L	LinStatic	-0,015	-0,037	0,001559	0,0036	1,54E-17	0,0594	80-1

80	44	L	LinStatic	0,015	0,037	-0,001559	0,0056	2,409E-17	0,0315 80-1
80	48	COMB1	Combination	0,089	-0,056	-0,008985	0,0037	1,605E-17	0,0913 80-1
80	44	COMB1	Combination	-0,089	0,056	0,008985	0,0101	4,362E-17	0,0459 80-1
80	48	COMB5	Combination	0,089	-0,056	-0,008985	0,0037	1,605E-17	0,0913 80-1
80	44	COMB5	Combination	-0,089	0,056	0,008985	0,0101	4,362E-17	0,0459 80-1
80	48	COMB6	Combination	0,089	-0,056	-0,008985	0,0037	1,605E-17	0,0913 80-1
80	44	COMB6	Combination	-0,089	0,056	0,008985	0,0101	4,362E-17	0,0459 80-1
80	48	COMB7	Combination	0,2	0,003865	-0,02	0,0008168	3,524E-18	-0,0001254 80-1
80	44	COMB7	Combination	-0,2	-0,003865	0,02	-0,0018	-7,674E-18	-0,0094 80-1
80	48	COMB8	Combination	0,2	0,003865	-0,02	0,0008168	3,524E-18	-0,0001254 80-1
80	44	COMB8	Combination	-0,2	-0,003865	0,02	-0,0018	-7,674E-18	-0,0094 80-1
80	48	COMB9	Combination	0,031	-0,058	-0,003114	0,0021	9,003E-18	0,0929 80-1
80	44	COMB9	Combination	-0,031	0,058	0,003114	0,0125	5,373E-17	0,0514 80-1
80	48	COMB10	Combination	0,289	0,08	-0,029	-0,0047	-2,022E-17	-0,1205 80-1
80	44	COMB10	Combination	-0,289	-0,08	0,029	-0,0153	-6,596E-17	-0,0778 80-1
80	48	COMB11	Combination	0,274	0,043	-0,028	-0,0011	-4,826E-18	-0,0611 80-1
80	44	COMB11	Combination	-0,274	-0,043	0,028	-0,0097	-4,187E-17	-0,0463 80-1
80	48	COMB12	Combination	0,015	-0,095	-0,001555	0,0057	2,44E-17	0,1523 80-1
80	44	COMB12	Combination	-0,015	0,095	0,001555	0,018	7,782E-17	0,0829 80-1
80	48	ENV	Combination Max	0,289	0,08	-0,001555	0,0057	2,44E-17	0,1523 80-1
80	44	ENV	Combination Max	-0,015	0,095	0,029	0,018	7,782E-17	0,0829 80-1
80	48	ENV	Combination Min	0,015	-0,095	-0,029	-0,0047	-2,022E-17	-0,1205 80-1
80	44	ENV	Combination Min	-0,289	-0,08	0,001555	-0,0153	-6,596E-17	-0,0778 80-1
83	42	DEAD	LinStatic	-0,058	0,01	-0,001933	0,0004569	0	-0,0124 83-1
83	43	DEAD	LinStatic	0,058	-0,01	0,001933	0,0003908	0	-0,013 83-1
83	42	CM	LinStatic	-2,147	0,018	-0,039	-0,0017	0	-0,0203 83-1
83	43	CM	LinStatic	2,147	-0,018	0,105	0,0031	0	-0,0229 83-1
83	42	CV	LinStatic	0	0	0	0	0	0 83-1
83	43	CV	LinStatic	0	0	0	0	0	0 83-1
83	42	L	LinStatic	-2,218	-0,027	-0,074	0,0916	0	-0,0214 83-1
83	43	L	LinStatic	2,218	0,027	0,074	-0,0938	0	0,0875 83-1
83	42	COMB1	Combination	-3,373	-0,194	-0,113	0,1521	0	0,0031 83-1
83	43	COMB1	Combination	3,373	-0,139	0,113	-0,1544	0	0,0647 83-1
83	42	COMB5	Combination	-3,373	-0,194	-0,113	0,1521	0	0,0031 83-1
83	43	COMB5	Combination	3,373	-0,139	0,113	-0,1544	0	0,0647 83-1
83	42	COMB6	Combination	-3,373	-0,194	-0,113	0,1521	0	0,0031 83-1
83	43	COMB6	Combination	3,373	-0,139	0,113	-0,1544	0	0,0647 83-1
83	42	COMB7	Combination	-1,178	0,161	-0,039	0,0319	0	-0,0708 83-1
83	43	COMB7	Combination	1,178	0,172	0,039	-0,0324	0	0,0844 83-1
83	42	COMB8	Combination	-1,178	0,161	-0,039	0,0319	0	-0,0708 83-1
83	43	COMB8	Combination	1,178	0,172	0,039	-0,0324	0	0,0844 83-1
83	42	COMB9	Combination	-2,619	-0,405	-0,088	0,1407	0	0,0738 83-1
83	43	COMB9	Combination	2,619	-0,374	0,088	-0,142	0	-0,0359 83-1
83	42	COMB10	Combination	2,503	0,425	0,084	-0,1398	0	-0,0986 83-1
83	43	COMB10	Combination	-2,503	0,353	-0,084	0,1427	0	0,01 83-1
83	42	COMB11	Combination	0,285	0,398	0,009538	-0,0482	0	-0,12 83-1
83	43	COMB11	Combination	-0,285	0,38	-0,009538	0,0489	0	0,0975 83-1
83	42	COMB12	Combination	-4,836	-0,431	-0,162	0,2323	0	0,0524 83-1
83	43	COMB12	Combination	4,836	-0,347	0,162	-0,2358	0	0,0516 83-1
83	42	ENV	Combination Max	2,503	0,425	0,084	0,2323	0	0,0738 83-1
83	43	ENV	Combination Max	4,836	0,38	0,162	0,1427	0	0,0975 83-1
83	42	ENV	Combination Min	-4,836	-0,431	-0,162	-0,1398	0	-0,12 83-1
83	43	ENV	Combination Min	-2,503	-0,374	-0,084	-0,2358	0	-0,0359 83-1
84	207	DEAD	LinStatic	0,06	0,008114	0,001456	-0,0009395	0,0018	-0,0024 84-1
84	22	DEAD	LinStatic	-0,06	-0,008114	-0,001456	-0,0002472	0,0056	0,0102 84-1
84	207	CM	LinStatic	0,284	0,001724	0,151	0,009	-0,0459	0,0079 84-1
84	22	CM	LinStatic	-0,284	-0,001724	-0,125	-0,0092	-0,0455	-0,0062 84-1
84	207	CV	LinStatic	0	0	0	0	0	0 84-1
84	22	CV	LinStatic	0	0	0	0	0	0 84-1
84	207	L	LinStatic	0,207	0,03	0,136	-0,1543	-0,0357	0,0825 84-1
84	22	L	LinStatic	-0,207	-0,03	-0,136	0,1498	-0,0656	-0,0531 84-1
84	207	COMB1	Combination	0,309	-0,054	0,177	-0,2616	-0,0397	0,1045 84-1
84	22	COMB1	Combination	-0,309	0,054	-0,177	0,2695	-0,0858	-0,1565 84-1
84	207	COMB5	Combination	0,309	-0,054	0,177	-0,2616	-0,0397	0,1045 84-1
84	22	COMB5	Combination	-0,309	0,054	-0,177	0,2695	-0,0858	-0,1565 84-1
84	207	COMB6	Combination	0,309	-0,054	0,177	-0,2616	-0,0397	0,1045 84-1
84	22	COMB6	Combination	-0,309	0,054	-0,177	0,2695	-0,0858	-0,1565 84-1
84	207	COMB7	Combination	0,226	0,131	0,099	-0,0489	-0,0281	0,0556 84-1
84	22	COMB7	Combination	-0,226	-0,131	-0,099	0,0297	-0,0341	0,0707 84-1
84	207	COMB8	Combination	0,226	0,131	0,099	-0,0489	-0,0281	0,0556 84-1
84	22	COMB8	Combination	-0,226	-0,131	-0,099	0,0297	-0,0341	0,0707 84-1
84	207	COMB9	Combination	0,157	-0,208	0,093	-0,2491	-0,0117	0,0546 84-1
84	22	COMB9	Combination	-0,157	0,208	-0,093	0,2795	-0,0548	-0,2548 84-1
84	207	COMB10	Combination	-0,037	0,224	-0,09	0,2472	0,0154	-0,0595 84-1
84	22	COMB10	Combination	0,037	-0,224	0,09	-0,28	0,0659	0,2753 84-1
84	207	COMB11	Combination	0,171	0,254	0,047	0,0929	-0,0203	0,023 84-1
84	22	COMB11	Combination	-0,171	-0,254	-0,047	-0,1301	0,0003778	0,2222 84-1
84	207	COMB12	Combination	0,365	-0,177	0,229	-0,4034	-0,0474	0,1371 84-1
84	22	COMB12	Combination	-0,365	0,177	-0,229	0,4293	-0,1203	-0,3079 84-1
84	207	ENV	Combination Max	0,365	0,254	0,229	0,2472	0,0154	0,1371 84-1

84	22	ENV	Combination	Max	0,037	0,208	0,09	0,4293	0,0659	0,2753	84-1
84	207	ENV	Combination	Min	-0,037	-0,208	-0,09	-0,4034	-0,0474	-0,0595	84-1
84	22	ENV	Combination	Min	-0,365	-0,254	-0,229	-0,28	-0,1203	-0,3079	84-1
85	29	DEAD	LinStatic		-0,4	0,00819	-0,068	0	-4,744E-14	-0,0528	85-1
85	194	DEAD	LinStatic		0,4	-0,00819	0,068	0,0136	2,554E-14	-0,0273	85-1
85	29	CM	LinStatic		1,007	-0,021	0,284	0	1,181E-13	0,1829	85-1
85	194	CM	LinStatic		-1,007	0,021	-0,279	-0,0563	-6,279E-14	0,0185	85-1
85	29	CV	LinStatic		0	0	0	0	0	0	85-1
85	194	CV	LinStatic		0	0	0	0	0	0	85-1
85	29	L	LinStatic		5,329	-3,055	2,149	0	1,758E-13	0,5044	85-1
85	194	L	LinStatic		-5,329	3,055	-2,089	-0,4238	1,241E-13	0,5614	85-1
85	29	COMB1	Combination		8,298	-5,177	2,614	0	1,554E-13	0,864	85-1
85	194	COMB1	Combination		-8,298	5,177	-2,554	-0,5167	3,146E-13	0,7955	85-1
85	29	COMB5	Combination		8,298	-5,177	2,614	0	1,554E-13	0,864	85-1
85	194	COMB5	Combination		-8,298	5,177	-2,554	-0,5167	3,146E-13	0,7955	85-1
85	29	COMB6	Combination		8,298	-5,177	2,614	0	1,554E-13	0,864	85-1
85	194	COMB6	Combination		-8,298	5,177	-2,554	-0,5167	3,146E-13	0,7955	85-1
85	29	COMB7	Combination		1,559	-0,916	1,548	0	1,014E-13	0,0392	85-1
85	194	COMB7	Combination		-1,559	0,916	-1,488	-0,3036	-1,532E-14	0,2727	85-1
85	29	COMB8	Combination		1,559	-0,916	1,548	0	1,014E-13	0,0392	85-1
85	194	COMB8	Combination		-1,559	0,916	-1,488	-0,3036	-1,532E-14	0,2727	85-1
85	29	COMB9	Combination		7,461	-4,963	1,175	0	1,555E-14	0,9095	85-1
85	194	COMB9	Combination		-7,461	4,963	-1,175	-0,235	4,105E-13	0,5827	85-1
85	29	COMB10	Combination		-8,262	4,979	-1,311	0	-1,104E-13	-1,0151	85-1
85	194	COMB10	Combination		8,262	-4,979	1,311	0,2622	-3,594E-13	-0,6373	85-1
85	29	COMB11	Combination		-2,933	1,925	0,838	0	6,537E-14	-0,5107	85-1
85	194	COMB11	Combination		2,933	-1,925	-0,778	-0,1616	-2,353E-13	-0,0759	85-1
85	29	COMB12	Combination		12,79	-8,017	3,324	0	1,913E-13	1,4139	85-1
85	194	COMB12	Combination		-12,79	8,017	-3,264	-0,6588	5,346E-13	1,1441	85-1
85	29	ENV	Combination	Max	12,79	4,979	3,324	0	1,913E-13	1,4139	85-1
85	194	ENV	Combination	Max	8,262	8,017	1,311	0,2622	5,346E-13	1,1441	85-1
85	29	ENV	Combination	Min	-8,262	-8,017	-1,311	0	-1,104E-13	-1,0151	85-1
85	194	ENV	Combination	Min	-12,79	-4,979	-3,264	-0,6588	-3,594E-13	-0,6373	85-1
85	194	DEAD	LinStatic		0,015	-0,0002508	0,002483	-0,0089	-2,309E-14	0,0147	85-2
85	187	DEAD	LinStatic		-0,015	0,0002508	-0,002483	0,0077	2,31E-14	-0,0078	85-2
85	194	CM	LinStatic		0,064	-0,003817	0,086	0,05	6,128E-14	0,0092	85-2
85	187	CM	LinStatic		-0,064	0,003817	-0,073	-0,0878	-6,129E-14	0,0211	85-2
85	194	CV	LinStatic		0	0	0	0	0	0	85-2
85	187	CV	LinStatic		0	0	0	0	0	0	85-2
85	194	L	LinStatic		4,094	-1,768	1,503	0,1957	-1,242E-13	1,0533	85-2
85	187	L	LinStatic		-4,094	1,768	-1,36	-0,8754	1,245E-13	0,8916	85-2
85	194	COMB1	Combination		6,941	-3,085	1,947	0,1136	-3,127E-13	1,8216	85-2
85	187	COMB1	Combination		-6,941	3,085	-1,804	-1,0043	3,137E-13	1,4755	85-2
85	194	COMB5	Combination		6,941	-3,085	1,947	0,1136	-3,127E-13	1,8216	85-2
85	187	COMB5	Combination		-6,941	3,085	-1,804	-1,0043	3,137E-13	1,4755	85-2
85	194	COMB6	Combination		6,941	-3,085	1,947	0,1136	-3,127E-13	1,8216	85-2
85	187	COMB6	Combination		-6,941	3,085	-1,804	-1,0043	3,137E-13	1,4755	85-2
85	194	COMB7	Combination		1,277	-0,452	1,063	0,26	1,807E-14	0,3144	85-2
85	187	COMB7	Combination		-1,277	0,452	-0,92	-0,7311	-1,851E-14	0,2922	85-2
85	194	COMB8	Combination		1,277	-0,452	1,063	0,26	1,807E-14	0,3144	85-2
85	187	COMB8	Combination		-1,277	0,452	-0,92	-0,7311	-1,851E-14	0,2922	85-2
85	194	COMB9	Combination		6,623	-3,072	1,033	-0,1797	-4,09E-13	1,7732	85-2
85	187	COMB9	Combination		-6,623	3,072	-1,033	-0,311	4,106E-13	1,3727	85-2
85	194	COMB10	Combination		-6,594	3,072	-1,028	0,162	3,628E-13	-1,7437	85-2
85	187	COMB10	Combination		6,594	-3,072	1,028	0,3264	-3,645E-13	-1,3883	85-2
85	194	COMB11	Combination		-2,499	1,303	0,474	0,3577	2,386E-13	-0,6905	85-2
85	187	COMB11	Combination		2,499	-1,303	-0,331	-0,549	-2,4E-13	-0,4967	85-2
85	194	COMB12	Combination		10,718	-4,841	2,536	0,016	-5,332E-13	2,8265	85-2
85	187	COMB12	Combination		-10,718	4,841	-2,393	-1,1865	5,351E-13	2,2643	85-2
85	194	ENV	Combination	Max	10,718	3,072	2,536	0,3577	3,628E-13	2,8265	85-2
85	187	ENV	Combination	Max	6,594	4,841	1,028	0,3264	5,351E-13	2,2643	85-2
85	194	ENV	Combination	Min	-6,594	-4,841	-1,028	-0,1797	-5,332E-13	-1,7437	85-2
85	187	ENV	Combination	Min	-10,718	-3,072	-2,393	-1,1865	-3,645E-13	-1,3883	85-2
85	187	DEAD	LinStatic		0,005373	-0,003241	0,0009067	-0,0059	-2,354E-14	0,0041	85-3
85	166	DEAD	LinStatic		-0,005373	0,003241	-0,0009067	0,0054	2,354E-14	-0,0016	85-3
85	187	CM	LinStatic		0,015	0,013	0,032	0,0842	6,129E-14	-0,0005842	85-3
85	166	CM	LinStatic		-0,015	-0,013	-0,019	-0,0963	-6,217E-14	0,0076	85-3
85	187	CV	LinStatic		0	0	0	0	0	0	85-3
85	166	CV	LinStatic		0	0	0	0	0	0	85-3
85	187	L	LinStatic		3,072	-0,481	0,809	0,6278	-1,292E-13	0,7164	85-3
85	166	L	LinStatic		-3,072	0,481	-0,666	-0,9783	-4,571E-14	0,7429	85-3
85	187	COMB1	Combination		5,285	-0,917	1,146	0,565	-3,184E-13	1,2293	85-3
85	166	COMB1	Combination		-5,285	0,917	-1,003	-1,0754	1,812E-14	1,281	85-3
85	187	COMB5	Combination		5,285	-0,917	1,146	0,565	-3,184E-13	1,2293	85-3
85	166	COMB5	Combination		-5,285	0,917	-1,003	-1,0754	1,812E-14	1,281	85-3
85	187	COMB6	Combination		5,285	-0,917	1,146	0,565	-3,184E-13	1,2293	85-3
85	166	COMB6	Combination		-5,285	0,917	-1,003	-1,0754	1,812E-14	1,281	85-3
85	187	COMB7	Combination		0,87	-0,052	0,474	0,6789	1,29E-14	0,2117	85-3
85	166	COMB7	Combination		-0,87	0,052	-0,331	-0,8702	-6,247E-14	0,2016	85-3
85	187	COMB8	Combination		0,87	-0,052	0,474	0,6789	1,29E-14	0,2117	85-3

85	166	COMB8	Combination	-0,87	0,052	-0,331	-0,8702	-6,247E-14	0,2016	85-3
85	187	COMB9	Combination	5,156	-1,013	0,785	-0,1387	-4,1E-13	1,1914	85-3
85	166	COMB9	Combination	-5,156	1,013	-0,785	-0,234	1,176E-13	1,2577	85-3
85	187	COMB10	Combination	-5,145	1,006	-0,783	0,127	3,63E-13	-1,1831	85-3
85	166	COMB10	Combination	5,145	-1,006	0,783	0,2448	-7,048E-14	-1,2608	85-3
85	187	COMB11	Combination	-2,073	0,525	0,026	0,7548	2,338E-13	-0,4667	85-3
85	166	COMB11	Combination	2,073	-0,525	0,116	-0,7334	-1,162E-13	-0,518	85-3
85	187	COMB12	Combination	8,228	-1,493	1,594	0,4891	-5,393E-13	1,9077	85-3
85	166	COMB12	Combination	-8,228	1,493	-1,451	-1,2122	7,184E-14	2,0005	85-3
85	187	ENV	Combination	8,228	1,006	1,594	0,7548	3,63E-13	1,9077	85-3
85	166	ENV	Combination	5,145	1,493	0,783	0,2448	1,176E-13	2,0005	85-3
85	187	ENV	Combination	-5,145	-1,493	-0,783	-0,1387	-5,393E-13	-1,1831	85-3
85	166	ENV	Combination	-8,228	-1,006	-1,451	-1,2122	-1,162E-13	-1,2608	85-3
85	166	DEAD	LinStatic	-0,005304	-0,003227	-0,0009028	-0,0054	-2,298E-14	0,0016	85-4
85	173	DEAD	LinStatic	0,005304	0,003227	0,0009028	0,0059	2,304E-14	-0,0041	85-4
85	166	CM	LinStatic	-0,015	0,013	-0,019	0,0963	6,15E-14	-0,0076	85-4
85	173	CM	LinStatic	0,015	-0,013	0,032	-0,0842	-6,261E-14	0,0006261	85-4
85	166	CV	LinStatic	0	0	0	0	0	0	85-4
85	173	CV	LinStatic	0	0	0	0	0	0	85-4
85	166	L	LinStatic	2,805	0,673	0,244	0,7281	4,686E-14	0,6947	85-4
85	173	L	LinStatic	-2,805	-0,673	-0,101	-0,81	1,127E-13	0,6375	85-4
85	166	COMB1	Combination	5,002	1,102	0,578	0,6376	-1,674E-14	1,2343	85-4
85	173	COMB1	Combination	-5,002	-1,102	-0,435	-0,8782	3,021E-13	1,1416	85-4
85	166	COMB5	Combination	5,002	1,102	0,578	0,6376	-1,674E-14	1,2343	85-4
85	173	COMB5	Combination	-5,002	-1,102	-0,435	-0,8782	3,021E-13	1,1416	85-4
85	166	COMB6	Combination	5,002	1,102	0,578	0,6376	-1,674E-14	1,2343	85-4
85	173	COMB6	Combination	-5,002	-1,102	-0,435	-0,8782	3,021E-13	1,1416	85-4
85	166	COMB7	Combination	0,596	0,237	-0,092	0,8076	6,451E-14	0,1582	85-4
85	173	COMB7	Combination	-0,596	-0,237	0,235	-0,7299	-3,063E-14	0,1251	85-4
85	166	COMB8	Combination	0,596	0,237	-0,092	0,8076	6,451E-14	0,1582	85-4
85	173	COMB8	Combination	-0,596	-0,237	0,235	-0,7299	-3,063E-14	0,1251	85-4
85	166	COMB9	Combination	5,134	1,005	0,781	-0,2038	-1,178E-13	1,2571	85-4
85	173	COMB9	Combination	-5,134	-1,005	-0,781	-0,1671	4,112E-13	1,1818	85-4
85	166	COMB10	Combination	-5,145	-1,011	-0,783	0,1929	7,183E-14	-1,2539	85-4
85	173	COMB10	Combination	5,145	1,011	0,783	0,1789	-3,652E-13	-1,19	85-4
85	166	COMB11	Combination	-2,34	-0,339	-0,539	0,921	1,187E-13	-0,5592	85-4
85	173	COMB11	Combination	2,34	0,339	0,682	-0,6311	-2,525E-13	-0,5525	85-4
85	166	COMB12	Combination	7,939	1,678	1,025	0,5242	-7,092E-14	1,9518	85-4
85	173	COMB12	Combination	-7,939	-1,678	-0,882	-0,9771	5,239E-13	1,8192	85-4
85	166	ENV	Combination	7,939	1,678	1,025	0,921	1,187E-13	1,9518	85-4
85	173	ENV	Combination	5,145	1,011	0,783	0,1789	5,239E-13	1,8192	85-4
85	166	ENV	Combination	-5,145	-1,011	-0,783	-0,2038	-1,178E-13	-1,2539	85-4
85	173	ENV	Combination	-7,939	-1,678	-0,882	-0,9771	-3,652E-13	-1,19	85-4
85	173	DEAD	LinStatic	-0,015	-0,0002067	-0,002469	-0,0077	-2,265E-14	0,0078	85-5
85	180	DEAD	LinStatic	0,015	0,0002067	0,002469	0,0089	2,265E-14	-0,0147	85-5
85	173	CM	LinStatic	-0,063	-0,003584	-0,073	0,0877	5,862E-14	-0,021	85-5
85	180	CM	LinStatic	0,063	0,003584	0,086	-0,0499	-5,862E-14	-0,0088	85-5
85	173	CV	LinStatic	0	0	0	0	0	0	85-5
85	180	CV	LinStatic	0	0	0	0	0	0	85-5
85	173	L	LinStatic	3,314	1,742	-0,19	0,5451	-1,119E-13	0,6876	85-5
85	180	L	LinStatic	-3,314	-1,742	0,333	-0,421	1,119E-13	0,8865	85-5
85	173	COMB1	Combination	6,078	3,055	0,24	0,4208	-3,006E-13	1,2848	85-5
85	180	COMB1	Combination	-6,078	-3,055	-0,097	-0,501	3,006E-13	1,6025	85-5
85	173	COMB5	Combination	6,078	3,055	0,24	0,4208	-3,006E-13	1,2848	85-5
85	180	COMB5	Combination	-6,078	-3,055	-0,097	-0,501	3,006E-13	1,6025	85-5
85	173	COMB6	Combination	6,078	3,055	0,24	0,4208	-3,006E-13	1,2848	85-5
85	180	COMB6	Combination	-6,078	-3,055	-0,097	-0,501	3,006E-13	1,6025	85-5
85	173	COMB7	Combination	0,52	0,428	-0,625	0,6541	3,144E-14	0,1059	85-5
85	180	COMB7	Combination	-0,52	-0,428	0,768	-0,3233	-3,144E-14	0,1412	85-5
85	173	COMB8	Combination	0,52	0,428	-0,625	0,6541	3,144E-14	0,1059	85-5
85	180	COMB8	Combination	-0,52	-0,428	0,768	-0,3233	-3,144E-14	0,1412	85-5
85	173	COMB9	Combination	6,47	3,065	1,007	-0,28	-4,1E-13	1,3831	85-5
85	180	COMB9	Combination	-6,47	-3,065	-1,007	-0,1985	4,1E-13	1,6901	85-5
85	173	COMB10	Combination	-6,499	-3,065	-1,012	0,2646	3,647E-13	-1,3675	85-5
85	180	COMB10	Combination	6,499	3,065	1,012	0,2162	-3,647E-13	-1,7195	85-5
85	173	COMB11	Combination	-3,185	-1,323	-1,202	0,8097	2,528E-13	-0,6799	85-5
85	180	COMB11	Combination	3,185	1,323	1,345	-0,2048	-2,528E-13	-0,833	85-5
85	173	COMB12	Combination	9,784	4,807	0,817	0,2652	-5,219E-13	2,0707	85-5
85	180	COMB12	Combination	-9,784	-4,807	-0,674	-0,6195	5,219E-13	2,5766	85-5
85	173	ENV	Combination	9,784	4,807	1,007	0,8097	3,647E-13	2,0707	85-5
85	180	ENV	Combination	6,499	3,065	1,345	0,2162	5,219E-13	2,5766	85-5
85	173	ENV	Combination	-6,499	-3,065	-1,202	-0,28	-5,219E-13	-1,3675	85-5
85	180	ENV	Combination	-9,784	-4,807	-1,007	-0,6195	-3,647E-13	-1,7195	85-5
85	180	DEAD	LinStatic	0,401	0,008257	0,068	-0,0136	-2,289E-14	0,0273	85-6
85	7	DEAD	LinStatic	-0,401	-0,008257	-0,068	0	-7,13E-16	0,0529	85-6
85	180	CM	LinStatic	-1,002	-0,021	-0,278	0,0562	6,039E-14	-0,0188	85-6
85	7	CM	LinStatic	1,002	0,021	0,284	0	1,979E-15	-0,1817	85-6
85	180	CV	LinStatic	0	0	0	0	0	0	85-6
85	7	CV	LinStatic	0	0	0	0	0	0	85-6
85	180	L	LinStatic	2,655	2,661	-0,822	0,1703	-1,171E-13	0,2458	85-6

85	7	L	LinStatic		-2,655	-2,661	0,882	0	6,738E-15	0,2851 85-6
85	180	COMB1	Combination		5,889	4,808	-0,312	0,0684	-3,066E-13	0,5689 85-6
85	7	COMB1	Combination		-5,889	-4,808	0,372	0	6,858E-15	0,6089 85-6
85	180	COMB5	Combination		5,889	4,808	-0,312	0,0684	-3,066E-13	0,5689 85-6
85	7	COMB5	Combination		-5,889	-4,808	0,372	0	6,858E-15	0,6089 85-6
85	180	COMB6	Combination		5,889	4,808	-0,312	0,0684	-3,066E-13	0,5689 85-6
85	7	COMB6	Combination		-5,889	-4,808	0,372	0	6,858E-15	0,6089 85-6
85	180	COMB7	Combination		0,222	0,531	-1,196	0,2451	2,667E-14	-0,0227 85-6
85	7	COMB7	Combination		-0,222	-0,531	1,256	0	5,192E-15	0,0671 85-6
85	180	COMB8	Combination		0,222	0,531	-1,196	0,2451	2,667E-14	-0,0227 85-6
85	7	COMB8	Combination		-0,222	-0,531	1,256	0	5,192E-15	0,0671 85-6
85	180	COMB9	Combination		7,012	4,998	1,099	-0,2198	-4,117E-13	0,7174 85-6
85	7	COMB9	Combination		-7,012	-4,998	-1,099	0	1,23E-15	0,6849 85-6
85	180	COMB10	Combination		-6,21	-4,981	-0,963	0,1927	3,659E-13	-0,6628 85-6
85	7	COMB10	Combination		6,21	4,981	0,963	0	-2,656E-15	-0,5792 85-6
85	180	COMB11	Combination		-3,556	-2,32	-1,785	0,363	2,489E-13	-0,417 85-6
85	7	COMB11	Combination		3,556	2,32	1,845	0	4,082E-15	-0,2941 85-6
85	180	COMB12	Combination		9,666	7,659	0,278	-0,0495	-5,288E-13	0,9632 85-6
85	7	COMB12	Combination		-9,666	-7,659	-0,217	0	7,968E-15	0,9701 85-6
85	180	ENV	Combination	Max	9,666	7,659	1,099	0,363	3,659E-13	0,9632 85-6
85	7	ENV	Combination	Max	6,21	4,981	1,845	0	7,968E-15	0,9701 85-6
85	180	ENV	Combination	Min	-6,21	-4,981	-1,785	-0,2198	-5,288E-13	-0,6628 85-6
85	7	ENV	Combination	Min	-9,666	-7,659	-1,099	0	-2,656E-15	-0,5792 85-6
86	48	DEAD	LinStatic		-0,06	-0,008044	0,001429	-0,000224	0,0056	-0,0102 86-1
86	208	DEAD	LinStatic		0,06	0,008044	-0,001429	-0,0009518	0,0018	0,0024 86-1
86	48	CM	LinStatic		0,187	0,0004455	-0,068	0,004	0,0248	-0,0039 86-1
86	208	CM	LinStatic		-0,187	-0,0004455	0,094	-0,0039	0,0257	0,0044 86-1
86	48	CV	LinStatic		0	0	0	0	0	0 86-1
86	208	CV	LinStatic		0	0	0	0	0	0 86-1
86	48	L	LinStatic		0,043	0,051	-0,033	0,027	0,0116	0,0207 86-1
86	208	L	LinStatic		-0,043	-0,051	0,033	-0,0195	0,0136	0,0288 86-1
86	48	COMB1	Combination		0,017	0,081	-0,053	0,0472	0,0232	0,0265 86-1
86	208	COMB1	Combination		-0,017	-0,081	0,053	-0,0355	0,0253	0,0513 86-1
86	48	COMB5	Combination		0,017	0,081	-0,053	0,0472	0,0232	0,0265 86-1
86	208	COMB5	Combination		-0,017	-0,081	0,053	-0,0355	0,0253	0,0513 86-1
86	48	COMB6	Combination		0,017	0,081	-0,053	0,0472	0,0232	0,0265 86-1
86	208	COMB6	Combination		-0,017	-0,081	0,053	-0,0355	0,0253	0,0513 86-1
86	48	COMB7	Combination		-0,05	0,00597	-0,009577	0,0063	0,0112	-0,0054 86-1
86	208	COMB7	Combination		0,05	-0,00597	0,009577	-0,0054	0,0054	0,0112 86-1
86	48	COMB8	Combination		-0,05	0,00597	-0,009577	0,0063	0,0112	-0,0054 86-1
86	208	COMB8	Combination		0,05	-0,00597	0,009577	-0,0054	0,0054	0,0112 86-1
86	48	COMB9	Combination		0,019	0,079	-0,049	0,0476	0,0196	0,0271 86-1
86	208	COMB9	Combination		-0,019	-0,079	0,049	-0,036	0,0249	0,0492 86-1
86	48	COMB10	Combination		-0,138	-0,095	0,052	-0,048	-0,0084	-0,0474 86-1
86	208	COMB10	Combination		0,138	0,095	-0,052	0,0341	-0,0214	-0,0444 86-1
86	48	COMB11	Combination		-0,095	-0,044	0,019	-0,021	0,0032	-0,0267 86-1
86	208	COMB11	Combination		0,095	0,044	-0,019	0,0146	-0,0078	-0,0155 86-1
86	48	COMB12	Combination		0,062	0,13	-0,082	0,0746	0,0312	0,0478 86-1
86	208	COMB12	Combination		-0,062	-0,13	0,082	-0,0555	0,0385	0,078 86-1
86	48	ENV	Combination	Max	0,062	0,13	0,052	0,0746	0,0312	0,0478 86-1
86	208	ENV	Combination	Max	0,138	0,095	0,082	0,0341	0,0385	0,078 86-1
86	48	ENV	Combination	Min	-0,138	-0,095	-0,082	-0,048	-0,0084	-0,0474 86-1
86	208	ENV	Combination	Min	-0,062	-0,13	-0,052	-0,0555	-0,0214	-0,0444 86-1
88	14	DEAD	LinStatic		-0,401	0,008238	0,068	0	-1,096E-16	0,0529 88-1
88	183	DEAD	LinStatic		0,401	-0,008238	-0,068	0,0136	-2,049E-14	0,0273 88-1
88	14	CM	LinStatic		-1,046	0,036	0,291	0	-2,004E-15	0,1444 88-1
88	183	CM	LinStatic		1,046	-0,036	-0,286	0,0577	-5,977E-14	0,0647 88-1
88	14	CV	LinStatic		0	0	0	0	0	0 88-1
88	183	CV	LinStatic		0	0	0	0	0	0 88-1
88	14	L	LinStatic		2,172	-1,665	-0,29	0	8,992E-16	-0,3356 88-1
88	183	L	LinStatic		-2,172	1,665	0,29	-0,058	1,157E-13	-0,0987 88-1
88	14	COMB1	Combination		4,066	-2,966	-0,551	0	3,579E-16	-0,649 88-1
88	183	COMB1	Combination		-4,066	2,966	0,551	-0,1102	2,168E-13	-0,1642 88-1
88	14	COMB5	Combination		4,066	-2,966	-0,551	0	3,579E-16	-0,649 88-1
88	183	COMB5	Combination		-4,066	2,966	0,551	-0,1102	2,168E-13	-0,1642 88-1
88	14	COMB6	Combination		4,066	-2,966	-0,551	0	3,579E-16	-0,649 88-1
88	183	COMB6	Combination		-4,066	2,966	0,551	-0,1102	2,168E-13	-0,1642 88-1
88	14	COMB7	Combination		-0,525	-0,348	0,107	0	1,221E-15	0,0835 88-1
88	183	COMB7	Combination		0,525	0,348	-0,107	0,0214	-2,646E-14	0,0214 88-1
88	14	COMB8	Combination		-0,525	-0,348	0,107	0	1,221E-15	0,0835 88-1
88	183	COMB8	Combination		0,525	0,348	-0,107	0,0214	-2,646E-14	0,0214 88-1
88	14	COMB9	Combination		4,955	-3,047	-0,7	0	-1,117E-15	-0,8017 88-1
88	183	COMB9	Combination		-4,955	3,047	0,7	-0,14	2,633E-13	-0,1893 88-1
88	14	COMB10	Combination		-5,757	3,063	0,836	0	8,978E-16	0,9074 88-1
88	183	COMB10	Combination		5,757	-3,063	-0,836	0,1671	-3,043E-13	0,2439 88-1
88	14	COMB11	Combination		-3,585	1,398	0,546	0	1,797E-15	0,5718 88-1
88	183	COMB11	Combination		3,585	-1,398	-0,546	0,1092	-1,886E-13	0,1452 88-1
88	14	COMB12	Combination		7,127	-4,712	-0,99	0	-2,178E-16	-1,1373 88-1
88	183	COMB12	Combination		-7,127	4,712	0,99	-0,198	3,79E-13	-0,288 88-1
88	14	ENV	Combination	Max	7,127	3,063	0,836	0	1,797E-15	0,9074 88-1

88	183	ENV	Combination	Max	5,757	4,712	0,99	0,1671	3,79E-13	0,2439 88-1
88	14	ENV	Combination	Min	-5,757	-4,712	-0,99	0	-1,117E-15	-1,1373 88-1
88	183	ENV	Combination	Min	-7,127	-3,063	-0,836	-0,198	-3,043E-13	-0,288 88-1
88	183	DEAD	LinStatic		0,015	-0,0002211	-0,002473	-0,0089	2,043E-14	-0,0147 88-2
88	176	DEAD	LinStatic		-0,015	0,0002211	0,002473	0,0077	-2,043E-14	0,0078 88-2
88	183	CM	LinStatic		-0,03	0,001733	0,08	-0,0483	5,951E-14	-0,0159 88-2
88	176	CM	LinStatic		0,03	-0,001733	-0,068	0,0835	-5,951E-14	0,0303 88-2
88	183	CV	LinStatic		0	0	0	0	0	0 88-2
88	176	CV	LinStatic		0	0	0	0	0	0 88-2
88	183	L	LinStatic		2,099	-1,092	-0,278	-0,0616	-1,155E-13	-0,6256 88-2
88	176	L	LinStatic		-2,099	1,092	0,278	-0,0702	1,155E-13	-0,3713 88-2
88	183	COMB1	Combination		3,874	-1,932	-0,518	-0,1046	-2,173E-13	-1,1438 88-2
88	176	COMB1	Combination		-3,874	1,932	0,518	-0,1417	2,173E-13	-0,6963 88-2
88	183	COMB5	Combination		3,874	-1,932	-0,518	-0,1046	-2,173E-13	-1,1438 88-2
88	176	COMB5	Combination		-3,874	1,932	0,518	-0,1417	2,173E-13	-0,6963 88-2
88	183	COMB6	Combination		3,874	-1,932	-0,518	-0,1046	-2,173E-13	-1,1438 88-2
88	176	COMB6	Combination		-3,874	1,932	0,518	-0,1417	2,173E-13	-0,6963 88-2
88	183	COMB7	Combination		0,353	-0,254	-0,042	-0,0364	2,727E-14	-0,1369 88-2
88	176	COMB7	Combination		-0,353	0,254	0,042	0,0166	-2,727E-14	-0,0308 88-2
88	183	COMB8	Combination		0,353	-0,254	-0,042	-0,0364	2,727E-14	-0,1369 88-2
88	176	COMB8	Combination		-0,353	0,254	0,042	0,0166	-2,727E-14	-0,0308 88-2
88	183	COMB9	Combination		4,122	-1,958	-0,559	-0,0883	-2,649E-13	-1,1894 88-2
88	176	COMB9	Combination		-4,122	1,958	0,559	-0,1771	2,649E-13	-0,7685 88-2
88	183	COMB10	Combination		-4,093	1,958	0,554	0,0706	3,058E-13	1,16 88-2
88	176	COMB10	Combination		4,093	-1,958	-0,554	0,1924	-3,058E-13	0,7841 88-2
88	183	COMB11	Combination		-1,994	0,865	0,276	0,009	1,903E-13	0,5344 88-2
88	176	COMB11	Combination		1,994	-0,865	-0,276	0,1222	-1,903E-13	0,4128 88-2
88	183	COMB12	Combination		6,221	-3,051	-0,836	-0,15	-3,804E-13	-1,815 88-2
88	176	COMB12	Combination		-6,221	3,051	0,836	-0,2473	3,804E-13	-1,1399 88-2
88	183	ENV	Combination	Max	6,221	1,958	0,554	0,0706	3,058E-13	1,16 88-2
88	176	ENV	Combination	Max	4,093	3,051	0,836	0,1924	3,804E-13	0,7841 88-2
88	183	ENV	Combination	Min	-4,093	-3,051	-0,836	-0,15	-3,804E-13	-1,815 88-2
88	176	ENV	Combination	Min	-6,221	-1,958	-0,554	-0,2473	-3,058E-13	-1,1399 88-2
88	176	DEAD	LinStatic		0,005326	-0,003231	-0,0009035	-0,0059	2,043E-14	-0,0041 88-3
88	169	DEAD	LinStatic		-0,005326	0,003231	0,0009035	0,0054	-2,043E-14	0,0016 88-3
88	176	CM	LinStatic		-0,005826	-0,017	0,03	-0,0797	5,773E-14	-0,0066 88-3
88	169	CM	LinStatic		0,005826	0,017	-0,018	0,0911	-5,684E-14	0,0093 88-3
88	176	CV	LinStatic		0	0	0	0	0	0 88-3
88	169	CV	LinStatic		0	0	0	0	0	0 88-3
88	176	L	LinStatic		1,91	-0,397	-0,246	-0,0757	-1,173E-13	-0,5 88-3
88	169	L	LinStatic		-1,91	0,397	0,246	-0,0411	8,364E-15	-0,4075 88-3
88	176	COMB1	Combination		3,416	-0,682	-0,441	-0,1195	-2,185E-13	-0,8684 88-3
88	169	COMB1	Combination		-3,416	0,682	0,441	-0,0899	2,434E-14	-0,7543 88-3
88	176	COMB5	Combination		3,416	-0,682	-0,441	-0,1195	-2,185E-13	-0,8684 88-3
88	169	COMB5	Combination		-3,416	0,682	0,441	-0,0899	2,434E-14	-0,7543 88-3
88	176	COMB6	Combination		3,416	-0,682	-0,441	-0,1195	-2,185E-13	-0,8684 88-3
88	169	COMB6	Combination		-3,416	0,682	0,441	-0,0899	2,434E-14	-0,7543 88-3
88	176	COMB7	Combination		0,415	-0,117	-0,052	-0,0435	2,479E-14	-0,1398 88-3
88	169	COMB7	Combination		-0,415	0,117	0,052	0,0187	-4,847E-14	-0,0575 88-3
88	176	COMB8	Combination		0,415	-0,117	-0,052	-0,0435	2,479E-14	-0,1398 88-3
88	169	COMB8	Combination		-0,415	0,117	0,052	0,0187	-4,847E-14	-0,0575 88-3
88	176	COMB9	Combination		3,506	-0,663	-0,454	-0,0946	-2,634E-13	-0,8542 88-3
88	169	COMB9	Combination		-3,506	0,663	0,454	-0,1213	6,452E-14	-0,8113 88-3
88	176	COMB10	Combination		-3,496	0,656	0,453	0,0828	3,042E-13	0,8459 88-3
88	169	COMB10	Combination		3,496	-0,656	-0,453	0,1322	-1,054E-13	0,8145 88-3
88	176	COMB11	Combination		-1,585	0,259	0,207	0,0071	1,87E-13	0,3459 88-3
88	169	COMB11	Combination		1,585	-0,259	-0,207	0,0911	-9,702E-14	0,407 88-3
88	176	COMB12	Combination		5,417	-1,059	-0,7	-0,1702	-3,806E-13	-1,3541 88-3
88	169	COMB12	Combination		-5,417	1,059	0,7	-0,1623	7,289E-14	-1,2188 88-3
88	176	ENV	Combination	Max	5,417	0,656	0,453	0,0828	3,042E-13	0,8459 88-3
88	169	ENV	Combination	Max	3,496	1,059	0,7	0,1322	7,289E-14	0,8145 88-3
88	176	ENV	Combination	Min	-3,496	-1,059	-0,7	-0,1702	-3,806E-13	-1,3541 88-3
88	169	ENV	Combination	Min	-5,417	-0,656	-0,453	-0,1623	-1,054E-13	-1,2188 88-3
88	169	DEAD	LinStatic		-0,005351	-0,003237	0,0009059	-0,0054	2,099E-14	-0,0016 88-4
88	190	DEAD	LinStatic		0,005351	0,003237	-0,0009059	0,0059	-2,092E-14	0,0041 88-4
88	169	CM	LinStatic		0,006094	-0,017	-0,018	-0,0911	5,824E-14	-0,0094 88-4
88	190	CM	LinStatic		-0,006094	0,017	0,03	0,0798	-5,768E-14	0,0065 88-4
88	169	CV	LinStatic		0	0	0	0	0	0 88-4
88	190	CV	LinStatic		0	0	0	0	0	0 88-4
88	169	L	LinStatic		2,031	0,336	-0,266	-0,1135	-8,095E-15	-0,5123 88-4
88	190	L	LinStatic		-2,031	-0,336	0,266	-0,0129	1,248E-13	-0,4523 88-4
88	169	COMB1	Combination		3,519	0,609	-0,458	-0,1825	-2,409E-14	-0,8668 88-4
88	190	COMB1	Combination		-3,519	-0,609	0,458	-0,0352	2,252E-13	-0,8046 88-4
88	169	COMB5	Combination		3,519	0,609	-0,458	-0,1825	-2,409E-14	-0,8668 88-4
88	190	COMB5	Combination		-3,519	-0,609	0,458	-0,0352	2,252E-13	-0,8046 88-4
88	169	COMB6	Combination		3,519	0,609	-0,458	-0,1825	-2,409E-14	-0,8668 88-4
88	190	COMB6	Combination		-3,519	-0,609	0,458	-0,0352	2,252E-13	-0,8046 88-4
88	169	COMB7	Combination		0,532	0,057	-0,072	-0,0553	4,988E-14	-0,1609 88-4
88	190	COMB7	Combination		-0,532	-0,057	0,072	0,0211	-1,749E-14	-0,0918 88-4
88	169	COMB8	Combination		0,532	0,057	-0,072	-0,0553	4,988E-14	-0,1609 88-4

88	190	COMB8	Combination		-0,532	-0,057	0,072	0,0211	-1,749E-14	-0,0918 88-4
88	169	COMB9	Combination		3,479	0,642	-0,45	-0,1539	-6,531E-14	-0,8251 88-4
88	190	COMB9	Combination		-3,479	-0,642	0,45	-0,0598	2,623E-13	-0,8274 88-4
88	169	COMB10	Combination		-3,49	-0,648	0,452	0,143	1,073E-13	0,822 88-4
88	190	COMB10	Combination		3,49	0,648	-0,452	0,0715	-3,041E-13	0,8357 88-4
88	169	COMB11	Combination		-1,459	-0,312	0,185	0,0295	9,919E-14	0,3097 88-4
88	190	COMB11	Combination		1,459	0,312	-0,185	0,0586	-1,793E-13	0,3833 88-4
88	169	COMB12	Combination		5,51	0,978	-0,716	-0,2673	-7,341E-14	-1,3374 88-4
88	190	COMB12	Combination		-5,51	-0,978	0,716	-0,0727	3,871E-13	-1,2798 88-4
88	169	ENV	Combination	Max	5,51	0,978	0,452	0,143	1,073E-13	0,822 88-4
88	190	ENV	Combination	Max	3,49	0,648	0,716	0,0715	3,871E-13	0,8357 88-4
88	169	ENV	Combination	Min	-3,49	-0,648	-0,716	-0,2673	-7,341E-14	-1,3374 88-4
88	190	ENV	Combination	Min	-5,51	-0,978	-0,452	-0,0727	-3,041E-13	-1,2798 88-4
88	190	DEAD	LinStatic		-0,015	-0,0002361	0,002475	-0,0077	2,133E-14	-0,0078 88-5
88	197	DEAD	LinStatic		0,015	0,0002361	-0,002475	0,0089	-2,13E-14	0,0147 88-5
88	190	CM	LinStatic		0,031	0,001945	-0,068	-0,0836	6,043E-14	-0,0304 88-5
88	197	CM	LinStatic		-0,031	-0,001945	0,08	0,0485	-6,036E-14	0,0156 88-5
88	190	CV	LinStatic		0	0	0	0	0	0 88-5
88	197	CV	LinStatic		0	0	0	0	0	0 88-5
88	190	L	LinStatic		2,486	1,105	-0,343	-0,1516	-1,218E-13	-0,5108 88-5
88	197	L	LinStatic		-2,486	-1,105	0,343	-0,0114	1,216E-13	-0,6698 88-5
88	190	COMB1	Combination		4,228	1,944	-0,579	-0,2515	-2,215E-13	-0,867 88-5
88	197	COMB1	Combination		-4,228	-1,944	0,579	-0,0233	2,211E-13	-1,1412 88-5
88	190	COMB5	Combination		4,228	1,944	-0,579	-0,2515	-2,215E-13	-0,867 88-5
88	197	COMB5	Combination		-4,228	-1,944	0,579	-0,0233	2,211E-13	-1,1412 88-5
88	190	COMB6	Combination		4,228	1,944	-0,579	-0,2515	-2,215E-13	-0,867 88-5
88	197	COMB6	Combination		-4,228	-1,944	0,579	-0,0233	2,211E-13	-1,1412 88-5
88	190	COMB7	Combination		0,714	0,266	-0,103	-0,0671	2,063E-14	-0,1702 88-5
88	197	COMB7	Combination		-0,714	-0,266	0,103	0,0183	-2,057E-14	-0,169 88-5
88	190	COMB8	Combination		0,714	0,266	-0,103	-0,0671	2,063E-14	-0,1702 88-5
88	197	COMB8	Combination		-0,714	-0,266	0,103	0,0183	-2,057E-14	-0,169 88-5
88	190	COMB9	Combination		4,085	1,958	-0,552	-0,2228	-2,612E-13	-0,8208 88-5
88	197	COMB9	Combination		-4,085	-1,958	0,552	-0,0397	2,607E-13	-1,1195 88-5
88	190	COMB10	Combination		-4,114	-1,958	0,557	0,2074	3,038E-13	0,8053 88-5
88	197	COMB10	Combination		4,114	1,958	-0,557	0,0574	-3,033E-13	1,149 88-5
88	190	COMB11	Combination		-1,629	-0,853	0,214	0,0558	1,821E-13	0,2944 88-5
88	197	COMB11	Combination		1,629	0,853	-0,214	0,046	-1,817E-13	0,4792 88-5
88	190	COMB12	Combination		6,57	3,063	-0,896	-0,3744	-3,83E-13	-1,3316 88-5
88	197	COMB12	Combination		-6,57	-3,063	0,896	-0,0511	3,822E-13	-1,7893 88-5
88	190	ENV	Combination	Max	6,57	3,063	0,557	0,2074	3,038E-13	0,8053 88-5
88	197	ENV	Combination	Max	4,114	1,958	0,896	0,0574	3,822E-13	1,149 88-5
88	190	ENV	Combination	Min	-4,114	-1,958	-0,896	-0,3744	-3,83E-13	-1,3316 88-5
88	197	ENV	Combination	Min	-6,57	-3,063	-0,557	-0,0511	-3,033E-13	-1,7893 88-5
88	197	DEAD	LinStatic		0,401	0,00821	-0,068	-0,0136	2,317E-14	-0,0273 88-6
88	40	DEAD	LinStatic		-0,401	-0,00821	0,068	0	-4,478E-14	-0,0528 88-6
88	197	CM	LinStatic		1,052	0,036	-0,286	-0,0578	6,368E-14	-0,0645 88-6
88	40	CM	LinStatic		-1,052	-0,036	0,292	0	-1,265E-13	-0,1458 88-6
88	197	CV	LinStatic		0	0	0	0	0	0 88-6
88	40	CV	LinStatic		0	0	0	0	0	0 88-6
88	197	L	LinStatic		4,551	1,778	-0,693	-0,1386	-1,209E-13	-0,1888 88-6
88	40	L	LinStatic		-4,551	-1,778	0,693	0	-1,205E-13	-0,7214 88-6
88	197	COMB1	Combination		7,856	3,11	-1,193	-0,2387	-2,187E-13	-0,3471 88-6
88	40	COMB1	Combination		-7,856	-3,11	1,193	0	-1,982E-13	-1,2241 88-6
88	197	COMB5	Combination		7,856	3,11	-1,193	-0,2387	-2,187E-13	-0,3471 88-6
88	40	COMB5	Combination		-7,856	-3,11	1,193	0	-1,982E-13	-1,2241 88-6
88	197	COMB6	Combination		7,856	3,11	-1,193	-0,2387	-2,187E-13	-0,3471 88-6
88	40	COMB6	Combination		-7,856	-3,11	1,193	0	-1,982E-13	-1,2241 88-6
88	197	COMB7	Combination		2,047	0,462	-0,329	-0,0657	2,322E-14	-0,085 88-6
88	40	COMB7	Combination		-2,047	-0,462	0,329	0	-1,323E-13	-0,3244 88-6
88	197	COMB8	Combination		2,047	0,462	-0,329	-0,0657	2,322E-14	-0,085 88-6
88	40	COMB8	Combination		-2,047	-0,462	0,329	0	-1,323E-13	-0,3244 88-6
88	197	COMB9	Combination		7,179	3,097	-1,077	-0,2153	-2,59E-13	-0,3331 88-6
88	40	COMB9	Combination		-7,179	-3,097	1,077	0	-1,217E-13	-1,1026 88-6
88	197	COMB10	Combination		6,377	-3,08	0,941	0,1882	3,054E-13	0,2786 88-6
88	40	COMB10	Combination		6,377	3,08	-0,941	0	3,21E-14	0,9969 88-6
88	197	COMB11	Combination		-1,826	-1,303	0,248	0,0495	1,845E-13	0,0898 88-6
88	40	COMB11	Combination		1,826	1,303	-0,248	0	-8,838E-14	0,2755 88-6
88	197	COMB12	Combination		11,73	4,875	-1,77	-0,354	-3,799E-13	-0,5219 88-6
88	40	COMB12	Combination		-11,73	-4,875	1,77	0	-2,421E-13	-1,824 88-6
88	197	ENV	Combination	Max	11,73	4,875	0,941	0,1882	3,054E-13	0,2786 88-6
88	40	ENV	Combination	Max	6,377	3,08	1,77	0	3,21E-14	0,9969 88-6
88	197	ENV	Combination	Min	-6,377	-3,08	-1,77	-0,354	-3,799E-13	-0,5219 88-6
88	40	ENV	Combination	Min	-11,73	-4,875	-0,941	0	-2,421E-13	-1,824 88-6
89	15	DEAD	LinStatic		-0,019	0,011	-0,0001058	0	-3,831E-07	0,0138 89-1
89	51	DEAD	LinStatic		0,019	-0,011	0,0001058	-0,0001217	3,831E-07	0,0082 89-1
89	15	CM	LinStatic		0,00001772	-0,239	0,014	9,207E-20	0,000009934	-0,0006657 89-1
89	51	CM	LinStatic		-0,00001772	0,239	0,017	-0,0015	-0,000009934	0,0006453 89-1
89	15	CV	LinStatic		0	0	0	0	0	0 89-1
89	51	CV	LinStatic		0	0	0	0	0	0 89-1
89	15	L	LinStatic		0,255	0,283	0,012	-1,553E-16	-0,0168	-0,228 89-1

89	51	L	LinStatic	-0,255	-0,283	-0,012	0,014	0,0168	-0,065	89-1
89	15	COMB1	Combination	0,427	0,528	0,021	-2,733E-16	-0,0295	-0,3849	89-1
89	51	COMB1	Combination	-0,427	-0,528	-0,021	0,0242	0,0295	-0,1067	89-1
89	15	COMB5	Combination	0,427	0,528	0,021	-2,733E-16	-0,0295	-0,3849	89-1
89	51	COMB5	Combination	-0,427	-0,528	-0,021	0,0242	0,0295	-0,1067	89-1
89	15	COMB6	Combination	0,427	0,528	0,021	-2,733E-16	-0,0295	-0,3849	89-1
89	51	COMB6	Combination	-0,427	-0,528	-0,021	0,0242	0,0295	-0,1067	89-1
89	15	COMB7	Combination	0,044	0,059	0,003063	-3,732E-17	-0,004	-0,0436	89-1
89	51	COMB7	Combination	-0,044	-0,059	-0,003063	0,0035	0,004	-0,007	89-1
89	15	COMB8	Combination	0,044	0,059	0,003063	-3,732E-17	-0,004	-0,0436	89-1
89	51	COMB8	Combination	-0,044	-0,059	-0,003063	0,0035	0,004	-0,007	89-1
89	15	COMB9	Combination	0,428	0,558	0,021	-2,753E-16	-0,0297	-0,3844	89-1
89	51	COMB9	Combination	-0,428	-0,558	-0,021	0,024	0,0297	-0,1082	89-1
89	15	COMB10	Combination	-0,466	-0,536	-0,021	2,753E-16	0,0297	0,4119	89-1
89	51	COMB10	Combination	0,466	0,536	0,021	-0,0243	-0,0297	0,1245	89-1
89	15	COMB11	Combination	-0,212	-0,254	-0,008944	1,2E-16	0,013	0,1839	89-1
89	51	COMB11	Combination	0,212	0,254	0,008944	-0,0103	-0,013	0,0595	89-1
89	15	COMB12	Combination	0,683	0,841	0,033	-4,307E-16	-0,0465	-0,6124	89-1
89	51	COMB12	Combination	-0,683	-0,841	-0,033	0,038	0,0465	-0,1732	89-1
89	15	ENV	Combination	0,683	0,841	0,033	2,753E-16	0,0297	0,4119	89-1
89	51	ENV	Combination	0,466	0,536	0,021	0,038	0,0465	0,1245	89-1
89	15	ENV	Combination	-0,466	-0,536	-0,021	-4,307E-16	-0,0465	-0,6124	89-1
89	51	ENV	Combination	-0,683	-0,841	-0,033	-0,0243	-0,0297	-0,1732	89-1
89	51	DEAD	LinStatic	0,019	0,011	0,0001032	0,0001187	-3,831E-07	-0,0082	89-2
89	35	DEAD	LinStatic	-0,019	-0,011	-0,0001032	0	3,831E-07	-0,0137	89-2
89	51	CM	LinStatic	0,00001772	-0,239	0,017	0,0015	0,000009934	-0,0006491	89-2
89	35	CM	LinStatic	-0,00001772	0,239	0,014	9,207E-20	-0,000009934	0,0006287	89-2
89	51	CV	LinStatic	0	0	0	0	0	0	89-2
89	35	CV	LinStatic	0	0	0	0	0	0	89-2
89	51	L	LinStatic	0,255	-0,349	0,012	0,0133	-0,0168	-0,0641	89-2
89	35	L	LinStatic	-0,255	0,349	-0,012	-1,553E-16	0,0168	-0,2289	89-2
89	51	COMB1	Combination	0,466	-0,582	0,021	0,0237	-0,0295	-0,1204	89-2
89	35	COMB1	Combination	-0,466	0,582	-0,021	-2,733E-16	0,0295	-0,415	89-2
89	51	COMB5	Combination	0,466	-0,582	0,021	0,0237	-0,0295	-0,1204	89-2
89	35	COMB5	Combination	-0,466	0,582	-0,021	-2,733E-16	0,0295	-0,415	89-2
89	51	COMB6	Combination	0,466	-0,582	0,021	0,0237	-0,0295	-0,1204	89-2
89	35	COMB6	Combination	-0,466	0,582	-0,021	-2,733E-16	0,0295	-0,415	89-2
89	51	COMB7	Combination	0,082	-0,093	0,002687	0,0031	-0,004	-0,0242	89-2
89	35	COMB7	Combination	-0,082	0,093	-0,002687	-3,732E-17	0,004	-0,0703	89-2
89	51	COMB8	Combination	0,082	-0,093	0,002687	0,0031	-0,004	-0,0242	89-2
89	35	COMB8	Combination	-0,082	0,093	-0,002687	-3,732E-17	0,004	-0,0703	89-2
89	51	COMB9	Combination	0,466	-0,559	0,021	0,0241	-0,0297	-0,1204	89-2
89	35	COMB9	Combination	-0,466	0,559	-0,021	-2,753E-16	0,0297	-0,416	89-2
89	51	COMB10	Combination	-0,428	0,581	-0,021	-0,0239	0,0297	0,1041	89-2
89	35	COMB10	Combination	0,428	-0,581	0,021	2,753E-16	-0,0297	0,3885	89-2
89	51	COMB11	Combination	-0,174	0,232	-0,009244	-0,0106	0,013	0,04	89-2
89	35	COMB11	Combination	0,174	-0,232	0,009244	1,2E-16	-0,013	0,1596	89-2
89	51	COMB12	Combination	0,721	-0,907	0,033	0,0374	-0,0465	-0,1845	89-2
89	35	COMB12	Combination	-0,721	0,907	-0,033	-4,307E-16	0,0465	-0,6449	89-2
89	51	ENV	Combination	0,721	0,581	0,033	0,0374	0,0297	0,1041	89-2
89	35	ENV	Combination	0,428	0,907	0,021	2,753E-16	0,0465	0,3885	89-2
89	51	ENV	Combination	-0,428	-0,907	-0,021	-0,0239	-0,0465	-0,1845	89-2
89	35	ENV	Combination	-0,721	-0,581	-0,033	-4,307E-16	-0,0297	-0,6449	89-2
90	51	DEAD	LinStatic	0	-0,00006293	-0,0002091	0,000002985	0	-0,00001676	90-1
90	52	DEAD	LinStatic	0	0,00006293	0,0002091	0,00002193	0	0,00001676	90-1
90	51	CM	LinStatic	0	0,00002457	-0,033	-0,000001497	0	0,000003819	90-1
90	52	CM	LinStatic	0	-0,00002457	0,044	-0,000008233	0	-0,000003819	90-1
90	51	CV	LinStatic	0	0	0	0	0	0	90-1
90	52	CV	LinStatic	0	0	0	0	0	0	90-1
90	51	L	LinStatic	0	0,632	0,000643	-0,0273	0	0,1292	90-1
90	52	L	LinStatic	0	-0,632	-0,000643	-0,2228	0	-0,1292	90-1
90	51	COMB1	Combination	0	1,11	0,0004915	-0,0479	0	0,2271	90-1
90	52	COMB1	Combination	0	-1,11	-0,0004915	-0,3917	0	-0,2271	90-1
90	51	COMB5	Combination	0	1,11	0,0004915	-0,0479	0	0,2271	90-1
90	52	COMB5	Combination	0	-1,11	-0,0004915	-0,3917	0	-0,2271	90-1
90	51	COMB6	Combination	0	1,11	0,0004915	-0,0479	0	0,2271	90-1
90	52	COMB6	Combination	0	-1,11	-0,0004915	-0,3917	0	-0,2271	90-1
90	51	COMB7	Combination	0	0,153	0,0003765	-0,0066	0	0,0312	90-1
90	52	COMB7	Combination	0	-0,153	-0,0003765	-0,0538	0	-0,0312	90-1
90	51	COMB8	Combination	0	0,153	0,0003765	-0,0066	0	0,0312	90-1
90	52	COMB8	Combination	0	-0,153	-0,0003765	-0,0538	0	-0,0312	90-1
90	51	COMB9	Combination	0	1,117	-0,00007493	-0,0482	0	0,2286	90-1
90	52	COMB9	Combination	0	-1,117	0,00007493	-0,3942	0	-0,2286	90-1
90	51	COMB10	Combination	0	-1,117	-0,0003432	0,0482	0	-0,2286	90-1
90	52	COMB10	Combination	0	1,117	0,0003432	0,3943	0	0,2286	90-1
90	51	COMB11	Combination	0	-0,486	0,0002999	0,0209	0	-0,0995	90-1
90	52	COMB11	Combination	0	0,486	-0,0002999	0,1715	0	0,0995	90-1
90	51	COMB12	Combination	0	1,749	0,0005681	-0,0754	0	0,3577	90-1
90	52	COMB12	Combination	0	-1,749	-0,0005681	-0,617	0	-0,3577	90-1
90	51	ENV	Combination	0	1,749	0,0005681	0,0482	0	0,3577	90-1

90	52	ENV	Combination	Max	0	1,117	0,0003432	0,3943	0	0,2286	90-1
90	51	ENV	Combination	Min	0	-1,117	-0,0003432	-0,0754	0	-0,2286	90-1
90	52	ENV	Combination	Min	0	-1,749	-0,0005681	-0,617	0	-0,3577	90-1
91	208	DEAD	LinStatic		-0,018	-0,002479	0,002543	-0,0007745	0,0003642	-0,0036	91-1
91	50	DEAD	LinStatic		0,018	0,002479	-0,002543	-0,0003649	0,0017	-0,0022	91-1
91	208	CM	LinStatic		-0,065	-0,002876	0,046	-0,0026	-0,0177	-0,0052	91-1
91	50	CM	LinStatic		0,065	0,002876	0,018	0,0013	0,0138	-0,0016	91-1
91	208	CV	LinStatic		0	0	0	0	0	0	91-1
91	50	CV	LinStatic		0	0	0	0	0	0	91-1
91	208	L	LinStatic		-0,0013	0,042	-0,002194	0,0322	-0,0041	-0,0349	91-1
91	50	L	LinStatic		0,0013	-0,042	0,002194	-0,0127	0,0099	0,135	91-1
91	208	COMB1	Combination		-0,02	0,074	0,000148	0,058	-0,0081	-0,0625	91-1
91	50	COMB1	Combination		0,02	-0,074	-0,000148	-0,0239	0,0171	0,2382	91-1
91	208	COMB5	Combination		-0,02	0,074	0,000148	0,058	-0,0081	-0,0625	91-1
91	50	COMB5	Combination		0,02	-0,074	-0,000148	-0,0239	0,0171	0,2382	91-1
91	208	COMB6	Combination		-0,02	0,074	0,000148	0,058	-0,0081	-0,0625	91-1
91	50	COMB6	Combination		0,02	-0,074	-0,000148	-0,0239	0,0171	0,2382	91-1
91	208	COMB7	Combination		-0,018	0,005418	0,0005511	0,0048	0,0006611	-0,0146	91-1
91	50	COMB7	Combination		0,018	-0,005418	-0,0005511	-0,0023	0,0061	0,0275	91-1
91	208	COMB8	Combination		-0,018	0,005418	0,0005511	0,0048	0,0006611	-0,0146	91-1
91	50	COMB8	Combination		0,018	-0,005418	-0,0005511	-0,0023	0,0061	0,0275	91-1
91	208	COMB9	Combination		-0,021	0,078	0,002073	0,0614	-0,0099	-0,0595	91-1
91	50	COMB9	Combination		0,021	-0,078	-0,002073	-0,0257	0,0145	0,2436	91-1
91	208	COMB10	Combination		-0,014	-0,083	0,003014	-0,0629	0,0106	0,0522	91-1
91	50	COMB10	Combination		0,014	0,083	-0,003014	0,0249	-0,0111	-0,2481	91-1
91	208	COMB11	Combination		-0,016	-0,04	0,0008199	-0,0308	0,0065	0,0173	91-1
91	50	COMB11	Combination		0,016	0,04	-0,0008199	0,0122	-0,0012	-0,113	91-1
91	208	COMB12	Combination		-0,022	0,12	-0,0001207	0,0935	-0,014	-0,0944	91-1
91	50	COMB12	Combination		0,022	-0,12	0,0001207	-0,0384	0,0244	0,3786	91-1
91	208	ENV	Combination	Max	-0,014	0,12	0,003014	0,0935	0,0106	0,0522	91-1
91	50	ENV	Combination	Max	0,022	0,083	0,0001207	0,0249	0,0244	0,3786	91-1
91	208	ENV	Combination	Min	-0,022	-0,083	-0,0001207	-0,0629	-0,014	-0,0944	91-1
91	50	ENV	Combination	Min	0,014	-0,12	-0,003014	-0,0384	-0,0111	-0,2481	91-1
92	23	DEAD	LinStatic		-0,059	0,00801	0,001324	0,0002462	0,0056	0,0101	92-1
92	209	DEAD	LinStatic		0,059	-0,00801	-0,001324	0,0009237	0,0018	-0,0024	92-1
92	23	CM	LinStatic		0,19	-0,0001908	-0,068	-0,004	0,0247	0,0043	92-1
92	209	CM	LinStatic		-0,19	0,0001908	0,094	0,004	0,0257	-0,0045	92-1
92	23	CV	LinStatic		0	0	0	0	0	0	92-1
92	209	CV	LinStatic		0	0	0	0	0	0	92-1
92	23	L	LinStatic		-0,006261	0,041	-0,002566	0,0217	0,0082	0,0192	92-1
92	209	L	LinStatic		0,006261	-0,041	0,002566	-0,0157	-0,0048	0,0204	92-1
92	23	COMB1	Combination		-0,073	0,087	0,001754	0,0409	0,0168	0,0474	92-1
92	209	COMB1	Combination		0,073	-0,087	-0,001754	-0,0282	-0,0077	0,0361	92-1
92	23	COMB5	Combination		-0,073	0,087	0,001754	0,0409	0,0168	0,0474	92-1
92	209	COMB5	Combination		0,073	-0,087	-0,001754	-0,0282	-0,0077	0,0361	92-1
92	23	COMB6	Combination		-0,073	0,087	0,001754	0,0409	0,0168	0,0474	92-1
92	209	COMB6	Combination		0,073	-0,087	-0,001754	-0,0282	-0,0077	0,0361	92-1
92	23	COMB7	Combination		-0,057	0,012	-0,004236	0,0031	0,0108	0,0112	92-1
92	209	COMB7	Combination		0,057	-0,012	0,004236	-0,0014	0,0017	0,00002515	92-1
92	23	COMB8	Combination		-0,057	0,012	-0,004236	0,0031	0,0108	0,0112	92-1
92	209	COMB8	Combination		0,057	-0,012	0,004236	-0,0014	0,0017	0,00002515	92-1
92	23	COMB9	Combination		-0,078	0,095	0,008313	0,0444	0,0126	0,0523	92-1
92	209	COMB9	Combination		0,078	-0,095	-0,008313	-0,0304	-0,0092	0,0397	92-1
92	23	COMB10	Combination		-0,04	-0,079	-0,005664	-0,0439	-0,0015	-0,0321	92-1
92	209	COMB10	Combination		0,04	0,079	0,005664	0,0323	0,0127	-0,0445	92-1
92	23	COMB11	Combination		-0,046	-0,038	-0,00823	-0,0221	0,0067	-0,0129	92-1
92	209	COMB11	Combination		0,046	0,038	0,00823	0,0165	0,0079	-0,024	92-1
92	23	COMB12	Combination		-0,084	0,137	0,005747	0,0661	0,0208	0,0714	92-1
92	209	COMB12	Combination		0,084	-0,137	-0,005747	-0,0461	-0,014	0,0601	92-1
92	23	ENV	Combination	Max	-0,04	0,137	0,008313	0,0661	0,0208	0,0714	92-1
92	209	ENV	Combination	Max	0,084	0,079	0,00823	0,0323	0,0127	0,0601	92-1
92	23	ENV	Combination	Min	-0,084	-0,079	-0,00823	-0,0439	-0,0015	-0,0321	92-1
92	209	ENV	Combination	Min	0,04	-0,137	-0,008313	-0,0461	-0,014	-0,0445	92-1
93	12	DEAD	LinStatic		-0,079	0,026	-0,023	0	2,81E-16	0,0155	93-1
93	182	DEAD	LinStatic		0,079	-0,026	0,023	-0,0045	-5,484E-15	0,0002924	93-1
93	12	CM	LinStatic		-0,125	0,182	0,137	0	8,883E-18	0,0328	93-1
93	182	CM	LinStatic		0,125	-0,182	-0,131	0,0268	-1,133E-15	-0,0078	93-1
93	12	CV	LinStatic		0	0	0	0	0	0	93-1
93	182	CV	LinStatic		0	0	0	0	0	0	93-1
93	12	L	LinStatic		4,312	0,454	-0,507	0	-2,663E-15	-0,6799	93-1
93	182	L	LinStatic		-4,312	-0,454	0,507	-0,1013	2,149E-13	-0,1825	93-1
93	12	COMB1	Combination		7,977	0,773	-0,917	0	-2,774E-15	-1,2721	93-1
93	182	COMB1	Combination		-7,977	-0,773	0,917	-0,1835	3,969E-13	-0,3233	93-1
93	12	COMB5	Combination		7,977	0,773	-0,917	0	-2,774E-15	-1,2721	93-1
93	182	COMB5	Combination		-7,977	-0,773	0,917	-0,1835	3,969E-13	-0,3233	93-1
93	12	COMB6	Combination		7,977	0,773	-0,917	0	-2,774E-15	-1,2721	93-1
93	182	COMB6	Combination		-7,977	-0,773	0,917	-0,1835	3,969E-13	-0,3233	93-1
93	12	COMB7	Combination		0,489	0,188	-0,141	0	-1,99E-15	-0,0567	93-1
93	182	COMB7	Combination		-0,489	-0,188	0,141	-0,0282	2,193E-14	-0,0412	93-1
93	12	COMB8	Combination		0,489	0,188	-0,141	0	-1,99E-15	-0,0567	93-1

93	182	COMB8	Combination		-0,489	-0,188	0,141	-0,0282	2,193E-14	-0,0412 93-1
93	12	COMB9	Combination		8,657	0,709	-0,929	0	-6,336E-16	-1,4025 93-1
93	182	COMB9	Combination		-8,657	-0,709	0,929	-0,1857	4,32E-13	-0,3289 93-1
93	12	COMB10	Combination		-8,815	-0,656	0,883	0	1,196E-15	1,4335 93-1
93	182	COMB10	Combination		8,815	0,656	-0,883	0,1767	-4,43E-13	0,3295 93-1
93	12	COMB11	Combination		-4,503	-0,202	0,377	0	-1,468E-15	0,7536 93-1
93	182	COMB11	Combination		4,503	0,202	-0,377	0,0754	-2,281E-13	0,1469 93-1
93	12	COMB12	Combination		12,969	1,163	-1,435	0	-3,297E-15	-2,0824 93-1
93	182	COMB12	Combination		-12,969	-1,163	1,435	-0,287	6,469E-13	-0,5114 93-1
93	12	ENV	Combination	Max	12,969	1,163	0,883	0	1,196E-15	1,4335 93-1
93	182	ENV	Combination	Max	8,815	0,656	1,435	0,1767	6,469E-13	0,3295 93-1
93	12	ENV	Combination	Min	-8,815	-0,656	-1,435	0	-3,297E-15	-2,0824 93-1
93	182	ENV	Combination	Min	-12,969	-1,163	-0,883	-0,287	-4,43E-13	-0,5114 93-1
93	182	DEAD	LinStatic		-0,038	0,035	0,003043	0,004	5,107E-15	0,009 93-2
93	175	DEAD	LinStatic		0,038	-0,035	-0,003043	-0,0025	-5,107E-15	0,0093 93-2
93	182	CM	LinStatic		-0,191	0,209	0,142	-0,0193	1,117E-15	0,0538 93-2
93	175	CM	LinStatic		0,191	-0,209	-0,129	0,0835	-1,117E-15	0,0371 93-2
93	182	CV	LinStatic		0	0	0	0	0	0 93-2
93	175	CV	LinStatic		0	0	0	0	0	0 93-2
93	182	L	LinStatic		3,698	0,312	-0,45	-0,0972	-2,136E-13	-1,0311 93-2
93	175	L	LinStatic		-3,698	-0,312	0,45	-0,1163	2,136E-13	-0,7253 93-2
93	182	COMB1	Combination		6,763	0,522	-0,807	-0,16	-3,958E-13	-1,876 93-2
93	175	COMB1	Combination		-6,763	-0,522	0,807	-0,2234	3,958E-13	-1,3364 93-2
93	182	COMB5	Combination		6,763	0,522	-0,807	-0,16	-3,958E-13	-1,876 93-2
93	175	COMB5	Combination		-6,763	-0,522	0,807	-0,2234	3,958E-13	-1,3364 93-2
93	182	COMB6	Combination		6,763	0,522	-0,807	-0,16	-3,958E-13	-1,876 93-2
93	175	COMB6	Combination		-6,763	-0,522	0,807	-0,2234	3,958E-13	-1,3364 93-2
93	182	COMB7	Combination		0,555	0,172	-0,086	-0,0265	-2,118E-14	-0,1682 93-2
93	175	COMB7	Combination		-0,555	-0,172	0,086	-0,0143	2,118E-14	-0,0956 93-2
93	182	COMB8	Combination		0,555	0,172	-0,086	-0,0265	-2,118E-14	-0,1682 93-2
93	175	COMB8	Combination		-0,555	-0,172	0,086	-0,0143	2,118E-14	-0,0956 93-2
93	182	COMB9	Combination		7,204	0,443	-0,838	-0,1517	-4,32E-13	-1,9835 93-2
93	175	COMB9	Combination		-7,204	-0,443	0,838	-0,2465	4,32E-13	-1,4383 93-2
93	182	COMB10	Combination		-7,281	-0,373	0,844	0,1597	4,422E-13	2,0014 93-2
93	175	COMB10	Combination		7,281	0,373	-0,844	0,2414	-4,422E-13	1,4569 93-2
93	182	COMB11	Combination		-3,583	-0,061	0,395	0,0625	2,286E-13	0,9703 93-2
93	175	COMB11	Combination		3,583	0,061	-0,395	0,125	-2,286E-13	0,7316 93-2
93	182	COMB12	Combination		10,901	0,755	-1,288	-0,2489	-6,456E-13	-3,0146 93-2
93	175	COMB12	Combination		-10,901	-0,755	1,288	-0,3628	6,456E-13	-2,1636 93-2
93	182	ENV	Combination	Max	10,901	0,755	0,844	0,1597	4,422E-13	2,0014 93-2
93	175	ENV	Combination	Max	7,281	0,373	1,288	0,2414	6,456E-13	1,4569 93-2
93	182	ENV	Combination	Min	-7,281	-0,373	-1,288	-0,2489	-6,456E-13	-3,0146 93-2
93	175	ENV	Combination	Min	-10,901	-0,755	-0,844	-0,3628	-4,422E-13	-2,1636 93-2
93	175	DEAD	LinStatic		-0,002861	0,036	0,0000543	0,0026	-4,886E-15	-0,0027 93-3
93	168	DEAD	LinStatic		0,002861	-0,036	-0,0000543	-0,0025	5,106E-15	0,0041 93-3
93	175	CM	LinStatic		-0,025	0,216	0,048	-0,077	1,953E-15	0,0005879 93-3
93	168	CM	LinStatic		0,025	-0,216	-0,035	0,0967	-5,239E-16	0,0113 93-3
93	175	CV	LinStatic		0	0	0	0	0	0 93-3
93	168	CV	LinStatic		0	0	0	0	0	0 93-3
93	175	L	LinStatic		3,296	0,184	-0,422	-0,1125	-2,705E-13	-0,8157 93-3
93	168	L	LinStatic		-3,296	-0,184	0,422	-0,088	8,296E-14	-0,75 93-3
93	175	COMB1	Combination		5,883	0,294	-0,749	-0,1781	-4,723E-13	-1,4341 93-3
93	168	COMB1	Combination		-5,883	-0,294	0,749	-0,1775	1,377E-13	-1,3603 93-3
93	175	COMB5	Combination		5,883	0,294	-0,749	-0,1781	-4,723E-13	-1,4341 93-3
93	168	COMB5	Combination		-5,883	-0,294	0,749	-0,1775	1,377E-13	-1,3603 93-3
93	175	COMB6	Combination		5,883	0,294	-0,749	-0,1781	-4,723E-13	-1,4341 93-3
93	168	COMB6	Combination		-5,883	-0,294	0,749	-0,1775	1,377E-13	-1,3603 93-3
93	175	COMB7	Combination		0,703	0,145	-0,095	-0,0417	-7,84E-14	-0,2027 93-3
93	168	COMB7	Combination		-0,703	-0,145	0,095	-0,0036	3,839E-14	-0,1314 93-3
93	175	COMB8	Combination		0,703	0,145	-0,095	-0,0417	-7,84E-14	-0,2027 93-3
93	168	COMB8	Combination		-0,703	-0,145	0,095	-0,0036	3,839E-14	-0,1314 93-3
93	175	COMB9	Combination		6,04	0,209	-0,762	-0,1565	-4,644E-13	-1,4394 93-3
93	168	COMB9	Combination		-6,04	-0,209	0,762	-0,2055	1,21E-13	-1,4297 93-3
93	175	COMB10	Combination		-6,046	-0,137	0,762	0,1616	4,547E-13	1,4339 93-3
93	168	COMB10	Combination		6,046	0,137	-0,762	0,2004	-1,108E-13	1,4379 93-3
93	175	COMB11	Combination		-2,75	0,046	0,34	0,0492	1,842E-13	0,6183 93-3
93	168	COMB11	Combination		2,75	-0,046	-0,34	0,1124	-2,785E-14	0,6879 93-3
93	175	COMB12	Combination		9,336	0,393	-1,184	-0,269	-7,349E-13	-2,255 93-3
93	168	COMB12	Combination		-9,336	-0,393	1,184	-0,2935	2,04E-13	-2,1796 93-3
93	175	ENV	Combination	Max	9,336	0,393	0,762	0,1616	4,547E-13	1,4339 93-3
93	168	ENV	Combination	Max	6,046	0,137	1,184	0,2004	2,04E-13	1,4379 93-3
93	175	ENV	Combination	Min	-6,046	-0,137	-1,184	-0,269	-7,349E-13	-2,255 93-3
93	168	ENV	Combination	Min	-9,336	-0,393	-0,762	-0,2935	-1,108E-13	-2,1796 93-3
93	168	DEAD	LinStatic		0,002956	0,036	-0,00003148	0,0025	-5,364E-15	-0,0041 93-4
93	189	DEAD	LinStatic		-0,002956	-0,036	0,00003148	-0,0025	5,542E-15	0,0027 93-4
93	168	CM	LinStatic		0,025	0,216	-0,035	-0,0967	5,288E-16	-0,0112 93-4
93	189	CM	LinStatic		-0,025	-0,216	0,048	0,077	8,793E-16	-0,0005521 93-4
93	168	CV	LinStatic		0	0	0	0	0	0 93-4
93	189	CV	LinStatic		0	0	0	0	0	0 93-4
93	168	L	LinStatic		3,521	0,048	-0,437	-0,1368	-8,363E-14	-0,873 93-4

93	189	L	LinStatic	-3,521	-0,048	0,437	-0,0706	2,838E-13	-0,7996 93-4
93	168	COMB1	Combination	6,117	0,053	-0,764	-0,2186	-1,386E-13	-1,4993 93-4
93	189	COMB1	Combination	-6,117	-0,053	0,764	-0,1443	4,863E-13	-1,4064 93-4
93	168	COMB5	Combination	6,117	0,053	-0,764	-0,2186	-1,386E-13	-1,4993 93-4
93	189	COMB5	Combination	-6,117	-0,053	0,764	-0,1443	4,863E-13	-1,4064 93-4
93	168	COMB6	Combination	6,117	0,053	-0,764	-0,2186	-1,386E-13	-1,4993 93-4
93	189	COMB6	Combination	-6,117	-0,053	0,764	-0,1443	4,863E-13	-1,4064 93-4
93	168	COMB7	Combination	0,931	0,114	-0,109	-0,0499	-3,943E-14	-0,255 93-4
93	189	COMB7	Combination	-0,931	-0,114	0,109	-0,0019	9,236E-14	-0,1874 93-4
93	168	COMB8	Combination	0,931	0,114	-0,109	-0,0499	-3,943E-14	-0,255 93-4
93	189	COMB8	Combination	-0,931	-0,114	0,109	-0,0019	9,236E-14	-0,1874 93-4
93	168	COMB9	Combination	6,053	-0,034	-0,764	-0,1943	-1,21E-13	-1,4558 93-4
93	189	COMB9	Combination	-6,053	0,034	0,764	-0,1687	4,652E-13	-1,4195 93-4
93	168	COMB10	Combination	-6,047	0,106	0,764	0,1993	1,103E-13	1,4476 93-4
93	189	COMB10	Combination	6,047	-0,106	-0,764	0,1636	-4,541E-13	1,4249 93-4
93	168	COMB11	Combination	-2,526	0,154	0,327	0,0625	2,665E-14	0,5746 93-4
93	189	COMB11	Combination	2,526	-0,154	-0,327	0,093	-1,703E-13	0,6253 93-4
93	168	COMB12	Combination	9,575	0,013	-1,201	-0,331	-2,046E-13	-2,3289 93-4
93	189	COMB12	Combination	-9,575	-0,013	1,201	-0,2392	7,49E-13	-2,2191 93-4
93	168	ENV	Combination	9,575	0,154	0,764	0,1993	1,103E-13	1,4476 93-4
93	189	ENV	Combination	6,047	0,034	1,201	0,1636	7,49E-13	1,4249 93-4
93	168	ENV	Combination	-6,047	-0,034	-1,201	-0,331	-2,046E-13	-2,3289 93-4
93	189	ENV	Combination	-9,575	-0,154	-0,764	-0,2392	-4,541E-13	-2,2191 93-4
93	189	DEAD	LinStatic	0,039	0,035	-0,003028	0,0025	-5,436E-15	-0,0093 93-5
93	196	DEAD	LinStatic	-0,039	-0,035	0,003028	-0,004	5,445E-15	-0,009 93-5
93	189	CM	LinStatic	0,191	0,209	-0,129	-0,0835	-8,983E-16	-0,037 93-5
93	196	CM	LinStatic	-0,191	-0,209	0,142	0,0192	8,497E-16	-0,0537 93-5
93	189	CV	LinStatic	0	0	0	0	0	0 93-5
93	196	CV	LinStatic	0	0	0	0	0	0 93-5
93	189	L	LinStatic	4,51	-0,089	-0,505	-0,1544	-2,831E-13	-0,9145 93-5
93	196	L	LinStatic	-4,51	0,089	0,505	-0,0854	2,826E-13	-1,2276 93-5
93	189	COMB1	Combination	7,739	-0,186	-0,877	-0,2546	-4,856E-13	-1,5647 93-5
93	196	COMB1	Combination	-7,739	0,186	0,877	-0,1621	4,844E-13	-2,1113 93-5
93	189	COMB5	Combination	7,739	-0,186	-0,877	-0,2546	-4,856E-13	-1,5647 93-5
93	196	COMB5	Combination	-7,739	0,186	0,877	-0,1621	4,844E-13	-2,1113 93-5
93	189	COMB6	Combination	7,739	-0,186	-0,877	-0,2546	-4,856E-13	-1,5647 93-5
93	196	COMB6	Combination	-7,739	0,186	0,877	-0,1621	4,844E-13	-2,1113 93-5
93	189	COMB7	Combination	1,358	0,079	-0,138	-0,0491	-9,152E-14	-0,2831 93-5
93	196	COMB7	Combination	-1,358	-0,079	0,138	-0,0166	9,164E-14	-0,3619 93-5
93	189	COMB8	Combination	1,358	0,079	-0,138	-0,0491	-9,152E-14	-0,2831 93-5
93	196	COMB8	Combination	-1,358	-0,079	0,138	-0,0166	9,164E-14	-0,3619 93-5
93	189	COMB9	Combination	7,483	-0,274	-0,865	-0,2373	-4,652E-13	-1,5046 93-5
93	196	COMB9	Combination	-7,483	0,274	0,865	-0,1737	4,637E-13	-2,05 93-5
93	189	COMB10	Combination	-7,406	0,344	0,859	0,2423	4,544E-13	1,4859 93-5
93	196	COMB10	Combination	7,406	-0,344	-0,859	0,1658	-4,528E-13	2,032 93-5
93	189	COMB11	Combination	-2,896	0,256	0,354	0,0879	1,712E-13	0,5713 93-5
93	196	COMB11	Combination	2,896	-0,256	-0,354	0,0804	-1,702E-13	0,8044 93-5
93	189	COMB12	Combination	11,993	-0,363	-1,37	-0,3917	-7,484E-13	-2,4191 93-5
93	196	COMB12	Combination	-11,993	0,363	1,37	-0,2591	7,463E-13	-3,2776 93-5
93	189	ENV	Combination	11,993	0,344	0,859	0,2423	4,544E-13	1,4859 93-5
93	196	ENV	Combination	7,406	0,363	1,37	0,1658	7,463E-13	2,032 93-5
93	189	ENV	Combination	-7,406	-0,363	-1,37	-0,3917	-7,484E-13	-2,4191 93-5
93	196	ENV	Combination	-11,993	-0,344	-0,859	-0,2591	-4,528E-13	-3,2776 93-5
93	196	DEAD	LinStatic	0,08	0,027	0,022	0,0045	-5,309E-15	-0,0002787 93-6
93	36	DEAD	LinStatic	-0,08	-0,027	-0,022	0	-1,024E-16	-0,0158 93-6
93	196	CM	LinStatic	0,12	0,181	-0,131	-0,0267	-8,842E-16	0,0079 93-6
93	36	CM	LinStatic	-0,12	-0,181	0,136	0	2,23E-17	-0,032 93-6
93	196	CV	LinStatic	0	0	0	0	0	0 93-6
93	36	CV	LinStatic	0	0	0	0	0	0 93-6
93	196	L	LinStatic	5,557	-0,271	-0,468	-0,0937	-2,808E-13	-0,1778 93-6
93	36	L	LinStatic	-5,557	0,271	0,468	0	6,983E-16	-0,9335 93-6
93	196	COMB1	Combination	9,541	-0,507	-0,809	-0,1617	-4,824E-13	-0,3162 93-6
93	36	COMB1	Combination	-9,541	0,507	0,809	0	4,747E-16	-1,592 93-6
93	196	COMB5	Combination	9,541	-0,507	-0,809	-0,1617	-4,824E-13	-0,3162 93-6
93	36	COMB5	Combination	-9,541	0,507	0,809	0	4,747E-16	-1,592 93-6
93	196	COMB6	Combination	9,541	-0,507	-0,809	-0,1617	-4,824E-13	-0,3162 93-6
93	36	COMB6	Combination	-9,541	0,507	0,809	0	4,747E-16	-1,592 93-6
93	196	COMB7	Combination	1,732	0,019	-0,083	-0,0167	-9,986E-14	-0,04 93-6
93	36	COMB7	Combination	-1,732	-0,019	0,083	0	7,172E-16	-0,3064 93-6
93	196	COMB8	Combination	1,732	0,019	-0,083	-0,0167	-9,986E-14	-0,04 93-6
93	36	COMB8	Combination	-1,732	-0,019	0,083	0	7,172E-16	-0,3064 93-6
93	196	COMB9	Combination	9,191	-0,587	-0,824	-0,1647	-4,632E-13	-0,3225 93-6
93	36	COMB9	Combination	-9,191	0,587	0,824	0	-3,852E-16	-1,5157 93-6
93	196	COMB10	Combination	-9,031	0,64	0,869	0,1737	4,526E-13	0,322 93-6
93	36	COMB10	Combination	9,031	-0,64	-0,869	0	1,804E-16	1,4841 93-6
93	196	COMB11	Combination	-3,474	0,369	0,4	0,08	1,718E-13	0,1441 93-6
93	36	COMB11	Combination	3,474	-0,369	-0,4	0	8,788E-16	0,5507 93-6
93	196	COMB12	Combination	14,748	-0,858	-1,292	-0,2584	-7,44E-13	-0,5004 93-6
93	36	COMB12	Combination	-14,748	0,858	1,292	0	3,131E-16	-2,4491 93-6
93	196	ENV	Combination	14,748	0,64	0,869	0,1737	4,526E-13	0,322 93-6

93	36	ENV	Combination	Max	9,031	0,858	1,292	0	8,788E-16	1,4841	93-6
93	196	ENV	Combination	Min	-9,031	-0,858	-1,292	-0,2584	-7,44E-13	-0,5004	93-6
93	36	ENV	Combination	Min	-14,748	-0,64	-0,869	0	-3,852E-16	-2,4491	93-6
94	13	DEAD	LinStatic		-0,023	0,025	-0,0001861	0	0,00001862	0,0149	94-1
94	53	DEAD	LinStatic		0,023	-0,025	0,0001861	-0,000214	-0,00001862	0,011	94-1
94	13	CM	LinStatic		0,0001402	-0,174	0,013	0	-0,00006113	-0,0019	94-1
94	53	CM	LinStatic		-0,0001402	0,174	0,017	-0,0021	0,00006113	0,0018	94-1
94	13	CV	LinStatic		0	0	0	0	0	0	94-1
94	53	CV	LinStatic		0	0	0	0	0	0	94-1
94	13	L	LinStatic		0,332	0,223	0,008457	0	-0,0198	-0,3041	94-1
94	53	L	LinStatic		-0,332	-0,223	-0,008457	0,0097	0,0198	-0,0777	94-1
94	13	COMB1	Combination		0,56	0,435	0,015	0	-0,0346	-0,5179	94-1
94	53	COMB1	Combination		-0,56	-0,435	-0,015	0,0167	0,0346	-0,1264	94-1
94	13	COMB5	Combination		0,56	0,435	0,015	0	-0,0346	-0,5179	94-1
94	53	COMB5	Combination		-0,56	-0,435	-0,015	0,0167	0,0346	-0,1264	94-1
94	13	COMB6	Combination		0,56	0,435	0,015	0	-0,0346	-0,5179	94-1
94	53	COMB6	Combination		-0,56	-0,435	-0,015	0,0167	0,0346	-0,1264	94-1
94	13	COMB7	Combination		0,059	0,062	0,002003	0	-0,0049	-0,0606	94-1
94	53	COMB7	Combination		-0,059	-0,062	-0,002003	0,0023	0,0049	-0,0069	94-1
94	13	COMB8	Combination		0,059	0,062	0,002003	0	-0,0049	-0,0606	94-1
94	53	COMB8	Combination		-0,059	-0,062	-0,002003	0,0023	0,0049	-0,0069	94-1
94	13	COMB9	Combination		0,563	0,46	0,014	0	-0,0347	-0,5186	94-1
94	53	COMB9	Combination		-0,563	-0,46	-0,014	0,0166	0,0347	-0,1283	94-1
94	13	COMB10	Combination		-0,608	-0,409	-0,015	0	0,0347	0,5484	94-1
94	53	COMB10	Combination		0,608	0,409	0,015	-0,017	-0,0347	0,1504	94-1
94	13	COMB11	Combination		-0,276	-0,186	-0,006354	0	0,0149	0,2443	94-1
94	53	COMB11	Combination		0,276	0,186	0,006354	-0,0073	-0,0149	0,0727	94-1
94	13	COMB12	Combination		0,895	0,683	0,023	0	-0,0544	-0,8227	94-1
94	53	COMB12	Combination		-0,895	-0,683	-0,023	0,0263	0,0544	-0,206	94-1
94	13	ENV	Combination	Max	0,895	0,683	0,023	0	0,0347	0,5484	94-1
94	53	ENV	Combination	Max	0,608	0,409	0,015	0,0263	0,0544	0,1504	94-1
94	13	ENV	Combination	Min	-0,608	-0,409	-0,015	0	-0,0544	-0,8227	94-1
94	53	ENV	Combination	Min	-0,895	-0,683	-0,023	-0,017	-0,0347	-0,206	94-1
94	53	DEAD	LinStatic		0,022	0,025	0,0001841	0,0002117	0,00001862	-0,011	94-2
94	37	DEAD	LinStatic		-0,022	-0,025	-0,0001841	0	-0,00001862	-0,0148	94-2
94	53	CM	LinStatic		0,0001402	-0,174	0,017	0,0021	-0,00006113	-0,0018	94-2
94	37	CM	LinStatic		-0,0001402	0,174	0,013	0	0,00006113	0,0016	94-2
94	53	CV	LinStatic		0	0	0	0	0	0	94-2
94	37	CV	LinStatic		0	0	0	0	0	0	94-2
94	53	L	LinStatic		0,332	-0,242	0,008264	0,0095	-0,0198	-0,0791	94-2
94	37	L	LinStatic		-0,332	0,242	-0,008264	0	0,0198	-0,3027	94-2
94	53	COMB1	Combination		0,605	-0,384	0,015	0,0171	-0,0346	-0,1494	94-2
94	37	COMB1	Combination		-0,605	0,384	-0,015	0	0,0346	-0,5466	94-2
94	53	COMB5	Combination		0,605	-0,384	0,015	0,0171	-0,0346	-0,1494	94-2
94	37	COMB5	Combination		-0,605	0,384	-0,015	0	0,0346	-0,5466	94-2
94	53	COMB6	Combination		0,605	-0,384	0,015	0,0171	-0,0346	-0,1494	94-2
94	37	COMB6	Combination		-0,605	0,384	-0,015	0	0,0346	-0,5466	94-2
94	53	COMB7	Combination		0,104	-0,05	0,002035	0,0023	-0,0049	-0,0308	94-2
94	37	COMB7	Combination		-0,104	0,05	-0,002035	0	0,0049	-0,0885	94-2
94	53	COMB8	Combination		0,104	-0,05	0,002035	0,0023	-0,0049	-0,0308	94-2
94	37	COMB8	Combination		-0,104	0,05	-0,002035	0	0,0049	-0,0885	94-2
94	53	COMB9	Combination		0,608	-0,364	0,015	0,0174	-0,0347	-0,1494	94-2
94	37	COMB9	Combination		-0,608	0,364	-0,015	0	0,0347	-0,5493	94-2
94	53	COMB10	Combination		-0,563	0,415	-0,015	-0,017	0,0347	0,1274	94-2
94	37	COMB10	Combination		0,563	-0,415	0,015	0	-0,0347	0,5196	94-2
94	53	COMB11	Combination		-0,231	0,173	-0,006515	-0,0075	0,0149	0,0483	94-2
94	37	COMB11	Combination		0,231	-0,173	0,006515	0	-0,0149	0,2169	94-2
94	53	COMB12	Combination		0,94	-0,606	0,023	0,0269	-0,0544	-0,2285	94-2
94	37	COMB12	Combination		-0,94	0,606	-0,023	0	0,0544	-0,852	94-2
94	53	ENV	Combination	Max	0,94	0,415	0,023	0,0269	0,0347	0,1274	94-2
94	37	ENV	Combination	Max	0,563	0,606	0,015	0	0,0544	0,5196	94-2
94	53	ENV	Combination	Min	-0,563	-0,606	-0,015	-0,017	-0,0544	-0,2285	94-2
94	37	ENV	Combination	Min	-0,94	-0,415	-0,023	0	-0,0347	-0,852	94-2
95	53	DEAD	LinStatic		0	-0,000057	-0,0003702	0,000002341	0	-0,00002632	95-1
95	54	DEAD	LinStatic		0	0,000057	0,0003702	0,00002023	0	0,00002632	95-1
95	53	CM	LinStatic		0	0,00007406	-0,034	-0,00000384	0	0,00003923	95-1
95	54	CM	LinStatic		0	-0,00007406	0,045	-0,00002549	0	-0,00003923	95-1
95	53	CV	LinStatic		0	0	0	0	0	0	95-1
95	54	CV	LinStatic		0	0	0	0	0	0	95-1
95	53	L	LinStatic		0	0,465	0,0001932	-0,0192	0	0,1568	95-1
95	54	L	LinStatic		0	-0,465	-0,0001932	-0,165	0	-0,1568	95-1
95	53	COMB1	Combination		0	0,818	-0,0003219	-0,0338	0	0,2758	95-1
95	54	COMB1	Combination		0	-0,818	0,0003219	-0,2902	0	-0,2758	95-1
95	53	COMB5	Combination		0	0,818	-0,0003219	-0,0338	0	0,2758	95-1
95	54	COMB5	Combination		0	-0,818	0,0003219	-0,2902	0	-0,2758	95-1
95	53	COMB6	Combination		0	0,818	-0,0003219	-0,0338	0	0,2758	95-1
95	54	COMB6	Combination		0	-0,818	0,0003219	-0,2902	0	-0,2758	95-1
95	53	COMB7	Combination		0	0,112	-0,00003216	-0,0046	0	0,0377	95-1
95	54	COMB7	Combination		0	-0,112	0,00003216	-0,0398	0	-0,0377	95-1
95	53	COMB8	Combination		0	0,112	-0,00003216	-0,0046	0	0,0377	95-1

95	54	COMB8	Combination		0	-0,112	0,00003216	-0,0398	0	-0,0377	95-1
95	53	COMB9	Combination		0	0,824	-0,0007082	-0,034	0	0,2777	95-1
95	54	COMB9	Combination		0	-0,824	0,0007082	-0,2922	0	-0,2777	95-1
95	53	COMB10	Combination		0	-0,824	-0,00003219	0,034	0	-0,2778	95-1
95	54	COMB10	Combination		0	0,824	0,00003219	0,2922	0	0,2778	95-1
95	53	COMB11	Combination		0	-0,359	0,000161	0,0148	0	-0,121	95-1
95	54	COMB11	Combination		0	0,359	-0,000161	0,1272	0	0,121	95-1
95	53	COMB12	Combination		0	1,289	-0,000515	-0,0533	0	0,4345	95-1
95	54	COMB12	Combination		0	-1,289	0,000515	-0,4572	0	-0,4345	95-1
95	53	ENV	Combination	Max	0	1,289	0,000161	0,034	0	0,4345	95-1
95	54	ENV	Combination	Max	0	0,824	0,0007082	0,2922	0	0,2778	95-1
95	53	ENV	Combination	Min	0	-0,824	-0,0007082	-0,0533	0	-0,2778	95-1
95	54	ENV	Combination	Min	0	-1,289	-0,000161	-0,4572	0	-0,4345	95-1
96	209	DEAD	LinStatic		-0,018	0,002461	0,002537	0,000791	0,0003785	0,0036	96-1
96	25	DEAD	LinStatic		0,018	-0,002461	-0,002537	0,0003407	0,0017	0,0022	96-1
96	209	CM	LinStatic		-0,065	0,002968	0,046	0,0027	-0,0177	0,0054	96-1
96	25	CM	LinStatic		0,065	-0,002968	0,018	-0,0013	0,0139	0,0017	96-1
96	209	CV	LinStatic		0	0	0	0	0	0	96-1
96	25	CV	LinStatic		0	0	0	0	0	0	96-1
96	209	L	LinStatic		0,01	0,049	-0,002795	0,0374	0,0051	-0,0252	96-1
96	25	L	LinStatic		-0,01	-0,049	0,002795	-0,0148	-0,0032	0,1413	96-1
96	209	COMB1	Combination		-0,000847	0,088	-0,00092	0,0659	0,0085	-0,0431	96-1
96	25	COMB1	Combination		0,000847	-0,088	0,00092	-0,0257	-0,0059	0,2506	96-1
96	209	COMB5	Combination		-0,000847	0,088	-0,00092	0,0659	0,0085	-0,0431	96-1
96	25	COMB5	Combination		0,000847	-0,088	0,00092	-0,0257	-0,0059	0,2506	96-1
96	209	COMB6	Combination		-0,000847	0,088	-0,00092	0,0659	0,0085	-0,0431	96-1
96	25	COMB6	Combination		0,000847	-0,088	0,00092	-0,0257	-0,0059	0,2506	96-1
96	209	COMB7	Combination		-0,014	0,015	0,0004035	0,0104	0,0025	0,00001729	96-1
96	25	COMB7	Combination		0,014	-0,015	-0,0004035	-0,0033	0,0029	0,0364	96-1
96	209	COMB8	Combination		-0,014	0,015	0,0004035	0,0104	0,0025	0,00001729	96-1
96	25	COMB8	Combination		0,014	-0,015	-0,0004035	-0,0033	0,0029	0,0364	96-1
96	209	COMB9	Combination		-0,002392	0,087	0,0009926	0,0656	0,0073	-0,0467	96-1
96	25	COMB9	Combination		0,002392	-0,087	-0,0009926	-0,0258	-0,0086	0,2521	96-1
96	209	COMB10	Combination		-0,033	-0,082	0,004081	-0,064	-0,0066	0,054	96-1
96	25	COMB10	Combination		0,033	0,082	-0,004081	0,0265	0,012	-0,2477	96-1
96	209	COMB11	Combination		-0,023	-0,033	0,001286	-0,0267	-0,0015	0,0288	96-1
96	25	COMB11	Combination		0,023	0,033	-0,001286	0,0116	0,0088	-0,1064	96-1
96	209	COMB12	Combination		0,007841	0,136	-0,001802	0,103	0,0125	-0,0719	96-1
96	25	COMB12	Combination		-0,007841	-0,136	0,001802	-0,0406	-0,0118	0,3934	96-1
96	209	ENV	Combination	Max	0,007841	0,136	0,004081	0,103	0,0125	0,054	96-1
96	25	ENV	Combination	Max	0,033	0,082	0,001802	0,0265	0,012	0,3934	96-1
96	209	ENV	Combination	Min	-0,033	-0,082	-0,001802	-0,064	-0,0066	-0,0719	96-1
96	25	ENV	Combination	Min	-0,007841	-0,136	-0,004081	-0,0406	-0,0118	-0,2477	96-1
98	10	DEAD	LinStatic		0,193	0,008134	-0,038	0	3,367E-17	-0,0222	98-1
98	181	DEAD	LinStatic		-0,193	-0,008134	0,038	-0,0077	1,442E-14	-0,0164	98-1
98	10	CM	LinStatic		0,377	0,104	0,103	0	5,808E-16	-0,0418	98-1
98	181	CM	LinStatic		-0,377	-0,104	-0,098	0,0202	9,239E-15	-0,0337	98-1
98	10	CV	LinStatic		0	0	0	0	0	0	98-1
98	181	CV	LinStatic		0	0	0	0	0	0	98-1
98	10	L	LinStatic		4,262	0,449	-0,209	0	1,172E-15	-0,831	98-1
98	181	L	LinStatic		-4,262	-0,449	0,209	-0,0419	2,438E-13	-0,0214	98-1
98	10	COMB1	Combination		7,816	0,788	-0,339	0	1,584E-15	-1,5184	98-1
98	181	COMB1	Combination		-7,816	-0,788	0,339	-0,0678	4,455E-13	-0,0448	98-1
98	10	COMB5	Combination		7,816	0,788	-0,339	0	1,584E-15	-1,5184	98-1
98	181	COMB5	Combination		-7,816	-0,788	0,339	-0,0678	4,455E-13	-0,0448	98-1
98	10	COMB6	Combination		7,816	0,788	-0,339	0	1,584E-15	-1,5184	98-1
98	181	COMB6	Combination		-7,816	-0,788	0,339	-0,0678	4,455E-13	-0,0448	98-1
98	10	COMB7	Combination		1,093	0,126	-0,157	0	8,274E-16	-0,1879	98-1
98	181	COMB7	Combination		-1,093	-0,126	0,157	-0,0313	7,09E-14	-0,0307	98-1
98	10	COMB8	Combination		1,093	0,126	-0,157	0	8,274E-16	-0,1879	98-1
98	181	COMB8	Combination		-1,093	-0,126	0,157	-0,0313	7,09E-14	-0,0307	98-1
98	10	COMB9	Combination		8,036	0,78	-0,251	0	9,164E-16	-1,5745	98-1
98	181	COMB9	Combination		-8,036	-0,78	0,251	-0,0502	4,514E-13	-0,0328	98-1
98	10	COMB10	Combination		-7,651	-0,764	0,174	0	-8,49E-16	1,5301	98-1
98	181	COMB10	Combination		7,651	0,764	-0,174	0,0348	-4,226E-13	0,00005177	98-1
98	10	COMB11	Combination		-3,389	-0,315	-0,035	0	3,23E-16	0,6991	98-1
98	181	COMB11	Combination		3,389	0,315	0,035	-0,007	-1,788E-13	-0,0213	98-1
98	10	COMB12	Combination		12,298	1,229	-0,46	0	2,088E-15	-2,4054	98-1
98	181	COMB12	Combination		-12,298	-1,229	0,46	-0,092	6,952E-13	-0,0542	98-1
98	10	ENV	Combination	Max	12,298	1,229	0,174	0	2,088E-15	1,5301	98-1
98	181	ENV	Combination	Max	7,651	0,764	0,46	0,0348	6,952E-13	0,00005177	98-1
98	10	ENV	Combination	Min	-7,651	-0,764	-0,46	0	-8,49E-16	-2,4054	98-1
98	181	ENV	Combination	Min	-12,298	-1,229	-0,174	-0,092	-4,226E-13	-0,0542	98-1
98	181	DEAD	LinStatic		-0,026	0,012	-0,0005262	0,0053	-1,421E-14	0,0104	98-2
98	174	DEAD	LinStatic		0,026	-0,012	0,0005262	-0,0056	1,421E-14	0,0021	98-2
98	181	CM	LinStatic		-0,117	0,113	0,113	-0,0216	-9,772E-15	0,0392	98-2
98	174	CM	LinStatic		0,117	-0,113	-0,1	0,0722	9,768E-15	0,0166	98-2
98	181	CV	LinStatic		0	0	0	0	0	0	98-2
98	174	CV	LinStatic		0	0	0	0	0	0	98-2
98	181	L	LinStatic		3,016	0,307	-0,214	-0,1233	-2,461E-13	-0,8558	98-2

98	174	L	LinStatic	-3,016	-0,307	0,214	0,0217	2,46E-13	-0,5766 98-2
98	181	COMB1	Combination	5,508	0,534	-0,356	-0,1561	-4,471E-13	-1,5543 98-2
98	174	COMB1	Combination	-5,508	-0,534	0,356	-0,0132	4,469E-13	-1,062 98-2
98	181	COMB5	Combination	5,508	0,534	-0,356	-0,1561	-4,471E-13	-1,5543 98-2
98	174	COMB5	Combination	-5,508	-0,534	0,356	-0,0132	4,469E-13	-1,062 98-2
98	181	COMB6	Combination	5,508	0,534	-0,356	-0,1561	-4,471E-13	-1,5543 98-2
98	174	COMB6	Combination	-5,508	-0,534	0,356	-0,0132	4,469E-13	-1,062 98-2
98	181	COMB7	Combination	0,47	0,106	-0,072	-0,0798	-7,348E-14	-0,1364 98-2
98	174	COMB7	Combination	-0,47	-0,106	0,072	0,0454	7,342E-14	-0,087 98-2
98	181	COMB8	Combination	0,47	0,106	-0,072	-0,0798	-7,348E-14	-0,1364 98-2
98	174	COMB8	Combination	-0,47	-0,106	0,072	0,0454	7,342E-14	-0,087 98-2
98	181	COMB9	Combination	5,851	0,511	-0,332	-0,0836	-4,501E-13	-1,6437 98-2
98	174	COMB9	Combination	-5,851	-0,511	0,332	-0,074	4,499E-13	-1,1354 98-2
98	181	COMB10	Combination	-5,903	-0,487	0,331	0,0943	4,217E-13	1,6645 98-2
98	174	COMB10	Combination	5,903	0,487	-0,331	0,0628	-4,215E-13	1,1396 98-2
98	181	COMB11	Combination	-2,888	-0,179	0,117	-0,029	1,756E-13	0,8088 98-2
98	174	COMB11	Combination	2,888	0,179	-0,117	0,0845	-1,756E-13	0,563 98-2
98	181	COMB12	Combination	8,866	0,819	-0,546	-0,2069	-6,962E-13	-2,4995 98-2
98	174	COMB12	Combination	-8,866	-0,819	0,546	-0,0523	6,959E-13	-1,712 98-2
98	181	ENV	Combination	8,866	0,819	0,331	0,0943	4,217E-13	1,6645 98-2
98	174	ENV	Combination	5,903	0,487	0,546	0,0845	6,959E-13	1,1396 98-2
98	181	ENV	Combination	-5,903	-0,487	-0,546	-0,2069	-6,962E-13	-2,4995 98-2
98	174	ENV	Combination	-8,866	-0,819	-0,331	-0,074	-4,215E-13	-1,712 98-2
98	174	DEAD	LinStatic	-0,015	0,013	0,0007171	0,0049	-1,443E-14	0,0018 98-3
98	167	DEAD	LinStatic	0,015	-0,013	-0,0007171	-0,0045	1,554E-14	0,0054 98-3
98	174	CM	LinStatic	-0,027	0,12	0,044	-0,0715	-9,431E-15	0,0033 98-3
98	167	CM	LinStatic	0,027	-0,12	-0,032	0,0896	1,1E-14	0,0094 98-3
98	174	CV	LinStatic	0	0	0	0	0	0 98-3
98	167	CV	LinStatic	0	0	0	0	0	0 98-3
98	174	L	LinStatic	2,504	0,14	-0,237	-0,169	-2,481E-13	-0,6141 98-3
98	167	L	LinStatic	-2,504	-0,14	0,237	0,0567	1,06E-13	-0,5755 98-3
98	174	COMB1	Combination	4,462	0,231	-0,412	-0,2068	-4,49E-13	-1,0785 98-3
98	167	COMB1	Combination	-4,462	-0,231	0,412	0,0113	1,962E-13	-1,0412 98-3
98	174	COMB5	Combination	4,462	0,231	-0,412	-0,2068	-4,49E-13	-1,0785 98-3
98	167	COMB5	Combination	-4,462	-0,231	0,412	0,0113	1,962E-13	-1,0412 98-3
98	174	COMB6	Combination	4,462	0,231	-0,412	-0,2068	-4,49E-13	-1,0785 98-3
98	167	COMB6	Combination	-4,462	-0,231	0,412	0,0113	1,962E-13	-1,0412 98-3
98	174	COMB7	Combination	0,516	0,076	-0,06	-0,1215	-7,593E-14	-0,1461 98-3
98	167	COMB7	Combination	-0,516	-0,076	0,06	0,093	4,676E-14	-0,099 98-3
98	174	COMB8	Combination	0,516	0,076	-0,06	-0,1215	-7,593E-14	-0,1461 98-3
98	167	COMB8	Combination	-0,516	-0,076	0,06	0,093	4,676E-14	-0,099 98-3
98	174	COMB9	Combination	4,589	0,193	-0,41	-0,0947	-4,497E-13	-1,086 98-3
98	167	COMB9	Combination	-4,589	-0,193	0,41	-0,0999	1,899E-13	-1,0939 98-3
98	174	COMB10	Combination	-4,619	-0,167	0,411	0,1044	4,209E-13	1,0895 98-3
98	167	COMB10	Combination	4,619	0,167	-0,411	0,0908	-1,588E-13	1,1046 98-3
98	174	COMB11	Combination	-2,115	-0,027	0,175	-0,0646	1,728E-13	0,4755 98-3
98	167	COMB11	Combination	2,115	0,027	-0,175	0,1475	-5,289E-14	0,5292 98-3
98	174	COMB12	Combination	7,094	0,334	-0,646	-0,2637	-6,978E-13	-1,7 98-3
98	167	COMB12	Combination	-7,094	-0,334	0,646	-0,0432	2,959E-13	-1,6694 98-3
98	174	ENV	Combination	7,094	0,334	0,411	0,1044	4,209E-13	1,0895 98-3
98	167	ENV	Combination	4,619	0,167	0,646	0,1475	2,959E-13	1,1046 98-3
98	174	ENV	Combination	-4,619	-0,167	-0,646	-0,2637	-6,978E-13	-1,7 98-3
98	167	ENV	Combination	-7,094	-0,334	-0,411	-0,0999	-1,588E-13	-1,6694 98-3
98	167	DEAD	LinStatic	0,015	0,013	-0,0007673	0,0045	1,395E-14	-0,0054 98-4
98	188	DEAD	LinStatic	-0,015	-0,013	0,0007673	-0,0049	-1,28E-14	-0,0018 98-4
98	167	CM	LinStatic	0,026	0,12	-0,032	-0,0896	8,948E-15	-0,0093 98-4
98	188	CM	LinStatic	-0,026	-0,12	0,044	0,0715	-7,437E-15	-0,0032 98-4
98	167	CV	LinStatic	0	0	0	0	0	0 98-4
98	188	CV	LinStatic	0	0	0	0	0	0 98-4
98	167	L	LinStatic	2,748	-0,032	-0,221	-0,1506	-2,438E-14	-0,6812 98-4
98	188	L	LinStatic	-2,748	0,032	0,221	0,0454	1,8E-13	-0,6242 98-4
98	167	COMB1	Combination	4,748	-0,078	-0,399	-0,1765	-4,464E-14	-1,1653 98-4
98	188	COMB1	Combination	-4,748	0,078	0,399	-0,0129	3,138E-13	-1,0901 98-4
98	167	COMB5	Combination	4,748	-0,078	-0,399	-0,1765	-4,464E-14	-1,1653 98-4
98	188	COMB5	Combination	-4,748	0,078	0,399	-0,0129	3,138E-13	-1,0901 98-4
98	167	COMB6	Combination	4,748	-0,078	-0,399	-0,1765	-4,464E-14	-1,1653 98-4
98	188	COMB6	Combination	-4,748	0,078	0,399	-0,0129	3,138E-13	-1,0901 98-4
98	167	COMB7	Combination	0,778	0,041	-0,046	-0,1156	2,378E-14	-0,2079 98-4
98	188	COMB7	Combination	-0,778	-0,041	0,046	0,0939	2,051E-14	-0,1618 98-4
98	167	COMB8	Combination	0,778	0,041	-0,046	-0,1156	2,378E-14	-0,2079 98-4
98	188	COMB8	Combination	-0,778	-0,041	0,046	0,0939	2,051E-14	-0,1618 98-4
98	167	COMB9	Combination	4,647	-0,125	-0,413	-0,0666	-6,587E-14	-1,1224 98-4
98	188	COMB9	Combination	-4,647	0,125	0,413	-0,1294	3,294E-13	-1,0848 98-4
98	167	COMB10	Combination	-4,617	0,151	0,411	0,0756	9,378E-14	1,1117 98-4
98	188	COMB10	Combination	4,617	-0,151	-0,411	0,1196	-3,55E-13	1,0812 98-4
98	167	COMB11	Combination	-1,868	0,119	0,19	-0,0749	6,94E-14	0,4304 98-4
98	188	COMB11	Combination	1,868	-0,119	-0,19	0,165	-1,75E-13	0,4571 98-4
98	167	COMB12	Combination	7,395	-0,157	-0,634	-0,2171	-9,025E-14	-1,8036 98-4
98	188	COMB12	Combination	-7,395	0,157	0,634	-0,084	5,093E-13	-1,7089 98-4
98	167	ENV	Combination	7,395	0,151	0,411	0,0756	9,378E-14	1,1117 98-4

98	188	ENV	Combination	Max	4,617	0,157	0,634	0,165	5,093E-13	1,0812 98-4
98	167	ENV	Combination	Min	-4,617	-0,157	-0,634	-0,2171	-9,025E-14	-1,8036 98-4
98	188	ENV	Combination	Min	-7,395	-0,151	-0,411	-0,1294	-3,55E-13	-1,7089 98-4
98	188	DEAD	LinStatic		0,026	0,012	0,0004826	0,0056	1,31E-14	-0,0021 98-5
98	195	DEAD	LinStatic		-0,026	-0,012	-0,0004826	-0,0054	-1,31E-14	-0,0104 98-5
98	188	CM	LinStatic		0,117	0,113	-0,1	-0,0721	7,216E-15	-0,0164 98-5
98	195	CM	LinStatic		-0,117	-0,113	0,113	0,0215	-7,216E-15	-0,039 98-5
98	188	CV	LinStatic		0	0	0	0	0	0 98-5
98	195	CV	LinStatic		0	0	0	0	0	0 98-5
98	188	L	LinStatic		3,696	-0,21	-0,156	-0,0867	-1,825E-13	-0,714 98-5
98	195	L	LinStatic		-3,696	0,21	0,156	0,0126	1,825E-13	-1,0418 98-5
98	188	COMB1	Combination		6,313	-0,396	-0,294	-0,0994	-3,162E-13	-1,2152 98-5
98	195	COMB1	Combination		-6,313	0,396	0,294	-0,0404	3,162E-13	-1,7834 98-5
98	188	COMB5	Combination		6,313	-0,396	-0,294	-0,0994	-3,162E-13	-1,2152 98-5
98	195	COMB5	Combination		-6,313	0,396	0,294	-0,0404	3,162E-13	-1,7834 98-5
98	188	COMB6	Combination		6,313	-0,396	-0,294	-0,0994	-3,162E-13	-1,2152 98-5
98	195	COMB6	Combination		-6,313	0,396	0,294	-0,0404	3,162E-13	-1,7834 98-5
98	188	COMB7	Combination		1,132	-0,0005801	-0,017	-0,0628	-2,26E-14	-0,2169 98-5
98	195	COMB7	Combination		-1,132	0,0005801	0,017	0,0549	2,26E-14	-0,3209 98-5
98	188	COMB8	Combination		1,132	-0,0005801	-0,017	-0,0628	-2,26E-14	-0,2169 98-5
98	195	COMB8	Combination		-1,132	0,0005801	0,017	0,0549	2,26E-14	-0,3209 98-5
98	188	COMB9	Combination		6,07	-0,449	-0,323	-0,037	-3,295E-13	-1,1667 98-5
98	195	COMB9	Combination		-6,07	0,449	0,323	-0,1165	3,295E-13	-1,7166 98-5
98	188	COMB10	Combination		-6,018	0,473	0,324	0,0482	3,557E-13	1,1626 98-5
98	195	COMB10	Combination		6,018	-0,473	-0,324	0,1058	-3,557E-13	1,6958 98-5
98	188	COMB11	Combination		-2,321	0,263	0,168	-0,0385	1,732E-13	0,4486 98-5
98	195	COMB11	Combination		2,321	-0,263	-0,168	0,1184	-1,732E-13	0,654 98-5
98	188	COMB12	Combination		9,767	-0,659	-0,479	-0,1237	-5,12E-13	-1,8807 98-5
98	195	COMB12	Combination		-9,767	0,659	0,479	-0,1039	5,12E-13	-2,7584 98-5
98	188	ENV	Combination	Max	9,767	0,473	0,324	0,0482	3,557E-13	1,1626 98-5
98	195	ENV	Combination	Max	6,018	0,659	0,479	0,1184	5,12E-13	1,6958 98-5
98	188	ENV	Combination	Min	-6,018	-0,659	-0,479	-0,1237	-5,12E-13	-1,8807 98-5
98	195	ENV	Combination	Min	-9,767	-0,473	-0,324	-0,1165	-3,557E-13	-2,7584 98-5
98	195	DEAD	LinStatic		-0,194	0,007814	0,038	0,0077	1,35E-14	0,0164 98-6
98	38	DEAD	LinStatic		0,194	-0,007814	-0,038	0	-1,008E-15	0,0224 98-6
98	195	CM	LinStatic		-0,381	0,105	-0,098	-0,0201	7,527E-15	0,0338 98-6
98	38	CM	LinStatic		0,381	-0,105	0,103	0	-8,602E-16	0,0424 98-6
98	195	CV	LinStatic		0	0	0	0	0	0 98-6
98	38	CV	LinStatic		0	0	0	0	0	0 98-6
98	195	L	LinStatic		4,087	-0,371	0,04	0,0081	-1,828E-13	0,0437 98-6
98	38	L	LinStatic		-4,087	0,371	-0,04	0	1,694E-15	-0,8611 98-6
98	195	COMB1	Combination		7,051	-0,681	0,047	0,0093	-3,167E-13	0,077 98-6
98	38	COMB1	Combination		-7,051	0,681	-0,047	0	1,218E-15	-1,4872 98-6
98	195	COMB5	Combination		7,051	-0,681	0,047	0,0093	-3,167E-13	0,077 98-6
98	38	COMB5	Combination		-7,051	0,681	-0,047	0	1,218E-15	-1,4872 98-6
98	195	COMB6	Combination		7,051	-0,681	0,047	0,0093	-3,167E-13	0,077 98-6
98	38	COMB6	Combination		-7,051	0,681	-0,047	0	1,218E-15	-1,4872 98-6
98	195	COMB7	Combination		0,736	-0,045	0,111	0,0223	-2,185E-14	0,0431 98-6
98	38	COMB7	Combination		-0,736	0,045	-0,111	0	1,554E-16	-0,1904 98-6
98	195	COMB8	Combination		0,736	-0,045	0,111	0,0223	-2,185E-14	0,0431 98-6
98	38	COMB8	Combination		-0,736	0,045	-0,111	0	1,554E-16	-0,1904 98-6
98	195	COMB9	Combination		7,173	-0,735	-0,037	-0,0074	-3,305E-13	0,0559 98-6
98	38	COMB9	Combination		-7,173	0,735	0,037	0	2,315E-16	-1,4905 98-6
98	195	COMB10	Combination		-7,561	0,75	0,114	0,0228	3,575E-13	-0,0231 98-6
98	38	COMB10	Combination		7,561	-0,75	-0,114	0	-2,247E-15	1,5352 98-6
98	195	COMB11	Combination		-3,473	0,38	0,154	0,0309	1,747E-13	0,0206 98-6
98	38	COMB11	Combination		3,473	-0,38	-0,154	0	-5,528E-16	0,6741 98-6
98	195	COMB12	Combination		11,26	-1,106	0,003363	0,0006726	-5,133E-13	0,0996 98-6
98	38	COMB12	Combination		-11,26	1,106	-0,003363	0	1,926E-15	-2,3516 98-6
98	195	ENV	Combination	Max	11,26	0,75	0,154	0,0309	3,575E-13	0,0996 98-6
98	38	ENV	Combination	Max	7,561	1,106	0,037	0	1,926E-15	1,5352 98-6
98	195	ENV	Combination	Min	-7,561	-1,106	-0,037	-0,0074	-5,133E-13	-0,0231 98-6
98	38	ENV	Combination	Min	-11,26	-0,75	-0,154	0	-2,247E-15	-2,3516 98-6
99	11	DEAD	LinStatic		-0,024	0,01	-0,00008263	0	-0,00004732	0,0153 99-1
99	55	DEAD	LinStatic		0,024	-0,01	0,00008263	-0,00009502	0,00004732	0,0128 99-1
99	11	CM	LinStatic		-0,0002396	-0,095	0,012	0	0,0001933	-0,0007892 99-1
99	55	CM	LinStatic		0,0002396	0,095	0,018	-0,0035	-0,0001933	0,0011 99-1
99	11	CV	LinStatic		0	0	0	0	0	0 99-1
99	55	CV	LinStatic		0	0	0	0	0	0 99-1
99	11	L	LinStatic		0,403	0,128	0,003337	0	-0,0257	-0,3749 99-1
99	55	L	LinStatic		-0,403	-0,128	-0,003337	0,0038	0,0257	-0,0882 99-1
99	11	COMB1	Combination		0,682	0,3	0,005082	0	-0,0457	-0,6427 99-1
99	55	COMB1	Combination		-0,682	-0,3	-0,005082	0,0058	0,0457	-0,1419 99-1
99	11	COMB5	Combination		0,682	0,3	0,005082	0	-0,0457	-0,6427 99-1
99	55	COMB5	Combination		-0,682	-0,3	-0,005082	0,0058	0,0457	-0,1419 99-1
99	11	COMB6	Combination		0,682	0,3	0,005082	0	-0,0457	-0,6427 99-1
99	55	COMB6	Combination		-0,682	-0,3	-0,005082	0,0058	0,0457	-0,1419 99-1
99	11	COMB7	Combination		0,074	-0,024	0,001428	0	-0,0058	-0,0765 99-1
99	55	COMB7	Combination		-0,074	0,024	-0,001428	0,0016	0,0058	-0,009 99-1
99	11	COMB8	Combination		0,074	-0,024	0,001428	0	-0,0058	-0,0765 99-1

99	55	COMB8	Combination	-0,074	0,024	-0,001428	0,0016	0,0058	-0,009 99-1
99	11	COMB9	Combination	0,685	0,388	0,00418	0	-0,0465	-0,6453 99-1
99	55	COMB9	Combination	-0,685	-0,388	-0,00418	0,0048	0,0465	-0,1422 99-1
99	11	COMB10	Combination	-0,734	-0,368	-0,004346	0	0,0465	0,6759 99-1
99	55	COMB10	Combination	0,734	0,368	0,004346	-0,005	-0,0465	0,1677 99-1
99	11	COMB11	Combination	-0,331	-0,24	-0,001008	0	0,0207	0,301 99-1
99	55	COMB11	Combination	0,331	0,24	0,001008	-0,0012	-0,0207	0,0795 99-1
99	11	COMB12	Combination	1,087	0,516	0,007518	0	-0,0723	-1,0202 99-1
99	55	COMB12	Combination	-1,087	-0,516	-0,007518	0,0086	0,0723	-0,2304 99-1
99	11	ENV	Combination	1,087	0,516	0,007518	0	0,0465	0,6759 99-1
99	55	ENV	Combination	0,734	0,368	0,004346	0,0086	0,0723	0,1677 99-1
99	11	ENV	Combination	-0,734	-0,368	-0,004346	0	-0,0723	-1,0202 99-1
99	55	ENV	Combination	-1,087	-0,516	-0,007518	-0,005	-0,0465	-0,2304 99-1
99	55	DEAD	LinStatic	0,025	0,01	0,00008231	0,00009466	-0,00004732	-0,0129 99-2
99	39	DEAD	LinStatic	-0,025	-0,01	-0,00008231	0	0,00004732	-0,0156 99-2
99	55	CM	LinStatic	-0,0002396	-0,095	0,018	0,0035	0,0001933	-0,001 99-2
99	39	CM	LinStatic	0,0002396	0,095	0,012	0	-0,0001933	0,0013 99-2
99	55	CV	LinStatic	0	0	0	0	0	0 99-2
99	39	CV	LinStatic	0	0	0	0	0	0 99-2
99	55	L	LinStatic	0,403	-0,107	0,004107	0,0047	-0,0257	-0,0881 99-2
99	39	L	LinStatic	-0,403	0,107	-0,004107	0	0,0257	-0,375 99-2
99	55	COMB1	Combination	0,731	-0,113	0,007998	0,0092	-0,0457	-0,1682 99-2
99	39	COMB1	Combination	-0,731	0,113	-0,007998	0	0,0457	-0,673 99-2
99	55	COMB5	Combination	0,731	-0,113	0,007998	0,0092	-0,0457	-0,1682 99-2
99	39	COMB5	Combination	-0,731	0,113	-0,007998	0	0,0457	-0,673 99-2
99	55	COMB6	Combination	0,731	-0,113	0,007998	0,0092	-0,0457	-0,1682 99-2
99	39	COMB6	Combination	-0,731	0,113	-0,007998	0	0,0457	-0,673 99-2
99	55	COMB7	Combination	0,124	-0,081	0,0003799	0,0004369	-0,0058	-0,0338 99-2
99	39	COMB7	Combination	-0,124	0,081	-0,0003799	0	0,0058	-0,1083 99-2
99	55	COMB8	Combination	0,124	-0,081	0,0003799	0,0004369	-0,0058	-0,0338 99-2
99	39	COMB8	Combination	-0,124	0,081	-0,0003799	0	0,0058	-0,1083 99-2
99	55	COMB9	Combination	0,734	-0,027	0,00897	0,0103	-0,0465	-0,1696 99-2
99	39	COMB9	Combination	-0,734	0,027	-0,00897	0	0,0465	-0,6744 99-2
99	55	COMB10	Combination	-0,684	0,047	-0,008805	-0,0101	0,0465	0,1439 99-2
99	39	COMB10	Combination	0,684	-0,047	0,008805	0	-0,0465	0,6431 99-2
99	55	COMB11	Combination	-0,282	-0,06	-0,004699	-0,0054	0,0207	0,0558 99-2
99	39	COMB11	Combination	0,282	0,06	0,004699	0	-0,0207	0,2681 99-2
99	55	COMB12	Combination	1,137	-0,135	0,013	0,015	-0,0723	-0,2577 99-2
99	39	COMB12	Combination	-1,137	0,135	-0,013	0	0,0723	-1,0494 99-2
99	55	ENV	Combination	1,137	0,047	0,013	0,015	0,0465	0,1439 99-2
99	39	ENV	Combination	0,684	0,135	0,008805	0	0,0723	0,6431 99-2
99	55	ENV	Combination	-0,684	-0,135	-0,008805	-0,0101	-0,0723	-0,2577 99-2
99	39	ENV	Combination	-1,137	-0,047	-0,013	0	-0,0465	-1,0494 99-2
100	55	DEAD	LinStatic	0	0,00002901	-0,0001649	3,608E-07	0	0,0000696 100-1
100	56	DEAD	LinStatic	0	-0,00002901	0,0001649	-0,00001185	0	-0,0000696 100-1
100	55	CM	LinStatic	0	0,00001371	-0,037	-0,000000362	0	-0,00005212 100-1
100	56	CM	LinStatic	0	-0,00001371	0,047	-0,000005068	0	0,00005212 100-1
100	55	CV	LinStatic	0	0	0	0	0	0 100-1
100	56	CV	LinStatic	0	0	0	0	0	0 100-1
100	55	L	LinStatic	0	0,235	-0,0007693	-0,0086	0	0,1763 100-1
100	56	L	LinStatic	0	-0,235	0,0007693	-0,0845	0	-0,1763 100-1
100	55	COMB1	Combination	0	0,413	-0,002916	-0,015	0	0,31 100-1
100	56	COMB1	Combination	0	-0,413	0,002916	-0,1486	0	-0,31 100-1
100	55	COMB5	Combination	0	0,413	-0,002916	-0,015	0	0,31 100-1
100	56	COMB5	Combination	0	-0,413	0,002916	-0,1486	0	-0,31 100-1
100	55	COMB6	Combination	0	0,413	-0,002916	-0,015	0	0,31 100-1
100	56	COMB6	Combination	0	-0,413	0,002916	-0,1486	0	-0,31 100-1
100	55	COMB7	Combination	0	0,057	0,001048	-0,0021	0	0,0428 100-1
100	56	COMB7	Combination	0	-0,057	-0,001048	-0,0205	0	-0,0428 100-1
100	55	COMB8	Combination	0	0,057	0,001048	-0,0021	0	0,0428 100-1
100	56	COMB8	Combination	0	-0,057	-0,001048	-0,0205	0	-0,0428 100-1
100	55	COMB9	Combination	0	0,416	-0,00479	-0,0151	0	0,3118 100-1
100	56	COMB9	Combination	0	-0,416	0,00479	-0,1495	0	-0,3118 100-1
100	55	COMB10	Combination	0	-0,416	0,00446	0,0151	0	-0,3117 100-1
100	56	COMB10	Combination	0	0,416	-0,00446	0,1494	0	0,3117 100-1
100	55	COMB11	Combination	0	-0,181	0,00369	0,0066	0	-0,1353 100-1
100	56	COMB11	Combination	0	0,181	-0,00369	0,0649	0	0,1353 100-1
100	55	COMB12	Combination	0	0,651	-0,005559	-0,0237	0	0,4881 100-1
100	56	COMB12	Combination	0	-0,651	0,005559	-0,234	0	-0,4881 100-1
100	55	ENV	Combination	0	0,651	0,00446	0,0151	0	0,4881 100-1
100	56	ENV	Combination	0	0,416	0,005559	0,1494	0	0,3117 100-1
100	55	ENV	Combination	0	-0,416	-0,005559	-0,0237	0	-0,3117 100-1
100	56	ENV	Combination	0	-0,651	-0,00446	-0,234	0	-0,4881 100-1
103	1	DEAD	LinStatic	0,358	-0,001122	-0,000003288	0	4,18E-14	-0,0438 103-1
103	177	DEAD	LinStatic	-0,358	0,001122	0,000003288	-6,577E-07	-2,166E-14	-0,0278 103-1
103	1	CM	LinStatic	0,206	0,301	0,148	0	2,223E-14	-0,0253 103-1
103	177	CM	LinStatic	-0,206	-0,301	-0,143	0,0291	-1,021E-14	-0,0158 103-1
103	1	CV	LinStatic	0	0	0	0	0	0 103-1
103	177	CV	LinStatic	0	0	0	0	0	0 103-1
103	1	L	LinStatic	3,407	0,914	1,389	0	7,25E-14	-0,7548 103-1

103	177	L	LinStatic	-3,407	-0,914	-1,329	0,2719	1,21E-13	0,0735	103-1
103	1	COMB1	Combination	5,877	1,801	1,541	0	1,239E-13	-1,3094	103-1
103	177	COMB1	Combination	-5,877	-1,801	-1,481	0,3022	2,068E-13	0,1339	103-1
103	1	COMB5	Combination	5,877	1,801	1,541	0	1,239E-13	-1,3094	103-1
103	177	COMB5	Combination	-5,877	-1,801	-1,481	0,3022	2,068E-13	0,1339	103-1
103	1	COMB6	Combination	5,877	1,801	1,541	0	1,239E-13	-1,3094	103-1
103	177	COMB6	Combination	-5,877	-1,801	-1,481	0,3022	2,068E-13	0,1339	103-1
103	1	COMB7	Combination	1,652	0,025	1,238	0	1,046E-13	-0,2879	103-1
103	177	COMB7	Combination	-1,652	-0,025	-1,178	0,2416	-8,095E-15	-0,0425	103-1
103	1	COMB8	Combination	1,652	0,025	1,238	0	1,046E-13	-0,2879	103-1
103	177	COMB8	Combination	-1,652	-0,025	-1,178	0,2416	-8,095E-15	-0,0425	103-1
103	1	COMB9	Combination	5,288	2,071	0,353	0	6,432E-14	-1,2356	103-1
103	177	COMB9	Combination	-5,288	-2,071	-0,353	0,0707	2,291E-13	0,1781	103-1
103	1	COMB10	Combination	-4,571	-2,073	-0,353	0	1,927E-14	1,148	103-1
103	177	COMB10	Combination	4,571	2,073	0,353	-0,0707	-2,724E-13	-0,2337	103-1
103	1	COMB11	Combination	-1,165	-1,159	1,036	0	9,177E-14	0,3931	103-1
103	177	COMB11	Combination	1,165	1,159	-0,976	0,2012	-1,514E-13	-0,1602	103-1
103	1	COMB12	Combination	8,694	2,985	1,743	0	1,368E-13	-1,9904	103-1
103	177	COMB12	Combination	-8,694	-2,985	-1,683	0,3426	3,501E-13	0,2516	103-1
103	1	ENV	Combination	8,694	2,985	1,743	0	1,368E-13	1,148	103-1
103	177	ENV	Combination	4,571	2,073	0,353	0,3426	3,501E-13	0,2516	103-1
103	1	ENV	Combination	-4,571	-2,073	-0,353	0	1,927E-14	-1,9904	103-1
103	177	ENV	Combination	-8,694	-2,985	-1,683	-0,0707	-2,724E-13	-0,2337	103-1
103	177	DEAD	LinStatic	-0,031	-0,001051	0,00001893	0,000006293	2,176E-14	0,0152	103-2
103	170	DEAD	LinStatic	0,031	0,001051	-0,00001893	0,000002698	-2,176E-14	-0,0005846	103-2
103	177	CM	LinStatic	-0,035	-0,299	0,1	-0,0286	1,132E-14	0,0127	103-2
103	170	CM	LinStatic	0,035	-0,299	-0,087	0,073	-1,133E-14	0,0039	103-2
103	177	CV	LinStatic	0	0	0	0	0	0	103-2
103	170	CV	LinStatic	0	0	0	0	0	0	103-2
103	177	L	LinStatic	1,42	0,621	0,762	-0,2547	-1,159E-13	-0,4208	103-2
103	170	L	LinStatic	-1,42	-0,621	-0,619	0,5825	1,159E-13	-0,2536	103-2
103	177	COMB1	Combination	2,499	1,244	0,745	-0,291	-2,016E-13	-0,7384	103-2
103	170	COMB1	Combination	-2,499	-1,244	-0,602	0,6108	2,013E-13	-0,4488	103-2
103	177	COMB5	Combination	2,499	1,244	0,745	-0,291	-2,016E-13	-0,7384	103-2
103	170	COMB5	Combination	-2,499	-1,244	-0,602	0,6108	2,013E-13	-0,4488	103-2
103	177	COMB6	Combination	2,499	1,244	0,745	-0,291	-2,016E-13	-0,7384	103-2
103	170	COMB6	Combination	-2,499	-1,244	-0,602	0,6108	2,013E-13	-0,4488	103-2
103	177	COMB7	Combination	0,278	-0,00447	0,779	-0,2184	1,322E-14	-0,0727	103-2
103	170	COMB7	Combination	-0,278	0,00447	-0,636	0,5542	-1,311E-14	-0,0596	103-2
103	177	COMB8	Combination	0,278	-0,00447	0,779	-0,2184	1,322E-14	-0,0727	103-2
103	170	COMB8	Combination	-0,278	0,00447	-0,636	0,5542	-1,311E-14	-0,0596	103-2
103	177	COMB9	Combination	2,56	1,456	-0,04	-0,0848	-2,288E-13	-0,7614	103-2
103	170	COMB9	Combination	-2,56	-1,456	0,04	0,066	2,284E-13	-0,4547	103-2
103	177	COMB10	Combination	-2,622	-1,458	0,04	0,0848	2,724E-13	0,7919	103-2
103	170	COMB10	Combination	2,622	1,458	-0,04	-0,066	-2,72E-13	0,4536	103-2
103	177	COMB11	Combination	-1,202	-0,837	0,801	-0,1699	1,564E-13	0,3711	103-2
103	170	COMB11	Combination	1,202	0,837	-0,658	0,5165	-1,561E-13	0,2	103-2
103	177	COMB12	Combination	3,98	2,077	0,722	-0,3395	-3,448E-13	-1,1822	103-2
103	170	COMB12	Combination	-3,98	-2,077	-0,579	0,6485	3,443E-13	-0,7083	103-2
103	177	ENV	Combination	3,98	2,077	0,801	0,0848	2,724E-13	0,7919	103-2
103	170	ENV	Combination	2,622	1,458	0,04	0,6485	3,443E-13	0,4536	103-2
103	177	ENV	Combination	-2,622	-1,458	-0,04	-0,3395	-3,448E-13	-1,1822	103-2
103	170	ENV	Combination	-3,98	-2,077	-0,658	-0,066	-2,72E-13	-0,7083	103-2
103	170	DEAD	LinStatic	-0,019	-0,0009833	0,00001824	0,000005071	2,176E-14	0,0034	103-3
103	163	DEAD	LinStatic	0,019	0,0009833	-0,00001824	0,000003591	-2,176E-14	0,0054	103-3
103	170	CM	LinStatic	-0,003642	0,306	0,041	-0,0728	1,199E-14	-0,0006945	103-3
103	163	CM	LinStatic	0,003642	-0,306	-0,029	0,0895	-1,155E-14	0,0024	103-3
103	170	CV	LinStatic	0	0	0	0	0	0	103-3
103	163	CV	LinStatic	0	0	0	0	0	0	103-3
103	170	L	LinStatic	1,082	0,242	0,162	-0,5843	-1,154E-13	-0,2669	103-3
103	163	L	LinStatic	-1,082	-0,242	-0,019	0,6272	5,469E-14	-0,2469	103-3
103	170	COMB1	Combination	1,881	0,546	0,047	-0,6258	-2,006E-13	-0,4578	103-3
103	163	COMB1	Combination	-1,881	-0,546	0,096	0,6141	9,344E-14	-0,4358	103-3
103	170	COMB5	Combination	1,881	0,546	0,047	-0,6258	-2,006E-13	-0,4578	103-3
103	163	COMB5	Combination	-1,881	-0,546	0,096	0,6141	9,344E-14	-0,4358	103-3
103	170	COMB6	Combination	1,881	0,546	0,047	-0,6258	-2,006E-13	-0,4578	103-3
103	163	COMB6	Combination	-1,881	-0,546	0,096	0,6141	9,344E-14	-0,4358	103-3
103	170	COMB7	Combination	0,245	-0,063	0,277	-0,5429	1,327E-14	-0,0693	103-3
103	163	COMB7	Combination	-0,245	0,063	-0,134	0,6403	-2,758E-14	-0,0471	103-3
103	170	COMB8	Combination	0,245	-0,063	0,277	-0,5429	1,327E-14	-0,0693	103-3
103	163	COMB8	Combination	-0,245	0,063	-0,134	0,6403	-2,758E-14	-0,0471	103-3
103	170	COMB9	Combination	1,89	0,71	-0,268	-0,0967	-2,278E-13	-0,4499	103-3
103	163	COMB9	Combination	-1,89	-0,71	0,268	-0,0307	1,194E-13	-0,4481	103-3
103	170	COMB10	Combination	-1,928	-0,712	0,268	0,0967	2,713E-13	0,4566	103-3
103	163	COMB10	Combination	1,928	0,712	-0,268	0,0307	-1,63E-13	0,459	103-3
103	170	COMB11	Combination	-0,846	-0,47	0,43	-0,4876	1,559E-13	0,1897	103-3
103	163	COMB11	Combination	0,846	0,47	-0,287	0,6579	-1,083E-13	0,212	103-3
103	170	COMB12	Combination	2,972	0,953	-0,106	-0,6811	-3,432E-13	-0,7168	103-3
103	163	COMB12	Combination	-2,972	-0,953	0,249	0,5965	1,741E-13	-0,695	103-3
103	170	ENV	Combination	2,972	0,953	0,43	0,0967	2,713E-13	0,4566	103-3

103	163	ENV	Combination	Max	1,928	0,712	0,268	0,6579	1,741E-13	0,459	103-3
103	170	ENV	Combination	Min	-1,928	-0,712	-0,268	-0,6811	-3,432E-13	-0,7168	103-3
103	163	ENV	Combination	Min	-2,972	-0,953	-0,287	-0,0307	-1,63E-13	-0,695	103-3
103	163	DEAD	LinStatic		0,019	-0,0009187	0,00001806	0,000005008	2,104E-14	-0,0054	103-4
103	184	DEAD	LinStatic		-0,019	0,0009187	-0,00001806	0,000003571	-2,077E-14	-0,0034	103-4
103	163	CM	LinStatic		0,004186	0,306	-0,029	-0,0895	1,201E-14	-0,0026	103-4
103	184	CM	LinStatic		-0,004186	-0,306	0,041	0,0728	-1,161E-14	0,0005766	103-4
103	163	CV	LinStatic		0	0	0	0	0	0	103-4
103	184	CV	LinStatic		0	0	0	0	0	0	103-4
103	163	L	LinStatic		1,215	-0,157	-0,309	-0,6466	-5,264E-14	-0,3008	103-4
103	184	L	LinStatic		-1,215	0,157	0,452	0,4657	1,225E-13	-0,2763	103-4
103	163	COMB1	Combination		2,056	-0,166	-0,424	-0,6486	-9,213E-14	-0,5044	103-4
103	184	COMB1	Combination		-2,056	0,166	0,567	0,4135	2,089E-13	-0,4724	103-4
103	163	COMB5	Combination		2,056	-0,166	-0,424	-0,6486	-9,213E-14	-0,5044	103-4
103	184	COMB5	Combination		-2,056	0,166	0,567	0,4135	2,089E-13	-0,4724	103-4
103	163	COMB6	Combination		2,056	-0,166	-0,424	-0,6486	-9,213E-14	-0,5044	103-4
103	184	COMB6	Combination		-2,056	0,166	0,567	0,4135	2,089E-13	-0,4724	103-4
103	163	COMB7	Combination		0,411	-0,149	-0,195	-0,6446	2,893E-14	-0,108	103-4
103	184	COMB7	Combination		-0,411	0,149	0,338	0,518	-5,479E-15	-0,0869	103-4
103	163	COMB8	Combination		0,411	-0,149	-0,195	-0,6446	2,893E-14	-0,108	103-4
103	184	COMB8	Combination		-0,411	0,149	0,338	0,518	-5,479E-15	-0,0869	103-4
103	163	COMB9	Combination		1,939	-0,02	-0,267	-0,0048	-1,202E-13	-0,4678	103-4
103	184	COMB9	Combination		-1,939	0,02	0,267	-0,1219	2,293E-13	-0,453	103-4
103	163	COMB10	Combination		-1,902	0,018	0,267	0,0048	1,623E-13	0,4569	103-4
103	184	COMB10	Combination		1,902	-0,018	-0,267	0,1219	-2,708E-13	0,4463	103-4
103	163	COMB11	Combination		-0,687	-0,139	-0,043	-0,6418	1,096E-13	0,1562	103-4
103	184	COMB11	Combination		0,687	0,139	0,186	0,5876	-1,484E-13	0,17	103-4
103	163	COMB12	Combination		3,153	-0,176	-0,576	-0,6514	-1,728E-13	-0,7686	103-4
103	184	COMB12	Combination		-3,153	0,176	0,719	0,3439	3,518E-13	-0,7293	103-4
103	163	ENV	Combination	Max	3,153	0,018	0,267	0,0048	1,623E-13	0,4569	103-4
103	184	ENV	Combination	Max	1,902	0,176	0,719	0,5876	3,518E-13	0,4463	103-4
103	163	ENV	Combination	Min	-1,902	-0,176	-0,576	-0,6514	-1,728E-13	-0,7686	103-4
103	184	ENV	Combination	Min	-3,153	-0,018	-0,267	-0,1219	-2,708E-13	-0,7293	103-4
103	184	DEAD	LinStatic		0,031	-0,0008543	0,00002008	0,000005106	1,954E-14	0,0006042	103-5
103	191	DEAD	LinStatic		-0,031	0,0008543	-0,00002008	0,000004431	-1,954E-14	-0,0152	103-5
103	184	CM	LinStatic		0,036	0,299	-0,087	-0,073	1,11E-14	-0,004	103-5
103	191	CM	LinStatic		-0,036	-0,299	0,1	0,0286	-1,11E-14	-0,0129	103-5
103	184	CV	LinStatic		0	0	0	0	0	0	103-5
103	191	CV	LinStatic		0	0	0	0	0	0	103-5
103	184	L	LinStatic		1,727	-0,594	-0,647	-0,4972	-1,23E-13	-0,2926	103-5
103	191	L	LinStatic		-1,727	0,594	0,79	0,1558	1,23E-13	-0,5276	103-5
103	184	COMB1	Combination		2,918	-0,924	-0,652	-0,4578	-2,109E-13	-0,4938	103-5
103	191	COMB1	Combination		-2,918	0,924	0,795	0,114	2,109E-13	-0,8921	103-5
103	184	COMB5	Combination		2,918	-0,924	-0,652	-0,4578	-2,109E-13	-0,4938	103-5
103	191	COMB5	Combination		-2,918	0,924	0,795	0,114	2,109E-13	-0,8921	103-5
103	184	COMB6	Combination		2,918	-0,924	-0,652	-0,4578	-2,109E-13	-0,4938	103-5
103	191	COMB6	Combination		-2,918	0,924	0,795	0,114	2,109E-13	-0,8921	103-5
103	184	COMB7	Combination		0,597	-0,266	-0,642	-0,5367	3,975E-15	-0,0902	103-5
103	191	COMB7	Combination		-0,597	0,266	0,785	0,1977	-3,975E-15	-0,1935	103-5
103	184	COMB8	Combination		0,597	-0,266	-0,642	-0,5367	3,975E-15	-0,0902	103-5
103	191	COMB8	Combination		-0,597	0,266	0,785	0,1977	-3,975E-15	-0,1935	103-5
103	184	COMB9	Combination		2,738	-0,769	-0,011	0,0921	-2,312E-13	-0,4702	103-5
103	191	COMB9	Combination		-2,738	0,769	0,011	-0,0976	2,312E-13	-0,8303	103-5
103	184	COMB10	Combination		-2,676	0,767	0,012	-0,0921	2,703E-13	0,4714	103-5
103	191	COMB10	Combination		2,676	-0,767	-0,012	0,0976	-2,703E-13	0,7998	103-5
103	184	COMB11	Combination		-0,95	0,173	-0,636	-0,5894	1,472E-13	0,1788	103-5
103	191	COMB11	Combination		0,95	-0,173	0,779	0,2534	-1,472E-13	0,2722	103-5
103	184	COMB12	Combination		4,465	-1,363	-0,659	-0,4051	-3,542E-13	-0,7628	103-5
103	191	COMB12	Combination		-4,465	1,363	0,802	0,0583	3,542E-13	-1,3579	103-5
103	184	ENV	Combination	Max	4,465	0,767	0,012	0,0921	2,703E-13	0,4714	103-5
103	191	ENV	Combination	Max	2,676	1,363	0,802	0,2534	3,542E-13	0,7998	103-5
103	184	ENV	Combination	Min	-2,676	-1,363	-0,659	-0,5894	-3,542E-13	-0,7628	103-5
103	191	ENV	Combination	Min	-4,465	-0,767	-0,012	-0,0976	-2,703E-13	-1,3579	103-5
103	191	DEAD	LinStatic		-0,359	-0,000791	0,00001795	0,000003591	2,033E-14	0,0279	103-6
103	26	DEAD	LinStatic		0,359	0,000791	-0,00001795	0	5,389E-16	0,044	103-6
103	191	CM	LinStatic		-0,202	0,301	-0,143	-0,0291	1,208E-14	0,0157	103-6
103	26	CM	LinStatic		0,202	-0,301	0,148	0	-6,822E-16	0,0246	103-6
103	191	CV	LinStatic		0	0	0	0	0	0	103-6
103	26	CV	LinStatic		0	0	0	0	0	0	103-6
103	191	L	LinStatic		2,183	-0,967	-0,913	-0,1885	-1,201E-13	0,202	103-6
103	26	L	LinStatic		-2,183	0,967	0,973	0	-7,48E-15	-0,6385	103-6
103	191	COMB1	Combination		3,723	-1,555	-0,73	-0,1521	-2,069E-13	0,3349	103-6
103	26	COMB1	Combination		-3,723	1,555	0,791	0	-7,619E-15	-1,0795	103-6
103	191	COMB5	Combination		3,723	-1,555	-0,73	-0,1521	-2,069E-13	0,3349	103-6
103	26	COMB5	Combination		-3,723	1,555	0,791	0	-7,619E-15	-1,0795	103-6
103	191	COMB6	Combination		3,723	-1,555	-0,73	-0,1521	-2,069E-13	0,3349	103-6
103	26	COMB6	Combination		-3,723	1,555	0,791	0	-7,619E-15	-1,0795	103-6
103	191	COMB7	Combination		-0,076	-0,381	-1,095	-0,225	7,267E-15	0,1249	103-6
103	26	COMB7	Combination		0,076	0,381	1,155	0	-6,263E-15	-0,1096	103-6
103	191	COMB8	Combination		-0,076	-0,381	-1,095	-0,225	7,267E-15	0,1249	103-6

103	26	COMB8	Combination		0,076	0,381	1,155	0	-6,263E-15	-0,1096	103-6
103	191	COMB9	Combination		4,074	-1,37	0,425	0,085	-2,295E-13	0,2728	103-6
103	26	COMB9	Combination		-4,074	1,37	-0,425	0	-1,042E-15	-1,0876	103-6
103	191	COMB10	Combination		-4,792	1,369	-0,425	-0,085	2,702E-13	-0,2171	103-6
103	26	COMB10	Combination		4,792	-1,369	0,425	0	2,12E-15	1,1756	103-6
103	191	COMB11	Combination		-2,61	0,402	-1,338	-0,2736	1,5E-13	-0,0151	103-6
103	26	COMB11	Combination		2,61	-0,402	1,398	0	-5,36E-15	0,537	103-6
103	191	COMB12	Combination		6,257	-2,338	-0,487	-0,1035	-3,497E-13	0,4749	103-6
103	26	COMB12	Combination		-6,257	2,338	0,548	0	-8,522E-15	-1,7262	103-6
103	191	ENV	Combination	Max	6,257	1,369	0,425	0,085	2,702E-13	0,4749	103-6
103	26	ENV	Combination	Max	4,792	2,338	1,398	0	2,12E-15	1,1756	103-6
103	191	ENV	Combination	Min	-4,792	-2,338	-1,338	-0,2736	-3,497E-13	-0,2171	103-6
103	26	ENV	Combination	Min	-6,257	-1,369	-0,425	0	-8,522E-15	-1,7262	103-6
104	2	DEAD	LinStatic		-0,025	0,001358	0,000004329	3,688E-19	-0,00005969	0,0156	104-1
104	57	DEAD	LinStatic		0,025	-0,001358	-0,000004329	0,000004979	0,00005969	0,0133	104-1
104	2	CM	LinStatic		0,0001238	-1,013	0,093	1,046E-18	-0,0001692	-0,0055	104-1
104	57	CM	LinStatic		-0,0001238	1,013	0,122	-0,0167	0,0001692	0,0053	104-1
104	2	CV	LinStatic		0	0	0	0	0	0	104-1
104	57	CV	LinStatic		0	0	0	0	0	0	104-1
104	2	L	LinStatic		0,442	0,095	-0,0009922	2,088E-16	-0,0338	-0,4285	104-1
104	57	L	LinStatic		-0,442	-0,095	0,0009922	-0,0011	0,0338	-0,0793	104-1
104	2	COMB1	Combination		0,736	-0,184	0,001567	3,456E-16	-0,0559	-0,7214	104-1
104	57	COMB1	Combination		-0,736	0,184	-0,001567	0,0018	0,0559	-0,1249	104-1
104	2	COMB5	Combination		0,736	-0,184	0,001567	3,456E-16	-0,0559	-0,7214	104-1
104	57	COMB5	Combination		-0,736	0,184	-0,001567	0,0018	0,0559	-0,1249	104-1
104	2	COMB6	Combination		0,736	-0,184	0,001567	3,456E-16	-0,0559	-0,7214	104-1
104	57	COMB6	Combination		-0,736	0,184	-0,001567	0,0018	0,0559	-0,1249	104-1
104	2	COMB7	Combination		0,097	0,377	-0,003542	7,287E-17	-0,0118	-0,1043	104-1
104	57	COMB7	Combination		-0,097	-0,377	0,003542	-0,0041	0,0118	-0,0071	104-1
104	2	COMB8	Combination		0,097	0,377	-0,003542	7,287E-17	-0,0118	-0,1043	104-1
104	57	COMB8	Combination		-0,097	-0,377	0,003542	-0,0041	0,0118	-0,0071	104-1
104	2	COMB9	Combination		0,72	-0,654	0,005965	3,185E-16	-0,0515	-0,7044	104-1
104	57	COMB9	Combination		-0,72	0,654	-0,005965	0,0069	0,0515	-0,1241	104-1
104	2	COMB10	Combination		-0,771	0,657	-0,005956	-3,178E-16	0,0514	0,7355	104-1
104	57	COMB10	Combination		0,771	-0,657	0,005956	-0,0068	-0,0514	0,1508	104-1
104	2	COMB11	Combination		-0,329	0,752	-0,006948	-1,089E-16	0,0176	0,3071	104-1
104	57	COMB11	Combination		0,329	-0,752	0,006948	-0,008	-0,0176	0,0714	104-1
104	2	COMB12	Combination		1,162	-0,559	0,004972	5,273E-16	-0,0853	-1,1328	104-1
104	57	COMB12	Combination		-1,162	0,559	-0,004972	0,0057	0,0853	-0,2035	104-1
104	2	ENV	Combination	Max	1,162	0,752	0,005965	5,273E-16	0,0514	0,7355	104-1
104	57	ENV	Combination	Max	0,771	0,654	0,006948	0,0069	0,0853	0,1508	104-1
104	2	ENV	Combination	Min	-0,771	-0,654	-0,006948	-3,178E-16	-0,0853	-1,1328	104-1
104	57	ENV	Combination	Min	-1,162	-0,752	-0,005965	-0,008	-0,0514	-0,2035	104-1
104	57	DEAD	LinStatic		0,025	0,001326	-0,000001509	-0,000001735	-0,00005969	-0,0134	104-2
104	31	DEAD	LinStatic		-0,025	-0,001326	0,000001509	3,688E-19	0,00005969	-0,0159	104-2
104	57	CM	LinStatic		0,0001238	-1,013	0,122	0,0167	-0,0001692	-0,0054	104-2
104	31	CM	LinStatic		-0,0001238	1,013	0,093	1,046E-18	0,0001692	0,0052	104-2
104	57	CV	LinStatic		0	0	0	0	0	0	104-2
104	31	CV	LinStatic		0	0	0	0	0	0	104-2
104	57	L	LinStatic		0,442	0,062	0,001004	0,0012	-0,0338	-0,0913	104-2
104	31	L	LinStatic		-0,442	-0,062	-0,001004	2,088E-16	0,0338	-0,4165	104-2
104	57	COMB1	Combination		0,787	-0,218	-0,002128	-0,0024	-0,0559	-0,1684	104-2
104	31	COMB1	Combination		-0,787	0,218	0,002128	3,456E-16	0,0559	-0,7361	104-2
104	57	COMB5	Combination		0,787	-0,218	-0,002128	-0,0024	-0,0559	-0,1684	104-2
104	31	COMB5	Combination		-0,787	0,218	0,002128	3,456E-16	0,0559	-0,7361	104-2
104	57	COMB6	Combination		0,787	-0,218	-0,002128	-0,0024	-0,0559	-0,1684	104-2
104	31	COMB6	Combination		-0,787	0,218	0,002128	3,456E-16	0,0559	-0,7361	104-2
104	57	COMB7	Combination		0,147	0,344	0,004132	0,0048	-0,0118	-0,041	104-2
104	31	COMB7	Combination		-0,147	-0,344	-0,004132	7,287E-17	0,0118	-0,1286	104-2
104	57	COMB8	Combination		0,147	0,344	0,004132	0,0048	-0,0118	-0,041	104-2
104	31	COMB8	Combination		-0,147	-0,344	-0,004132	7,287E-17	0,0118	-0,1286	104-2
104	57	COMB9	Combination		0,771	-0,654	-0,007305	-0,0084	-0,0515	-0,162	104-2
104	31	COMB9	Combination		-0,771	0,654	0,007305	3,185E-16	0,0515	-0,7247	104-2
104	57	COMB10	Combination		-0,72	0,657	0,007302	0,0084	0,0514	0,1352	104-2
104	31	COMB10	Combination		0,72	-0,657	-0,007302	-3,178E-16	-0,0514	0,6929	104-2
104	57	COMB11	Combination		-0,279	0,719	0,008306	0,0096	0,0176	0,0439	104-2
104	31	COMB11	Combination		0,279	-0,719	-0,008306	-1,089E-16	-0,0176	0,2765	104-2
104	57	COMB12	Combination		1,213	-0,592	-0,006302	-0,0072	-0,0853	-0,2533	104-2
104	31	COMB12	Combination		-1,213	0,592	0,006302	5,273E-16	0,0853	-1,1412	104-2
104	57	ENV	Combination	Max	1,213	0,719	0,008306	0,0096	0,0514	0,1352	104-2
104	31	ENV	Combination	Max	0,72	0,654	0,007305	5,273E-16	0,0853	0,6929	104-2
104	57	ENV	Combination	Min	-0,72	-0,654	-0,007305	-0,0084	-0,0853	-0,2533	104-2
104	31	ENV	Combination	Min	-1,213	-0,719	-0,008306	-3,178E-16	-0,0514	-1,1412	104-2
105	57	DEAD	LinStatic		0	0,00003145	0,000005838	-0,000003244	0	0,00007252	105-1
105	58	DEAD	LinStatic		0	-0,00003145	-0,000005838	-0,00000921	0	-0,00007252	105-1
105	57	CM	LinStatic		0	-0,00002919	-0,244	0,00000264	0	0,00002211	105-1
105	58	CM	LinStatic		0	0,00002919	0,317	0,000008918	0	-0,00002211	105-1
105	57	CV	LinStatic		0	0	0	0	0	0	105-1
105	58	CV	LinStatic		0	0	0	0	0	0	105-1
105	57	L	LinStatic		0	0,033	-0,001996	-0,00001321	0	0,1706	105-1

105	58	L	LinStatic		0	-0,033	0,001996	-0,0131	0	-0,1706	105-1
105	57	COMB1	Combination		0	0,033	0,003695	0,0006457	0	0,2933	105-1
105	58	COMB1	Combination		0	-0,087	-0,003695	-0,0244	0	-0,2933	105-1
105	57	COMB5	Combination		0	0,033	0,003695	0,0006457	0	0,2933	105-1
105	58	COMB5	Combination		0	-0,087	-0,003695	-0,0244	0	-0,2933	105-1
105	57	COMB6	Combination		0	0,033	0,003695	0,0006457	0	0,2933	105-1
105	58	COMB6	Combination		0	-0,087	-0,003695	-0,0244	0	-0,2933	105-1
105	57	COMB7	Combination		0	0,033	-0,007675	-0,0006787	0	0,0481	105-1
105	58	COMB7	Combination		0	0,02	0,007675	-0,0018	0	-0,0481	105-1
105	57	COMB8	Combination		0	0,033	-0,007675	-0,0006787	0	0,0481	105-1
105	58	COMB8	Combination		0	0,02	0,007675	-0,0018	0	-0,0481	105-1
105	57	COMB9	Combination		0	0,0001668	0,013	0,0015	0	0,2861	105-1
105	58	COMB9	Combination		0	-0,125	-0,013	-0,0263	0	-0,2861	105-1
105	57	COMB10	Combination		0	-0,0001039	-0,013	-0,0015	0	0,286	105-1
105	58	COMB10	Combination		0	0,125	0,013	0,0263	0	0,286	105-1
105	57	COMB11	Combination		0	0,033	-0,015	-0,0016	0	-0,1153	105-1
105	58	COMB11	Combination		0	0,092	0,015	0,0132	0	0,1153	105-1
105	57	COMB12	Combination		0	0,033	0,011	0,0015	0	0,4568	105-1
105	58	COMB12	Combination		0	-0,158	-0,011	-0,0394	0	-0,4568	105-1
105	57	ENV	Combination	Max	0	0,033	0,013	0,0015	0	0,4568	105-1
105	58	ENV	Combination	Max	0	0,125	0,015	0,0263	0	0,286	105-1
105	57	ENV	Combination	Min	0	-0,0001039	-0,015	-0,0016	0	-0,286	105-1
105	58	ENV	Combination	Min	0	-0,158	-0,013	-0,0394	0	-0,4568	105-1
108	3	DEAD	LinStatic		0,195	-0,00693	0,038	0	2,03E-16	-0,0225	108-1
108	178	DEAD	LinStatic		-0,195	0,00693	-0,038	0,0077	1,181E-14	-0,0164	108-1
108	3	CM	LinStatic		-0,319	0,462	0,123	0	4,942E-16	0,0233	108-1
108	178	CM	LinStatic		0,319	-0,462	-0,118	0,0241	-1,979E-14	0,0406	108-1
108	3	CV	LinStatic		0	0	0	0	0	0	108-1
108	178	CV	LinStatic		0	0	0	0	0	0	108-1
108	3	L	LinStatic		-2,455	1,425	2,191	0	-1,103E-15	0,2952	108-1
108	178	L	LinStatic		2,455	-1,425	-2,131	0,4322	-1,556E-13	0,1958	108-1
108	3	COMB1	Combination		-4,293	2,776	2,258	0	-1,657E-15	0,4677	108-1
108	178	COMB1	Combination		4,293	-2,776	-2,197	0,4455	-2,671E-13	0,3909	108-1
108	3	COMB5	Combination		-4,293	2,776	2,258	0	-1,657E-15	0,4677	108-1
108	178	COMB5	Combination		4,293	-2,776	-2,197	0,4455	-2,671E-13	0,3909	108-1
108	3	COMB6	Combination		-4,293	2,776	2,258	0	-1,657E-15	0,4677	108-1
108	178	COMB6	Combination		4,293	-2,776	-2,197	0,4455	-2,671E-13	0,3909	108-1
108	3	COMB7	Combination		-0,228	0,061	2,201	0	-1,42E-16	0,0776	108-1
108	178	COMB7	Combination		0,228	-0,061	-2,141	0,4342	-2,043E-14	-0,032	108-1
108	3	COMB8	Combination		-0,228	0,061	2,201	0	-1,42E-16	0,0776	108-1
108	178	COMB8	Combination		0,228	-0,061	-2,141	0,4342	-2,043E-14	-0,032	108-1
108	3	COMB9	Combination		-4,548	3,161	0,104	0	-1,565E-15	0,4326	108-1
108	178	COMB9	Combination		4,548	-3,161	-0,104	0,0208	-2,759E-13	0,477	108-1
108	3	COMB10	Combination		4,937	-3,175	-0,027	0	1,971E-15	-0,4776	108-1
108	178	COMB10	Combination		-4,937	3,175	0,027	-0,0055	2,996E-13	-0,5098	108-1
108	3	COMB11	Combination		2,482	-1,75	2,164	0	8,682E-16	-0,1825	108-1
108	178	COMB11	Combination		-2,482	1,75	-2,103	0,4267	1,44E-13	-0,3139	108-1
108	3	COMB12	Combination		-7,003	4,587	2,295	0	-2,668E-15	0,7277	108-1
108	178	COMB12	Combination		7,003	-4,587	-2,235	0,453	-4,315E-13	0,6728	108-1
108	3	ENV	Combination	Max	4,937	4,587	2,295	0	1,971E-15	0,7277	108-1
108	178	ENV	Combination	Max	7,003	3,175	0,027	0,453	2,996E-13	0,6728	108-1
108	3	ENV	Combination	Min	-7,003	-3,175	-0,027	0	-2,668E-15	-0,4776	108-1
108	178	ENV	Combination	Min	-4,937	-4,587	-2,235	-0,0055	-4,315E-13	-0,5098	108-1
108	178	DEAD	LinStatic		-0,026	-0,011	0,0005002	-0,0053	-1,199E-14	0,0104	108-2
108	171	DEAD	LinStatic		0,026	0,011	-0,0005002	0,0056	1,199E-14	0,0021	108-2
108	178	CM	LinStatic		0,092	0,46	0,108	-0,0258	1,998E-14	-0,0352	108-2
108	171	CM	LinStatic		-0,092	-0,46	-0,095	0,0741	-1,998E-14	-0,0088	108-2
108	178	CV	LinStatic		0	0	0	0	0	0	108-2
108	171	CV	LinStatic		0	0	0	0	0	0	108-2
108	178	L	LinStatic		-1,563	0,985	1,211	-0,3921	1,579E-13	0,3621	108-2
108	171	L	LinStatic		1,563	-0,985	-1,068	0,9335	-1,579E-13	0,3802	108-2
108	178	COMB1	Combination		-2,952	1,949	1,104	-0,4491	2,702E-13	0,7032	108-2
108	171	COMB1	Combination		2,952	-1,949	-0,961	0,9395	-2,702E-13	0,6991	108-2
108	178	COMB5	Combination		-2,952	1,949	1,104	-0,4491	2,702E-13	0,7032	108-2
108	171	COMB5	Combination		2,952	-1,949	-0,961	0,9395	-2,702E-13	0,6991	108-2
108	178	COMB6	Combination		-2,952	1,949	1,104	-0,4491	2,702E-13	0,7032	108-2
108	171	COMB6	Combination		2,952	-1,949	-0,961	0,9395	-2,702E-13	0,6991	108-2
108	178	COMB7	Combination		-0,226	-0,001941	1,319	-0,3459	2,157E-14	0,0419	108-2
108	171	COMB7	Combination		0,226	0,001941	-1,176	0,9387	-2,16E-14	0,0654	108-2
108	178	COMB8	Combination		-0,226	-0,001941	1,319	-0,3459	2,157E-14	0,0419	108-2
108	171	COMB8	Combination		0,226	0,001941	-1,176	0,9387	-2,16E-14	0,0654	108-2
108	178	COMB9	Combination		-3,207	2,264	-0,251	-0,1256	2,781E-13	0,7819	108-2
108	171	COMB9	Combination		3,207	-2,264	0,251	0,0065	-2,78E-13	0,7414	108-2
108	178	COMB10	Combination		3,155	-2,287	0,252	0,1149	-3,021E-13	-0,7612	108-2
108	171	COMB10	Combination		-3,155	2,287	-0,252	0,0047	3,02E-13	-0,7372	108-2
108	178	COMB11	Combination		1,592	-1,302	1,463	-0,2772	-1,442E-13	-0,399	108-2
108	171	COMB11	Combination		-1,592	1,302	-1,32	0,9381	1,441E-13	-0,357	108-2
108	178	COMB12	Combination		-4,77	3,249	0,96	-0,5178	4,36E-13	1,1441	108-2
108	171	COMB12	Combination		4,77	-3,249	-0,817	0,94	-4,359E-13	1,1216	108-2
108	178	ENV	Combination	Max	3,155	3,249	1,463	0,1149	4,36E-13	1,1441	108-2

108	171	ENV	Combination	Max	4,77	2,287	0,251	0,94	3,02E-13	1,1216	108-2
108	178	ENV	Combination	Min	-4,77	-2,287	-0,251	-0,5178	-3,021E-13	-0,7612	108-2
108	171	ENV	Combination	Min	-3,155	-3,249	-1,32	0,0047	-4,359E-13	-0,7372	108-2
108	171	DEAD	LinStatic		-0,015	-0,012	-0,0007507	-0,0049	-1,199E-14	0,0018	108-3
108	164	DEAD	LinStatic		0,015	0,012	0,0007507	0,0045	1,31E-14	0,0053	108-3
108	171	CM	LinStatic		0,022	0,467	0,043	-0,0737	2,042E-14	-0,005	108-3
108	164	CM	LinStatic		-0,022	-0,467	-0,031	0,0913	-2,132E-14	-0,0052	108-3
108	171	CV	LinStatic		0	0	0	0	0	0	108-3
108	164	CV	LinStatic		0	0	0	0	0	0	108-3
108	171	L	LinStatic		-1,262	0,439	0,256	-0,9463	1,575E-13	0,2468	108-3
108	164	L	LinStatic		1,262	-0,439	-0,113	1,0339	-8,588E-14	0,3529	108-3
108	171	COMB1	Combination		-2,326	0,958	0,071	-1,0069	2,697E-13	0,4843	108-3
108	164	COMB1	Combination		2,326	-0,958	0,072	1,0065	-1,375E-13	0,6206	108-3
108	171	COMB5	Combination		-2,326	0,958	0,071	-1,0069	2,697E-13	0,4843	108-3
108	164	COMB5	Combination		2,326	-0,958	0,072	1,0065	-1,375E-13	0,6206	108-3
108	171	COMB6	Combination		-2,326	0,958	0,071	-1,0069	2,697E-13	0,4843	108-3
108	164	COMB6	Combination		2,326	-0,958	0,072	1,0065	-1,375E-13	0,6206	108-3
108	171	COMB7	Combination		-0,229	-0,105	0,44	-0,8955	2,136E-14	0,0129	108-3
108	164	COMB7	Combination		0,229	0,105	-0,297	1,0704	-8,048E-15	0,0959	108-3
108	171	COMB8	Combination		-0,229	-0,105	0,44	-0,8955	2,136E-14	0,0129	108-3
108	164	COMB8	Combination		0,229	0,105	-0,297	1,0704	-8,048E-15	0,0959	108-3
108	171	COMB9	Combination		-2,462	1,229	-0,431	-0,1349	2,778E-13	0,5517	108-3
108	164	COMB9	Combination		2,462	-1,229	0,431	-0,07	-1,379E-13	0,6175	108-3
108	171	COMB10	Combination		2,432	-1,253	0,43	0,1251	-3,018E-13	-0,5482	108-3
108	164	COMB10	Combination		-2,432	1,253	-0,43	0,0791	1,641E-13	-0,6068	108-3
108	171	COMB11	Combination		1,169	-0,814	0,686	-0,8212	-1,442E-13	-0,3014	108-3
108	164	COMB11	Combination		-1,169	0,814	-0,543	1,1129	7,826E-14	-0,2539	108-3
108	171	COMB12	Combination		-3,724	1,667	-0,175	-1,0811	4,353E-13	0,7986	108-3
108	164	COMB12	Combination		3,724	-1,667	0,318	0,9639	-2,238E-13	0,9704	108-3
108	171	ENV	Combination	Max	2,432	1,667	0,686	0,1251	4,353E-13	0,7986	108-3
108	164	ENV	Combination	Max	3,724	1,253	0,431	1,1129	1,641E-13	0,9704	108-3
108	171	ENV	Combination	Min	-3,724	-1,253	-0,431	-1,0811	-3,018E-13	-0,5482	108-3
108	164	ENV	Combination	Min	-2,432	-1,667	-0,543	-0,07	-2,238E-13	-0,6068	108-3
108	164	DEAD	LinStatic		0,015	-0,012	0,0007346	-0,0045	-1,247E-14	-0,0054	108-4
108	185	DEAD	LinStatic		-0,015	0,012	-0,0007346	0,0049	1,363E-14	-0,0018	108-4
108	164	CM	LinStatic		-0,021	0,467	-0,031	-0,0913	2,135E-14	0,0051	108-4
108	185	CM	LinStatic		0,021	-0,467	0,044	0,0737	-2,217E-14	0,0049	108-4
108	164	CV	LinStatic		0	0	0	0	0	0	108-4
108	185	CV	LinStatic		0	0	0	0	0	0	108-4
108	164	L	LinStatic		-1,356	-0,142	-0,593	-1,1059	8,579E-14	0,3046	108-4
108	185	L	LinStatic		1,356	0,142	0,736	0,7901	-1,625E-13	0,3396	108-4
108	164	COMB1	Combination		-2,394	-0,057	-0,777	-1,1342	1,378E-13	0,5627	108-4
108	185	COMB1	Combination		2,394	0,057	0,92	0,7313	-2,731E-13	0,5747	108-4
108	164	COMB5	Combination		-2,394	-0,057	-0,777	-1,1342	1,378E-13	0,5627	108-4
108	185	COMB5	Combination		2,394	0,057	0,92	0,7313	-2,731E-13	0,5747	108-4
108	164	COMB6	Combination		-2,394	-0,057	-0,777	-1,1342	1,378E-13	0,5627	108-4
108	185	COMB6	Combination		2,394	0,057	0,92	0,7313	-2,731E-13	0,5747	108-4
108	164	COMB7	Combination		-0,288	-0,252	-0,408	-1,0867	8,849E-15	0,0358	108-4
108	185	COMB7	Combination		0,288	0,252	0,551	0,8587	-2,468E-14	0,1009	108-4
108	164	COMB8	Combination		-0,288	-0,252	-0,408	-1,0867	8,849E-15	0,0358	108-4
108	185	COMB8	Combination		0,288	0,252	0,551	0,8587	-2,468E-14	0,1009	108-4
108	164	COMB9	Combination		-2,443	0,216	-0,429	-0,06	1,379E-13	0,6093	108-4
108	185	COMB9	Combination		2,443	-0,216	0,429	-0,1438	-2,762E-13	0,551	108-4
108	164	COMB10	Combination		2,473	-0,24	0,43	0,0509	-1,629E-13	-0,6201	108-4
108	185	COMB10	Combination		-2,473	0,24	-0,43	0,1536	3,034E-13	-0,5546	108-4
108	164	COMB11	Combination		1,117	-0,382	-0,163	-1,055	-7,711E-14	-0,3155	108-4
108	185	COMB11	Combination		-1,117	0,382	0,306	0,9437	1,409E-13	-0,215	108-4
108	164	COMB12	Combination		-3,799	0,073	-1,022	-1,1659	2,237E-13	0,9139	108-4
108	185	COMB12	Combination		3,799	-0,073	1,165	0,6463	-4,387E-13	0,8906	108-4
108	164	ENV	Combination	Max	2,473	0,216	0,43	0,0509	-2,237E-13	0,9139	108-4
108	185	ENV	Combination	Max	3,799	0,382	1,165	0,9437	3,034E-13	0,8906	108-4
108	164	ENV	Combination	Min	-3,799	-0,382	-1,022	-1,1659	-1,629E-13	-0,6201	108-4
108	185	ENV	Combination	Min	-2,473	-0,216	-0,43	-0,1438	-4,387E-13	-0,5546	108-4
108	185	DEAD	LinStatic		0,026	-0,011	-0,0005085	-0,0056	-1,377E-14	-0,0021	108-5
108	192	DEAD	LinStatic		-0,026	0,011	0,0005085	0,0053	1,377E-14	-0,0104	108-5
108	185	CM	LinStatic		-0,092	0,459	-0,095	-0,074	2,265E-14	0,0086	108-5
108	192	CM	LinStatic		0,092	-0,459	0,108	0,0258	-2,265E-14	0,0349	108-5
108	185	CV	LinStatic		0	0	0	0	0	0	108-5
108	192	CV	LinStatic		0	0	0	0	0	0	108-5
108	185	L	LinStatic		-1,853	-0,786	-1,336	-0,9189	1,63E-13	0,4198	108-5
108	192	L	LinStatic		1,853	0,786	1,479	0,2501	-1,63E-13	0,4603	108-5
108	185	COMB1	Combination		-3,221	-1,146	-1,434	-0,915	2,738E-13	0,7326	108-5
108	192	COMB1	Combination		3,221	1,146	1,577	0,1999	-2,738E-13	0,7974	108-5
108	185	COMB5	Combination		-3,221	-1,146	-1,434	-0,915	2,738E-13	0,7326	108-5
108	192	COMB5	Combination		3,221	1,146	1,577	0,1999	-2,738E-13	0,7974	108-5
108	185	COMB6	Combination		-3,221	-1,146	-1,434	-0,915	2,738E-13	0,7326	108-5
108	192	COMB6	Combination		3,221	1,146	1,577	0,1999	-2,738E-13	0,7974	108-5
108	185	COMB7	Combination		-0,432	-0,449	-1,24	-0,934	2,465E-14	0,1028	108-5
108	192	COMB7	Combination		0,432	0,449	1,383	0,3111	-2,465E-14	0,1023	108-5
108	185	COMB8	Combination		-0,432	-0,449	-1,24	-0,934	2,465E-14	0,1028	108-5

108	192	COMB8	Combination	0,432	0,449	1,383	0,3111	-2,465E-14	0,1023	108-5
108	185	COMB9	Combination	-3,228	-0,824	-0,227	0,0165	2,769E-13	0,7326	108-5
108	192	COMB9	Combination	3,228	0,824	0,227	-0,1244	-2,769E-13	0,8006	108-5
108	185	COMB10	Combination	3,281	0,801	0,226	-0,0277	-3,044E-13	-0,7368	108-5
108	192	COMB10	Combination	-3,281	-0,801	-0,226	0,1351	3,044E-13	-0,8214	108-5
108	185	COMB11	Combination	1,428	0,015	-1,11	-0,9466	-1,414E-13	-0,3171	108-5
108	192	COMB11	Combination	-1,428	-0,015	1,253	0,3852	1,414E-13	-0,3612	108-5
108	185	COMB12	Combination	-5,081	-1,61	-1,564	-0,9024	4,399E-13	1,1524	108-5
108	192	COMB12	Combination	5,081	1,61	1,707	0,1257	-4,399E-13	1,2609	108-5
108	185	ENV	Combination	3,281	0,801	0,226	0,0165	4,399E-13	1,1524	108-5
108	192	ENV	Combination	5,081	1,61	1,707	0,3852	3,044E-13	1,2609	108-5
108	185	ENV	Combination	-5,081	-1,61	-1,564	-0,9466	-3,044E-13	-0,7368	108-5
108	192	ENV	Combination	-3,281	-0,801	-0,226	-0,1244	-4,399E-13	-0,8214	108-5
108	192	DEAD	LinStatic	-0,193	-0,007073	-0,038	-0,0077	1,108E-14	0,0164	108-6
108	27	DEAD	LinStatic	0,193	0,007073	0,038	0	5,227E-17	0,0223	108-6
108	192	CM	LinStatic	0,323	0,461	-0,117	-0,024	-1,796E-14	-0,0407	108-6
108	27	CM	LinStatic	-0,323	-0,461	0,123	0	-1,277E-16	-0,024	108-6
108	192	CV	LinStatic	0	0	0	0	0	0	108-6
108	27	CV	LinStatic	0	0	0	0	0	0	108-6
108	192	L	LinStatic	-2,237	-1,361	-1,997	-0,4055	1,281E-13	0,354	108-6
108	27	L	LinStatic	2,237	1,361	2,057	0	-4,106E-16	0,0934	108-6
108	192	COMB1	Combination	-4,315	-2,088	-1,969	-0,3998	2,462E-13	0,5429	108-6
108	27	COMB1	Combination	4,315	2,088	2,029	0	-4,044E-16	0,3202	108-6
108	192	COMB5	Combination	-4,315	-2,088	-1,969	-0,3998	2,462E-13	0,5429	108-6
108	27	COMB5	Combination	4,315	2,088	2,029	0	-4,044E-16	0,3202	108-6
108	192	COMB6	Combination	-4,315	-2,088	-1,969	-0,3998	2,462E-13	0,5429	108-6
108	27	COMB6	Combination	4,315	2,088	2,029	0	-4,044E-16	0,3202	108-6
108	192	COMB7	Combination	-0,545	-0,647	-2,102	-0,4265	3,209E-14	0,1978	108-6
108	27	COMB7	Combination	0,545	0,647	2,163	0	-3,122E-16	-0,0888	108-6
108	192	COMB8	Combination	-0,545	-0,647	-2,102	-0,4265	3,209E-14	0,1978	108-6
108	27	COMB8	Combination	0,545	0,647	2,163	0	-3,122E-16	-0,0888	108-6
108	192	COMB9	Combination	-4,592	-1,689	0,117	0,0235	2,609E-13	0,419	108-6
108	27	COMB9	Combination	4,592	1,689	-0,117	0	-5,54E-17	0,4994	108-6
108	192	COMB10	Combination	4,206	1,674	-0,194	-0,0388	-2,388E-13	-0,3862	108-6
108	27	COMB10	Combination	-4,206	-1,674	0,194	0	1,599E-16	-0,4549	108-6
108	192	COMB11	Combination	1,969	0,314	-2,191	-0,4443	-1,107E-13	-0,0323	108-6
108	27	COMB11	Combination	-1,969	-0,314	2,252	0	-2,506E-16	-0,3615	108-6
108	192	COMB12	Combination	-6,829	-3,049	-1,88	-0,382	3,89E-13	0,773	108-6
108	27	COMB12	Combination	6,829	3,049	1,94	0	-4,66E-16	0,5929	108-6
108	192	ENV	Combination	4,206	1,674	0,117	0,0235	3,89E-13	0,773	108-6
108	27	ENV	Combination	6,829	3,049	2,252	0	1,599E-16	0,5929	108-6
108	192	ENV	Combination	-6,829	-3,049	-2,191	-0,4443	-2,388E-13	-0,3862	108-6
108	27	ENV	Combination	-4,206	-1,674	-0,117	0	-4,66E-16	-0,4549	108-6
109	4	DEAD	LinStatic	-0,025	-0,007616	0,001957	0,0015	0,000022	0,0155	109-1
109	59	DEAD	LinStatic	0,025	0,007616	-0,001957	0,0007543	-0,000022	0,0128	109-1
109	4	CM	LinStatic	-0,00008679	-0,645	0,399	0,2419	0,00005203	0,004	109-1
109	59	CM	LinStatic	0,00008679	0,645	-0,185	0,0937	-0,00005203	-0,0039	109-1
109	4	CV	LinStatic	0	0	0	0	0	0	109-1
109	59	CV	LinStatic	0	0	0	0	0	0	109-1
109	4	L	LinStatic	0,236	-0,508	-1,213	-1,0936	-0,0091	-0,233	109-1
109	59	L	LinStatic	-0,236	0,508	1,213	-0,3018	0,0091	-0,0388	109-1
109	4	COMB1	Combination	0,394	-1,455	-2,048	-1,8678	-0,0166	-0,3986	109-1
109	59	COMB1	Combination	-0,394	1,455	2,048	-0,4876	0,0166	-0,0545	109-1
109	4	COMB5	Combination	0,394	-1,455	-2,048	-1,8678	-0,0166	-0,3986	109-1
109	59	COMB5	Combination	-0,394	1,455	2,048	-0,4876	0,0166	-0,0545	109-1
109	4	COMB6	Combination	0,394	-1,455	-2,048	-1,8678	-0,0166	-0,3986	109-1
109	59	COMB6	Combination	-0,394	1,455	2,048	-0,4876	0,0166	-0,0545	109-1
109	4	COMB7	Combination	0,029	0,424	-0,375	-0,3165	-0,0015	-0,0364	109-1
109	59	COMB7	Combination	-0,029	-0,424	0,375	-0,1145	0,0015	0,0025	109-1
109	4	COMB8	Combination	0,029	0,424	-0,375	-0,3165	-0,0015	-0,0364	109-1
109	59	COMB8	Combination	-0,029	-0,424	0,375	-0,1145	0,0015	0,0025	109-1
109	4	COMB9	Combination	0,401	-2,2	-1,95	-1,8084	-0,0175	-0,4071	109-1
109	59	COMB9	Combination	-0,401	2,2	1,95	-0,4345	0,0175	-0,0537	109-1
109	4	COMB10	Combination	-0,45	2,185	1,954	1,8114	0,0176	0,4381	109-1
109	59	COMB10	Combination	0,45	-2,185	-1,954	0,436	-0,0176	0,0793	109-1
109	4	COMB11	Combination	-0,214	1,677	0,741	0,7178	0,0085	0,2051	109-1
109	59	COMB11	Combination	0,214	-1,677	-0,741	0,1342	-0,0085	0,0405	109-1
109	4	COMB12	Combination	0,637	-2,708	-3,164	-2,9021	-0,0266	-0,64	109-1
109	59	COMB12	Combination	-0,637	2,708	3,164	-0,7363	0,0266	-0,0925	109-1
109	4	ENV	Combination	0,637	2,185	1,954	1,8114	0,0176	0,4381	109-1
109	59	ENV	Combination	0,45	2,708	3,164	0,436	0,0266	0,0793	109-1
109	4	ENV	Combination	-0,45	-2,708	-3,164	-2,9021	-0,0266	-0,64	109-1
109	59	ENV	Combination	-0,637	-2,185	-1,954	-0,7363	-0,0176	-0,0925	109-1
109	59	DEAD	LinStatic	0,025	-0,007655	-0,001949	-0,0007514	0,000022	-0,0128	109-2
109	32	DEAD	LinStatic	-0,025	0,007655	0,001949	-0,0015	-0,000022	-0,0154	109-2
109	59	CM	LinStatic	-0,00008679	-0,646	-0,184	-0,0935	0,00005203	0,004	109-2
109	32	CM	LinStatic	0,00008679	0,646	0,398	-0,2412	-0,00005203	-0,0039	109-2
109	59	CV	LinStatic	0	0	0	0	0	0	109-2
109	32	CV	LinStatic	0	0	0	0	0	0	109-2
109	59	L	LinStatic	0,236	1,163	-1,277	-0,3204	-0,0091	-0,0369	109-2

109	32	L	LinStatic	-0,236	-1,163	1,277	-1,1487	0,0091	-0,2349	109-2
109	59	COMB1	Combination	0,443	1,596	-2,464	-0,6404	-0,0166	-0,0758	109-2
109	32	COMB1	Combination	-0,443	-1,596	2,464	-2,1934	0,0166	-0,4338	109-2
109	59	COMB5	Combination	0,443	1,596	-2,464	-0,6404	-0,0166	-0,0758	109-2
109	32	COMB5	Combination	-0,443	-1,596	2,464	-2,1934	0,0166	-0,4338	109-2
109	59	COMB6	Combination	0,443	1,596	-2,464	-0,6404	-0,0166	-0,0758	109-2
109	32	COMB6	Combination	-0,443	-1,596	2,464	-2,1934	0,0166	-0,4338	109-2
109	59	COMB7	Combination	0,079	0,715	-0,095	-0,0019	-0,0015	-0,0236	109-2
109	32	COMB7	Combination	-0,079	-0,715	0,095	-0,1069	0,0015	-0,0668	109-2
109	59	COMB8	Combination	0,079	0,715	-0,095	-0,0019	-0,0015	-0,0236	109-2
109	32	COMB8	Combination	-0,079	-0,715	0,095	-0,1069	0,0015	-0,0668	109-2
109	59	COMB9	Combination	0,45	1,02	-2,766	-0,7456	-0,0175	-0,0737	109-2
109	32	COMB9	Combination	-0,45	-1,02	2,766	-2,4358	0,0175	-0,4436	109-2
109	59	COMB10	Combination	-0,401	-1,036	2,763	0,7441	0,0176	0,0481	109-2
109	32	COMB10	Combination	0,401	1,036	-2,763	2,4328	-0,0176	0,4127	109-2
109	59	COMB11	Combination	-0,164	0,128	1,485	0,4238	0,0085	0,0113	109-2
109	32	COMB11	Combination	0,164	-0,128	-1,485	1,2841	-0,0085	0,1778	109-2
109	59	COMB12	Combination	0,686	2,184	-4,044	-1,066	-0,0266	-0,1106	109-2
109	32	COMB12	Combination	-0,686	-2,184	4,044	-3,5845	0,0266	-0,6785	109-2
109	59	ENV	Combination	0,686	2,184	2,763	0,7441	0,0176	0,0481	109-2
109	32	ENV	Combination	0,401	1,036	4,044	2,4328	0,0266	0,4127	109-2
109	59	ENV	Combination	-0,401	-1,036	-4,044	-1,066	-0,0266	-0,1106	109-2
109	32	ENV	Combination	-0,686	-2,184	-2,763	-3,5845	-0,0176	-0,6785	109-2
110	59	DEAD	LinStatic	0	0,00003885	0,003906	-0,000002928	0	-0,00002885	110-1
110	60	DEAD	LinStatic	0	-0,00003885	-0,003906	-0,00001245	0	0,00002885	110-1
110	59	CM	LinStatic	0	0,0005868	0,368	-0,0002196	0	-0,00002405	110-1
110	60	CM	LinStatic	0	-0,0005868	-0,295	-0,00001276	0	0,00002405	110-1
110	59	CV	LinStatic	0	0	0	0	0	0	110-1
110	60	CV	LinStatic	0	0	0	0	0	0	110-1
110	59	L	LinStatic	0	-1,671	0,064	0,6222	0	0,0757	110-1
110	60	L	LinStatic	0	1,671	-0,064	0,0396	0	-0,0757	110-1
110	59	COMB1	Combination	0	-3,051	0,416	1,128	0	0,1303	110-1
110	60	COMB1	Combination	0	2,998	-0,416	0,0697	0	-0,1303	110-1
110	59	COMB5	Combination	0	-3,051	0,416	1,128	0	0,1303	110-1
110	60	COMB5	Combination	0	2,998	-0,416	0,0697	0	-0,1303	110-1
110	59	COMB6	Combination	0	-3,051	0,416	1,128	0	0,1303	110-1
110	60	COMB6	Combination	0	2,998	-0,416	0,0697	0	-0,1303	110-1
110	59	COMB7	Combination	0	-0,291	-0,28	0,1164	0	0,021	110-1
110	60	COMB7	Combination	0	0,345	0,28	0,0095	0	-0,021	110-1
110	59	COMB8	Combination	0	-0,291	-0,28	0,1164	0	0,021	110-1
110	60	COMB8	Combination	0	0,345	0,28	0,0095	0	-0,021	110-1
110	59	COMB9	Combination	0	-3,22	0,816	1,1801	0	0,1274	110-1
110	60	COMB9	Combination	0	3,095	-0,816	0,0703	0	-0,1274	110-1
110	59	COMB10	Combination	0	3,22	-0,808	-1,1801	0	-0,1275	110-1
110	60	COMB10	Combination	0	-3,096	0,808	-0,0703	0	0,1275	110-1
110	59	COMB11	Combination	0	1,549	-0,744	-0,558	0	-0,0518	110-1
110	60	COMB11	Combination	0	-1,424	0,744	-0,0307	0	0,0518	110-1
110	59	COMB12	Combination	0	-4,892	0,88	1,8023	0	0,2031	110-1
110	60	COMB12	Combination	0	4,767	-0,88	0,1099	0	-0,2031	110-1
110	59	ENV	Combination	0	3,22	0,88	1,8023	0	0,2031	110-1
110	60	ENV	Combination	0	4,767	0,808	0,1099	0	0,1275	110-1
110	59	ENV	Combination	0	-4,892	-0,808	-1,1801	0	-0,1275	110-1
110	60	ENV	Combination	0	-3,096	-0,88	-0,0703	0	-0,2031	110-1
113	5	DEAD	LinStatic	-0,08	-0,027	0,023	0	-3,708E-16	0,0157	113-1
113	179	DEAD	LinStatic	0,08	0,027	-0,023	0,0045	-4,223E-15	0,0002803	113-1
113	5	CM	LinStatic	-0,095	0,644	0,117	0	4,343E-16	-0,046	113-1
113	179	CM	LinStatic	0,095	-0,644	-0,112	0,023	-6,553E-15	0,065	113-1
113	5	CV	LinStatic	0	0	0	0	0	0	113-1
113	179	CV	LinStatic	0	0	0	0	0	0	113-1
113	5	L	LinStatic	-8,379	1,724	1,213	0	-1,009E-16	1,1862	113-1
113	179	L	LinStatic	8,379	-1,724	-1,153	0,2366	-4,392E-13	0,4896	113-1
113	5	COMB1	Combination	-14,691	3,18	0,543	0	8,201E-16	1,9582	113-1
113	179	COMB1	Combination	14,691	-3,18	-0,483	0,1025	-7,491E-13	0,98	113-1
113	5	COMB5	Combination	-14,691	3,18	0,543	0	8,201E-16	1,9582	113-1
113	179	COMB5	Combination	14,691	-3,18	-0,483	0,1025	-7,491E-13	0,98	113-1
113	5	COMB6	Combination	-14,691	3,18	0,543	0	8,201E-16	1,9582	113-1
113	179	COMB6	Combination	14,691	-3,18	-0,483	0,1025	-7,491E-13	0,98	113-1
113	5	COMB7	Combination	-2,228	0,216	1,929	0	-1,763E-15	0,4457	113-1
113	179	COMB7	Combination	2,228	-0,216	-1,869	0,3797	-1,377E-13	-0,0001842	113-1
113	5	COMB8	Combination	-2,228	0,216	1,929	0	-1,763E-15	0,4457	113-1
113	179	COMB8	Combination	2,228	-0,216	-1,869	0,3797	-1,377E-13	-0,0001842	113-1
113	5	COMB9	Combination	-14,621	3,431	-1,594	0	2,643E-15	1,7803	113-1
113	179	COMB9	Combination	14,621	-3,431	1,594	-0,3189	-7,175E-13	1,1438	113-1
113	5	COMB10	Combination	14,461	-3,485	1,639	0	-3,385E-15	-1,7489	113-1
113	179	COMB10	Combination	-14,461	3,485	-1,639	0,3279	7,09E-13	-1,1433	113-1
113	5	COMB11	Combination	6,082	-1,761	2,853	0	-3,486E-15	-0,5627	113-1
113	179	COMB11	Combination	-6,082	1,761	-2,793	0,5645	2,698E-13	-0,6536	113-1
113	5	COMB12	Combination	-23	5,156	-0,381	0	2,542E-15	2,9666	113-1
113	179	COMB12	Combination	23	-5,156	0,441	-0,0823	-1,157E-12	1,6335	113-1
113	5	ENV	Combination	14,461	5,156	2,853	0	2,643E-15	2,9666	113-1

113	179	ENV	Combination	Max	23	3,485	1,594	0,5645	7,09E-13	1,6335 113-1
113	5	ENV	Combination	Min	-23	-3,485	-1,594	0	-3,486E-15	-1,7489 113-1
113	179	ENV	Combination	Min	-14,461	-5,156	-2,793	-0,3189	-1,157E-12	-1,1433 113-1
113	179	DEAD	LinStatic		-0,039	-0,035	-0,003041	-0,004	4,274E-15	0,009 113-2
113	172	DEAD	LinStatic		0,039	0,035	0,003041	0,0025	-4,274E-15	0,0093 113-2
113	179	CM	LinStatic		0,219	0,664	0,142	-0,0208	6,328E-15	-0,0756 113-2
113	172	CM	LinStatic		-0,219	-0,664	-0,13	0,0854	-6,328E-15	-0,0282 113-2
113	179	CV	LinStatic		0	0	0	0	0	0 113-2
113	172	CV	LinStatic		0	0	0	0	0	0 113-2
113	179	L	LinStatic		-4,692	1,25	0,819	-0,4266	4,392E-13	1,168 113-2
113	172	L	LinStatic		4,692	-1,25	-0,676	0,7818	-4,392E-13	1,0606 113-2
113	179	COMB1	Combination		-8,666	2,282	0,351	-0,5158	7,483E-13	2,1775 113-2
113	172	COMB1	Combination		8,666	-2,282	-0,208	0,6485	-7,483E-13	1,9387 113-2
113	179	COMB5	Combination		-8,666	2,282	0,351	-0,5158	7,483E-13	2,1775 113-2
113	172	COMB5	Combination		8,666	-2,282	-0,208	0,6485	-7,483E-13	1,9387 113-2
113	179	COMB6	Combination		-8,666	2,282	0,351	-0,5158	7,483E-13	2,1775 113-2
113	172	COMB6	Combination		8,666	-2,282	-0,208	0,6485	-7,483E-13	1,9387 113-2
113	179	COMB7	Combination		-0,795	0,146	1,282	-0,3453	1,387E-13	0,1765 113-2
113	172	COMB7	Combination		0,795	-0,146	-1,139	0,92	-1,387E-13	0,2012 113-2
113	179	COMB8	Combination		-0,795	0,146	1,282	-0,3453	1,387E-13	0,1765 113-2
113	172	COMB8	Combination		0,795	-0,146	-1,139	0,92	-1,387E-13	0,2012 113-2
113	179	COMB9	Combination		-9,221	2,457	-1,089	-0,2029	7,155E-13	2,3435 113-2
113	172	COMB9	Combination		9,221	-2,457	1,089	-0,3143	-7,155E-13	2,0364 113-2
113	179	COMB10	Combination		9,144	-2,527	1,083	0,195	-7,07E-13	-2,3255 113-2
113	172	COMB10	Combination		-9,144	2,527	-1,083	0,3193	7,07E-13	-2,0177 113-2
113	179	COMB11	Combination		4,452	-1,278	1,902	-0,2316	-2,678E-13	-1,1575 113-2
113	172	COMB11	Combination		-4,452	1,278	-1,759	1,1011	2,678E-13	-0,9571 113-2
113	179	COMB12	Combination		-13,913	3,706	-0,27	-0,6295	1,155E-12	3,5115 113-2
113	172	COMB12	Combination		13,913	-3,706	0,413	0,4675	-1,155E-12	3,097 113-2
113	179	ENV	Combination	Max	9,144	3,706	1,902	0,195	1,155E-12	3,5115 113-2
113	172	ENV	Combination	Max	13,913	2,527	1,089	1,1011	7,07E-13	3,097 113-2
113	179	ENV	Combination	Min	-13,913	-2,527	-1,089	-0,6295	-7,07E-13	-2,3255 113-2
113	172	ENV	Combination	Min	-9,144	-3,706	-1,759	-0,3143	-1,155E-12	-2,0177 113-2
113	172	DEAD	LinStatic		-0,002946	-0,036	-0,00004787	-0,0026	3,886E-15	-0,0027 113-3
113	165	DEAD	LinStatic		0,002946	0,036	0,00004787	0,0025	-3,719E-15	0,0041 113-3
113	172	CM	LinStatic		0,025	0,671	0,047	-0,0799	5,663E-15	-0,0034 113-3
113	165	CM	LinStatic		-0,025	-0,671	-0,035	0,0993	-7,326E-15	-0,0085 113-3
113	172	CV	LinStatic		0	0	0	0	0	0 113-3
113	165	CV	LinStatic		0	0	0	0	0	0 113-3
113	172	L	LinStatic		-4,062	0,705	-0,046	-1,0219	4,394E-13	0,884 113-3
113	165	L	LinStatic		4,062	-0,705	0,189	0,9661	-2,084E-13	1,0456 113-3
113	172	COMB1	Combination		-7,28	1,299	-0,478	-1,1197	7,49E-13	1,6246 113-3
113	165	COMB1	Combination		7,28	-1,299	0,621	0,8586	-3,36E-13	1,8333 113-3
113	172	COMB5	Combination		-7,28	1,299	-0,478	-1,1197	7,49E-13	1,6246 113-3
113	165	COMB5	Combination		7,28	-1,299	0,621	0,8586	-3,36E-13	1,8333 113-3
113	172	COMB6	Combination		-7,28	1,299	-0,478	-1,1197	7,49E-13	1,6246 113-3
113	165	COMB6	Combination		7,28	-1,299	0,621	0,8586	-3,36E-13	1,8333 113-3
113	172	COMB7	Combination		-0,851	0,038	0,386	-0,9292	1,376E-13	0,138 113-3
113	165	COMB7	Combination		0,851	-0,038	-0,243	1,0787	-8,835E-14	0,2662 113-3
113	172	COMB8	Combination		-0,851	0,038	0,386	-0,9292	1,376E-13	0,138 113-3
113	165	COMB8	Combination		0,851	-0,038	-0,243	1,0787	-8,835E-14	0,2662 113-3
113	172	COMB9	Combination		-7,503	1,435	-1,009	-0,2248	7,172E-13	1,7317 113-3
113	165	COMB9	Combination		7,503	-1,435	1,009	-0,2543	-2,926E-13	1,8324 113-3
113	172	COMB10	Combination		7,498	-1,507	1,009	0,2197	-7,094E-13	-1,7371 113-3
113	165	COMB10	Combination		-7,498	1,507	-1,009	0,2594	2,852E-13	-1,8242 113-3
113	172	COMB11	Combination		3,435	-0,802	0,963	-0,8021	-2,7E-13	-0,8531 113-3
113	165	COMB11	Combination		-3,435	0,802	-0,82	1,2255	7,673E-14	-0,7786 113-3
113	172	COMB12	Combination		-11,566	2,139	-1,055	-1,2467	1,157E-12	2,6157 113-3
113	165	COMB12	Combination		11,566	-2,139	1,198	0,7118	-5,011E-13	2,8781 113-3
113	172	ENV	Combination	Max	7,498	2,139	1,009	0,2197	1,157E-12	2,6157 113-3
113	165	ENV	Combination	Max	11,566	1,507	1,198	1,2255	2,852E-13	2,8781 113-3
113	172	ENV	Combination	Min	-11,566	-1,507	-1,055	-1,2467	-7,094E-13	-1,7371 113-3
113	165	ENV	Combination	Min	-7,498	-2,139	-1,009	-0,2543	-5,011E-13	-1,8242 113-3
113	165	DEAD	LinStatic		0,002864	-0,036	0,0000372	-0,0025	3,74E-15	-0,0041 113-4
113	186	DEAD	LinStatic		-0,002864	0,036	-0,0000372	0,0025	-3,563E-15	0,0027 113-4
113	165	CM	LinStatic		-0,025	0,671	-0,035	-0,0993	6,789E-15	0,0086 113-4
113	186	CM	LinStatic		0,025	-0,671	0,047	0,0798	-8,386E-15	0,0035 113-4
113	165	CV	LinStatic		0	0	0	0	0	0 113-4
113	186	CV	LinStatic		0	0	0	0	0	0 113-4
113	165	L	LinStatic		-4,424	0,106	-0,958	-1,2605	2,085E-13	1,0279 113-4
113	186	L	LinStatic		4,424	-0,106	1,101	0,7716	-4,6E-13	1,0734 113-4
113	165	COMB1	Combination		-7,639	0,264	-1,39	-1,3754	3,353E-13	1,8105 113-4
113	186	COMB1	Combination		7,639	-0,264	1,533	0,6812	-7,699E-13	1,8179 113-4
113	165	COMB5	Combination		-7,639	0,264	-1,39	-1,3754	3,353E-13	1,8105 113-4
113	186	COMB5	Combination		7,639	-0,264	1,533	0,6812	-7,699E-13	1,8179 113-4
113	165	COMB6	Combination		-7,639	0,264	-1,39	-1,3754	3,353E-13	1,8105 113-4
113	186	COMB6	Combination		7,639	-0,264	1,533	0,6812	-7,699E-13	1,8179 113-4
113	165	COMB7	Combination		-1,203	-0,125	-0,525	-1,1506	8,929E-14	0,2372 113-4
113	186	COMB7	Combination		1,203	0,125	0,668	0,8671	-1,572E-13	0,3345 113-4
113	165	COMB8	Combination		-1,203	-0,125	-0,525	-1,1506	8,929E-14	0,2372 113-4

113	186	COMB8	Combination		1,203	0,125	0,668	0,8671	-1,572E-13	0,3345	113-4
113	165	COMB9	Combination		-7,505	0,418	-1,009	-0,2647	2,907E-13	1,8314	113-4
113	186	COMB9	Combination		7,505	-0,418	1,009	-0,2144	-7,183E-13	1,7334	113-4
113	165	COMB10	Combination		7,511	-0,49	1,009	0,2597	-2,832E-13	-1,8396	113-4
113	186	COMB10	Combination		-7,511	0,49	-1,009	0,2195	7,112E-13	-1,7279	113-4
113	165	COMB11	Combination		3,087	-0,384	0,051	-1,0008	-7,469E-14	-0,8116	113-4
113	186	COMB11	Combination		-3,087	0,384	0,092	0,9911	2,512E-13	-0,6545	113-4
113	165	COMB12	Combination		-11,929	0,524	-1,966	-1,5252	4,992E-13	2,8593	113-4
113	186	COMB12	Combination		11,929	-0,524	2,109	0,5573	-1,178E-12	2,8068	113-4
113	165	ENV	Combination	Max	7,511	0,524	1,009	0,2597	4,992E-13	2,8593	113-4
113	186	ENV	Combination	Max	11,929	0,49	2,109	0,9911	7,112E-13	2,8068	113-4
113	165	ENV	Combination	Min	-11,929	-0,49	-1,966	-1,5252	-2,832E-13	-1,8396	113-4
113	186	ENV	Combination	Min	-7,511	-0,524	-1,009	-0,2144	-1,178E-12	-1,7279	113-4
113	186	DEAD	LinStatic		0,038	-0,035	0,003032	-0,0025	3,557E-15	-0,0093	113-5
113	193	DEAD	LinStatic		-0,038	0,035	-0,003032	0,004	-3,548E-15	-0,009	113-5
113	186	CM	LinStatic		-0,219	0,664	-0,13	-0,0854	8,571E-15	0,0283	113-5
113	193	CM	LinStatic		0,219	-0,664	0,142	0,0208	-8,522E-15	0,0758	113-5
113	186	CV	LinStatic		0	0	0	0	0	0	113-5
113	193	CV	LinStatic		0	0	0	0	0	0	113-5
113	186	L	LinStatic		-5,808	-0,554	-1,92	-1,1436	4,6E-13	1,2492	113-5
113	193	L	LinStatic		5,808	0,554	2,063	0,1974	-4,588E-13	1,5096	113-5
113	186	COMB1	Combination		-9,825	-0,834	-2,391	-1,2841	7,708E-13	2,115	113-5
113	193	COMB1	Combination		9,825	0,834	2,534	0,1144	-7,69E-13	2,5517	113-5
113	186	COMB5	Combination		-9,825	-0,834	-2,391	-1,2841	7,708E-13	2,115	113-5
113	193	COMB5	Combination		9,825	0,834	2,534	0,1144	-7,69E-13	2,5517	113-5
113	186	COMB6	Combination		-9,825	-0,834	-2,391	-1,2841	7,708E-13	2,115	113-5
113	193	COMB6	Combination		9,825	0,834	2,534	0,1144	-7,69E-13	2,5517	113-5
113	186	COMB7	Combination		-1,714	-0,345	-1,444	-1,0081	1,564E-13	0,3647	113-5
113	193	COMB7	Combination		1,714	0,345	1,587	0,2884	-1,556E-13	0,4495	113-5
113	186	COMB8	Combination		-1,714	-0,345	-1,444	-1,0081	1,564E-13	0,3647	113-5
113	193	COMB8	Combination		1,714	0,345	1,587	0,2884	-1,556E-13	0,4495	113-5
113	186	COMB9	Combination		-9,424	-0,606	-1,102	-0,3246	7,203E-13	2,0327	113-5
113	193	COMB9	Combination		9,424	0,606	1,102	-0,199	-7,192E-13	2,4436	113-5
113	186	COMB10	Combination		9,501	0,536	1,108	0,3196	-7,132E-13	-2,0513	113-5
113	193	COMB10	Combination		-9,501	-0,536	-1,108	0,207	7,121E-13	-2,4615	113-5
113	186	COMB11	Combination		3,693	-0,018	-0,812	-0,824	-2,531E-13	-0,8021	113-5
113	193	COMB11	Combination		-3,693	0,018	0,955	0,4044	2,533E-13	-0,9519	113-5
113	186	COMB12	Combination		-15,232	-1,16	-3,023	-1,4682	1,18E-12	3,2819	113-5
113	193	COMB12	Combination		15,232	1,16	3,166	-0,0016	-1,178E-12	3,9532	113-5
113	186	ENV	Combination	Max	9,501	0,536	1,108	0,3196	1,18E-12	3,2819	113-5
113	193	ENV	Combination	Max	15,232	1,16	3,166	0,4044	7,121E-13	3,9532	113-5
113	186	ENV	Combination	Min	-15,232	-1,16	-3,023	-1,4682	-7,132E-13	-2,0513	113-5
113	193	ENV	Combination	Min	-9,501	-0,536	-1,108	-0,199	-1,178E-12	-2,4615	113-5
113	193	DEAD	LinStatic		0,08	-0,027	-0,023	-0,0045	3,83E-15	-0,0002814	113-6
113	28	DEAD	LinStatic		-0,08	0,027	0,023	0	-8,269E-15	-0,0157	113-6
113	193	CM	LinStatic		0,094	0,644	-0,112	-0,0229	8,233E-15	-0,065	113-6
113	28	CM	LinStatic		-0,094	-0,644	0,117	0	-1,301E-14	0,0462	113-6
113	193	CV	LinStatic		0	0	0	0	0	0	113-6
113	28	CV	LinStatic		0	0	0	0	0	0	113-6
113	193	L	LinStatic		-8,148	-1,223	-2,965	-0,599	4,588E-13	0,7698	113-6
113	28	L	LinStatic		8,148	1,223	3,025	0	4,422E-15	0,8599	113-6
113	193	COMB1	Combination		-14,265	-1,911	-3,64	-0,7341	7,687E-13	1,1745	113-6
113	28	COMB1	Combination		14,265	1,911	3,7	0	4,216E-14	1,6784	113-6
113	193	COMB5	Combination		-14,265	-1,911	-3,64	-0,7341	7,687E-13	1,1745	113-6
113	28	COMB5	Combination		14,265	1,911	3,7	0	4,216E-14	1,6784	113-6
113	193	COMB6	Combination		-14,265	-1,911	-3,64	-0,7341	7,687E-13	1,1745	113-6
113	28	COMB6	Combination		14,265	1,911	3,7	0	4,216E-14	1,6784	113-6
113	193	COMB7	Combination		-1,873	-0,588	-2,335	-0,473	1,565E-13	0,3645	113-6
113	28	COMB7	Combination		1,873	0,588	2,395	0	-4,986E-14	0,01	113-6
113	193	COMB8	Combination		-1,873	-0,588	-2,335	-0,473	1,565E-13	0,3645	113-6
113	28	COMB8	Combination		1,873	0,588	2,395	0	-4,986E-14	0,01	113-6
113	193	COMB9	Combination		-14,378	-1,571	-1,545	-0,309	7,18E-13	0,9448	113-6
113	28	COMB9	Combination		14,378	1,571	1,545	0	9,909E-14	1,9308	113-6
113	193	COMB10	Combination		14,537	1,517	1,5	0,3	-7,103E-13	-0,9454	113-6
113	28	COMB10	Combination		-14,537	-1,517	-1,5	0	-1,156E-13	-1,9621	113-6
113	193	COMB11	Combination		6,389	0,294	-1,465	-0,299	-2,515E-13	-0,1756	113-6
113	28	COMB11	Combination		-6,389	-0,294	1,525	0	-1,112E-13	-1,1022	113-6
113	193	COMB12	Combination		-22,526	-2,793	-4,51	-0,9081	1,177E-12	1,7146	113-6
113	28	COMB12	Combination		22,526	2,793	4,57	0	1,035E-13	2,7907	113-6
113	193	ENV	Combination	Max	14,537	1,517	1,5	0,3	1,177E-12	1,7146	113-6
113	28	ENV	Combination	Max	22,526	2,793	4,57	0	1,035E-13	2,7907	113-6
113	193	ENV	Combination	Min	-22,526	-2,793	-4,51	-0,9081	-7,103E-13	-0,9454	113-6
113	28	ENV	Combination	Min	-14,537	-1,517	-1,5	0	-1,156E-13	-1,9621	113-6
114	6	DEAD	LinStatic		-0,023	-0,025	0,0001876	0	-0,000001568	0,0149	114-1
114	61	DEAD	LinStatic		0,023	0,025	-0,0001876	0,0002157	0,000001568	0,011	114-1
114	6	CM	LinStatic		0,000007545	-1,29	0,096	0	-0,00001123	0,0081	114-1
114	61	CM	LinStatic		-0,000007545	1,29	0,119	-0,0134	0,00001123	-0,0081	114-1
114	6	CV	LinStatic		0	0	0	0	0	0	114-1
114	61	CV	LinStatic		0	0	0	0	0	0	114-1
114	6	L	LinStatic		0,079	0,318	-0,001697	0	0,0208	-0,1044	114-1

114	61	L	LinStatic	-0,079	-0,318	0,001697	-0,002	-0,0208	0,0137	114-1
114	6	COMB1	Combination	0,134	-0,246	0,004277	0	0,0351	-0,1854	114-1
114	61	COMB1	Combination	-0,134	0,246	-0,004277	0,0049	-0,0351	0,0311	114-1
114	6	COMB5	Combination	0,134	-0,246	0,004277	0	0,0351	-0,1854	114-1
114	61	COMB5	Combination	-0,134	0,246	-0,004277	0,0049	-0,0351	0,0311	114-1
114	6	COMB6	Combination	0,134	-0,246	0,004277	0	0,0351	-0,1854	114-1
114	61	COMB6	Combination	-0,134	0,246	-0,004277	0,0049	-0,0351	0,0311	114-1
114	6	COMB7	Combination	-0,021	0,832	-0,007296	0	0,0064	0,0063	114-1
114	61	COMB7	Combination	0,021	-0,832	0,007296	-0,0084	-0,0064	0,0184	114-1
114	6	COMB8	Combination	-0,021	0,832	-0,007296	0	0,0064	0,0063	114-1
114	61	COMB8	Combination	0,021	-0,832	0,007296	-0,0084	-0,0064	0,0184	114-1
114	6	COMB9	Combination	0,159	-1,284	0,014	0	0,0335	-0,2088	114-1
114	61	COMB9	Combination	-0,159	1,284	-0,014	0,0157	-0,0335	0,0258	114-1
114	6	COMB10	Combination	-0,204	1,233	-0,013	0	-0,0335	0,2386	114-1
114	61	COMB10	Combination	0,204	-1,233	0,013	-0,0153	0,0335	-0,0038	114-1
114	6	COMB11	Combination	-0,125	1,551	-0,015	0	-0,0127	0,1342	114-1
114	61	COMB11	Combination	0,125	-1,551	0,015	-0,0173	0,0127	0,0099	114-1
114	6	COMB12	Combination	0,238	-0,965	0,012	0	0,0542	-0,3132	114-1
114	61	COMB12	Combination	-0,238	0,965	-0,012	0,0138	-0,0542	0,0396	114-1
114	6	ENV	Combination	0,238	1,551	0,014	0	0,0542	0,2386	114-1
114	61	ENV	Combination	0,204	1,284	0,015	0,0157	0,0335	0,0396	114-1
114	6	ENV	Combination	-0,204	-1,284	-0,015	0	-0,0335	-0,3132	114-1
114	61	ENV	Combination	-0,238	-1,551	-0,014	-0,0173	-0,0542	-0,0038	114-1
114	61	DEAD	LinStatic	0,022	-0,025	-0,0001861	-0,000214	-0,000001568	-0,011	114-2
114	33	DEAD	LinStatic	-0,022	0,025	0,0001861	0	0,000001568	-0,0149	114-2
114	61	CM	LinStatic	0,000007545	-1,29	0,119	0,0134	-0,00001123	0,0081	114-2
114	33	CM	LinStatic	-0,000007545	1,29	0,096	0	0,00001123	-0,0081	114-2
114	61	CV	LinStatic	0	0	0	0	0	0	114-2
114	33	CV	LinStatic	0	0	0	0	0	0	114-2
114	61	L	LinStatic	0,079	0,222	0,003988	0,0046	0,0208	0,0206	114-2
114	33	L	LinStatic	-0,079	-0,222	-0,003988	0	-0,0208	-0,1113	114-2
114	61	COMB1	Combination	0,179	-0,385	-0,001457	-0,0017	0,0351	0,0264	114-2
114	33	COMB1	Combination	-0,179	0,385	0,001457	0	-0,0351	-0,2325	114-2
114	61	COMB5	Combination	0,179	-0,385	-0,001457	-0,0017	0,0351	0,0264	114-2
114	33	COMB5	Combination	-0,179	0,385	0,001457	0	-0,0351	-0,2325	114-2
114	61	COMB6	Combination	0,179	-0,385	-0,001457	-0,0017	0,0351	0,0264	114-2
114	33	COMB6	Combination	-0,179	0,385	0,001457	0	-0,0351	-0,2325	114-2
114	61	COMB7	Combination	0,024	0,778	0,00906	0,0104	0,0064	-0,0072	114-2
114	33	COMB7	Combination	-0,024	-0,778	-0,00906	0	-0,0064	-0,0198	114-2
114	61	COMB8	Combination	0,024	0,778	0,00906	0,0104	0,0064	-0,0072	114-2
114	33	COMB8	Combination	-0,024	-0,778	-0,00906	0	-0,0064	-0,0198	114-2
114	61	COMB9	Combination	0,204	-1,381	-0,012	-0,0143	0,0335	0,0282	114-2
114	33	COMB9	Combination	-0,204	1,381	0,012	0	-0,0335	-0,263	114-2
114	61	COMB10	Combination	-0,159	1,331	0,012	0,0139	-0,0335	-0,0503	114-2
114	33	COMB10	Combination	0,159	-1,331	-0,012	0	0,0335	0,2333	114-2
114	61	COMB11	Combination	-0,08	1,552	0,016	0,0185	-0,0127	-0,0297	114-2
114	33	COMB11	Combination	0,08	-1,552	-0,016	0	0,0127	0,122	114-2
114	61	COMB12	Combination	0,283	-1,159	-0,008468	-0,0097	0,0542	0,0488	114-2
114	33	COMB12	Combination	-0,283	1,159	0,008468	0	-0,0542	-0,3743	114-2
114	61	ENV	Combination	0,283	1,552	0,016	0,0185	0,0542	0,0488	114-2
114	33	ENV	Combination	0,159	1,381	0,012	0	0,0335	0,2333	114-2
114	61	ENV	Combination	-0,159	-1,381	-0,012	-0,0143	-0,0335	-0,0503	114-2
114	33	ENV	Combination	-0,283	-1,552	-0,016	0	-0,0542	-0,3743	114-2
115	61	DEAD	LinStatic	0	0,00003737	0,0003736	-0,000001725	0	-0,00001471	115-1
115	62	DEAD	LinStatic	0	-0,00003737	-0,0003736	-0,00001307	0	0,00001471	115-1
115	61	CM	LinStatic	0	-0,00001036	-0,238	2,131E-07	0	0,000006794	115-1
115	62	CM	LinStatic	0	0,00001036	0,312	0,000003889	0	-0,000006794	115-1
115	61	CV	LinStatic	0	0	0	0	0	0	115-1
115	62	CV	LinStatic	0	0	0	0	0	0	115-1
115	61	L	LinStatic	0	0,096	-0,005685	-0,0026	0	-0,0343	115-1
115	62	L	LinStatic	0	-0,096	0,005685	-0,0355	0	0,0343	115-1
115	61	COMB1	Combination	0	0,138	0,005734	-0,0032	0	-0,0575	115-1
115	62	COMB1	Combination	0	-0,192	-0,005734	-0,0621	0	0,0575	115-1
115	61	COMB5	Combination	0	0,138	0,005734	-0,0032	0	-0,0575	115-1
115	62	COMB5	Combination	0	-0,192	-0,005734	-0,0621	0	0,0575	115-1
115	61	COMB6	Combination	0	0,138	0,005734	-0,0032	0	-0,0575	115-1
115	62	COMB6	Combination	0	-0,192	-0,005734	-0,0621	0	0,0575	115-1
115	61	COMB7	Combination	0	0,054	-0,016	-0,002	0	-0,0111	115-1
115	62	COMB7	Combination	0	-0,000935	0,016	-0,0089	0	0,0111	115-1
115	61	COMB8	Combination	0	0,054	-0,016	-0,002	0	-0,0111	115-1
115	62	COMB8	Combination	0	-0,000935	0,016	-0,0089	0	0,0111	115-1
115	61	COMB9	Combination	0	0,098	0,026	-0,0014	0	-0,0541	115-1
115	62	COMB9	Combination	0	-0,223	-0,026	-0,062	0	0,0541	115-1
115	61	COMB10	Combination	0	-0,098	-0,025	0,0014	0	0,0541	115-1
115	62	COMB10	Combination	0	0,222	0,025	0,062	0	-0,0541	115-1
115	61	COMB11	Combination	0	-0,001479	-0,031	-0,0012	0	0,0198	115-1
115	62	COMB11	Combination	0	0,126	0,031	0,0265	0	-0,0198	115-1
115	61	COMB12	Combination	0	0,194	0,02	-0,0041	0	-0,0884	115-1
115	62	COMB12	Combination	0	-0,319	-0,02	-0,0975	0	0,0884	115-1
115	61	ENV	Combination	0	0,194	0,026	0,0014	0	0,0541	115-1

115	62	ENV	Combination	Max	0	0,222	0,031	0,062	0	0,0884	115-1
115	61	ENV	Combination	Min	0	-0,098	-0,031	-0,0041	0	-0,0884	115-1
115	62	ENV	Combination	Min	0	-0,319	-0,026	-0,0975	0	-0,0541	115-1
119	8	DEAD	LinStatic		-0,019	-0,011	0,0001064	6,326E-20	0,000001862	0,0138	119-1
119	63	DEAD	LinStatic		0,019	0,011	-0,0001064	0,0001224	-0,000001862	0,0082	119-1
119	8	CM	LinStatic		-0,000007098	-1,381	0,096	1,517E-19	0,000004464	0,0104	119-1
119	63	CM	LinStatic		0,000007098	1,381	0,119	-0,0131	-0,000004464	-0,0104	119-1
119	8	CV	LinStatic		0	0	0	0	0	0	119-1
119	63	CV	LinStatic		0	0	0	0	0	0	119-1
119	8	L	LinStatic		0,122	0,43	-0,0003612	7,37E-16	0,0217	-0,1693	119-1
119	63	L	LinStatic		-0,122	-0,43	0,0003612	-0,0004154	-0,0217	0,0288	119-1
119	8	COMB1	Combination		0,212	-0,1	0,006601	1,239E-15	0,0365	-0,2973	119-1
119	63	COMB1	Combination		-0,212	0,1	-0,006601	0,0076	-0,0365	0,0532	119-1
119	8	COMB5	Combination		0,212	-0,1	0,006601	1,239E-15	0,0365	-0,2973	119-1
119	63	COMB5	Combination		-0,212	0,1	-0,006601	0,0076	-0,0365	0,0532	119-1
119	8	COMB6	Combination		0,212	-0,1	0,006601	1,239E-15	0,0365	-0,2973	119-1
119	63	COMB6	Combination		-0,212	0,1	-0,006601	0,0076	-0,0365	0,0532	119-1
119	8	COMB7	Combination		-0,006271	0,938	-0,007111	2,352E-16	0,0069	-0,0136	119-1
119	63	COMB7	Combination		0,006271	-0,938	0,007111	-0,0082	-0,0069	0,0208	119-1
119	8	COMB8	Combination		-0,006271	0,938	-0,007111	2,352E-16	0,0069	-0,0136	119-1
119	63	COMB8	Combination		0,006271	-0,938	0,007111	-0,0082	-0,0069	0,0208	119-1
119	8	COMB9	Combination		0,236	-1,222	0,016	1,171E-15	0,0345	-0,3172	119-1
119	63	COMB9	Combination		-0,236	1,222	-0,016	0,0185	-0,0345	0,046	119-1
119	8	COMB10	Combination		-0,274	1,2	-0,016	-1,171E-15	-0,0345	0,3448	119-1
119	63	COMB10	Combination		0,274	-1,2	0,016	-0,0183	0,0345	-0,0297	119-1
119	8	COMB11	Combination		-0,152	1,63	-0,016	-4,34E-16	-0,0128	0,1756	119-1
119	63	COMB11	Combination		0,152	-1,63	0,016	-0,0187	0,0128	-0,0008395	119-1
119	8	COMB12	Combination		0,358	-0,792	0,016	1,908E-15	0,0562	-0,4865	119-1
119	63	COMB12	Combination		-0,358	0,792	-0,016	0,0181	-0,0562	0,0748	119-1
119	8	ENV	Combination	Max	0,358	1,63	0,016	1,908E-15	0,0562	0,3448	119-1
119	63	ENV	Combination	Max	0,274	1,222	0,016	0,0185	0,0345	0,0748	119-1
119	8	ENV	Combination	Min	-0,274	-1,222	-0,016	-1,171E-15	-0,0345	-0,4865	119-1
119	63	ENV	Combination	Min	-0,358	-1,63	-0,016	-0,0187	-0,0562	-0,0297	119-1
119	63	DEAD	LinStatic		0,019	-0,011	-0,0001038	-0,0001193	0,000001862	-0,0081	119-2
119	30	DEAD	LinStatic		-0,019	0,011	0,0001038	6,326E-20	-0,000001862	-0,0137	119-2
119	63	CM	LinStatic		-0,000007098	-1,381	0,119	0,0131	0,000004464	0,0104	119-2
119	30	CM	LinStatic		0,000007098	1,381	0,096	1,517E-19	-0,000004464	-0,0104	119-2
119	63	CV	LinStatic		0	0	0	0	0	0	119-2
119	30	CV	LinStatic		0	0	0	0	0	0	119-2
119	63	L	LinStatic		0,122	0,211	0,004781	0,0055	0,0217	0,0342	119-2
119	30	L	LinStatic		-0,122	-0,211	-0,004781	7,37E-16	-0,0217	-0,1746	119-2
119	63	COMB1	Combination		0,25	-0,464	0,0006218	0,000715	0,0365	0,0558	119-2
119	30	COMB1	Combination		-0,25	0,464	-0,0006218	1,239E-15	-0,0365	-0,3437	119-2
119	63	COMB5	Combination		0,25	-0,464	0,0006218	0,000715	0,0365	0,0558	119-2
119	30	COMB5	Combination		-0,25	0,464	-0,0006218	1,239E-15	-0,0365	-0,3437	119-2
119	63	COMB6	Combination		0,25	-0,464	0,0006218	0,000715	0,0365	0,0558	119-2
119	30	COMB6	Combination		-0,25	0,464	-0,0006218	1,239E-15	-0,0365	-0,3437	119-2
119	63	COMB7	Combination		0,032	0,864	0,008732	0,01	0,0069	-0,0036	119-2
119	30	COMB7	Combination		-0,032	-0,864	-0,008732	2,352E-16	-0,0069	-0,033	119-2
119	63	COMB8	Combination		0,032	0,864	0,008732	0,01	0,0069	-0,0036	119-2
119	30	COMB8	Combination		-0,032	-0,864	-0,008732	2,352E-16	-0,0069	-0,033	119-2
119	63	COMB9	Combination		0,274	-1,56	-0,009565	-0,011	0,0345	0,0611	119-2
119	30	COMB9	Combination		-0,274	1,56	0,009565	1,171E-15	-0,0345	-0,3762	119-2
119	63	COMB10	Combination		-0,236	1,538	0,009358	0,0108	-0,0345	-0,0774	119-2
119	30	COMB10	Combination		0,236	-1,538	-0,009358	-1,171E-15	0,0345	0,3488	119-2
119	63	COMB11	Combination		-0,114	1,749	0,014	0,0163	-0,0128	-0,0432	119-2
119	30	COMB11	Combination		0,114	-1,749	-0,014	-4,34E-16	0,0128	0,1741	119-2
119	63	COMB12	Combination		0,396	-1,349	-0,004785	-0,0055	0,0562	0,0954	119-2
119	30	COMB12	Combination		-0,396	1,349	0,004785	1,908E-15	-0,0562	-0,5508	119-2
119	63	ENV	Combination	Max	0,396	1,749	0,014	0,0163	0,0562	0,0954	119-2
119	30	ENV	Combination	Max	0,236	1,56	0,009565	1,908E-15	0,0345	0,3488	119-2
119	63	ENV	Combination	Min	-0,236	-1,56	-0,009565	-0,011	-0,0345	-0,0774	119-2
119	30	ENV	Combination	Min	-0,396	-1,749	-0,014	-1,171E-15	-0,0562	-0,5508	119-2
120	63	DEAD	LinStatic		0	0,00006256	0,0002102	-0,000003062	0	-0,00001655	120-1
120	64	DEAD	LinStatic		0	-0,00006256	-0,0002102	-0,00002171	0	0,00001655	120-1
120	63	CM	LinStatic		0	-0,000002026	-0,237	-2,328E-09	0	2,014E-07	120-1
120	64	CM	LinStatic		0	0,000002026	0,311	8,047E-07	0	-2,014E-07	120-1
120	63	CV	LinStatic		0	0	0	0	0	0	120-1
120	64	CV	LinStatic		0	0	0	0	0	0	120-1
120	63	L	LinStatic		0	0,219	-0,005142	-0,0051	0	-0,0631	120-1
120	64	L	LinStatic		0	-0,219	0,005142	-0,0815	0	0,0631	120-1
120	63	COMB1	Combination		0	0,364	0,005979	-0,0083	0	-0,109	120-1
120	64	COMB1	Combination		0	-0,417	-0,005979	-0,1463	0	0,109	120-1
120	63	COMB5	Combination		0	0,364	0,005979	-0,0083	0	-0,109	120-1
120	64	COMB5	Combination		0	-0,417	-0,005979	-0,1463	0	0,109	120-1
120	63	COMB6	Combination		0	0,364	0,005979	-0,0083	0	-0,109	120-1
120	64	COMB6	Combination		0	-0,417	-0,005979	-0,1463	0	0,109	120-1
120	63	COMB7	Combination		0	0,074	-0,016	-0,0019	0	-0,0172	120-1
120	64	COMB7	Combination		0	-0,02	0,016	-0,0168	0	0,0172	120-1
120	63	COMB8	Combination		0	0,074	-0,016	-0,0019	0	-0,0172	120-1

120	64	COMB8	Combination		0	-0,02	0,016	-0,0168	0	0,0172	120-1
120	63	COMB9	Combination		0	0,338	0,026	-0,0075	0	-0,1071	120-1
120	64	COMB9	Combination		0	-0,463	-0,026	-0,151	0	0,1071	120-1
120	63	COMB10	Combination		0	-0,338	-0,025	0,0075	0	0,1071	120-1
120	64	COMB10	Combination		0	0,463	0,025	0,151	0	-0,1071	120-1
120	63	COMB11	Combination		0	-0,119	-0,03	0,0024	0	0,044	120-1
120	64	COMB11	Combination		0	0,244	0,03	0,0695	0	-0,044	120-1
120	63	COMB12	Combination		0	0,557	0,021	-0,0126	0	-0,1702	120-1
120	64	COMB12	Combination		0	-0,681	-0,021	-0,2325	0	0,1702	120-1
120	63	ENV	Combination	Max	0	0,557	0,026	0,0075	0	0,1071	120-1
120	64	ENV	Combination	Max	0	0,463	0,03	0,151	0	0,1702	120-1
120	63	ENV	Combination	Min	0	-0,338	-0,03	-0,0126	0	-0,1702	120-1
120	64	ENV	Combination	Min	0	-0,681	-0,026	-0,2325	0	-0,1071	120-1
121	9	DEAD	LinStatic		-0,015	-0,041	0,00001438	0	2,423E-07	0,0118	121-1
121	65	DEAD	LinStatic		0,015	0,041	-0,00001438	0,00001654	-2,423E-07	0,0051	121-1
121	9	CM	LinStatic		0,000006652	-0,177	0,085	0	7,059E-07	0,0234	121-1
121	65	CM	LinStatic		-0,000006652	0,177	0,13	-0,0261	-7,059E-07	-0,0234	121-1
121	9	CV	LinStatic		0	0	0	0	0	0	121-1
121	65	CV	LinStatic		0	0	0	0	0	0	121-1
121	9	L	LinStatic		0,259	0,053	-0,00002494	0	-0,0212	-0,2861	121-1
121	65	L	LinStatic		-0,259	-0,053	0,00002494	-0,00002869	0,0212	-0,0118	121-1
121	9	COMB1	Combination		0,443	0,255	-0,002703	0	-0,0362	-0,4889	121-1
121	65	COMB1	Combination		-0,443	-0,255	0,002703	-0,0031	0,0362	-0,0209	121-1
121	9	COMB5	Combination		0,443	0,255	-0,002703	0	-0,0362	-0,4889	121-1
121	65	COMB5	Combination		-0,443	-0,255	0,002703	-0,0031	0,0362	-0,0209	121-1
121	9	COMB6	Combination		0,443	0,255	-0,002703	0	-0,0362	-0,4889	121-1
121	65	COMB6	Combination		-0,443	-0,255	0,002703	-0,0031	0,0362	-0,0209	121-1
121	9	COMB7	Combination		0,045	-0,231	0,002682	0	-0,0062	-0,0598	121-1
121	65	COMB7	Combination		-0,045	0,231	-0,002682	0,0031	0,0062	0,0075	121-1
121	9	COMB8	Combination		0,045	-0,231	0,002682	0	-0,0062	-0,0598	121-1
121	65	COMB8	Combination		-0,045	0,231	-0,002682	0,0031	0,0062	0,0075	121-1
121	9	COMB9	Combination		0,449	0,526	-0,006268	0	-0,035	-0,4889	121-1
121	65	COMB9	Combination		-0,449	-0,526	0,006268	-0,0072	0,035	-0,028	121-1
121	9	COMB10	Combination		-0,479	-0,608	0,006297	0	0,035	0,5124	121-1
121	65	COMB10	Combination		0,479	0,608	-0,006297	0,0072	-0,035	0,0382	121-1
121	9	COMB11	Combination		-0,22	-0,555	0,006272	0	0,0138	0,2263	121-1
121	65	COMB11	Combination		0,22	0,555	-0,006272	0,0072	-0,0138	0,0264	121-1
121	9	COMB12	Combination		0,709	0,579	-0,006293	0	-0,0562	-0,775	121-1
121	65	COMB12	Combination		-0,709	-0,579	0,006293	-0,0072	0,0562	-0,0398	121-1
121	9	ENV	Combination	Max	0,709	0,579	0,006297	0	0,035	0,5124	121-1
121	65	ENV	Combination	Max	0,479	0,608	0,006293	0,0072	0,0562	0,0382	121-1
121	9	ENV	Combination	Min	-0,479	-0,608	-0,006293	0	-0,0562	-0,775	121-1
121	65	ENV	Combination	Min	-0,709	-0,579	-0,006297	-0,0072	-0,035	-0,0398	121-1
121	65	DEAD	LinStatic		0,015	-0,041	-0,00001293	-0,00001486	2,423E-07	-0,0051	121-2
121	34	DEAD	LinStatic		-0,015	0,041	0,00001293	-1,01E-20	-2,423E-07	-0,0117	121-2
121	65	CM	LinStatic		0,000006652	-0,177	0,13	0,0261	7,059E-07	0,0234	121-2
121	34	CM	LinStatic		-0,000006652	0,177	0,085	-2,944E-20	-7,059E-07	-0,0234	121-2
121	65	CV	LinStatic		0	0	0	0	0	0	121-2
121	34	CV	LinStatic		0	0	0	0	0	0	121-2
121	65	L	LinStatic		0,259	-0,062	-0,0003231	-0,0003715	-0,0212	0,0073	121-2
121	34	L	LinStatic		-0,259	0,062	0,0003231	8,839E-16	0,0212	-0,3052	121-2
121	65	COMB1	Combination		0,473	0,072	0,001406	0,0016	-0,0362	0,0151	121-2
121	34	COMB1	Combination		-0,473	-0,072	-0,001406	1,51E-15	0,0362	-0,5585	121-2
121	65	COMB5	Combination		0,473	0,072	0,001406	0,0016	-0,0362	0,0151	121-2
121	34	COMB5	Combination		-0,473	-0,072	-0,001406	1,51E-15	0,0362	-0,5585	121-2
121	65	COMB6	Combination		0,473	0,072	0,001406	0,0016	-0,0362	0,0151	121-2
121	34	COMB6	Combination		-0,473	-0,072	-0,001406	1,51E-15	0,0362	-0,5585	121-2
121	65	COMB7	Combination		0,075	-0,278	-0,002078	-0,0024	-0,0062	-0,0107	121-2
121	34	COMB7	Combination		-0,075	0,278	0,002078	2,58E-16	0,0062	-0,0752	121-2
121	65	COMB8	Combination		0,075	-0,278	-0,002078	-0,0024	-0,0062	-0,0107	121-2
121	34	COMB8	Combination		-0,075	0,278	0,002078	2,58E-16	0,0062	-0,0752	121-2
121	65	COMB9	Combination		0,479	0,368	0,004052	0,0047	-0,035	0,0251	121-2
121	34	COMB9	Combination		-0,479	-0,368	-0,004052	1,46E-15	0,035	-0,5756	121-2
121	65	COMB10	Combination		-0,45	-0,449	-0,004078	-0,0047	0,035	-0,0352	121-2
121	34	COMB10	Combination		0,45	0,449	0,004078	-1,46E-15	-0,035	0,5522	121-2
121	65	COMB11	Combination		-0,191	-0,512	-0,004401	-0,0051	0,0138	-0,0279	121-2
121	34	COMB11	Combination		0,191	0,512	0,004401	-5,765E-16	-0,0138	0,247	121-2
121	65	COMB12	Combination		0,738	0,306	0,003729	0,0043	-0,0562	0,0324	121-2
121	34	COMB12	Combination		-0,738	-0,306	-0,003729	2,344E-15	0,0562	-0,8808	121-2
121	65	ENV	Combination	Max	0,738	0,368	0,004052	0,0047	0,035	0,0324	121-2
121	34	ENV	Combination	Max	0,45	0,512	0,004401	2,344E-15	0,0562	0,5522	121-2
121	65	ENV	Combination	Min	-0,45	-0,512	-0,004401	-0,0051	-0,0562	-0,0352	121-2
121	34	ENV	Combination	Min	-0,738	-0,368	-0,004052	-1,46E-15	-0,035	-0,8808	121-2
122	65	DEAD	LinStatic		0	0,00004148	0,0000273	-0,000001672	0	-0,000009109	122-1
122	66	DEAD	LinStatic		0	-0,00004148	-0,0000273	-0,00001475	0	0,000009109	122-1
122	65	CM	LinStatic		0	-0,000001307	-0,26	8,669E-08	0	0,000001078	122-1
122	66	CM	LinStatic		0	0,000001307	0,334	4,309E-07	0	-0,000001078	122-1
122	65	CV	LinStatic		0	0	0	0	0	0	122-1
122	66	CV	LinStatic		0	0	0	0	0	0	122-1
122	65	L	LinStatic		0	0,115	0,0002981	0,0004002	0	0,0045	122-1

122	66	L	LinStatic		0	-0,115	-0,0002981	-0,0459	0	-0,0045	122-1
122	65	COMB1	Combination		0	0,183	-0,004109	0,0015	0	0,0057	122-1
122	66	COMB1	Combination		0	-0,236	0,004109	-0,0845	0	-0,0057	122-1
122	65	COMB5	Combination		0	0,183	-0,004109	0,0015	0	0,0057	122-1
122	66	COMB5	Combination		0	-0,236	0,004109	-0,0845	0	-0,0057	122-1
122	65	COMB6	Combination		0	0,183	-0,004109	0,0015	0	0,0057	122-1
122	66	COMB6	Combination		0	-0,236	0,004109	-0,0845	0	-0,0057	122-1
122	65	COMB7	Combination		0	0,047	0,00476	-0,0006944	0	0,0032	122-1
122	66	COMB7	Combination		0	0,006334	-0,00476	-0,0074	0	-0,0032	122-1
122	65	COMB8	Combination		0	0,047	0,00476	-0,0006944	0	0,0032	122-1
122	66	COMB8	Combination		0	0,006334	-0,00476	-0,0074	0	-0,0032	122-1
122	65	COMB9	Combination		0	0,158	-0,01	0,0025	0	0,0029	122-1
122	66	COMB9	Combination		0	-0,283	0,01	-0,09	0	-0,0029	122-1
122	65	COMB10	Combination		0	-0,158	0,01	-0,0026	0	-0,0029	122-1
122	66	COMB10	Combination		0	0,283	-0,01	0,0899	0	0,0029	122-1
122	65	COMB11	Combination		0	-0,043	0,011	-0,0022	0	0,0015	122-1
122	66	COMB11	Combination		0	0,168	-0,011	0,044	0	-0,0015	122-1
122	65	COMB12	Combination		0	0,273	-0,01	0,0029	0	0,0074	122-1
122	66	COMB12	Combination		0	-0,398	0,01	-0,1359	0	-0,0074	122-1
122	65	ENV	Combination	Max	0	0,273	0,011	0,0029	0	0,0074	122-1
122	66	ENV	Combination	Max	0	0,283	0,01	0,0899	0	0,0029	122-1
122	65	ENV	Combination	Min	0	-0,158	-0,01	-0,0026	0	-0,0029	122-1
122	66	ENV	Combination	Min	0	-0,398	-0,011	-0,1359	0	-0,0074	122-1
123	16	DEAD	LinStatic		-0,015	0,041	-0,00001455	1,85E-20	0,000001997	0,0117	123-1
123	67	DEAD	LinStatic		0,015	-0,041	0,00001455	-0,000001673	-0,000001997	0,0051	123-1
123	16	CM	LinStatic		0,00002279	-0,006627	0,012	-5,561E-20	-0,000006001	-0,0018	123-1
123	67	CM	LinStatic		-0,00002279	0,006627	0,018	-0,0037	0,000006001	0,0018	123-1
123	16	CV	LinStatic		0	0	0	0	0	0	123-1
123	67	CV	LinStatic		0	0	0	0	0	0	123-1
123	16	L	LinStatic		0,139	0,135	0,005255	1,084E-16	0,0117	-0,1424	123-1
123	67	L	LinStatic		-0,139	-0,135	-0,005255	0,006	-0,0117	-0,0172	123-1
123	16	COMB1	Combination		0,227	0,314	0,008795	1,917E-16	0,0207	-0,2361	123-1
123	67	COMB1	Combination		-0,227	-0,314	-0,008795	0,0101	-0,0207	-0,0252	123-1
123	16	COMB5	Combination		0,227	0,314	0,008795	1,917E-16	0,0207	-0,2361	123-1
123	67	COMB5	Combination		-0,227	-0,314	-0,008795	0,0101	-0,0207	-0,0252	123-1
123	16	COMB6	Combination		0,227	0,314	0,008795	1,917E-16	0,0207	-0,2361	123-1
123	67	COMB6	Combination		-0,227	-0,314	-0,008795	0,0101	-0,0207	-0,0252	123-1
123	16	COMB7	Combination		0,021	0,036	0,001686	2,517E-17	0,0027	-0,0251	123-1
123	67	COMB7	Combination		-0,021	-0,036	-0,001686	0,0019	-0,0027	0,0009668	123-1
123	16	COMB8	Combination		0,021	0,036	0,001686	2,517E-17	0,0027	-0,0251	123-1
123	67	COMB8	Combination		-0,021	-0,036	-0,001686	0,0019	-0,0027	0,0009668	123-1
123	16	COMB9	Combination		0,226	0,365	0,008279	1,943E-16	0,021	-0,2344	123-1
123	67	COMB9	Combination		-0,226	-0,365	-0,008279	0,0095	-0,021	-0,0255	123-1
123	16	COMB10	Combination		-0,255	-0,284	-0,008308	-1,943E-16	-0,021	0,2579	123-1
123	67	COMB10	Combination		0,255	0,284	0,008308	-0,0096	0,021	0,0356	123-1
123	16	COMB11	Combination		-0,116	-0,149	-0,003053	-8,585E-17	-0,0093	0,1155	123-1
123	67	COMB11	Combination		0,116	0,149	0,003053	-0,0035	0,0093	0,0184	123-1
123	16	COMB12	Combination		0,365	0,5	0,014	3,027E-16	0,0327	-0,3767	123-1
123	67	COMB12	Combination		-0,365	-0,5	-0,014	0,0156	-0,0327	-0,0427	123-1
123	16	ENV	Combination	Max	0,365	0,5	0,014	3,027E-16	0,0327	0,2579	123-1
123	67	ENV	Combination	Max	0,255	0,284	0,008308	0,0156	0,021	0,0356	123-1
123	16	ENV	Combination	Min	-0,255	-0,284	-0,008308	-1,943E-16	-0,021	-0,3767	123-1
123	67	ENV	Combination	Min	-0,365	-0,5	-0,014	-0,0096	-0,0327	-0,0427	123-1
123	67	DEAD	LinStatic		0,015	0,041	0,00001313	0,0000151	0,000001997	-0,0051	123-2
123	41	DEAD	LinStatic		-0,015	-0,041	-0,00001313	1,85E-20	-0,000001997	-0,0117	123-2
123	67	CM	LinStatic		0,00002279	-0,006647	0,018	0,0037	-0,000006001	-0,0018	123-2
123	41	CM	LinStatic		-0,00002279	0,006647	0,012	-5,561E-20	0,000006001	0,0018	123-2
123	67	CV	LinStatic		0	0	0	0	0	0	123-2
123	41	CV	LinStatic		0	0	0	0	0	0	123-2
123	67	L	LinStatic		0,139	-0,201	0,00427	0,0049	0,0117	-0,0146	123-2
123	41	L	LinStatic		-0,139	0,201	-0,00427	1,084E-16	-0,0117	-0,145	123-2
123	67	COMB1	Combination		0,256	-0,276	0,007927	0,0091	0,0207	-0,0305	123-2
123	41	COMB1	Combination		-0,256	0,276	-0,007927	1,917E-16	-0,0207	-0,2644	123-2
123	67	COMB5	Combination		0,256	-0,276	0,007927	0,0091	0,0207	-0,0305	123-2
123	41	COMB5	Combination		-0,256	0,276	-0,007927	1,917E-16	-0,0207	-0,2644	123-2
123	67	COMB6	Combination		0,256	-0,276	0,007927	0,0091	0,0207	-0,0305	123-2
123	41	COMB6	Combination		-0,256	0,276	-0,007927	1,917E-16	-0,0207	-0,2644	123-2
123	67	COMB7	Combination		0,05	-0,045	0,0006388	0,0007347	0,0027	-0,0088	123-2
123	41	COMB7	Combination		-0,05	0,045	-0,0006388	2,517E-17	-0,0027	-0,0489	123-2
123	67	COMB8	Combination		0,05	-0,045	0,0006388	0,0007347	0,0027	-0,0088	123-2
123	41	COMB8	Combination		-0,05	0,045	-0,0006388	2,517E-17	-0,0027	-0,0489	123-2
123	67	COMB9	Combination		0,255	-0,229	0,008515	0,0098	0,021	-0,0303	123-2
123	41	COMB9	Combination		-0,255	0,229	-0,008515	1,943E-16	-0,021	-0,2631	123-2
123	67	COMB10	Combination		-0,226	0,311	-0,008489	-0,0098	-0,021	0,0202	123-2
123	41	COMB10	Combination		0,226	-0,311	0,008489	-1,943E-16	0,021	0,2397	123-2
123	67	COMB11	Combination		-0,087	0,109	-0,00422	-0,0049	-0,0093	0,0056	123-2
123	41	COMB11	Combination		0,087	-0,109	0,00422	-8,585E-17	0,0093	0,0947	123-2
123	67	COMB12	Combination		0,394	-0,431	0,013	0,0147	0,0327	-0,0449	123-2
123	41	COMB12	Combination		-0,394	0,431	-0,013	3,027E-16	-0,0327	-0,4081	123-2
123	67	ENV	Combination	Max	0,394	0,311	0,013	0,0147	0,0327	0,0202	123-2

123	41	ENV	Combination	Max	0,226	0,431	0,008489	3,027E-16	0,021	0,2397	123-2
123	67	ENV	Combination	Min	-0,226	-0,431	-0,008489	-0,0098	-0,021	-0,0449	123-2
123	41	ENV	Combination	Min	-0,394	-0,311	-0,013	-1,943E-16	-0,0327	-0,4081	123-2
124	67	DEAD	LinStatic		0	-0,00004296	-0,00002768	0,000001635	0	-0,00001108	124-1
124	68	DEAD	LinStatic		0	0,00004296	0,00002768	0,00001538	0	0,00001108	124-1
124	67	CM	LinStatic		0	0,00002006	-0,037	-8,086E-07	0	0,000007944	124-1
124	68	CM	LinStatic		0	-0,00002006	0,047	-0,000007136	0	-0,000007944	124-1
124	67	CV	LinStatic		0	0	0	0	0	0	124-1
124	68	CV	LinStatic		0	0	0	0	0	0	124-1
124	67	L	LinStatic		0	0,336	0,0009857	-0,011	0	0,0318	124-1
124	68	L	LinStatic		0	-0,336	-0,0009857	-0,1222	0	-0,0318	124-1
124	67	COMB1	Combination		0	0,591	0,0008687	-0,0192	0	0,0557	124-1
124	68	COMB1	Combination		0	-0,591	-0,0008687	-0,2147	0	-0,0557	124-1
124	67	COMB5	Combination		0	0,591	0,0008687	-0,0192	0	0,0557	124-1
124	68	COMB5	Combination		0	-0,591	-0,0008687	-0,2147	0	-0,0557	124-1
124	67	COMB6	Combination		0	0,591	0,0008687	-0,0192	0	0,0557	124-1
124	68	COMB6	Combination		0	-0,591	-0,0008687	-0,2147	0	-0,0557	124-1
124	67	COMB7	Combination		0	0,081	0,001047	-0,0027	0	0,0079	124-1
124	68	COMB7	Combination		0	-0,081	-0,001047	-0,0296	0	-0,0079	124-1
124	67	COMB8	Combination		0	0,081	0,001047	-0,0027	0	0,0079	124-1
124	68	COMB8	Combination		0	-0,081	-0,001047	-0,0296	0	-0,0079	124-1
124	67	COMB9	Combination		0	0,594	-0,0002361	-0,0193	0	0,0558	124-1
124	68	COMB9	Combination		0	-0,594	0,0002361	-0,216	0	-0,0558	124-1
124	67	COMB10	Combination		0	-0,594	0,0001807	0,0193	0	-0,0559	124-1
124	68	COMB10	Combination		0	0,594	-0,0001807	0,216	0	0,0559	124-1
124	67	COMB11	Combination		0	-0,258	0,001166	0,0084	0	-0,024	124-1
124	68	COMB11	Combination		0	0,258	-0,001166	0,0939	0	0,024	124-1
124	67	COMB12	Combination		0	0,93	0,0007496	-0,0303	0	0,0876	124-1
124	68	COMB12	Combination		0	-0,93	-0,0007496	-0,3381	0	-0,0876	124-1
124	67	ENV	Combination	Max	0	0,93	0,001166	0,0193	0	0,0876	124-1
124	68	ENV	Combination	Max	0	0,594	0,0002361	0,216	0	0,0559	124-1
124	67	ENV	Combination	Min	0	-0,594	-0,0002361	-0,0303	0	-0,0559	124-1
124	68	ENV	Combination	Min	0	-0,93	-0,001166	-0,3381	0	-0,0876	124-1
125	66	DEAD	LinStatic		0,049	0,031	0,008339	9,584E-17	-0,0045	0,0228	125-1
125	104	DEAD	LinStatic		-0,049	-0,031	-0,008339	0,0018	-0,0083	0,0145	125-1
125	66	CM	LinStatic		-0,083	-0,22	-0,262	-2,148E-16	0,0102	-0,0557	125-1
125	104	CM	LinStatic		0,083	0,22	0,411	0,1971	0,0115	-0,0071	125-1
125	66	CV	LinStatic		0	0	0	0	0	0	125-1
125	104	CV	LinStatic		0	0	0	0	0	0	125-1
125	66	L	LinStatic		0,046	0,137	1,871	2,145E-16	-0,0101	0,0555	125-1
125	104	L	LinStatic		-0,046	-0,137	-1,871	-1,3798	-0,0018	-0,0207	125-1
125	66	COMB1	Combination		0,129	0,471	3,286	3,032E-16	-0,0143	0,1215	125-1
125	104	COMB1	Combination		-0,129	-0,471	-3,286	-2,3629	-0,0193	-0,0236	125-1
125	66	COMB5	Combination		0,129	0,471	3,286	3,032E-16	-0,0143	0,1215	125-1
125	104	COMB5	Combination		-0,129	-0,471	-3,286	-2,3629	-0,0193	-0,0236	125-1
125	66	COMB6	Combination		0,129	0,471	3,286	3,032E-16	-0,0143	0,1215	125-1
125	104	COMB6	Combination		-0,129	-0,471	-3,286	-2,3629	-0,0193	-0,0236	125-1
125	66	COMB7	Combination		0,061	-0,134	0,473	3,174E-16	-0,015	0,0351	125-1
125	104	COMB7	Combination		-0,061	0,134	-0,473	-0,393	-0,0009369	0,0112	125-1
125	66	COMB8	Combination		0,061	-0,134	0,473	3,174E-16	-0,015	0,0351	125-1
125	104	COMB8	Combination		-0,061	0,134	-0,473	-0,393	-0,0009369	0,0112	125-1
125	66	COMB9	Combination		0,129	0,737	3,29	7,935E-17	-0,0038	0,1235	125-1
125	104	COMB9	Combination		-0,129	-0,737	-3,29	-2,2964	-0,0298	-0,0261	125-1
125	66	COMB10	Combination		-0,03	-0,675	-3,273	1,123E-16	-0,0053	-0,0779	125-1
125	104	COMB10	Combination		0,03	0,675	3,273	2,3	0,0132	0,0551	125-1
125	66	COMB11	Combination		0,016	-0,537	-1,402	3,268E-16	-0,0155	-0,0224	125-1
125	104	COMB11	Combination		-0,016	0,537	1,402	0,9203	0,0113	0,0344	125-1
125	66	COMB12	Combination		0,175	0,874	5,161	2,938E-16	-0,0139	0,179	125-1
125	104	COMB12	Combination		-0,175	-0,874	-5,161	-3,6761	-0,0316	-0,0468	125-1
125	66	ENV	Combination	Max	0,175	0,874	5,161	3,268E-16	-0,0038	0,179	125-1
125	104	ENV	Combination	Max	0,03	0,675	3,273	2,3	0,0132	0,0551	125-1
125	66	ENV	Combination	Min	-0,03	-0,675	-3,273	7,935E-17	-0,0155	-0,0779	125-1
125	104	ENV	Combination	Min	-0,175	-0,874	-5,161	-3,6761	-0,0316	-0,0468	125-1
125	104	DEAD	LinStatic		0,064	0,039	0,00513	-0,0041	0,004	-0,0055	125-2
125	9	DEAD	LinStatic		-0,064	-0,039	-0,00513	0,0074	-0,0126	0,0306	125-2
125	104	CM	LinStatic		-0,066	-0,249	-0,559	-0,1929	0,0081	-0,029	125-2
125	9	CM	LinStatic		0,066	0,249	0,636	0,3943	0,0008539	0,0031	125-2
125	104	CV	LinStatic		0	0	0	0	0	0	125-2
125	9	CV	LinStatic		0	0	0	0	0	0	125-2
125	104	L	LinStatic		-0,366	0,307	1,791	1,3295	-0,0118	0,2202	125-2
125	9	L	LinStatic		0,366	-0,307	-1,791	-1,9927	0,0614	-0,3643	125-2
125	104	COMB1	Combination		-0,348	0,803	3,052	2,2624	0,0285	0,4098	125-2
125	9	COMB1	Combination		0,348	-0,803	-3,052	-3,3549	0,0186	-0,5466	125-2
125	104	COMB5	Combination		-0,348	0,803	3,052	2,2624	0,0285	0,4098	125-2
125	9	COMB5	Combination		0,348	-0,803	-3,052	-3,3549	0,0186	-0,5466	125-2
125	104	COMB6	Combination		-0,348	0,803	3,052	2,2624	0,0285	0,4098	125-2
125	9	COMB6	Combination		0,348	-0,803	-3,052	-3,3549	0,0186	-0,5466	125-2
125	104	COMB7	Combination		-0,257	-0,11	0,54	0,3883	-0,0441	0,0196	125-2
125	9	COMB7	Combination		0,257	0,11	-0,54	-0,6156	0,079	-0,1207	125-2
125	104	COMB8	Combination		-0,257	-0,11	0,54	0,3883	-0,0441	0,0196	125-2

125	9	COMB8	Combination		0,257	0,11	-0,54	-0,6156	0,079	-0,1207	125-2
125	104	COMB9	Combination		-0,042	1,104	2,936	2,1824	0,0887	0,4498	125-2
125	9	COMB9	Combination		0,042	-1,104	-2,936	-3,1884	-0,083	-0,4663	125-2
125	104	COMB10	Combination		0,17	-1,025	-2,926	-2,1907	-0,0808	-0,4607	125-2
125	9	COMB10	Combination		-0,17	1,025	2,926	3,2033	0,0577	0,5276	125-2
125	104	COMB11	Combination		-0,196	-0,718	-1,135	-0,8612	-0,0926	-0,2406	125-2
125	9	COMB11	Combination		0,196	0,718	1,135	1,2106	0,1192	0,1633	125-2
125	104	COMB12	Combination		-0,408	1,411	4,727	3,5119	0,0769	0,6699	125-2
125	9	COMB12	Combination		0,408	-1,411	-4,727	-5,1811	-0,0216	-0,8306	125-2
125	104	ENV	Combination	Max	0,17	1,411	4,727	3,5119	0,0887	0,6699	125-2
125	9	ENV	Combination	Max	0,408	1,025	2,926	3,2033	0,1192	0,5276	125-2
125	104	ENV	Combination	Min	-0,408	-1,025	-2,926	-2,1907	-0,0926	-0,4607	125-2
125	9	ENV	Combination	Min	-0,17	-1,411	-4,727	-5,1811	-0,083	-0,8306	125-2
125	9	DEAD	LinStatic		-0,103	0,074	0,024	-0,0068	0,0169	-0,0521	125-3
125	98	DEAD	LinStatic		0,103	-0,074	-0,024	0,0074	-0,004	0,0146	125-3
125	9	CM	LinStatic		0,099	-0,033	0,717	-0,4805	0,0272	-0,0136	125-3
125	98	CM	LinStatic		-0,099	0,033	-0,645	0,2293	-0,0396	0,0497	125-3
125	9	CV	LinStatic		0	0	0	0	0	0	125-3
125	98	CV	LinStatic		0	0	0	0	0	0	125-3
125	9	L	LinStatic		0,466	0,212	-0,24	0,8212	0,0799	0,2485	125-3
125	98	L	LinStatic		-0,466	-0,212	0,24	-0,7077	-0,138	-0,0796	125-3
125	9	COMB1	Combination		0,651	0,436	-0,046	1,1818	0,131	0,3264	125-3
125	98	COMB1	Combination		-0,651	-0,436	0,046	-1,1107	-0,2124	-0,0901	125-3
125	9	COMB5	Combination		0,651	0,436	-0,046	1,1818	0,131	0,3264	125-3
125	98	COMB5	Combination		-0,651	-0,436	0,046	-1,1107	-0,2124	-0,0901	125-3
125	9	COMB6	Combination		0,651	0,436	-0,046	1,1818	0,131	0,3264	125-3
125	98	COMB6	Combination		-0,651	-0,436	0,046	-1,1107	-0,2124	-0,0901	125-3
125	9	COMB7	Combination		0,073	0,136	-0,386	0,447	0,0625	0,0664	125-3
125	98	COMB7	Combination		-0,073	-0,136	0,386	-0,29	-0,0716	-0,0398	125-3
125	9	COMB8	Combination		0,073	0,136	-0,386	0,447	0,0625	0,0664	125-3
125	98	COMB8	Combination		-0,073	-0,136	0,386	-0,29	-0,0716	-0,0398	125-3
125	9	COMB9	Combination		0,571	0,424	0,42	0,8505	0,0968	0,2512	125-3
125	98	COMB9	Combination		-0,571	-0,424	-0,42	-0,9501	-0,1682	-0,044	125-3
125	9	COMB10	Combination		-0,778	-0,275	-0,373	-0,8641	-0,0631	-0,3555	125-3
125	98	COMB10	Combination		0,778	0,275	0,373	0,9649	0,1603	0,0733	125-3
125	9	COMB11	Combination		-0,312	-0,064	-0,612	-0,0429	0,0168	-0,107	125-3
125	98	COMB11	Combination		0,312	0,064	0,612	0,2572	0,0222	-0,0063	125-3
125	9	COMB12	Combination		1,037	0,636	0,181	1,6717	0,1767	0,4997	125-3
125	98	COMB12	Combination		-1,037	-0,636	-0,181	-1,6578	-0,3062	-0,1236	125-3
125	9	ENV	Combination	Max	1,037	0,636	0,42	1,6717	0,1767	0,4997	125-3
125	98	ENV	Combination	Max	0,778	0,275	0,612	0,9649	0,1603	0,0733	125-3
125	9	ENV	Combination	Min	-0,778	-0,275	-0,612	-0,8641	-0,0631	-0,3555	125-3
125	98	ENV	Combination	Min	-1,037	-0,636	-0,42	-1,6578	-0,3062	-0,1236	125-3
125	98	DEAD	LinStatic		-0,114	0,044	0,001082	0,0006033	0,0173	-0,0506	125-4
125	92	DEAD	LinStatic		0,114	-0,044	-0,001082	0,00099	0,0124	-0,0356	125-4
125	98	CM	LinStatic		0,068	0,025	0,49	-0,2729	0,0613	0,0063	125-4
125	92	CM	LinStatic		-0,068	-0,025	-0,341	-0,0349	-0,0791	0,0454	125-4
125	98	CV	LinStatic		0	0	0	0	0	0	125-4
125	92	CV	LinStatic		0	0	0	0	0	0	125-4
125	98	L	LinStatic		0,089	0,248	-0,293	0,6432	0,1335	0,1259	125-4
125	92	L	LinStatic		-0,089	-0,248	0,293	-0,3572	-0,1566	-0,0589	125-4
125	98	COMB1	Combination		0,048	0,491	-0,304	0,9841	0,2728	0,1579	125-4
125	92	COMB1	Combination		-0,048	-0,491	0,304	-0,6263	-0,2854	-0,1215	125-4
125	98	COMB5	Combination		0,048	0,491	-0,304	0,9841	0,2728	0,1579	125-4
125	92	COMB5	Combination		-0,048	-0,491	0,304	-0,6263	-0,2854	-0,1215	125-4
125	98	COMB6	Combination		0,048	0,491	-0,304	0,9841	0,2728	0,1579	125-4
125	92	COMB6	Combination		-0,048	-0,491	0,304	-0,6263	-0,2854	-0,1215	125-4
125	98	COMB7	Combination		-0,099	0,092	-0,28	0,3036	0,0287	-0,0071	125-4
125	92	COMB7	Combination		0,099	-0,092	0,28	-0,0681	-0,003	-0,0677	125-4
125	98	COMB8	Combination		-0,099	0,092	-0,28	0,3036	0,0287	-0,0071	125-4
125	92	COMB8	Combination		0,099	-0,092	0,28	-0,0681	-0,003	-0,0677	125-4
125	98	COMB9	Combination		0,057	0,51	-0,027	0,7945	0,3021	0,1419	125-4
125	92	COMB9	Combination		-0,057	-0,51	0,027	-0,6413	-0,3171	-0,0985	125-4
125	98	COMB10	Combination		-0,285	-0,422	0,029	-0,7933	-0,2675	-0,243	125-4
125	92	COMB10	Combination		0,285	0,422	-0,029	0,6612	0,3418	0,0272	125-4
125	98	COMB11	Combination		-0,197	-0,174	-0,264	-0,1501	-0,134	-0,1171	125-4
125	92	COMB11	Combination		0,197	0,174	0,264	0,3041	0,1853	-0,0317	125-4
125	98	COMB12	Combination		0,146	0,757	-0,32	1,4377	0,4356	0,2679	125-4
125	92	COMB12	Combination		-0,146	-0,757	0,32	-0,9985	-0,4736	-0,1575	125-4
125	98	ENV	Combination	Max	0,146	0,757	0,029	1,4377	0,4356	0,2679	125-4
125	92	ENV	Combination	Max	0,285	0,422	0,32	0,6612	0,3418	0,0272	125-4
125	98	ENV	Combination	Min	-0,285	-0,422	-0,32	-0,7933	-0,2675	-0,243	125-4
125	92	ENV	Combination	Min	-0,146	-0,757	-0,029	-0,9985	-0,4736	-0,1575	125-4
125	92	DEAD	LinStatic		-0,023	0,003967	0,002134	-0,0005811	0,0023	-0,0118	125-5
125	69	DEAD	LinStatic		0,023	-0,003967	-0,002134	1,931E-16	0,0037	-0,0057	125-5
125	92	CM	LinStatic		-0,139	0,045	0,157	-0,0504	0,1019	-0,0387	125-5
125	69	CM	LinStatic		0,139	-0,045	-0,007546	-3,398E-15	-0,0658	-0,0662	125-5
125	92	CV	LinStatic		0	0	0	0	0	0	125-5
125	69	CV	LinStatic		0	0	0	0	0	0	125-5
125	92	L	LinStatic		-0,247	0,148	-0,3	0,2652	0,1771	-0,0451	125-5

125	69	L	LinStatic	0,247	-0,148	0,3	-5,826E-15	-0,1128	-0,1418	125-5
125	92	COMB1	Combination	-0,53	0,286	-0,467	0,4278	0,364	-0,1098	125-5
125	69	COMB1	Combination	0,53	-0,286	0,467	-1,167E-14	-0,2259	-0,2914	125-5
125	92	COMB5	Combination	-0,53	0,286	-0,467	0,4278	0,364	-0,1098	125-5
125	69	COMB5	Combination	0,53	-0,286	0,467	-1,167E-14	-0,2259	-0,2914	125-5
125	92	COMB6	Combination	-0,53	0,286	-0,467	0,4278	0,364	-0,1098	125-5
125	69	COMB6	Combination	0,53	-0,286	0,467	-1,167E-14	-0,2259	-0,2914	125-5
125	92	COMB7	Combination	-0,01	0,018	-0,128	0,1015	-0,0051	-0,0042	125-5
125	69	COMB7	Combination	0,01	-0,018	0,128	4,039E-16	0,0078	-0,0036	125-5
125	92	COMB8	Combination	-0,01	0,018	-0,128	0,1015	-0,0051	-0,0042	125-5
125	69	COMB8	Combination	0,01	-0,018	0,128	4,039E-16	0,0078	-0,0036	125-5
125	92	COMB9	Combination	-0,63	0,317	-0,393	0,3801	0,4329	-0,135	125-5
125	69	COMB9	Combination	0,63	-0,317	0,393	-1,389E-14	-0,2689	-0,3413	125-5
125	92	COMB10	Combination	0,584	-0,309	0,398	-0,3813	-0,4284	0,1114	125-5
125	69	COMB10	Combination	-0,584	0,309	-0,398	1,428E-14	0,2764	0,33	125-5
125	92	COMB11	Combination	0,336	-0,161	0,098	-0,1161	-0,2512	0,0662	125-5
125	69	COMB11	Combination	-0,336	0,161	-0,098	8,453E-15	0,1636	0,1882	125-5
125	92	COMB12	Combination	-0,877	0,464	-0,693	0,6453	0,6101	-0,1802	125-5
125	69	COMB12	Combination	0,877	-0,464	0,693	-1,972E-14	-0,3817	-0,4832	125-5
125	92	ENV	Combination	0,584	0,464	0,398	0,6453	0,6101	0,1114	125-5
125	69	ENV	Combination	0,877	0,309	0,693	1,428E-14	0,2764	0,33	125-5
125	92	ENV	Combination	-0,877	-0,309	-0,693	-0,3813	-0,4284	-0,1802	125-5
125	69	ENV	Combination	-0,584	-0,464	-0,398	-1,972E-14	-0,3817	-0,4832	125-5
126	66	DEAD	LinStatic	0,049	-0,031	0,008289	-2,117E-17	-0,0045	-0,0228	126-1
126	145	DEAD	LinStatic	-0,049	0,031	-0,008289	-0,0018	-0,0083	-0,0144	126-1
126	66	CM	LinStatic	-0,083	0,22	-0,262	4,773E-17	0,0102	0,0557	126-1
126	145	CM	LinStatic	0,083	-0,22	0,411	-0,1971	0,0115	0,0071	126-1
126	66	CV	LinStatic	0	0	0	0	0	0	126-1
126	145	CV	LinStatic	0	0	0	0	0	0	126-1
126	66	L	LinStatic	-0,154	0,133	-1,894	2,598E-17	0,0055	0,136	126-1
126	145	L	LinStatic	0,154	-0,133	1,894	-1,3978	0,0345	-0,0197	126-1
126	66	COMB1	Combination	-0,253	0,052	-3,457	9,859E-17	0,021	0,2293	126-1
126	145	COMB1	Combination	0,253	-0,052	3,457	-2,6015	0,0449	-0,0379	126-1
126	66	COMB5	Combination	-0,253	0,052	-3,457	9,859E-17	0,021	0,2293	126-1
126	145	COMB5	Combination	0,253	-0,052	3,457	-2,6015	0,0449	-0,0379	126-1
126	66	COMB6	Combination	-0,253	0,052	-3,457	9,859E-17	0,021	0,2293	126-1
126	145	COMB6	Combination	0,253	-0,052	3,457	-2,6015	0,0449	-0,0379	126-1
126	66	COMB7	Combination	0,044	0,151	-0,313	-8,896E-17	-0,0189	-0,0029	126-1
126	145	COMB7	Combination	-0,044	-0,151	0,313	-0,1977	0,0075	-0,0303	126-1
126	66	COMB8	Combination	0,044	0,151	-0,313	-8,896E-17	-0,0189	-0,0029	126-1
126	145	COMB8	Combination	-0,044	-0,151	0,313	-0,1977	0,0075	-0,0303	126-1
126	66	COMB9	Combination	-0,297	-0,147	-3,66	1,976E-16	0,0421	0,2482	126-1
126	145	COMB9	Combination	0,297	0,147	3,66	-2,8063	0,0353	-0,0234	126-1
126	66	COMB10	Combination	0,396	0,084	3,676	-2,4E-16	-0,0511	-0,2937	126-1
126	145	COMB10	Combination	-0,396	-0,084	-3,676	2,8026	-0,0519	-0,0055	126-1
126	66	COMB11	Combination	0,242	0,217	1,783	-2,14E-16	-0,0456	-0,1578	126-1
126	145	COMB11	Combination	-0,242	-0,217	-1,783	1,4049	-0,0174	-0,0251	126-1
126	66	COMB12	Combination	-0,451	-0,014	-5,553	2,236E-16	0,0476	0,3842	126-1
126	145	COMB12	Combination	0,451	0,014	5,553	-4,2041	0,0699	-0,043	126-1
126	66	ENV	Combination	0,396	0,217	3,676	2,236E-16	0,0476	0,3842	126-1
126	145	ENV	Combination	0,451	0,147	5,553	2,8026	0,0699	-0,0055	126-1
126	66	ENV	Combination	-0,451	-0,147	-5,553	-2,4E-16	-0,0511	-0,2937	126-1
126	145	ENV	Combination	-0,396	-0,217	-3,676	-4,2041	-0,0519	-0,043	126-1
126	145	DEAD	LinStatic	0,064	-0,039	0,005034	0,0041	0,004	0,0055	126-2
126	34	DEAD	LinStatic	-0,064	0,039	-0,005034	-0,0074	-0,0126	-0,0305	126-2
126	145	CM	LinStatic	-0,066	0,249	-0,559	0,1929	0,0081	0,029	126-2
126	34	CM	LinStatic	0,066	-0,249	0,637	-0,3944	0,0008398	-0,0032	126-2
126	145	CV	LinStatic	0	0	0	0	0	0	126-2
126	34	CV	LinStatic	0	0	0	0	0	0	126-2
126	145	L	LinStatic	-0,209	0,364	-1,9	1,3286	-0,0644	0,2936	126-2
126	34	L	LinStatic	0,209	-0,364	1,9	-2,027	0,0927	-0,2114	126-2
126	145	COMB1	Combination	-0,117	0,455	-3,566	2,4839	-0,0604	0,5173	126-2
126	34	COMB1	Combination	0,117	-0,455	3,566	-3,8256	0,0763	-0,4712	126-2
126	145	COMB5	Combination	-0,117	0,455	-3,566	2,4839	-0,0604	0,5173	126-2
126	34	COMB5	Combination	0,117	-0,455	3,566	-3,8256	0,0763	-0,4712	126-2
126	145	COMB6	Combination	-0,117	0,455	-3,566	2,4839	-0,0604	0,5173	126-2
126	34	COMB6	Combination	0,117	-0,455	3,566	-3,8256	0,0763	-0,4712	126-2
126	145	COMB7	Combination	-0,174	0,195	-0,224	0,1815	-0,0603	0,081	126-2
126	34	COMB7	Combination	0,174	-0,195	0,224	-0,2433	0,0838	-0,0126	126-2
126	145	COMB8	Combination	-0,174	0,195	-0,224	0,1815	-0,0603	0,081	126-2
126	34	COMB8	Combination	0,174	-0,195	0,224	-0,2433	0,0838	-0,0126	126-2
126	145	COMB9	Combination	0,13	0,265	-3,894	2,6902	0,0039	0,5145	126-2
126	34	COMB9	Combination	-0,13	-0,265	3,894	-4,1868	-0,0214	-0,5655	126-2
126	145	COMB10	Combination	-0,002319	-0,343	3,904	-2,682	0,0041	-0,5035	126-2
126	34	COMB10	Combination	0,002319	0,343	-3,904	4,172	-0,0038	0,5044	126-2
126	145	COMB11	Combination	-0,211	0,021	2,004	-1,3534	-0,0602	-0,2099	126-2
126	34	COMB11	Combination	0,211	-0,021	-2,004	2,145	0,0889	0,2931	126-2
126	145	COMB12	Combination	-0,079	0,629	-5,794	4,0188	-0,0605	0,8081	126-2
126	34	COMB12	Combination	0,079	-0,629	5,794	-6,2138	0,0713	-0,7769	126-2
126	145	ENV	Combination	0,13	0,629	3,904	4,0188	0,0041	0,8081	126-2

126	34	ENV	Combination	Max	0,211	0,343	5,794	4,172	0,0889	0,5044	126-2
126	145	ENV	Combination	Min	-0,211	-0,343	-5,794	-2,682	-0,0605	-0,5035	126-2
126	34	ENV	Combination	Min	-0,13	-0,629	-3,904	-6,2138	-0,0214	-0,7769	126-2
126	34	DEAD	LinStatic		-0,104	-0,074	0,024	0,0068	0,0168	0,052	126-3
126	139	DEAD	LinStatic		0,104	0,074	-0,024	-0,0074	-0,0039	-0,0145	126-3
126	34	CM	LinStatic		0,099	0,033	0,717	0,4805	0,0273	0,0137	126-3
126	139	CM	LinStatic		-0,099	-0,033	-0,645	-0,2293	-0,0396	-0,0497	126-3
126	34	CV	LinStatic		0	0	0	0	0	0	126-3
126	139	CV	LinStatic		0	0	0	0	0	0	126-3
126	34	L	LinStatic		-0,084	0,261	0,27	0,8486	-0,0339	0,1338	126-3
126	139	L	LinStatic		0,084	-0,261	-0,27	-0,718	0,0444	-0,1034	126-3
126	34	COMB1	Combination		-0,33	0,365	0,834	1,7288	-0,0691	0,3275	126-3
126	139	COMB1	Combination		0,33	-0,365	-0,834	-1,3807	0,1103	-0,2079	126-3
126	34	COMB5	Combination		-0,33	0,365	0,834	1,7288	-0,0691	0,3275	126-3
126	139	COMB5	Combination		0,33	-0,365	-0,834	-1,3807	0,1103	-0,2079	126-3
126	34	COMB6	Combination		-0,33	0,365	0,834	1,7288	-0,0691	0,3275	126-3
126	139	COMB6	Combination		0,33	-0,365	-0,834	-1,3807	0,1103	-0,2079	126-3
126	34	COMB7	Combination		-0,045	0,007868	-0,246	-0,0179	0,035	0,0441	126-3
126	139	COMB7	Combination		0,045	-0,007868	0,246	-0,0703	-0,0294	-0,0278	126-3
126	34	COMB8	Combination		-0,045	0,007868	-0,246	-0,0179	0,035	0,0441	126-3
126	139	COMB8	Combination		0,045	-0,007868	0,246	-0,0703	-0,0294	-0,0278	126-3
126	34	COMB9	Combination		-0,436	0,343	1,283	2,0447	-0,1045	0,3828	126-3
126	139	COMB9	Combination		0,436	-0,343	-1,283	-1,5363	0,159	-0,2245	126-3
126	34	COMB10	Combination		0,229	-0,491	-1,236	-2,031	0,1382	-0,2787	126-3
126	139	COMB10	Combination		-0,229	0,491	1,236	1,5214	-0,1668	0,1956	126-3
126	34	COMB11	Combination		0,145	-0,23	-0,966	-1,1824	0,1043	-0,1449	126-3
126	139	COMB11	Combination		-0,145	0,23	0,966	0,8034	-0,1225	0,0922	126-3
126	34	COMB12	Combination		-0,52	0,603	1,553	2,8933	-0,1384	0,5165	126-3
126	139	COMB12	Combination		0,52	-0,603	-1,553	-2,2543	0,2034	-0,3279	126-3
126	34	ENV	Combination	Max	0,229	0,603	1,553	2,8933	0,1382	0,5165	126-3
126	139	ENV	Combination	Max	0,52	0,491	1,236	1,5214	0,2034	0,1956	126-3
126	34	ENV	Combination	Min	-0,52	-0,491	-1,236	-2,031	-0,1384	-0,2787	126-3
126	139	ENV	Combination	Min	-0,229	-0,603	-1,553	-2,2543	-0,1668	-0,3279	126-3
126	139	DEAD	LinStatic		-0,114	-0,043	0,001097	-0,0005726	0,0172	0,0504	126-4
126	133	DEAD	LinStatic		0,114	0,043	-0,001097	-0,00099	0,0124	0,0356	126-4
126	139	CM	LinStatic		0,068	-0,025	0,49	0,2729	0,0614	-0,0062	126-4
126	133	CM	LinStatic		-0,068	0,025	-0,341	0,0349	-0,0791	-0,0454	126-4
126	139	CV	LinStatic		0	0	0	0	0	0	126-4
126	133	CV	LinStatic		0	0	0	0	0	0	126-4
126	139	L	LinStatic		-0,044	0,262	0,296	0,6527	-0,118	0,1171	126-4
126	133	L	LinStatic		0,044	-0,262	-0,296	-0,3609	0,1295	-0,0835	126-4
126	139	COMB1	Combination		-0,171	0,386	0,724	1,275	-0,1702	0,2569	126-4
126	133	COMB1	Combination		0,171	-0,386	-0,724	-0,6266	0,2146	-0,1279	126-4
126	139	COMB5	Combination		-0,171	0,386	0,724	1,275	-0,1702	0,2569	126-4
126	133	COMB5	Combination		0,171	-0,386	-0,724	-0,6266	0,2146	-0,1279	126-4
126	139	COMB6	Combination		-0,171	0,386	0,724	1,275	-0,1702	0,2569	126-4
126	133	COMB6	Combination		0,171	-0,386	-0,724	-0,6266	0,2146	-0,1279	126-4
126	139	COMB7	Combination		-0,145	0,05	-0,13	0,0293	-0,0313	0,0779	126-4
126	133	COMB7	Combination		0,145	-0,05	0,13	-0,115	0,0692	0,032	126-4
126	139	COMB8	Combination		-0,145	0,05	-0,13	0,0293	-0,0313	0,0779	126-4
126	133	COMB8	Combination		0,145	-0,05	0,13	-0,115	0,0692	0,032	126-4
126	139	COMB9	Combination		-0,143	0,349	0,998	1,4527	-0,1447	0,2593	126-4
126	133	COMB9	Combination		0,143	-0,349	-0,998	-0,6068	0,182	-0,1509	126-4
126	139	COMB10	Combination		-0,084	-0,436	-0,996	-1,4538	0,1792	-0,1586	126-4
126	133	COMB10	Combination		0,084	0,436	0,996	0,587	-0,1573	0,2221	126-4
126	139	COMB11	Combination		-0,128	-0,174	-0,7	-0,8011	0,0612	-0,0415	126-4
126	133	COMB11	Combination		0,128	0,174	0,7	0,2261	-0,0278	0,1386	126-4
126	139	COMB12	Combination		-0,188	0,611	1,294	2,1054	-0,2627	0,3763	126-4
126	133	COMB12	Combination		0,188	-0,611	-1,294	-0,9677	0,3116	-0,2344	126-4
126	139	ENV	Combination	Max	-0,084	0,611	1,294	2,1054	0,1792	0,3763	126-4
126	133	ENV	Combination	Max	0,188	0,436	0,996	0,587	0,3116	0,2221	126-4
126	139	ENV	Combination	Min	-0,188	-0,436	-0,996	-1,4538	-0,2627	-0,1586	126-4
126	133	ENV	Combination	Min	0,084	-0,611	-1,294	-0,9677	-0,1573	-0,2344	126-4
126	133	DEAD	LinStatic		-0,023	-0,003961	0,002157	0,0005996	0,0023	0,0117	126-5
126	70	DEAD	LinStatic		0,023	0,003961	-0,002157	-1,308E-16	0,0037	0,0056	126-5
126	133	CM	LinStatic		-0,139	-0,045	0,157	0,0504	0,1019	0,0387	126-5
126	70	CM	LinStatic		0,139	0,045	-0,007543	2,317E-15	-0,0658	0,0662	126-5
126	133	CV	LinStatic		0	0	0	0	0	0	126-5
126	70	CV	LinStatic		0	0	0	0	0	0	126-5
126	133	L	LinStatic		0,232	0,149	0,3	0,2658	-0,1716	-0,0348	126-5
126	70	L	LinStatic		-0,232	-0,149	-0,3	-3,915E-15	0,1112	-0,1408	126-5
126	133	COMB1	Combination		0,294	0,227	0,576	0,4952	-0,2442	-0,0238	126-5
126	70	COMB1	Combination		-0,294	-0,227	-0,576	-5,903E-15	0,1676	-0,1987	126-5
126	133	COMB5	Combination		0,294	0,227	0,576	0,4952	-0,2442	-0,0238	126-5
126	70	COMB5	Combination		-0,294	-0,227	-0,576	-5,903E-15	0,1676	-0,1987	126-5
126	133	COMB6	Combination		0,294	0,227	0,576	0,4952	-0,2442	-0,0238	126-5
126	70	COMB6	Combination		-0,294	-0,227	-0,576	-5,903E-15	0,1676	-0,1987	126-5
126	133	COMB7	Combination		0,124	0,063	0,028	0,0377	-0,0945	-0,0224	126-5
126	70	COMB7	Combination		-0,124	-0,063	-0,028	-2,189E-15	0,0621	-0,0715	126-5
126	133	COMB8	Combination		0,124	0,063	0,028	0,0377	-0,0945	-0,0224	126-5

126	70	COMB8	Combination	-0,124	-0,063	-0,028	-2,189E-15	0,0621	-0,0715	126-5
126	133	COMB9	Combination	0,176	0,188	0,642	0,5343	-0,1724	0,01	126-5
126	70	COMB9	Combination	-0,176	-0,188	-0,642	-4,464E-15	0,1267	-0,1427	126-5
126	133	COMB10	Combination	-0,221	-0,196	-0,637	-0,5331	0,177	0,0134	126-5
126	70	COMB10	Combination	0,221	0,196	0,637	4,202E-15	-0,1193	0,154	126-5
126	133	COMB11	Combination	0,011	-0,047	-0,337	-0,2672	0,0053	-0,0214	126-5
126	70	COMB11	Combination	-0,011	0,047	0,337	2,869E-16	-0,0081	0,0133	126-5
126	133	COMB12	Combination	0,408	0,337	0,942	0,8001	-0,344	-0,0248	126-5
126	70	COMB12	Combination	-0,408	-0,337	-0,942	-8,379E-15	0,2379	-0,2835	126-5
126	133	ENV	Combination	0,408	0,337	0,942	0,8001	0,177	0,0134	126-5
126	70	ENV	Combination	0,221	0,196	0,637	4,202E-15	0,2379	0,154	126-5
126	133	ENV	Combination	-0,221	-0,196	-0,637	-0,5331	-0,344	-0,0248	126-5
126	70	ENV	Combination	-0,408	-0,337	-0,942	-8,379E-15	-0,1193	-0,2835	126-5
127	64	DEAD	LinStatic	0,06	-0,004347	-0,001546	-4,041E-16	-0,0072	0,0275	127-1
127	106	DEAD	LinStatic	-0,06	0,004347	0,001546	0,0000377	-0,0083	0,0175	127-1
127	64	CM	LinStatic	0,02	-0,677	-0,357	8,09E-17	0,0014	-0,0069	127-1
127	106	CM	LinStatic	-0,02	0,677	0,506	0,1502	-0,0067	0,0221	127-1
127	64	CV	LinStatic	0	0	0	0	0	0	127-1
127	106	CV	LinStatic	0	0	0	0	0	0	127-1
127	64	L	LinStatic	0,23	0,211	2,006	-2,984E-15	-0,0529	0,1405	127-1
127	106	L	LinStatic	-0,23	-0,211	-2,006	-1,4627	-0,0069	0,0333	127-1
127	64	COMB1	Combination	0,506	0,165	3,427	-6,088E-15	-0,108	0,3001	127-1
127	106	COMB1	Combination	-0,506	-0,165	-3,427	-2,5491	-0,0238	0,0828	127-1
127	64	COMB5	Combination	0,506	0,165	3,427	-6,088E-15	-0,108	0,3001	127-1
127	106	COMB5	Combination	-0,506	-0,165	-3,427	-2,5491	-0,0238	0,0828	127-1
127	64	COMB6	Combination	0,506	0,165	3,427	-6,088E-15	-0,108	0,3001	127-1
127	106	COMB6	Combination	-0,506	-0,165	-3,427	-2,5491	-0,0238	0,0828	127-1
127	64	COMB7	Combination	0,072	0,248	0,583	-6,875E-16	-0,0122	0,0358	127-1
127	106	COMB7	Combination	-0,072	-0,248	-0,583	-0,3763	-0,0067	0,019	127-1
127	64	COMB8	Combination	0,072	0,248	0,583	-6,875E-16	-0,0122	0,0358	127-1
127	106	COMB8	Combination	-0,072	-0,248	-0,583	-0,3763	-0,0067	0,019	127-1
127	64	COMB9	Combination	0,565	-0,101	3,316	-6,705E-15	-0,119	0,3358	127-1
127	106	COMB9	Combination	-0,565	0,101	-3,316	-2,5349	-0,0283	0,092	127-1
127	64	COMB10	Combination	-0,446	0,093	-3,319	5,896E-15	0,1046	-0,2808	127-1
127	106	COMB10	Combination	0,446	-0,093	3,319	2,535	0,0117	-0,0569	127-1
127	64	COMB11	Combination	-0,217	0,303	-1,313	2,913E-15	0,0517	-0,1403	127-1
127	106	COMB11	Combination	0,217	-0,303	1,313	1,0722	0,0047	-0,0236	127-1
127	64	COMB12	Combination	0,795	0,109	5,323	-9,688E-15	-0,1719	0,4763	127-1
127	106	COMB12	Combination	-0,795	-0,109	-5,323	-3,9976	-0,0352	0,1253	127-1
127	64	ENV	Combination	0,795	0,303	5,323	5,896E-15	0,1046	0,4763	127-1
127	106	ENV	Combination	0,446	0,101	3,319	2,535	0,0117	0,1253	127-1
127	64	ENV	Combination	-0,446	-0,101	-3,319	-9,688E-15	-0,1719	-0,2808	127-1
127	106	ENV	Combination	-0,795	-0,303	-5,323	-3,9976	-0,0352	-0,0569	127-1
127	106	DEAD	LinStatic	0,106	-0,002758	-0,006832	-0,0041	-0,00005276	0,003	127-2
127	8	DEAD	LinStatic	-0,106	0,002758	0,006832	0,0064	-0,0143	0,0387	127-2
127	106	CM	LinStatic	-0,391	-0,669	-1,003	-0,1353	0,0223	-0,0773	127-2
127	8	CM	LinStatic	0,391	0,669	1,08	0,4545	0,0308	-0,0768	127-2
127	106	CV	LinStatic	0	0	0	0	0	0	127-2
127	8	CV	LinStatic	0	0	0	0	0	0	127-2
127	106	L	LinStatic	0,773	0,245	2,166	1,3837	-0,0974	0,3988	127-2
127	8	L	LinStatic	-0,773	-0,245	-2,166	-2,2028	-0,0074	-0,0945	127-2
127	106	COMB1	Combination	1,683	0,208	3,375	2,3994	-0,1743	0,7363	127-2
127	8	COMB1	Combination	-1,683	-0,208	-3,375	-3,6995	-0,0538	-0,0739	127-2
127	106	COMB5	Combination	1,683	0,208	3,375	2,3994	-0,1743	0,7363	127-2
127	8	COMB5	Combination	-1,683	-0,208	-3,375	-3,6995	-0,0538	-0,0739	127-2
127	106	COMB6	Combination	1,683	0,208	3,375	2,3994	-0,1743	0,7363	127-2
127	8	COMB6	Combination	-1,683	-0,208	-3,375	-3,6995	-0,0538	-0,0739	127-2
127	106	COMB7	Combination	0,076	0,278	0,943	0,3597	-0,0207	0,0674	127-2
127	8	COMB7	Combination	-0,076	-0,278	-0,943	-0,6933	0,0104	-0,0376	127-2
127	106	COMB8	Combination	0,076	0,278	0,943	0,3597	-0,0207	0,0674	127-2
127	8	COMB8	Combination	-0,076	-0,278	-0,943	-0,6933	0,0104	-0,0376	127-2
127	106	COMB9	Combination	1,981	-0,084	2,83	2,3756	-0,1792	0,7834	127-2
127	8	COMB9	Combination	-1,981	0,084	-2,83	-3,5008	-0,0893	-0,0036	127-2
127	106	COMB10	Combination	-1,769	0,079	-2,843	-2,3838	0,1791	-0,7774	127-2
127	8	COMB10	Combination	1,769	-0,079	2,843	3,5136	0,0606	0,081	127-2
127	106	COMB11	Combination	-0,996	0,324	-0,678	-1,0001	0,0817	-0,3786	127-2
127	8	COMB11	Combination	0,996	-0,324	0,678	1,3108	0,0533	-0,0135	127-2
127	106	COMB12	Combination	2,755	0,161	4,995	3,7593	-0,2767	1,1822	127-2
127	8	COMB12	Combination	-2,755	-0,161	-4,995	-5,7036	-0,0966	-0,0981	127-2
127	106	ENV	Combination	2,755	0,324	4,995	3,7593	0,1791	1,1822	127-2
127	8	ENV	Combination	1,769	0,084	2,843	3,5136	0,0606	0,081	127-2
127	106	ENV	Combination	-1,769	-0,084	-2,843	-2,3838	-0,2767	-0,7774	127-2
127	8	ENV	Combination	-2,755	-0,324	-4,995	-5,7036	-0,0966	-0,0981	127-2
127	8	DEAD	LinStatic	-0,193	0,015	-0,007887	-0,0029	0,0216	-0,0656	127-3
127	100	DEAD	LinStatic	0,193	-0,015	0,007887	0,0077	0,0025	-0,0043	127-3
127	8	CM	LinStatic	0,563	1,156	1,282	-0,3118	-0,032	0,1148	127-3
127	100	CM	LinStatic	-0,563	-1,156	-1,21	0,0041	-0,0383	0,0895	127-3
127	8	CV	LinStatic	0	0	0	0	0	0	127-3
127	100	CV	LinStatic	0	0	0	0	0	0	127-3
127	8	L	LinStatic	1,836	0,915	-0,149	1,1123	-0,1483	0,5787	127-3

127	100	L	LinStatic	-1,836	-0,915	0,149	-0,9438	-0,0811	0,0873	127-3
127	8	COMB1	Combination	2,762	2,543	0,478	1,7732	-0,208	0,8615	127-3
127	100	COMB1	Combination	-2,762	-2,543	-0,478	-1,6292	-0,1371	0,1406	127-3
127	8	COMB5	Combination	2,762	2,543	0,478	1,7732	-0,208	0,8615	127-3
127	100	COMB5	Combination	-2,762	-2,543	-0,478	-1,6292	-0,1371	0,1406	127-3
127	8	COMB6	Combination	2,762	2,543	0,478	1,7732	-0,208	0,8615	127-3
127	100	COMB6	Combination	-2,762	-2,543	-0,478	-1,6292	-0,1371	0,1406	127-3
127	8	COMB7	Combination	0,524	-0,683	-0,793	0,4455	-0,0454	0,1648	127-3
127	100	COMB7	Combination	-0,524	0,683	0,793	-0,2431	-0,0201	0,0254	127-3
127	8	COMB8	Combination	0,524	-0,683	-0,793	0,4455	-0,0454	0,1648	127-3
127	100	COMB8	Combination	-0,524	0,683	0,793	-0,2431	-0,0201	0,0254	127-3
127	8	COMB9	Combination	2,418	3,778	1,475	1,5461	-0,1681	0,7473	127-3
127	100	COMB9	Combination	-2,418	-3,778	-1,475	-1,6094	-0,134	0,1301	127-3
127	8	COMB10	Combination	-2,803	-3,748	-1,491	-1,552	0,2112	-0,8784	127-3
127	100	COMB10	Combination	2,803	3,748	1,491	1,6247	0,139	-0,1388	127-3
127	8	COMB11	Combination	-0,968	-2,833	-1,64	-0,4397	0,063	-0,2996	127-3
127	100	COMB11	Combination	0,968	2,833	1,64	0,6809	0,0579	-0,0515	127-3
127	8	COMB12	Combination	4,254	4,693	1,326	2,6584	-0,3164	1,326	127-3
127	100	COMB12	Combination	-4,254	-4,693	-1,326	-2,5532	-0,215	0,2174	127-3
127	8	ENV	Combination	4,254	4,693	1,475	2,6584	0,2112	1,326	127-3
127	100	ENV	Combination	2,803	3,748	1,64	1,6247	0,139	0,2174	127-3
127	8	ENV	Combination	-2,803	-3,748	-1,64	-1,552	-0,3164	-0,8784	127-3
127	100	ENV	Combination	-4,254	-4,693	-1,475	-2,5532	-0,215	-0,1388	127-3
127	100	DEAD	LinStatic	-0,16	0,018	-0,011	0,0064	0,0219	-0,0642	127-4
127	94	DEAD	LinStatic	0,16	-0,018	0,011	0,0065	0,0198	-0,057	127-4
127	100	CM	LinStatic	0,069	1,137	0,716	-0,0117	0,0225	0,0366	127-4
127	94	CM	LinStatic	-0,069	-1,137	-0,566	-0,1771	-0,0404	0,0157	127-4
127	100	CV	LinStatic	0	0	0	0	0	0	127-4
127	94	CV	LinStatic	0	0	0	0	0	0	127-4
127	100	L	LinStatic	0,327	1,086	-0,36	1,0252	-0,052	0,2253	127-4
127	94	L	LinStatic	-0,327	-1,086	0,36	-0,4703	-0,0331	0,0219	127-4
127	100	COMB1	Combination	0,446	2,82	-0,177	1,79	-0,0579	0,3616	127-4
127	94	COMB1	Combination	-0,446	-2,82	0,177	-0,922	-0,0583	-0,0242	127-4
127	100	COMB5	Combination	0,446	2,82	-0,177	1,79	-0,0579	0,3616	127-4
127	94	COMB5	Combination	-0,446	-2,82	0,177	-0,922	-0,0583	-0,0242	127-4
127	100	COMB6	Combination	0,446	2,82	-0,177	1,79	-0,0579	0,3616	127-4
127	94	COMB6	Combination	-0,446	-2,82	0,177	-0,922	-0,0583	-0,0242	127-4
127	100	COMB7	Combination	-0,113	-0,611	-0,564	0,2733	-0,0023	-0,0394	127-4
127	94	COMB7	Combination	0,113	0,611	0,564	-0,0056	0,0317	-0,046	127-4
127	100	COMB8	Combination	-0,113	-0,611	-0,564	0,2733	-0,0023	-0,0394	127-4
127	94	COMB8	Combination	0,113	0,611	0,564	-0,0056	0,0317	-0,046	127-4
127	100	COMB9	Combination	0,492	4,02	0,441	1,7759	-0,0429	0,4036	127-4
127	94	COMB9	Combination	-0,492	-4,02	-0,441	-1,0626	-0,0852	-0,0316	127-4
127	100	COMB10	Combination	-0,812	-3,984	-0,463	-1,7631	0,0868	-0,532	127-4
127	94	COMB10	Combination	0,812	3,984	0,463	1,0756	0,1248	-0,0824	127-4
127	100	COMB11	Combination	-0,486	-2,898	-0,823	-0,7379	0,0347	-0,3067	127-4
127	94	COMB11	Combination	0,486	2,898	0,823	0,6053	0,0917	-0,0605	127-4
127	100	COMB12	Combination	0,819	5,107	0,082	2,8011	-0,0949	0,6289	127-4
127	94	COMB12	Combination	-0,819	-5,107	-0,082	-1,5329	-0,1183	-0,0097	127-4
127	100	ENV	Combination	0,819	5,107	0,441	2,8011	0,0868	0,6289	127-4
127	94	ENV	Combination	0,812	3,984	0,823	1,0756	0,1248	-0,0097	127-4
127	100	ENV	Combination	-0,812	-3,984	-0,823	-1,7631	-0,0949	-0,532	127-4
127	94	ENV	Combination	-0,819	-5,107	-0,441	-1,5329	-0,1183	-0,0824	127-4
127	94	DEAD	LinStatic	-0,059	0,025	-0,007433	0,0121	0,0053	-0,0274	127-5
127	71	DEAD	LinStatic	0,059	-0,025	0,007433	6,519E-16	0,0099	-0,0169	127-5
127	94	CM	LinStatic	0,14	1,136	0,154	0,2354	0,0214	0,0509	127-5
127	71	CM	LinStatic	-0,14	-1,136	-0,00518	-3,802E-15	-0,0578	0,055	127-5
127	94	CV	LinStatic	0	0	0	0	0	0	127-5
127	71	CV	LinStatic	0	0	0	0	0	0	127-5
127	94	L	LinStatic	0,368	1,375	-0,453	0,7008	-0,0366	0,1352	127-5
127	71	L	LinStatic	-0,368	-1,375	0,453	-3,892E-15	-0,0592	0,143	127-5
127	94	COMB1	Combination	0,674	3,323	-0,677	1,3774	-0,0471	0,2404	127-5
127	71	COMB1	Combination	-0,674	-3,323	0,677	-8,44E-15	-0,1284	0,2691	127-5
127	94	COMB5	Combination	0,674	3,323	-0,677	1,3774	-0,0471	0,2404	127-5
127	71	COMB5	Combination	-0,674	-3,323	0,677	-8,44E-15	-0,1284	0,2691	127-5
127	94	COMB6	Combination	0,674	3,323	-0,677	1,3774	-0,0471	0,2404	127-5
127	71	COMB6	Combination	-0,674	-3,323	0,677	-8,44E-15	-0,1284	0,2691	127-5
127	94	COMB7	Combination	-0,055	-0,522	-0,244	0,0484	-0,0155	-0,0247	127-5
127	71	COMB7	Combination	0,055	0,522	0,244	1,96E-15	0,0298	-0,0169	127-5
127	94	COMB8	Combination	-0,055	-0,522	-0,244	0,0484	-0,0155	-0,0247	127-5
127	71	COMB8	Combination	0,055	0,522	0,244	1,96E-15	0,0298	-0,0169	127-5
127	94	COMB9	Combination	0,791	4,51	-0,513	1,5626	-0,0315	0,282	127-5
127	71	COMB9	Combination	-0,791	-4,51	0,513	-1,148E-14	-0,1746	0,3167	127-5
127	94	COMB10	Combination	-0,909	-4,46	0,498	-1,5383	0,0422	-0,3368	127-5
127	71	COMB10	Combination	0,909	4,46	-0,498	1,278E-14	0,1944	-0,3505	127-5
127	94	COMB11	Combination	-0,541	-3,085	0,045	-0,8376	0,0056	-0,2015	127-5
127	71	COMB11	Combination	0,541	3,085	-0,045	8,892E-15	0,1352	-0,2075	127-5
127	94	COMB12	Combination	1,159	5,886	-0,966	2,2634	-0,0682	0,4172	127-5
127	71	COMB12	Combination	-1,159	-5,886	0,966	-1,537E-14	-0,2338	0,4597	127-5
127	94	ENV	Combination	1,159	5,886	0,498	2,2634	0,0422	0,4172	127-5

127	71	ENV	Combination	Max	0,909	4,46	0,966	1,278E-14	0,1944	0,4597 127-5
127	94	ENV	Combination	Min	-0,909	-4,46	-0,966	-1,5383	-0,0682	-0,3368 127-5
127	71	ENV	Combination	Min	-1,159	-5,886	-0,498	-1,537E-14	-0,2338	-0,3505 127-5
128	72	DEAD	LinStatic		-0,008898	-0,016	0,008188	0	-0,0015	-0,014 128-1
128	71	DEAD	LinStatic		0,008898	0,016	-0,008188	0	-0,0068	-0,0027 128-1
128	72	CM	LinStatic		-0,033	-1,215	0,633	0	0,0138	-0,0196 128-1
128	71	CM	LinStatic		0,033	1,215	-0,578	0	-0,0448	-0,0426 128-1
128	72	CV	LinStatic		0	0	0	0	0	0 128-1
128	71	CV	LinStatic		0	0	0	0	0	0 128-1
128	72	L	LinStatic		0,128	-2,601	1,097	0	0,0414	0,1842 128-1
128	71	L	LinStatic		-0,128	1,805	-1,097	0	0,0782	0,056 128-1
128	72	COMB1	Combination		0,185	-4,893	2,239	0	0,078	0,2885 128-1
128	71	COMB1	Combination		-0,185	4,097	-2,239	0	0,0945	0,0577 128-1
128	72	COMB5	Combination		0,185	-4,893	2,239	0	0,078	0,2885 128-1
128	71	COMB5	Combination		-0,185	4,097	-2,239	0	0,0945	0,0577 128-1
128	72	COMB6	Combination		0,185	-4,893	2,239	0	0,078	0,2885 128-1
128	71	COMB6	Combination		-0,185	4,097	-2,239	0	0,0945	0,0577 128-1
128	72	COMB7	Combination		0,054	-0,342	-0,028	0	0,0018	0,0519 128-1
128	71	COMB7	Combination		-0,054	-0,455	0,028	0	0,0484	0,0488 128-1
128	72	COMB8	Combination		0,054	-0,342	-0,028	0	0,0018	0,0519 128-1
128	71	COMB8	Combination		-0,054	-0,455	0,028	0	0,0484	0,0488 128-1
128	72	COMB9	Combination		0,144	-5,326	2,653	0	0,0873	0,2621 128-1
128	71	COMB9	Combination		-0,144	5,326	-2,653	0	0,047	0,0076 128-1
128	72	COMB10	Combination		-0,162	5,293	-2,636	0	-0,0904	-0,29 128-1
128	71	COMB10	Combination		0,162	-5,293	2,636	0	-0,0605	-0,013 128-1
128	72	COMB11	Combination		-0,034	2,692	-1,539	0	-0,049	-0,1058 128-1
128	71	COMB11	Combination		0,034	-3,489	1,539	0	0,0177	0,0429 128-1
128	72	COMB12	Combination		0,272	-7,927	3,75	0	0,1288	0,4463 128-1
128	71	COMB12	Combination		-0,272	7,131	-3,75	0	0,1252	0,0636 128-1
128	72	ENV	Combination	Max	0,272	5,293	3,75	0	0,1288	0,4463 128-1
128	71	ENV	Combination	Max	0,162	7,131	2,636	0	0,1252	0,0636 128-1
128	72	ENV	Combination	Min	-0,162	-7,927	-2,636	0	-0,0904	-0,29 128-1
128	71	ENV	Combination	Min	-0,272	-5,293	-3,75	0	-0,0605	-0,013 128-1
129	64	DEAD	LinStatic		0,059	0,004399	-0,001613	4,351E-16	-0,0071	-0,0274 129-1
129	144	DEAD	LinStatic		-0,059	-0,004399	0,001613	-0,00007404	-0,0083	-0,0174 129-1
129	64	CM	LinStatic		0,02	0,677	-0,357	-8,823E-17	0,0014	0,0069 129-1
129	144	CM	LinStatic		-0,02	-0,677	0,506	-0,1501	-0,0067	-0,0221 129-1
129	64	CV	LinStatic		0	0	0	0	0	0 129-1
129	144	CV	LinStatic		0	0	0	0	0	0 129-1
129	64	L	LinStatic		-0,251	0,04	-2,024	-4,095E-15	0,0671	0,1815 129-1
129	144	L	LinStatic		0,251	-0,04	2,024	-1,5203	-0,0018	0,0081 129-1
129	64	COMB1	Combination		-0,359	0,288	-3,779	-6,404E-15	0,1049	0,2767 129-1
129	144	COMB1	Combination		0,359	-0,288	3,779	-2,7835	-0,0115	-0,0054 129-1
129	64	COMB5	Combination		-0,359	0,288	-3,779	-6,404E-15	0,1049	0,2767 129-1
129	144	COMB5	Combination		0,359	-0,288	3,779	-2,7835	-0,0115	-0,0054 129-1
129	64	COMB6	Combination		-0,359	0,288	-3,779	-6,404E-15	0,1049	0,2767 129-1
129	144	COMB6	Combination		0,359	-0,288	3,779	-2,7835	-0,0115	-0,0054 129-1
129	64	COMB7	Combination		-0,024	-0,199	-0,271	-9,148E-16	0,015	0,0315 129-1
129	144	COMB7	Combination		0,024	0,199	0,271	-0,2572	-0,0087	-0,0133 129-1
129	64	COMB8	Combination		-0,024	-0,199	-0,271	-9,148E-16	0,015	0,0315 129-1
129	144	COMB8	Combination		0,024	0,199	0,271	-0,2572	-0,0087	-0,0133 129-1
129	64	COMB9	Combination		-0,331	0,573	-4,094	-5,969E-15	0,0978	0,2587 129-1
129	144	COMB9	Combination		0,331	-0,573	4,094	-2,9474	-0,0115	-0,0082 129-1
129	64	COMB10	Combination		0,45	-0,564	4,09	6,839E-15	-0,112	-0,3135 129-1
129	144	COMB10	Combination		-0,45	0,564	-4,09	2,9473	-0,0051	-0,0266 129-1
129	64	COMB11	Combination		0,199	-0,524	2,067	2,745E-15	-0,045	-0,132 129-1
129	144	COMB11	Combination		-0,199	0,524	-2,067	1,427	-0,0069	-0,0185 129-1
129	64	COMB12	Combination		-0,582	0,612	-6,117	-1,006E-14	0,1648	0,4402 129-1
129	144	COMB12	Combination		0,582	-0,612	6,117	-4,4677	-0,0133	-0,000163 129-1
129	64	ENV	Combination	Max	0,45	0,612	4,09	6,839E-15	0,1648	0,4402 129-1
129	144	ENV	Combination	Max	0,582	0,564	6,117	2,9473	-0,0051	-0,000163 129-1
129	64	ENV	Combination	Min	-0,582	-0,564	-6,117	-1,006E-14	-0,112	-0,3135 129-1
129	144	ENV	Combination	Min	-0,45	-0,612	-4,09	-4,4677	-0,0133	-0,0266 129-1
129	144	DEAD	LinStatic		0,106	0,002802	-0,00692	0,0041	-0,00003285	-0,0029 129-2
129	30	DEAD	LinStatic		-0,106	-0,002802	0,00692	-0,0065	-0,0143	-0,0386 129-2
129	144	CM	LinStatic		-0,391	0,669	-1,003	0,1352	0,0223	0,0772 129-2
129	30	CM	LinStatic		0,391	-0,669	1,08	-0,4544	0,0307	0,0768 129-2
129	144	CV	LinStatic		0	0	0	0	0	0 129-2
129	30	CV	LinStatic		0	0	0	0	0	0 129-2
129	144	L	LinStatic		-1,765	0,053	-2,375	1,4169	0,1415	0,5445 129-2
129	30	L	LinStatic		1,765	-0,053	2,375	-2,3445	0,0977	0,15 129-2
129	144	COMB1	Combination		-2,697	0,292	-4,703	2,605	0,2351	0,9412 129-2
129	30	COMB1	Combination		2,697	-0,292	4,703	-4,4164	0,1304	0,1204 129-2
129	144	COMB5	Combination		-2,697	0,292	-4,703	2,605	0,2351	0,9412 129-2
129	30	COMB5	Combination		2,697	-0,292	4,703	-4,4164	0,1304	0,1204 129-2
129	144	COMB6	Combination		-2,697	0,292	-4,703	2,605	0,2351	0,9412 129-2
129	30	COMB6	Combination		2,697	-0,292	4,703	-4,4164	0,1304	0,1204 129-2
129	144	COMB7	Combination		-0,621	-0,18	-0,061	0,2371	0,0477	0,142 129-2
129	30	COMB7	Combination		0,621	0,18	0,061	-0,2856	0,0365	0,1025 129-2
129	144	COMB8	Combination		-0,621	-0,18	-0,061	0,2371	0,0477	0,142 129-2

129	30	COMB8	Combination		0,621	0,18	0,061	-0,2856	0,0365	0,1025 129-2
129	144	COMB9	Combination		-2,316	0,553	-5,422	2,7667	0,2186	0,9294 129-2
129	30	COMB9	Combination		2,316	-0,553	5,422	-4,8258	0,0953	-0,0177 129-2
129	144	COMB10	Combination		2,528	-0,548	5,408	-2,7584	-0,2187	-0,9353 129-2
129	30	COMB10	Combination		-2,528	0,548	-5,408	4,8129	-0,1239	-0,0595 129-2
129	144	COMB11	Combination		0,763	-0,495	3,033	-1,3415	-0,0773	-0,3908 129-2
129	30	COMB11	Combination		-0,763	0,495	-3,033	2,4683	-0,0262	0,0905 129-2
129	144	COMB12	Combination		-4,081	0,606	-7,797	4,1836	0,3601	1,474 129-2
129	30	COMB12	Combination		4,081	-0,606	7,797	-7,1703	0,193	0,1323 129-2
129	144	ENV	Combination	Max	2,528	0,606	5,408	4,1836	0,3601	1,474 129-2
129	30	ENV	Combination	Max	4,081	0,548	7,797	4,8129	0,193	0,1323 129-2
129	144	ENV	Combination	Min	-4,081	-0,548	-7,797	-2,7584	-0,2187	-0,9353 129-2
129	30	ENV	Combination	Min	-2,528	-0,606	-5,408	-7,1703	-0,1239	-0,0595 129-2
129	30	DEAD	LinStatic		-0,193	-0,015	-0,007938	0,0029	0,0215	0,0655 129-3
129	138	DEAD	LinStatic		0,193	0,015	0,007938	-0,0077	0,0026	0,0045 129-3
129	30	CM	LinStatic		0,563	-1,156	1,282	0,3118	-0,032	-0,1148 129-3
129	138	CM	LinStatic		-0,563	1,156	-1,21	-0,0041	-0,0383	-0,0895 129-3
129	30	CV	LinStatic		0	0	0	0	0	0 129-3
129	138	CV	LinStatic		0	0	0	0	0	0 129-3
129	30	L	LinStatic		-0,824	1,117	0,302	1,1603	0,0626	0,3389 129-3
129	138	L	LinStatic		0,824	-1,117	-0,302	-0,9111	0,0404	-0,0398 129-3
129	30	COMB1	Combination		-1,718	1,225	1,237	2,2081	0,1439	0,6783 129-3
129	138	COMB1	Combination		1,718	-1,225	-1,237	-1,6062	0,0707	-0,055 129-3
129	30	COMB5	Combination		-1,718	1,225	1,237	2,2081	0,1439	0,6783 129-3
129	138	COMB5	Combination		1,718	-1,225	-1,237	-1,6062	0,0707	-0,055 129-3
129	30	COMB6	Combination		-1,718	1,225	1,237	2,2081	0,1439	0,6783 129-3
129	138	COMB6	Combination		1,718	-1,225	-1,237	-1,6062	0,0707	-0,055 129-3
129	30	COMB7	Combination		-0,317	0,978	-0,648	0,1184	0,0245	0,1305 129-3
129	138	COMB7	Combination		0,317	-0,978	0,648	-0,2314	0,0151	-0,0155 129-3
129	30	COMB8	Combination		-0,317	0,978	-0,648	0,1184	0,0245	0,1305 129-3
129	138	COMB8	Combination		0,317	-0,978	0,648	-0,2314	0,0151	-0,0155 129-3
129	30	COMB9	Combination		-1,827	0,272	2,192	2,4409	0,1608	0,7046 129-3
129	138	COMB9	Combination		1,827	-0,272	-2,192	-1,6117	0,0675	-0,0416 129-3
129	30	COMB10	Combination		1,441	-0,303	-2,208	-2,4351	-0,1177	-0,5736 129-3
129	138	COMB10	Combination		-1,441	0,303	2,208	1,5963	-0,0623	0,0506 129-3
129	30	COMB11	Combination		0,617	0,814	-1,905	-1,2748	-0,0551	-0,2347 129-3
129	138	COMB11	Combination		-0,617	-0,814	1,905	0,6852	-0,022	0,0108 129-3
129	30	COMB12	Combination		-2,652	1,389	2,494	3,6013	0,2235	1,0435 129-3
129	138	COMB12	Combination		2,652	-1,389	-2,494	-2,5228	0,1078	-0,0813 129-3
129	30	ENV	Combination	Max	1,441	1,389	2,494	3,6013	0,2235	1,0435 129-3
129	138	ENV	Combination	Max	2,652	0,303	2,208	1,5963	0,1078	0,0506 129-3
129	30	ENV	Combination	Min	-2,652	-0,303	-2,208	-2,4351	-0,1177	-0,5736 129-3
129	138	ENV	Combination	Min	-1,441	-1,389	-2,494	-2,5228	-0,0623	-0,0813 129-3
129	138	DEAD	LinStatic		-0,16	-0,018	-0,011	-0,0064	0,0218	0,064 129-4
129	132	DEAD	LinStatic		0,16	0,018	0,011	-0,0065	0,0198	0,0568 129-4
129	138	CM	LinStatic		0,069	-1,137	0,716	0,0117	0,0225	-0,0365 129-4
129	132	CM	LinStatic		-0,069	1,137	-0,566	0,177	-0,0404	-0,0156 129-4
129	138	CV	LinStatic		0	0	0	0	0	0 129-4
129	132	CV	LinStatic		0	0	0	0	0	0 129-4
129	138	L	LinStatic		-0,349	1,292	0,301	1,0231	0,0568	0,2618 129-4
129	132	L	LinStatic		0,349	-1,292	-0,301	-0,4587	0,0341	0,0021 129-4
129	138	COMB1	Combination		-0,707	1,522	0,92	1,7843	0,1265	0,4777 129-4
129	132	COMB1	Combination		0,707	-1,522	-0,92	-0,6919	0,0577	0,0571 129-4
129	138	COMB5	Combination		-0,707	1,522	0,92	1,7843	0,1265	0,4777 129-4
129	132	COMB5	Combination		0,707	-1,522	-0,92	-0,6919	0,0577	0,0571 129-4
129	138	COMB6	Combination		-0,707	1,522	0,92	1,7843	0,1265	0,4777 129-4
129	132	COMB6	Combination		0,707	-1,522	-0,92	-0,6919	0,0577	0,0571 129-4
129	138	COMB7	Combination		-0,31	1,025	-0,339	0,2491	0,0308	0,1739 129-4
129	132	COMB7	Combination		0,31	-1,025	0,339	-0,2386	0,05	0,0608 129-4
129	138	COMB8	Combination		-0,31	1,025	-0,339	0,2491	0,0308	0,1739 129-4
129	132	COMB8	Combination		0,31	-1,025	0,339	-0,2386	0,05	0,0608 129-4
129	138	COMB9	Combination		-0,623	0,561	1,458	1,7847	0,1334	0,4185 129-4
129	132	COMB9	Combination		0,623	-0,561	-1,458	-0,5354	0,0287	0,0525 129-4
129	138	COMB10	Combination		0,303	-0,597	-1,48	-1,7974	-0,0897	-0,2905 129-4
129	132	COMB10	Combination		-0,303	0,597	1,48	0,5224	0,0108	0,0612 129-4
129	138	COMB11	Combination		-0,046	0,694	-1,179	-0,7743	-0,0329	-0,0286 129-4
129	132	COMB11	Combination		0,046	-0,694	1,179	0,0637	0,0449	0,0633 129-4
129	138	COMB12	Combination		-0,972	1,853	1,76	2,8077	0,1902	0,6803 129-4
129	132	COMB12	Combination		0,972	-1,853	-1,76	-0,9941	0,0628	0,0546 129-4
129	138	ENV	Combination	Max	0,303	1,853	1,76	2,8077	0,1902	0,6803 129-4
129	132	ENV	Combination	Max	0,972	0,597	1,48	0,5224	0,0628	0,0633 129-4
129	138	ENV	Combination	Min	-0,972	-0,597	-1,48	-1,7974	-0,0897	-0,2905 129-4
129	132	ENV	Combination	Min	-0,303	-1,853	-1,76	-0,9941	0,0108	0,0525 129-4
129	132	DEAD	LinStatic		-0,058	-0,025	-0,00738	-0,0121	0,0053	0,0272 129-5
129	73	DEAD	LinStatic		0,058	0,025	0,00738	-1,621E-16	0,0099	0,0168 129-5
129	132	CM	LinStatic		0,14	-1,135	0,154	-0,2354	0,0214	-0,0509 129-5
129	73	CM	LinStatic		-0,14	1,135	-0,005176	9,507E-16	-0,0578	-0,055 129-5
129	132	CV	LinStatic		0	0	0	0	0	0 129-5
129	73	CV	LinStatic		0	0	0	0	0	0 129-5
129	132	L	LinStatic		-0,407	1,594	0,374	0,6983	0,0396	0,1439 129-5

129	73	L	LinStatic		0,407	-1,594	-0,374	-1,092E-15	0,0664	0,1639	129-5
129	132	COMB1	Combination		-0,657	2,023	0,705	1,0601	0,0817	0,2396	129-5
129	73	COMB1	Combination		0,657	-2,023	-0,705	-1,471E-15	0,0895	0,2576	129-5
129	132	COMB5	Combination		-0,657	2,023	0,705	1,0601	0,0817	0,2396	129-5
129	73	COMB5	Combination		0,657	-2,023	-0,705	-1,471E-15	0,0895	0,2576	129-5
129	132	COMB6	Combination		-0,657	2,023	0,705	1,0601	0,0817	0,2396	129-5
129	73	COMB6	Combination		0,657	-2,023	-0,705	-1,471E-15	0,0895	0,2576	129-5
129	132	COMB7	Combination		-0,273	1,116	0,029	0,3123	0,008	0,1026	129-5
129	73	COMB7	Combination		0,273	-1,116	-0,029	-1,037E-15	0,0631	0,1038	129-5
129	132	COMB8	Combination		-0,273	1,116	0,029	0,3123	0,008	0,1026	129-5
129	73	COMB8	Combination		0,273	-1,116	-0,029	-1,037E-15	0,0631	0,1038	129-5
129	132	COMB9	Combination		-0,507	1,032	0,782	0,8603	0,0913	0,187	129-5
129	73	COMB9	Combination		0,507	-1,032	-0,782	-6,68E-16	0,0406	0,1961	129-5
129	132	COMB10	Combination		0,39	-1,082	-0,797	-0,8845	-0,0807	-0,1326	129-5
129	73	COMB10	Combination		-0,39	1,082	0,797	3,438E-16	-0,0209	-0,1626	129-5
129	132	COMB11	Combination		-0,017	0,512	-0,422	-0,1862	-0,0412	0,0113	129-5
129	73	COMB11	Combination		0,017	-0,512	0,422	-7,479E-16	0,0455	0,0013	129-5
129	132	COMB12	Combination		-0,913	2,627	1,156	1,5586	0,1309	0,3309	129-5
129	73	COMB12	Combination		0,913	-2,627	-1,156	-1,76E-15	0,107	0,3601	129-5
129	132	ENV	Combination	Max	0,39	2,627	1,156	1,5586	0,1309	0,3309	129-5
129	73	ENV	Combination	Max	0,913	1,082	0,797	3,438E-16	0,107	0,3601	129-5
129	132	ENV	Combination	Min	-0,913	-1,082	-0,797	-0,8845	-0,0807	-0,1326	129-5
129	73	ENV	Combination	Min	-0,39	-2,627	-1,156	-1,76E-15	-0,0209	-0,1626	129-5
130	74	DEAD	LinStatic		-0,008871	0,016	0,008206	0	-0,0015	0,0139	130-1
130	73	DEAD	LinStatic		0,008871	-0,016	-0,008206	0	-0,0068	0,0027	130-1
130	74	CM	LinStatic		-0,033	1,215	0,633	0	0,0138	0,0196	130-1
130	73	CM	LinStatic		0,033	-1,215	-0,577	0	-0,0448	0,0426	130-1
130	74	CV	LinStatic		0	0	0	0	0	0	130-1
130	73	CV	LinStatic		0	0	0	0	0	0	130-1
130	74	L	LinStatic		-0,109	-2,027	-1,01	0	-0,0401	0,1696	130-1
130	73	L	LinStatic		0,109	2,027	1,01	0	-0,0619	0,0353	130-1
130	74	COMB1	Combination		-0,226	-2,728	-1,359	0	-0,067	0,3302	130-1
130	73	COMB1	Combination		0,226	2,728	1,359	0	-0,1445	0,0943	130-1
130	74	COMB5	Combination		-0,226	-2,728	-1,359	0	-0,067	0,3302	130-1
130	73	COMB5	Combination		0,226	2,728	1,359	0	-0,1445	0,0943	130-1
130	74	COMB6	Combination		-0,226	-2,728	-1,359	0	-0,067	0,3302	130-1
130	73	COMB6	Combination		0,226	2,728	1,359	0	-0,1445	0,0943	130-1
130	74	COMB7	Combination		-0,009886	-1,294	-0,644	0	-0,0164	0,0367	130-1
130	73	COMB7	Combination		0,009886	1,294	0,644	0	0,0072	-0,0182	130-1
130	74	COMB8	Combination		-0,009886	-1,294	-0,644	0	-0,0164	0,0367	130-1
130	73	COMB8	Combination		0,009886	1,294	0,644	0	0,0072	-0,0182	130-1
130	74	COMB9	Combination		-0,261	-1,657	-0,825	0	-0,0605	0,3563	130-1
130	73	COMB9	Combination		0,261	1,657	0,825	0	-0,1837	0,1339	130-1
130	74	COMB10	Combination		0,244	1,69	0,842	0	0,0574	-0,3285	130-1
130	73	COMB10	Combination		-0,244	-1,69	-0,842	0	0,1702	-0,1284	130-1
130	74	COMB11	Combination		0,134	-0,337	-0,168	0	0,0173	-0,159	130-1
130	73	COMB11	Combination		-0,134	0,337	0,168	0	0,1083	-0,0931	130-1
130	74	COMB12	Combination		-0,371	-3,685	-1,835	0	-0,1006	0,5259	130-1
130	73	COMB12	Combination		0,371	3,685	1,835	0	-0,2456	0,1693	130-1
130	74	ENV	Combination	Max	0,244	1,69	0,842	0	0,0574	0,5259	130-1
130	73	ENV	Combination	Max	0,371	3,685	1,835	0	0,1702	0,1693	130-1
130	74	ENV	Combination	Min	-0,371	-3,685	-1,835	0	-0,1006	-0,3285	130-1
130	73	ENV	Combination	Min	-0,244	-1,69	-0,842	0	-0,2456	-0,1284	130-1
131	62	DEAD	LinStatic		0,06	-0,005049	-0,001346	5,322E-17	-0,0076	0,0301	131-1
131	107	DEAD	LinStatic		-0,06	0,005049	0,001346	-0,0002967	-0,0081	0,0153	131-1
131	62	CM	LinStatic		-0,018	-0,751	-0,338	-1,922E-17	0,0027	-0,0216	131-1
131	107	CM	LinStatic		0,018	0,751	0,487	0,1161	0,002	0,008	131-1
131	62	CV	LinStatic		0	0	0	0	0	0	131-1
131	107	CV	LinStatic		0	0	0	0	0	0	131-1
131	62	L	LinStatic		-0,027	0,073	1,434	-1,132E-17	0,0016	0,0308	131-1
131	107	L	LinStatic		0,027	-0,073	-1,434	-1,0655	0,0054	-0,0512	131-1
131	62	COMB1	Combination		0,025	-0,166	2,443	4,972E-17	-0,0071	0,0957	131-1
131	107	COMB1	Combination		-0,025	0,166	-2,443	-1,8909	0,0005159	-0,0767	131-1
131	62	COMB5	Combination		0,025	-0,166	2,443	4,972E-17	-0,0071	0,0957	131-1
131	107	COMB5	Combination		-0,025	0,166	-2,443	-1,8909	0,0005159	-0,0767	131-1
131	62	COMB6	Combination		0,025	-0,166	2,443	4,972E-17	-0,0071	0,0957	131-1
131	107	COMB6	Combination		-0,025	0,166	-2,443	-1,8909	0,0005159	-0,0767	131-1
131	62	COMB7	Combination		0,041	0,303	0,423	3,41E-17	-0,0048	0,0262	131-1
131	107	COMB7	Combination		-0,041	-0,303	-0,423	-0,2408	-0,0059	0,0049	131-1
131	62	COMB8	Combination		0,041	0,303	0,423	3,41E-17	-0,0048	0,0262	131-1
131	107	COMB8	Combination		-0,041	-0,303	-0,423	-0,2408	-0,0059	0,0049	131-1
131	62	COMB9	Combination		0,041	-0,552	2,355	7,145E-17	-0,0101	0,1112	131-1
131	107	COMB9	Combination		-0,041	0,552	-2,355	-1,9255	-0,0006373	-0,0799	131-1
131	62	COMB10	Combination		0,079	0,542	-2,358	3,5E-17	-0,005	-0,051	131-1
131	107	COMB10	Combination		-0,079	-0,542	2,358	1,9249	-0,0155	0,1105	131-1
131	62	COMB11	Combination		0,052	0,616	-0,924	2,368E-17	-0,0034	-0,0201	131-1
131	107	COMB11	Combination		-0,052	-0,616	0,924	0,8593	-0,0101	0,0593	131-1
131	62	COMB12	Combination		0,014	-0,479	3,789	6,013E-17	-0,0085	0,1421	131-1
131	107	COMB12	Combination		-0,014	0,479	-3,789	-2,991	0,0048	-0,1311	131-1
131	62	ENV	Combination	Max	0,079	0,616	3,789	7,145E-17	-0,0034	0,1421	131-1

131	107	ENV	Combination	Max	-0,014	0,552	2,358	1,9249	0,0048	0,1105	131-1
131	62	ENV	Combination	Min	0,014	-0,552	-2,358	2,368E-17	-0,0101	-0,051	131-1
131	107	ENV	Combination	Min	-0,079	-0,616	-3,789	-2,991	-0,0155	-0,1311	131-1
131	107	DEAD	LinStatic		0,17	-0,001359	0,005623	-0,0033	-0,003	0,0132	131-2
131	6	DEAD	LinStatic		-0,17	0,001359	-0,005623	0,0009485	-0,0201	0,0539	131-2
131	107	CM	LinStatic		-0,321	-0,746	-0,859	-0,1096	0,0175	-0,0559	131-2
131	6	CM	LinStatic		0,321	0,746	0,937	0,362	0,026	-0,0704	131-2
131	107	CV	LinStatic		0	0	0	0	0	0	131-2
131	6	CV	LinStatic		0	0	0	0	0	0	131-2
131	107	L	LinStatic		0,627	-0,165	1,461	1,032	-0,1151	0,2513	131-2
131	6	L	LinStatic		-0,627	0,165	-1,461	-1,6294	0,0301	-0,0045	131-2
131	107	COMB1	Combination		1,365	-0,581	2,139	1,8276	-0,2086	0,4735	131-2
131	6	COMB1	Combination		-1,365	0,581	-2,139	-2,7481	0,0237	0,0635	131-2
131	107	COMB5	Combination		1,365	-0,581	2,139	1,8276	-0,2086	0,4735	131-2
131	6	COMB5	Combination		-1,365	0,581	-2,139	-2,7481	0,0237	0,0635	131-2
131	107	COMB6	Combination		1,365	-0,581	2,139	1,8276	-0,2086	0,4735	131-2
131	6	COMB6	Combination		-1,365	0,581	-2,139	-2,7481	0,0237	0,0635	131-2
131	107	COMB7	Combination		0,231	0,248	0,795	0,2296	-0,0276	0,0555	131-2
131	6	COMB7	Combination		-0,231	-0,248	-0,795	-0,5088	-0,0037	0,0352	131-2
131	107	COMB8	Combination		0,231	0,248	0,795	0,2296	-0,0276	0,0555	131-2
131	6	COMB8	Combination		-0,231	-0,248	-0,795	-0,5088	-0,0037	0,0352	131-2
131	107	COMB9	Combination		1,493	-0,969	1,574	1,861	-0,2142	0,5009	131-2
131	6	COMB9	Combination		-1,493	0,969	-1,574	-2,6116	0,0119	0,0869	131-2
131	107	COMB10	Combination		-1,152	0,966	-1,562	-1,8677	0,2082	-0,4744	131-2
131	6	COMB10	Combination		1,152	-0,966	1,562	2,6135	-0,0521	0,0208	131-2
131	107	COMB11	Combination		-0,525	0,801	-0,101	-0,8357	0,0931	-0,2231	131-2
131	6	COMB11	Combination		0,525	-0,801	0,101	0,9841	-0,0219	0,0163	131-2
131	107	COMB12	Combination		2,12	-1,134	3,035	2,8929	-0,3293	0,7522	131-2
131	6	COMB12	Combination		-2,12	1,134	-3,035	-4,241	0,042	0,0824	131-2
131	107	ENV	Combination	Max	2,12	0,966	3,035	2,8929	0,2082	0,7522	131-2
131	6	ENV	Combination	Max	1,152	1,134	1,562	2,6135	0,042	0,0869	131-2
131	107	ENV	Combination	Min	-1,152	-1,134	-1,562	-1,8677	-0,3293	-0,4744	131-2
131	6	ENV	Combination	Min	-2,12	-0,966	-3,035	-4,241	-0,0521	0,0163	131-2
131	6	DEAD	LinStatic		-0,252	0,022	-0,005898	-0,0021	0,0264	-0,0802	131-3
131	101	DEAD	LinStatic		0,252	-0,022	0,005898	0,007	0,0051	-0,0113	131-3
131	6	CM	LinStatic		0,374	0,886	1,061	-0,2659	-0,0272	0,0813	131-3
131	101	CM	LinStatic		-0,374	-0,886	-0,99	0,0046	-0,0196	0,0545	131-3
131	6	CV	LinStatic		0	0	0	0	0	0	131-3
131	101	CV	LinStatic		0	0	0	0	0	0	131-3
131	6	L	LinStatic		1,477	0,74	-0,28	0,9873	-0,2007	0,4287	131-3
131	101	L	LinStatic		-1,477	-0,74	0,28	-0,7933	0,0161	0,1074	131-3
131	6	COMB1	Combination		2,145	1,933	0,235	1,5281	-0,3105	0,6063	131-3
131	101	COMB1	Combination		-2,145	-1,933	-0,235	-1,3719	0,0425	0,1719	131-3
131	6	COMB5	Combination		2,145	1,933	0,235	1,5281	-0,3105	0,6063	131-3
131	101	COMB5	Combination		-2,145	-1,933	-0,235	-1,3719	0,0425	0,1719	131-3
131	6	COMB6	Combination		2,145	1,933	0,235	1,5281	-0,3105	0,6063	131-3
131	101	COMB6	Combination		-2,145	-1,933	-0,235	-1,3719	0,0425	0,1719	131-3
131	6	COMB7	Combination		0,306	-0,409	-0,807	0,4424	-0,0382	0,0908	131-3
131	101	COMB7	Combination		-0,306	0,409	0,807	-0,2009	-0,00004436	0,0203	131-3
131	6	COMB8	Combination		0,306	-0,409	-0,807	0,4424	-0,0382	0,0908	131-3
131	101	COMB8	Combination		-0,306	0,409	0,807	-0,2009	-0,00004436	0,0203	131-3
131	6	COMB9	Combination		1,893	2,755	1,21	1,2645	-0,2913	0,5212	131-3
131	101	COMB9	Combination		-1,893	-2,755	-1,21	-1,3592	0,0548	0,1657	131-3
131	6	COMB10	Combination		-2,397	-2,711	-1,221	-1,2687	0,3441	-0,6815	131-3
131	101	COMB10	Combination		2,397	2,711	1,221	1,3731	-0,0446	-0,1883	131-3
131	6	COMB11	Combination		-0,92	-1,971	-1,501	-0,2814	0,1433	-0,2529	131-3
131	101	COMB11	Combination		0,92	1,971	1,501	0,5798	-0,0284	-0,0809	131-3
131	6	COMB12	Combination		3,371	3,495	0,93	2,2519	-0,492	0,9499	131-3
131	101	COMB12	Combination		-3,371	-3,495	-0,93	-2,1526	0,0709	0,2731	131-3
131	6	ENV	Combination	Max	3,371	3,495	1,21	2,2519	0,3441	0,9499	131-3
131	101	ENV	Combination	Max	2,397	2,711	1,501	1,3731	0,0709	0,2731	131-3
131	6	ENV	Combination	Min	-2,397	-2,711	-1,501	-1,2687	-0,492	-0,6815	131-3
131	101	ENV	Combination	Min	-3,371	-3,495	-1,21	-2,1526	-0,0446	-0,1883	131-3
131	101	DEAD	LinStatic		-0,151	0,02	0,0004342	0,0029	0,0196	-0,0598	131-4
131	95	DEAD	LinStatic		0,151	-0,02	-0,0004342	0,002	0,0196	-0,0543	131-4
131	101	CM	LinStatic		0,045	0,865	0,623	-0,0084	-0,0034	0,0167	131-4
131	95	CM	LinStatic		-0,045	-0,865	-0,473	-0,1807	-0,0083	0,0172	131-4
131	101	CV	LinStatic		0	0	0	0	0	0	131-4
131	95	CV	LinStatic		0	0	0	0	0	0	131-4
131	101	L	LinStatic		0,424	0,576	-0,294	0,7522	-0,1562	0,1707	131-4
131	95	L	LinStatic		-0,424	-0,576	0,294	-0,3799	0,0458	0,1499	131-4
131	101	COMB1	Combination		0,596	1,653	-0,137	1,3161	-0,2574	0,2478	131-4
131	95	COMB1	Combination		-0,596	-1,653	0,137	-0,7818	0,1022	0,203	131-4
131	101	COMB5	Combination		0,596	1,653	-0,137	1,3161	-0,2574	0,2478	131-4
131	95	COMB5	Combination		-0,596	-1,653	0,137	-0,7818	0,1022	0,203	131-4
131	101	COMB6	Combination		0,596	1,653	-0,137	1,3161	-0,2574	0,2478	131-4
131	95	COMB6	Combination		-0,596	-1,653	0,137	-0,7818	0,1022	0,203	131-4
131	101	COMB7	Combination		-0,05	-0,462	-0,45	0,1939	-0,0157	-0,0259	131-4
131	95	COMB7	Combination		0,05	0,462	0,45	0,0259	0,0287	-0,0118	131-4
131	101	COMB8	Combination		-0,05	-0,462	-0,45	0,1939	-0,0157	-0,0259	131-4

131	95	COMB8	Combination		0,05	0,462	0,45	0,0259	0,0287	-0,0118	131-4
131	101	COMB9	Combination		0,603	2,487	0,365	1,3121	-0,2624	0,2595	131-4
131	95	COMB9	Combination		-0,603	-2,487	-0,365	-0,9404	0,1054	0,1964	131-4
131	101	COMB10	Combination		-0,904	-2,448	-0,364	-1,3064	0,3016	-0,379	131-4
131	95	COMB10	Combination		0,904	2,448	0,364	0,9443	-0,0661	-0,305	131-4
131	101	COMB11	Combination		-0,48	-1,872	-0,658	-0,5543	0,1455	-0,2083	131-4
131	95	COMB11	Combination		0,48	1,872	0,658	0,5644	-0,0203	-0,1551	131-4
131	101	COMB12	Combination		1,027	3,063	0,071	2,0643	-0,4186	0,4302	131-4
131	95	COMB12	Combination		-1,027	-3,063	-0,071	-1,3203	0,1512	0,3463	131-4
131	101	ENV	Combination	Max	1,027	3,063	0,365	2,0643	0,3016	0,4302	131-4
131	95	ENV	Combination	Max	0,904	2,448	0,658	0,9443	0,1512	0,3463	131-4
131	101	ENV	Combination	Min	-0,904	-2,448	-0,658	-1,3064	-0,4186	-0,379	131-4
131	95	ENV	Combination	Min	-1,027	-3,063	-0,365	-1,3203	-0,0661	-0,305	131-4
131	95	DEAD	LinStatic		-0,067	0,019	-0,006142	0,0096	0,0037	-0,0278	131-5
131	75	DEAD	LinStatic		0,067	-0,019	0,006142	3,226E-17	0,0137	-0,023	131-5
131	95	CM	LinStatic		0,039	0,853	0,119	0,1888	-0,0055	0,0083	131-5
131	75	CM	LinStatic		-0,039	-0,853	0,031	-1,083E-17	-0,0046	0,0211	131-5
131	95	CV	LinStatic		0	0	0	0	0	0	131-5
131	75	CV	LinStatic		0	0	0	0	0	0	131-5
131	95	L	LinStatic		0,082	0,424	-0,269	0,3142	-0,0763	0,0618	131-5
131	75	L	LinStatic		-0,082	-0,424	0,269	1,289E-16	0,0549	0,0003428	131-5
131	95	COMB1	Combination		0,111	1,39	-0,438	0,6931	-0,1376	0,0885	131-5
131	75	COMB1	Combination		-0,111	-1,39	0,438	2,554E-16	0,1087	-0,0047	131-5
131	95	COMB5	Combination		0,111	1,39	-0,438	0,6931	-0,1376	0,0885	131-5
131	75	COMB5	Combination		-0,111	-1,39	0,438	2,554E-16	0,1087	-0,0047	131-5
131	95	COMB6	Combination		0,111	1,39	-0,438	0,6931	-0,1376	0,0885	131-5
131	75	COMB6	Combination		-0,111	-1,39	0,438	2,554E-16	0,1087	-0,0047	131-5
131	95	COMB7	Combination		-0,081	-0,505	-0,114	-0,0455	-0,0074	-0,0205	131-5
131	75	COMB7	Combination		0,081	0,505	0,114	6,689E-17	0,0285	-0,0406	131-5
131	95	COMB8	Combination		-0,081	-0,505	-0,114	-0,0455	-0,0074	-0,0205	131-5
131	75	COMB8	Combination		0,081	0,505	0,114	6,689E-17	0,0285	-0,0406	131-5
131	95	COMB9	Combination		0,156	2,229	-0,384	0,8713	-0,1481	0,0993	131-5
131	75	COMB9	Combination		-0,156	-2,229	0,384	2,522E-16	0,1074	0,019	131-5
131	95	COMB10	Combination		-0,291	-2,192	0,372	-0,8521	0,1556	-0,1549	131-5
131	75	COMB10	Combination		0,291	2,192	-0,372	-1,876E-16	-0,0799	-0,0649	131-5
131	95	COMB11	Combination		-0,209	-1,768	0,102	-0,5379	0,0793	-0,0931	131-5
131	75	COMB11	Combination		0,209	1,768	-0,102	-5,877E-17	-0,025	-0,0646	131-5
131	95	COMB12	Combination		0,239	2,653	-0,654	1,1855	-0,2244	0,1611	131-5
131	75	COMB12	Combination		-0,239	-2,653	0,654	3,81E-16	0,1623	0,0193	131-5
131	95	ENV	Combination	Max	0,239	2,653	0,372	1,1855	0,1556	0,1611	131-5
131	75	ENV	Combination	Max	0,291	2,192	0,654	3,81E-16	0,1623	0,0193	131-5
131	95	ENV	Combination	Min	-0,291	-2,192	-0,654	-0,8521	-0,2244	-0,1549	131-5
131	75	ENV	Combination	Min	-0,239	-2,653	-0,372	-1,876E-16	-0,0799	-0,0649	131-5
132	22	DEAD	LinStatic		-0,029	-0,008721	0,004343	-2,457E-17	-0,013	-0,0334	132-1
132	75	DEAD	LinStatic		0,029	0,008721	-0,004343	-2,683E-17	-0,0142	-0,021	132-1
132	22	CM	LinStatic		0,02	-0,83	0,441	2,068E-17	0,0109	0,0102	132-1
132	75	CM	LinStatic		-0,02	0,83	-0,385	1,447E-17	0,0076	0,027	132-1
132	22	CV	LinStatic		0	0	0	0	0	0	132-1
132	75	CV	LinStatic		0	0	0	0	0	0	132-1
132	22	L	LinStatic		0,439	-0,205	0,102	2,102E-16	0,111	0,461	132-1
132	75	L	LinStatic		-0,439	0,205	-0,102	5,659E-16	0,2987	0,3617	132-1
132	22	COMB1	Combination		0,738	-1,001	0,498	3,336E-16	0,1761	0,7688	132-1
132	75	COMB1	Combination		-0,738	1,001	-0,498	9,716E-16	0,513	0,6147	132-1
132	22	COMB5	Combination		0,738	-1,001	0,498	3,336E-16	0,1761	0,7688	132-1
132	75	COMB5	Combination		-0,738	1,001	-0,498	9,716E-16	0,513	0,6147	132-1
132	22	COMB6	Combination		0,738	-1,001	0,498	3,336E-16	0,1761	0,7688	132-1
132	75	COMB6	Combination		-0,738	1,001	-0,498	9,716E-16	0,513	0,6147	132-1
132	22	COMB7	Combination		0,081	0,573	-0,286	3,769E-17	0,0199	0,0863	132-1
132	75	COMB7	Combination		-0,081	-0,573	0,286	1,065E-16	0,0562	0,0665	132-1
132	22	COMB8	Combination		0,081	0,573	-0,286	3,769E-17	0,0199	0,0863	132-1
132	75	COMB8	Combination		-0,081	-0,573	0,286	1,065E-16	0,0562	0,0665	132-1
132	22	COMB9	Combination		0,736	-1,845	0,919	3,206E-16	0,1693	0,7628	132-1
132	75	COMB9	Combination		-0,736	1,845	-0,919	9,825E-16	0,5187	0,6186	132-1
132	22	COMB10	Combination		-0,795	1,828	-0,91	-3,698E-16	-0,1952	-0,8297	132-1
132	75	COMB10	Combination		0,795	-1,828	0,91	-1,036E-15	-0,547	-0,6607	132-1
132	22	COMB11	Combination		-0,356	1,623	-0,808	-1,596E-16	-0,0842	-0,3687	132-1
132	75	COMB11	Combination		0,356	-1,623	0,808	-4,703E-16	-0,2483	-0,299	132-1
132	22	COMB12	Combination		1,175	-2,05	1,021	5,308E-16	0,2803	1,2238	132-1
132	75	COMB12	Combination		-1,175	2,05	-1,021	1,548E-15	0,8175	0,9802	132-1
132	22	ENV	Combination	Max	1,175	1,828	1,021	5,308E-16	0,2803	1,2238	132-1
132	75	ENV	Combination	Max	0,795	2,05	0,91	1,548E-15	0,8175	0,9802	132-1
132	22	ENV	Combination	Min	-0,795	-2,05	-0,91	-3,698E-16	-0,1952	-0,8297	132-1
132	75	ENV	Combination	Min	-1,175	-1,828	-1,021	-1,036E-15	-0,547	-0,6607	132-1
133	62	DEAD	LinStatic		0,06	0,005087	-0,001431	-1,767E-16	-0,0075	-0,0301	133-1
133	143	DEAD	LinStatic		-0,06	-0,005087	0,001431	0,0002428	-0,0081	-0,0152	133-1
133	62	CM	LinStatic		-0,018	0,751	-0,337	6,317E-17	0,0027	0,0216	133-1
133	143	CM	LinStatic		0,018	-0,751	0,487	-0,1161	0,002	-0,0081	133-1
133	62	CV	LinStatic		0	0	0	0	0	0	133-1
133	143	CV	LinStatic		0	0	0	0	0	0	133-1
133	62	L	LinStatic		-0,026	-0,23	-1,422	2,061E-16	0,0088	0,0749	133-1

133	143	L	LinStatic	0,026	0,23	1,422	-1,1358	-0,0019	-0,0551	133-1
133	62	COMB1	Combination	0,044	-0,08	-2,746	1,585E-17	0,0006751	0,0888	133-1
133	143	COMB1	Combination	-0,044	0,08	2,746	-2,0975	-0,0121	-0,1221	133-1
133	62	COMB5	Combination	0,044	-0,08	-2,746	1,585E-17	0,0006751	0,0888	133-1
133	143	COMB5	Combination	-0,044	0,08	2,746	-2,0975	-0,0121	-0,1221	133-1
133	62	COMB6	Combination	0,044	-0,08	-2,746	1,585E-17	0,0006751	0,0888	133-1
133	143	COMB6	Combination	-0,044	0,08	2,746	-2,0975	-0,0121	-0,1221	133-1
133	62	COMB7	Combination	0,023	-0,371	-0,102	4,299E-17	0,0018	0,0009973	133-1
133	143	COMB7	Combination	-0,023	0,371	0,102	-0,1737	-0,0078	-0,0184	133-1
133	62	COMB8	Combination	0,023	-0,371	-0,102	4,299E-17	0,0018	0,0009973	133-1
133	143	COMB8	Combination	-0,023	0,371	0,102	-0,1737	-0,0078	-0,0184	133-1
133	62	COMB9	Combination	0,084	0,345	-3,086	-2,084E-16	-0,0089	0,0724	133-1
133	143	COMB9	Combination	-0,084	-0,345	3,086	-2,2442	-0,0131	-0,1361	133-1
133	62	COMB10	Combination	0,035	-0,335	3,083	-1,45E-16	-0,0062	-0,1325	133-1
133	143	COMB10	Combination	-0,035	0,335	-3,083	2,2446	-0,003	0,1057	133-1
133	62	COMB11	Combination	0,00913	-0,566	1,661	6,108E-17	0,0026	-0,0575	133-1
133	143	COMB11	Combination	-0,00913	0,566	-1,661	1,1088	-0,005	0,0506	133-1
133	62	COMB12	Combination	0,058	0,115	-4,508	-2,236E-18	-0,00009523	0,1473	133-1
133	143	COMB12	Combination	-0,058	-0,115	4,508	-3,38	-0,015	-0,1911	133-1
133	62	ENV	Combination	0,084	0,345	3,083	6,108E-17	0,0026	0,1473	133-1
133	143	ENV	Combination	-0,00913	0,566	4,508	2,2446	-0,003	0,1057	133-1
133	62	ENV	Combination	0,00913	-0,566	-4,508	-2,084E-16	-0,0089	-0,1325	133-1
133	143	ENV	Combination	-0,084	-0,345	-3,083	-3,38	-0,015	-0,1911	133-1
133	143	DEAD	LinStatic	0,17	0,001389	0,005477	0,0034	-0,003	-0,0131	133-2
133	33	DEAD	LinStatic	-0,17	-0,001389	-0,005477	-0,001	-0,0201	-0,0537	133-2
133	143	CM	LinStatic	-0,321	0,746	-0,859	0,1095	0,0175	0,0558	133-2
133	33	CM	LinStatic	0,321	-0,746	0,937	-0,3619	0,026	0,0704	133-2
133	143	CV	LinStatic	0	0	0	0	0	0	133-2
133	33	CV	LinStatic	0	0	0	0	0	0	133-2
133	143	L	LinStatic	-1,181	-0,491	-1,364	1,0929	0,144	0,3324	133-2
133	33	L	LinStatic	1,181	0,491	1,364	-1,6962	0,0161	0,1325	133-2
133	143	COMB1	Combination	-1,727	-0,527	-3,004	2,029	0,2411	0,5659	133-2
133	33	COMB1	Combination	1,727	0,527	3,004	-3,2827	-0,007	0,1139	133-2
133	143	COMB5	Combination	-1,727	-0,527	-3,004	2,029	0,2411	0,5659	133-2
133	33	COMB5	Combination	1,727	0,527	3,004	-3,2827	-0,007	0,1139	133-2
133	143	COMB6	Combination	-1,727	-0,527	-3,004	2,029	0,2411	0,5659	133-2
133	33	COMB6	Combination	1,727	0,527	3,004	-3,2827	-0,007	0,1139	133-2
133	143	COMB7	Combination	-0,295	-0,451	0,287	0,1636	0,041	0,0726	133-2
133	33	COMB7	Combination	0,295	0,451	-0,287	-0,1119	-0,0009638	0,0436	133-2
133	143	COMB8	Combination	-0,295	-0,451	0,287	0,1636	0,041	0,0726	133-2
133	33	COMB8	Combination	0,295	0,451	-0,287	-0,1119	-0,0009638	0,0436	133-2
133	143	COMB9	Combination	-1,501	-0,087	-3,833	2,1798	0,2305	0,5624	133-2
133	33	COMB9	Combination	1,501	0,087	3,833	-3,7003	-0,0271	0,0283	133-2
133	143	COMB10	Combination	1,841	0,09	3,844	-2,173	-0,2364	-0,5887	133-2
133	33	COMB10	Combination	-1,841	-0,09	-3,844	3,6982	-0,013	-0,1358	133-2
133	143	COMB11	Combination	0,66	-0,401	2,48	-1,0801	-0,0924	-0,2563	133-2
133	33	COMB11	Combination	-0,66	0,401	-2,48	2,002	0,0031	-0,0033	133-2
133	143	COMB12	Combination	-2,682	-0,578	-5,197	3,2727	0,3745	0,8948	133-2
133	33	COMB12	Combination	2,682	0,578	5,197	-5,3965	-0,011	0,1608	133-2
133	143	ENV	Combination	1,841	0,09	3,844	3,2727	0,3745	0,8948	133-2
133	33	ENV	Combination	2,682	0,578	5,197	3,6982	0,0031	0,1608	133-2
133	143	ENV	Combination	-2,682	-0,578	-5,197	-2,173	-0,2364	-0,5887	133-2
133	33	ENV	Combination	-1,841	-0,09	-3,844	-5,3965	-0,0271	-0,1358	133-2
133	33	DEAD	LinStatic	-0,253	-0,022	-0,0057	0,0022	0,0264	0,0802	133-3
133	137	DEAD	LinStatic	0,253	0,022	0,0057	-0,0069	0,0052	0,0115	133-3
133	33	CM	LinStatic	0,374	-0,886	1,062	0,266	-0,0272	-0,0812	133-3
133	137	CM	LinStatic	-0,374	0,886	-0,99	-0,0044	-0,0196	-0,0546	133-3
133	33	CV	LinStatic	0	0	0	0	0	0	133-3
133	137	CV	LinStatic	0	0	0	0	0	0	133-3
133	33	L	LinStatic	-0,957	0,754	0,21	0,9689	0,1583	0,2989	133-3
133	137	L	LinStatic	0,957	-0,754	-0,21	-0,7986	-0,0387	0,0484	133-3
133	33	COMB1	Combination	-1,934	0,699	1,057	1,8533	0,3089	0,601	133-3
133	137	COMB1	Combination	1,934	-0,699	-1,057	-1,3823	-0,0674	0,1005	133-3
133	33	COMB5	Combination	-1,934	0,699	1,057	1,8533	0,3089	0,601	133-3
133	137	COMB5	Combination	1,934	-0,699	-1,057	-1,3823	-0,0674	0,1005	133-3
133	33	COMB6	Combination	-1,934	0,699	1,057	1,8533	0,3089	0,601	133-3
133	137	COMB6	Combination	1,934	-0,699	-1,057	-1,3823	-0,0674	0,1005	133-3
133	33	COMB7	Combination	-0,486	0,765	-0,65	0,0888	0,0604	0,1571	133-3
133	137	COMB7	Combination	0,486	-0,765	0,65	-0,2289	0,0003604	0,0194	133-3
133	33	COMB8	Combination	-0,486	0,765	-0,65	0,0888	0,0604	0,1571	133-3
133	137	COMB8	Combination	0,486	-0,765	0,65	-0,2289	0,0003604	0,0194	133-3
133	33	COMB9	Combination	-1,941	-0,099	1,986	2,0608	0,3163	0,5981	133-3
133	137	COMB9	Combination	1,941	0,099	-1,986	-1,3526	-0,0738	0,1062	133-3
133	33	COMB10	Combination	1,436	0,055	-1,997	-2,0565	-0,2636	-0,4377	133-3
133	137	COMB10	Combination	-1,436	-0,055	1,997	1,3387	0,0842	-0,0832	133-3
133	33	COMB11	Combination	0,478	0,809	-1,788	-1,0876	-0,1053	-0,1388	133-3
133	137	COMB11	Combination	-0,478	-0,809	1,788	0,5401	0,0455	-0,0348	133-3
133	33	COMB12	Combination	-2,899	0,655	2,195	3,0297	0,4746	0,897	133-3
133	137	COMB12	Combination	2,899	-0,655	-2,195	-2,1512	-0,1125	0,1547	133-3
133	33	ENV	Combination	1,436	0,809	2,195	3,0297	0,4746	0,897	133-3

133	137	ENV	Combination	Max	2,899	0,099	1,997	1,3387	0,0842	0,1547 133-3
133	33	ENV	Combination	Min	-2,899	-0,099	-1,997	-2,0565	-0,2636	-0,4377 133-3
133	137	ENV	Combination	Min	-1,436	-0,809	-2,195	-2,1512	-0,1125	-0,0832 133-3
133	137	DEAD	LinStatic		-0,15	-0,02	0,0006128	-0,0028	0,0195	0,0595 133-4
133	131	DEAD	LinStatic		0,15	0,02	-0,0006128	-0,0019	0,0196	0,0541 133-4
133	137	CM	LinStatic		0,045	-0,865	0,623	0,0085	-0,0034	-0,0167 133-4
133	131	CM	LinStatic		-0,045	0,865	-0,474	0,1809	-0,0083	-0,0172 133-4
133	137	CV	LinStatic		0	0	0	0	0	0 133-4
133	131	CV	LinStatic		0	0	0	0	0	0 133-4
133	137	L	LinStatic		-0,418	0,613	0,285	0,7644	0,1633	0,1822 133-4
133	131	L	LinStatic		0,418	-0,613	-0,285	-0,389	-0,0546	0,1337 133-4
133	137	COMB1	Combination		-0,835	0,468	0,849	1,3212	0,2995	0,3496 133-4
133	131	COMB1	Combination		0,835	-0,468	-0,849	-0,557	-0,082	0,2818 133-4
133	137	COMB5	Combination		-0,835	0,468	0,849	1,3212	0,2995	0,3496 133-4
133	131	COMB5	Combination		0,835	-0,468	-0,849	-0,557	-0,082	0,2818 133-4
133	137	COMB6	Combination		-0,835	0,468	0,849	1,3212	0,2995	0,3496 133-4
133	131	COMB6	Combination		0,835	-0,468	-0,849	-0,557	-0,082	0,2818 133-4
133	137	COMB7	Combination		-0,301	0,719	-0,277	0,202	0,0662	0,1338 133-4
133	131	COMB7	Combination		0,301	-0,719	0,277	-0,2246	0,0122	0,0939 133-4
133	137	COMB8	Combination		-0,301	0,719	-0,277	0,202	0,0662	0,1338 133-4
133	131	COMB8	Combination		0,301	-0,719	0,277	-0,2246	0,0122	0,0939 133-4
133	137	COMB9	Combination		-0,773	-0,312	1,315	1,3029	0,2916	0,3112 133-4
133	131	COMB9	Combination		0,773	0,312	-1,315	-0,3897	-0,0903	0,2735 133-4
133	137	COMB10	Combination		0,473	0,273	-1,314	-1,3085	-0,2526	-0,1923 133-4
133	131	COMB10	Combination		-0,473	-0,273	1,314	0,386	0,1295	-0,1652 133-4
133	137	COMB11	Combination		0,055	0,886	-1,028	-0,5441	-0,0893	-0,01 133-4
133	131	COMB11	Combination		-0,055	-0,886	1,028	-0,003	0,075	-0,0315 133-4
133	137	COMB12	Combination		-1,191	0,301	1,6	2,0673	0,455	0,4935 133-4
133	131	COMB12	Combination		1,191	-0,301	-1,6	-0,7787	-0,1448	0,4072 133-4
133	137	ENV	Combination	Max	0,473	0,886	1,6	2,0673	0,455	0,4935 133-4
133	131	ENV	Combination	Max	1,191	0,312	1,314	0,386	0,1295	0,4072 133-4
133	137	ENV	Combination	Min	-1,191	-0,312	-1,314	-1,3085	-0,2526	-0,1923 133-4
133	131	ENV	Combination	Min	-0,473	-0,886	-1,6	-0,7787	-0,1448	-0,1652 133-4
133	131	DEAD	LinStatic		-0,067	-0,019	-0,006171	-0,0096	0,0037	0,0276 133-5
133	76	DEAD	LinStatic		0,067	0,019	0,006171	-3,846E-16	0,0136	0,0228 133-5
133	131	CM	LinStatic		0,039	-0,853	0,119	-0,189	-0,0055	-0,0084 133-5
133	76	CM	LinStatic		-0,039	0,853	0,031	1,326E-16	-0,0047	-0,0212 133-5
133	131	CV	LinStatic		0	0	0	0	0	0 133-5
133	76	CV	LinStatic		0	0	0	0	0	0 133-5
133	131	L	LinStatic		-0,15	0,457	0,272	0,3252	0,088	0,078 133-5
133	76	L	LinStatic		0,15	-0,457	-0,272	1,377E-15	-0,0489	0,0356 133-5
133	131	COMB1	Combination		-0,243	0,216	0,506	0,4388	0,147	0,1407 133-5
133	76	COMB1	Combination		0,243	-0,216	-0,506	2,359E-15	-0,0837	0,0431 133-5
133	131	COMB5	Combination		-0,243	0,216	0,506	0,4388	0,147	0,1407 133-5
133	76	COMB5	Combination		0,243	-0,216	-0,506	2,359E-15	-0,0837	0,0431 133-5
133	131	COMB6	Combination		-0,243	0,216	0,506	0,4388	0,147	0,1407 133-5
133	76	COMB6	Combination		0,243	-0,216	-0,506	2,359E-15	-0,0837	0,0431 133-5
133	131	COMB7	Combination		-0,191	0,66	0,027	0,1924	0,0364	0,0706 133-5
133	76	COMB7	Combination		0,191	-0,66	-0,027	-3,747E-16	0,0133	0,0738 133-5
133	131	COMB8	Combination		-0,191	0,66	0,027	0,1924	0,0364	0,0706 133-5
133	76	COMB8	Combination		0,191	-0,66	-0,027	-3,747E-16	0,0133	0,0738 133-5
133	131	COMB9	Combination		-0,127	-0,537	0,552	0,2779	0,1327	0,1093 133-5
133	76	COMB9	Combination		0,127	0,537	-0,552	2,805E-15	-0,0995	-0,0131 133-5
133	131	COMB10	Combination		-0,006017	0,499	-0,565	-0,2971	-0,1253	-0,0542 133-5
133	76	COMB10	Combination		0,006017	-0,499	0,565	-3,574E-15	0,1268	0,0587 133-5
133	131	COMB11	Combination		-0,156	0,956	-0,292	0,0281	-0,0373	0,0239 133-5
133	76	COMB11	Combination		0,156	-0,956	0,292	-2,197E-15	0,078	0,0944 133-5
133	131	COMB12	Combination		-0,278	-0,08	0,825	0,6031	0,2207	0,1874 133-5
133	76	COMB12	Combination		0,278	0,08	-0,825	4,182E-15	-0,1484	0,0226 133-5
133	131	ENV	Combination	Max	-0,006017	0,956	0,825	0,6031	0,2207	0,1874 133-5
133	76	ENV	Combination	Max	0,278	0,537	0,565	4,182E-15	0,1268	0,0944 133-5
133	131	ENV	Combination	Min	-0,278	-0,537	-0,565	-0,2971	-0,1253	-0,0542 133-5
133	76	ENV	Combination	Min	0,006017	-0,956	-0,825	-3,574E-15	-0,1484	-0,0131 133-5
134	47	DEAD	LinStatic		-0,029	0,008805	0,004385	2,452E-17	-0,0129	0,0333 134-1
134	76	DEAD	LinStatic		0,029	-0,008805	-0,004385	2,675E-17	-0,0141	0,021 134-1
134	47	CM	LinStatic		0,02	0,83	0,441	-2,06E-17	0,0109	-0,0101 134-1
134	76	CM	LinStatic		-0,02	-0,83	-0,386	-1,444E-17	0,0076	-0,027 134-1
134	47	CV	LinStatic		0	0	0	0	0	0 134-1
134	76	CV	LinStatic		0	0	0	0	0	0 134-1
134	47	L	LinStatic		-0,386	-0,238	-0,118	1,386E-16	-0,0732	0,3976 134-1
134	76	L	LinStatic		0,386	0,238	0,118	5,445E-16	-0,2875	0,3265 134-1
134	47	COMB1	Combination		-0,735	0,127	0,063	2,994E-16	-0,1581	0,7734 134-1
134	76	COMB1	Combination		0,735	-0,127	-0,063	1,001E-15	-0,5286	0,6053 134-1
134	47	COMB5	Combination		-0,735	0,127	0,063	2,994E-16	-0,1581	0,7734 134-1
134	76	COMB5	Combination		0,735	-0,127	-0,063	1,001E-15	-0,5286	0,6053 134-1
134	47	COMB6	Combination		-0,735	0,127	0,063	2,994E-16	-0,1581	0,7734 134-1
134	76	COMB6	Combination		0,735	-0,127	-0,063	1,001E-15	-0,5286	0,6053 134-1
134	47	COMB7	Combination		-0,095	-0,585	-0,291	2,674E-17	-0,0141	0,0885 134-1
134	76	COMB7	Combination		0,095	0,585	0,291	1,414E-16	-0,0747	0,0897 134-1
134	47	COMB8	Combination		-0,095	-0,585	-0,291	2,674E-17	-0,0141	0,0885 134-1

134	76	COMB8	Combination	0,095	0,585	0,291	1,414E-16	-0,0747	0,0897	134-1
134	47	COMB9	Combination	-0,776	0,839	0,418	3,427E-16	-0,1809	0,8323	134-1
134	76	COMB9	Combination	0,776	-0,839	-0,418	1,03E-15	-0,5437	0,6225	134-1
134	47	COMB10	Combination	0,718	-0,822	-0,409	-2,936E-16	0,155	-0,7656	134-1
134	76	COMB10	Combination	-0,718	0,822	0,409	-9,763E-16	0,5154	-0,5805	134-1
134	47	COMB11	Combination	0,332	-1,059	-0,528	-1,551E-16	0,0819	-0,368	134-1
134	76	COMB11	Combination	-0,332	1,059	0,528	-4,318E-16	0,2279	-0,254	134-1
134	47	COMB12	Combination	-1,162	0,601	0,3	4,812E-16	-0,2541	1,2299	134-1
134	76	COMB12	Combination	1,162	-0,601	-0,3	1,574E-15	-0,8312	0,949	134-1
134	47	ENV	Combination	0,718	0,839	0,418	4,812E-16	0,155	1,2299	134-1
134	76	ENV	Combination	1,162	1,059	0,528	1,574E-15	0,5154	0,949	134-1
134	47	ENV	Combination	-1,162	-1,059	-0,528	-2,936E-16	-0,2541	-0,7656	134-1
134	76	ENV	Combination	-0,718	-0,839	-0,418	-9,763E-16	-0,8312	-0,5805	134-1
135	60	DEAD	LinStatic	0,062	0,002001	0,0005921	-3,88E-17	-0,0083	0,0326	135-1
135	108	DEAD	LinStatic	-0,062	-0,002001	-0,0005921	0,00007334	-0,0078	0,014	135-1
135	60	CM	LinStatic	-0,038	-0,158	-0,052	1,923E-17	0,0041	-0,0219	135-1
135	108	CM	LinStatic	0,038	0,158	0,201	0,0545	0,0058	-0,0068	135-1
135	60	CV	LinStatic	0	0	0	0	0	0	135-1
135	108	CV	LinStatic	0	0	0	0	0	0	135-1
135	60	L	LinStatic	-0,702	-0,796	0,52	5,434E-16	0,1157	-0,2293	135-1
135	108	L	LinStatic	0,702	0,796	-0,52	-0,6009	0,0672	-0,3019	135-1
135	60	COMB1	Combination	-1,143	-1,469	0,922	9,055E-16	0,1928	-0,3593	135-1
135	108	COMB1	Combination	1,143	1,469	-0,922	-1,0803	0,105	-0,5055	135-1
135	60	COMB5	Combination	-1,143	-1,469	0,922	9,055E-16	0,1928	-0,3593	135-1
135	108	COMB5	Combination	1,143	1,469	-0,922	-1,0803	0,105	-0,5055	135-1
135	60	COMB6	Combination	-1,143	-1,469	0,922	9,055E-16	0,1928	-0,3593	135-1
135	108	COMB6	Combination	1,143	1,469	-0,922	-1,0803	0,105	-0,5055	135-1
135	60	COMB7	Combination	-0,138	-0,12	0,119	1,038E-16	0,0221	-0,0342	135-1
135	108	COMB7	Combination	0,138	0,12	-0,119	-0,1213	0,0139	-0,0703	135-1
135	60	COMB8	Combination	-0,138	-0,12	0,119	1,038E-16	0,0221	-0,0342	135-1
135	108	COMB8	Combination	0,138	0,12	-0,119	-0,1213	0,0139	-0,0703	135-1
135	60	COMB9	Combination	-1,111	-1,572	0,938	8,965E-16	0,1909	-0,3466	135-1
135	108	COMB9	Combination	1,111	1,572	-0,938	-1,1188	0,0985	-0,4937	135-1
135	60	COMB10	Combination	1,234	1,576	-0,936	-9,742E-16	-0,2074	0,4118	135-1
135	108	COMB10	Combination	-1,234	-1,576	0,936	1,1189	-0,114	0,5217	135-1
135	60	COMB11	Combination	0,532	0,78	-0,416	-4,307E-16	-0,0917	0,1825	135-1
135	108	COMB11	Combination	-0,532	-0,78	0,416	0,518	-0,0468	0,2198	135-1
135	60	COMB12	Combination	-1,813	-2,369	1,458	1,44E-15	0,3066	-0,576	135-1
135	108	COMB12	Combination	1,813	2,369	-1,458	-1,7197	0,1657	-0,7956	135-1
135	60	ENV	Combination	1,234	1,576	1,458	1,44E-15	0,3066	0,4118	135-1
135	108	ENV	Combination	1,813	2,369	0,936	1,1189	0,1657	0,5217	135-1
135	60	ENV	Combination	-1,813	-2,369	-0,936	-9,742E-16	-0,2074	-0,576	135-1
135	108	ENV	Combination	-1,234	-1,576	-1,458	-1,7197	-0,114	-0,7956	135-1
135	108	DEAD	LinStatic	0,224	0,004024	0,006964	-0,0024	-0,0057	0,0219	135-2
135	4	DEAD	LinStatic	-0,224	-0,004024	-0,006964	0,0002309	-0,0247	0,0665	135-2
135	108	CM	LinStatic	-0,105	-0,143	-0,553	-0,0512	0,0044	-0,0164	135-2
135	4	CM	LinStatic	0,105	0,143	0,631	0,2648	0,0098	-0,0249	135-2
135	108	CV	LinStatic	0	0	0	0	0	0	135-2
135	4	CV	LinStatic	0	0	0	0	0	0	135-2
135	108	L	LinStatic	-0,935	-1,046	0,331	0,6026	0,0235	-0,0866	135-2
135	4	L	LinStatic	0,935	1,046	-0,331	-0,8744	0,1032	-0,2814	135-2
135	108	COMB1	Combination	-1,361	-1,889	0,225	1,0812	0,0395	-0,1094	135-2
135	4	COMB1	Combination	1,361	1,889	-0,225	-1,426	0,1449	-0,4262	135-2
135	108	COMB5	Combination	-1,361	-1,889	0,225	1,0812	0,0395	-0,1094	135-2
135	4	COMB5	Combination	1,361	1,889	-0,225	-1,426	0,1449	-0,4262	135-2
135	108	COMB6	Combination	-1,361	-1,889	0,225	1,0812	0,0395	-0,1094	135-2
135	4	COMB6	Combination	1,361	1,889	-0,225	-1,426	0,1449	-0,4262	135-2
135	108	COMB7	Combination	-0,06	-0,194	0,45	0,1192	-0,0038	-0,0201	135-2
135	4	COMB7	Combination	0,06	0,194	-0,45	-0,3224	0,012	-0,0036	135-2
135	108	COMB8	Combination	-0,06	-0,194	0,45	0,1192	-0,0038	-0,0201	135-2
135	4	COMB8	Combination	0,06	0,194	-0,45	-0,3224	0,012	-0,0036	135-2
135	108	COMB9	Combination	-1,293	-1,975	-0,254	1,1199	0,0449	-0,0823	135-2
135	4	COMB9	Combination	1,293	1,975	0,254	-1,2873	0,1304	-0,4266	135-2
135	108	COMB10	Combination	1,742	1,983	0,268	-1,1247	-0,0562	0,126	135-2
135	4	COMB10	Combination	-1,742	-1,983	-0,268	1,2878	-0,1798	0,5595	135-2
135	108	COMB11	Combination	0,807	0,937	0,599	-0,5221	-0,0327	0,0394	135-2
135	4	COMB11	Combination	-0,807	-0,937	-0,599	0,4133	-0,0767	0,2782	135-2
135	108	COMB12	Combination	-2,228	-3,02	0,076	1,7225	0,0684	-0,1689	135-2
135	4	COMB12	Combination	2,228	3,02	-0,076	-2,1618	0,2335	-0,708	135-2
135	108	ENV	Combination	1,742	1,983	0,599	1,7225	0,0684	0,126	135-2
135	4	ENV	Combination	2,228	3,02	0,254	1,2878	0,2335	0,5595	135-2
135	108	ENV	Combination	-2,228	-3,02	-0,254	-1,1247	-0,0562	-0,1689	135-2
135	4	ENV	Combination	-1,742	-1,983	-0,599	-2,1618	-0,1798	-0,708	135-2
135	4	DEAD	LinStatic	-0,309	0,012	-0,002382	-0,0022	0,0309	-0,0936	135-3
135	102	DEAD	LinStatic	0,309	-0,012	0,002382	0,0045	0,0077	-0,0185	135-3
135	4	CM	LinStatic	0,127	0,872	1,122	-0,3307	-0,0069	0,026	135-3
135	102	CM	LinStatic	-0,127	-0,872	-1,051	0,0455	-0,009	0,0201	135-3
135	4	CV	LinStatic	0	0	0	0	0	0	135-3
135	102	CV	LinStatic	0	0	0	0	0	0	135-3
135	4	L	LinStatic	-0,312	0,798	-0,407	1,0065	-0,0311	0,0457	135-3

135	102	L	LinStatic		0,312	-0,798	0,407	-0,7592	0,07	-0,1589	135-3
135	4	COMB1	Combination		-0,758	1,927	-0,117	1,5709	-0,0139	-0,0099	135-3
135	102	COMB1	Combination		0,758	-1,927	0,117	-1,2876	0,1085	-0,265	135-3
135	4	COMB5	Combination		-0,758	1,927	-0,117	1,5709	-0,0139	-0,0099	135-3
135	102	COMB5	Combination		0,758	-1,927	0,117	-1,2876	0,1085	-0,265	135-3
135	4	COMB6	Combination		-0,758	1,927	-0,117	1,5709	-0,0139	-0,0099	135-3
135	102	COMB6	Combination		0,758	-1,927	0,117	-1,2876	0,1085	-0,265	135-3
135	4	COMB7	Combination		-0,484	-0,307	-0,701	0,4376	0,0135	-0,0858	135-3
135	102	COMB7	Combination		0,484	0,307	0,701	-0,2217	0,047	-0,0898	135-3
135	4	COMB8	Combination		-0,484	-0,307	-0,701	0,4376	0,0135	-0,0858	135-3
135	102	COMB8	Combination		0,484	0,307	0,701	-0,2217	0,047	-0,0898	135-3
135	4	COMB9	Combination		-0,628	2,618	0,679	1,32	-0,001	-0,005	135-3
135	102	COMB9	Combination		0,628	-2,618	-0,679	-1,2391	0,0795	-0,2229	135-3
135	4	COMB10	Combination		0,011	-2,594	-0,683	-1,3244	0,0628	-0,1821	135-3
135	102	COMB10	Combination		-0,011	2,594	0,683	1,2482	-0,0641	0,186	135-3
135	4	COMB11	Combination		-0,301	-1,796	-1,09	-0,3179	0,0317	-0,1364	135-3
135	102	COMB11	Combination		0,301	1,796	1,09	0,489	0,0059	0,0271	135-3
135	4	COMB12	Combination		-0,94	3,416	0,272	2,3265	-0,0321	0,0407	135-3
135	102	COMB12	Combination		0,94	-3,416	-0,272	-1,9983	0,1496	-0,3819	135-3
135	4	ENV	Combination	Max	0,011	3,416	0,679	2,3265	0,0628	0,0407	135-3
135	102	ENV	Combination	Max	0,94	2,594	1,09	1,2482	0,1496	0,186	135-3
135	4	ENV	Combination	Min	-0,94	-2,594	-1,09	-1,3244	-0,0321	-0,1821	135-3
135	102	ENV	Combination	Min	-0,011	-3,416	-0,679	-1,9983	-0,0641	-0,3819	135-3
135	102	DEAD	LinStatic		-0,146	0,011	0,004923	-0,0002512	0,0186	-0,0569	135-4
135	96	DEAD	LinStatic		0,146	-0,011	-0,004923	-0,0006855	0,0193	-0,0533	135-4
135	102	CM	LinStatic		0,028	0,866	0,69	-0,0545	0,000929	0,0123	135-4
135	96	CM	LinStatic		-0,028	-0,866	-0,541	-0,1851	-0,0082	0,0089	135-4
135	102	CV	LinStatic		0	0	0	0	0	0	135-4
135	96	CV	LinStatic		0	0	0	0	0	0	135-4
135	102	L	LinStatic		-0,097	0,579	-0,259	0,683	-0,0435	-0,0135	135-4
135	96	L	LinStatic		0,097	-0,579	0,259	-0,3358	0,0687	-0,0598	135-4
135	102	COMB1	Combination		-0,288	1,559	-0,054	1,1495	-0,0738	-0,0743	135-4
135	96	COMB1	Combination		0,288	-1,559	0,054	-0,7025	0,1488	-0,1437	135-4
135	102	COMB5	Combination		-0,288	1,559	-0,054	1,1495	-0,0738	-0,0743	135-4
135	96	COMB5	Combination		0,288	-1,559	0,054	-0,7025	0,1488	-0,1437	135-4
135	102	COMB6	Combination		-0,288	1,559	-0,054	1,1495	-0,0738	-0,0743	135-4
135	96	COMB6	Combination		0,288	-1,559	0,054	-0,7025	0,1488	-0,1437	135-4
135	102	COMB7	Combination		-0,197	-0,379	-0,455	0,216	0,024	-0,0666	135-4
135	96	COMB7	Combination		0,197	0,379	0,455	0,0295	0,0273	-0,0825	135-4
135	102	COMB8	Combination		-0,197	-0,379	-0,455	0,216	0,024	-0,0666	135-4
135	96	COMB8	Combination		0,197	0,379	0,455	0,0295	0,0273	-0,0825	135-4
135	102	COMB9	Combination		-0,252	2,272	0,473	1,0888	-0,0954	-0,066	135-4
135	96	COMB9	Combination		0,252	-2,272	-0,473	-0,8546	0,1611	-0,1247	135-4
135	102	COMB10	Combination		-0,039	-2,25	-0,463	-1,0893	0,1327	-0,0479	135-4
135	96	COMB10	Combination		0,039	2,25	0,463	0,8533	-0,1224	0,0181	135-4
135	102	COMB11	Combination		-0,136	-1,671	-0,722	-0,4064	0,0892	-0,0614	135-4
135	96	COMB11	Combination		0,136	1,671	0,722	0,5174	-0,0537	-0,0417	135-4
135	102	COMB12	Combination		-0,349	2,851	0,213	1,7718	-0,1389	-0,0795	135-4
135	96	COMB12	Combination		0,349	-2,851	-0,213	-1,1905	0,2298	-0,1845	135-4
135	102	ENV	Combination	Max	-0,039	2,851	0,473	1,7718	0,1327	-0,0479	135-4
135	96	ENV	Combination	Max	0,349	2,25	0,722	0,8533	0,2298	0,0181	135-4
135	102	ENV	Combination	Min	-0,349	-2,25	-0,722	-1,0893	-0,1389	-0,0795	135-4
135	96	ENV	Combination	Min	0,039	-2,851	-0,473	-1,1905	-0,1224	-0,1845	135-4
135	96	DEAD	LinStatic		-0,085	0,01	-0,004148	0,0058	0,0059	-0,0304	135-5
135	77	DEAD	LinStatic		0,085	-0,01	0,004148	3,059E-16	0,0163	-0,034	135-5
135	96	CM	LinStatic		0,01	0,867	0,141	0,1756	0,0021	0,0021	135-5
135	77	CM	LinStatic		-0,01	-0,867	0,008137	-8,815E-17	-0,0047	0,0055	135-5
135	96	CV	LinStatic		0	0	0	0	0	0	135-5
135	77	CV	LinStatic		0	0	0	0	0	0	135-5
135	96	L	LinStatic		-0,283	0,394	-0,239	0,2835	-0,0157	-0,0799	135-5
135	77	L	LinStatic		0,283	-0,394	0,239	1,679E-15	0,0893	-0,1341	135-5
135	96	COMB1	Combination		-0,566	1,25	-0,369	0,6051	-0,0244	-0,1631	135-5
135	77	COMB1	Combination		0,566	-1,25	0,369	3,228E-15	0,1718	-0,2651	135-5
135	96	COMB5	Combination		-0,566	1,25	-0,369	0,6051	-0,0244	-0,1631	135-5
135	77	COMB5	Combination		0,566	-1,25	0,369	3,228E-15	0,1718	-0,2651	135-5
135	96	COMB6	Combination		-0,566	1,25	-0,369	0,6051	-0,0244	-0,1631	135-5
135	77	COMB6	Combination		0,566	-1,25	0,369	3,228E-15	0,1718	-0,2651	135-5
135	96	COMB7	Combination		-0,17	-0,441	-0,117	-0,0265	0,0049	-0,0575	135-5
135	77	COMB7	Combination		0,17	0,441	0,117	7,406E-16	0,0394	-0,0711	135-5
135	96	COMB8	Combination		-0,17	-0,441	-0,117	-0,0265	0,0049	-0,0575	135-5
135	77	COMB8	Combination		0,17	0,441	0,117	7,406E-16	0,0394	-0,0711	135-5
135	96	COMB9	Combination		-0,547	1,984	-0,299	0,7426	-0,0282	-0,1536	135-5
135	77	COMB9	Combination		0,547	-1,984	0,299	3,208E-15	0,1708	-0,2604	135-5
135	96	COMB10	Combination		0,377	-1,963	0,29	-0,7309	0,04	0,0928	135-5
135	77	COMB10	Combination		-0,377	1,963	-0,29	-2,596E-15	-0,1382	0,1923	135-5
135	96	COMB11	Combination		0,094	-1,569	0,051	-0,4475	0,0244	0,0129	135-5
135	77	COMB11	Combination		-0,094	1,569	-0,051	-9,179E-16	-0,0489	0,0583	135-5
135	96	COMB12	Combination		-0,83	2,378	-0,538	1,0261	-0,0439	-0,2335	135-5
135	77	COMB12	Combination		0,83	-2,378	0,538	4,887E-15	0,2601	-0,3944	135-5
135	96	ENV	Combination	Max	0,377	2,378	0,29	1,0261	0,04	0,0928	135-5

135	77	ENV	Combination	Max	0,83	1,963	0,538	4,887E-15	0,2601	0,1923	135-5
135	96	ENV	Combination	Min	-0,83	-1,963	-0,538	-0,7309	-0,0439	-0,2335	135-5
135	77	ENV	Combination	Min	-0,377	-2,378	-0,29	-2,596E-15	-0,1382	-0,3944	135-5
136	17	DEAD	LinStatic		-0,037	-0,003864	0,001924	0	-0,0161	-0,0394	136-1
136	77	DEAD	LinStatic		0,037	0,003864	-0,001924	0	-0,0183	-0,0296	136-1
136	17	CM	LinStatic		0,002706	-0,854	0,453	0	0,0047	-0,0007438	136-1
136	77	CM	LinStatic		-0,002706	0,854	-0,398	0	-0,0022	0,0058	136-1
136	17	CV	LinStatic		0	0	0	0	0	0	136-1
136	77	CV	LinStatic		0	0	0	0	0	0	136-1
136	17	L	LinStatic		0,071	-0,209	0,104	0	-0,0105	0,0727	136-1
136	77	L	LinStatic		-0,071	0,209	-0,104	0	0,0772	0,0611	136-1
136	17	COMB1	Combination		0,139	-0,925	0,461	0	-0,0127	0,1522	136-1
136	77	COMB1	Combination		-0,139	0,925	-0,461	0	0,1424	0,1081	136-1
136	17	COMB5	Combination		0,139	-0,925	0,461	0	-0,0127	0,1522	136-1
136	77	COMB5	Combination		-0,139	0,925	-0,461	0	0,1424	0,1081	136-1
136	17	COMB6	Combination		0,139	-0,925	0,461	0	-0,0127	0,1522	136-1
136	77	COMB6	Combination		-0,139	0,925	-0,461	0	0,1424	0,1081	136-1
136	17	COMB7	Combination		-0,07	0,5	-0,249	0	-0,0405	-0,0855	136-1
136	77	COMB7	Combination		0,07	-0,5	0,249	0	-0,0245	-0,0451	136-1
136	17	COMB8	Combination		-0,07	0,5	-0,249	0	-0,0405	-0,0855	136-1
136	77	COMB8	Combination		0,07	-0,5	0,249	0	-0,0245	-0,0451	136-1
136	17	COMB9	Combination		0,206	-1,666	0,83	0	0,0164	0,238	136-1
136	77	COMB9	Combination		-0,206	1,666	-0,83	0	0,1764	0,1492	136-1
136	17	COMB10	Combination		-0,28	1,658	-0,826	0	-0,0486	-0,3167	136-1
136	77	COMB10	Combination		0,28	-1,658	0,826	0	-0,2129	-0,2084	136-1
136	17	COMB11	Combination		-0,209	1,45	-0,722	0	-0,0591	-0,2439	136-1
136	77	COMB11	Combination		0,209	-1,45	0,722	0	-0,1357	-0,1473	136-1
136	17	COMB12	Combination		0,278	-1,875	0,934	0	0,0059	0,3107	136-1
136	77	COMB12	Combination		-0,278	1,875	-0,934	0	0,2536	0,2103	136-1
136	17	ENV	Combination	Max	0,278	1,658	0,934	0	0,0164	0,3107	136-1
136	77	ENV	Combination	Max	0,28	1,875	0,826	0	0,2536	0,2103	136-1
136	17	ENV	Combination	Min	-0,28	-1,875	-0,826	0	-0,0591	-0,3167	136-1
136	77	ENV	Combination	Min	-0,278	-1,658	-0,934	0	-0,2129	-0,2084	136-1
137	60	DEAD	LinStatic		0,061	-0,001914	0,0004904	-7,659E-17	-0,0082	-0,0325	137-1
137	141	DEAD	LinStatic		-0,061	0,001914	-0,0004904	-0,0001275	-0,0078	-0,0139	137-1
137	60	CM	LinStatic		-0,038	0,159	-0,052	3,945E-17	0,0042	0,0219	137-1
137	141	CM	LinStatic		0,038	-0,159	0,201	-0,0541	0,0057	0,0069	137-1
137	60	CV	LinStatic		0	0	0	0	0	0	137-1
137	141	CV	LinStatic		0	0	0	0	0	0	137-1
137	60	L	LinStatic		0,67	-1,168	-0,448	-1,083E-15	-0,1153	-0,2137	137-1
137	141	L	LinStatic		-0,67	1,168	0,448	-0,643	-0,0592	-0,293	137-1
137	60	COMB1	Combination		1,197	-2,022	-0,852	-1,92E-15	-0,2044	-0,3903	137-1
137	141	COMB1	Combination		-1,197	2,022	0,852	-1,1709	-0,1074	-0,515	137-1
137	60	COMB5	Combination		1,197	-2,022	-0,852	-1,92E-15	-0,2044	-0,3903	137-1
137	141	COMB5	Combination		-1,197	2,022	0,852	-1,1709	-0,1074	-0,515	137-1
137	60	COMB6	Combination		1,197	-2,022	-0,852	-1,92E-15	-0,2044	-0,3903	137-1
137	141	COMB6	Combination		-1,197	2,022	0,852	-1,1709	-0,1074	-0,515	137-1
137	60	COMB7	Combination		0,265	-0,318	-0,043	-3,992E-16	-0,0425	-0,1019	137-1
137	141	COMB7	Combination		-0,265	0,318	0,043	-0,1154	-0,0266	-0,0988	137-1
137	60	COMB8	Combination		0,265	-0,318	-0,043	-3,992E-16	-0,0425	-0,1019	137-1
137	141	COMB8	Combination		-0,265	0,318	0,043	-0,1154	-0,0266	-0,0988	137-1
137	60	COMB9	Combination		1,148	-1,989	-0,943	-1,85E-15	-0,197	-0,3689	137-1
137	141	COMB9	Combination		-1,148	1,989	0,943	-1,2316	-0,102	-0,4994	137-1
137	60	COMB10	Combination		-1,025	1,986	0,944	1,697E-15	0,1807	0,3039	137-1
137	141	COMB10	Combination		1,025	-1,986	-0,944	1,2313	0,0864	0,4717	137-1
137	60	COMB11	Combination		-0,356	0,817	0,496	6,144E-16	0,0654	0,0903	137-1
137	141	COMB11	Combination		0,356	-0,817	-0,496	0,5883	0,0272	0,1787	137-1
137	60	COMB12	Combination		1,818	-3,158	-1,391	-2,933E-15	-0,3123	-0,5825	137-1
137	141	COMB12	Combination		-1,818	3,158	1,391	-1,8746	-0,1612	-0,7924	137-1
137	60	ENV	Combination	Max	1,818	1,986	0,944	1,697E-15	0,1807	0,3039	137-1
137	141	ENV	Combination	Max	1,025	3,158	1,391	1,2313	0,0864	0,4717	137-1
137	60	ENV	Combination	Min	-1,025	-3,158	-1,391	-2,933E-15	-0,3123	-0,5825	137-1
137	141	ENV	Combination	Min	-1,818	-1,986	-0,944	-1,8746	-0,1612	-0,7924	137-1
137	141	DEAD	LinStatic		0,224	-0,003781	0,007079	0,0024	-0,0056	-0,0217	137-2
137	32	DEAD	LinStatic		-0,224	0,003781	-0,007079	-0,000162	-0,0247	-0,0664	137-2
137	141	CM	LinStatic		-0,105	0,144	-0,553	0,0508	0,0046	0,0164	137-2
137	32	CM	LinStatic		0,105	-0,144	0,63	-0,2641	0,0097	0,025	137-2
137	141	CV	LinStatic		0	0	0	0	0	0	137-2
137	32	CV	LinStatic		0	0	0	0	0	0	137-2
137	141	L	LinStatic		0,924	-1,449	-0,142	0,6435	-0,0276	-0,087	137-2
137	32	L	LinStatic		-0,924	1,449	0,142	-0,8958	-0,0976	-0,2767	137-2
137	141	COMB1	Combination		1,807	-2,492	-0,696	1,1721	-0,0445	-0,1564	137-2
137	32	COMB1	Combination		-1,807	2,492	0,696	-1,7837	-0,2005	-0,555	137-2
137	141	COMB5	Combination		1,807	-2,492	-0,696	1,1721	-0,0445	-0,1564	137-2
137	32	COMB5	Combination		-1,807	2,492	0,696	-1,7837	-0,2005	-0,555	137-2
137	141	COMB6	Combination		1,807	-2,492	-0,696	1,1721	-0,0445	-0,1564	137-2
137	32	COMB6	Combination		-1,807	2,492	0,696	-1,7837	-0,2005	-0,555	137-2
137	141	COMB7	Combination		0,488	-0,415	0,427	0,1199	-0,0221	-0,0611	137-2
137	32	COMB7	Combination		-0,488	0,415	-0,427	-0,0081	-0,0441	-0,1311	137-2
137	141	COMB8	Combination		0,488	-0,415	0,427	0,1199	-0,0221	-0,0611	137-2

137	32	COMB8	Combination	-0,488	0,415	-0,427	-0,0081	-0,0441	-0,1311 137-2
137	141	COMB9	Combination	1,762	-2,427	-1,303	1,23	-0,0318	-0,1328 137-2
137	32	COMB9	Combination	-1,762	2,427	1,303	-2,0717	-0,2071	-0,5609 137-2
137	141	COMB10	Combination	-1,315	2,42	1,317	-1,2252	0,0205	0,0894 137-2
137	32	COMB10	Combination	1,315	-2,42	-1,317	2,0714	0,1577	0,4282 137-2
137	141	COMB11	Combination	-0,391	0,97	1,175	-0,5816	-0,0072	0,0023 137-2
137	32	COMB11	Combination	0,391	-0,97	-1,175	1,1756	0,0601	0,1515 137-2
137	141	COMB12	Combination	2,687	-3,877	-1,444	1,8736	-0,0594	-0,2198 137-2
137	32	COMB12	Combination	-2,687	3,877	1,444	-2,9675	-0,3047	-0,8376 137-2
137	141	ENV	Combination	2,687	2,42	1,317	1,8736	0,0205	0,0894 137-2
137	32	ENV	Combination	1,315	3,877	1,444	2,0714	0,1577	0,4282 137-2
137	141	ENV	Combination	-1,315	-3,877	-1,444	-1,2252	-0,0594	-0,2198 137-2
137	32	ENV	Combination	-2,687	-2,42	-1,317	-2,9675	-0,3047	-0,8376 137-2
137	32	DEAD	LinStatic	-0,31	-0,011	-0,004291	0,0016	0,031	0,0935 137-3
137	135	DEAD	LinStatic	0,31	0,011	0,004291	-0,0046	0,0077	0,0189 137-3
137	32	CM	LinStatic	0,128	-0,871	1,117	0,3289	-0,0065	-0,0265 137-3
137	135	CM	LinStatic	-0,128	0,871	-1,046	-0,0453	-0,0094	-0,0199 137-3
137	32	CV	LinStatic	0	0	0	0	0	0 137-3
137	135	CV	LinStatic	0	0	0	0	0	0 137-3
137	32	L	LinStatic	0,233	0,852	0,307	0,9984	0,0466	0,0616 137-3
137	135	L	LinStatic	-0,233	-0,852	-0,307	-0,7805	-0,0756	-0,146 137-3
137	32	COMB1	Combination	0,1	0,793	1,312	1,9485	0,115	0,1895 137-3
137	135	COMB1	Combination	-0,1	-0,793	-1,312	-1,3736	-0,1274	-0,2256 137-3
137	32	COMB5	Combination	0,1	0,793	1,312	1,9485	0,115	0,1895 137-3
137	135	COMB5	Combination	-0,1	-0,793	-1,312	-1,3736	-0,1274	-0,2256 137-3
137	32	COMB6	Combination	0,1	0,793	1,312	1,9485	0,115	0,1895 137-3
137	135	COMB6	Combination	-0,1	-0,793	-1,312	-1,3736	-0,1274	-0,2256 137-3
137	32	COMB7	Combination	-0,254	0,889	-0,706	0,0515	0,0401	0,1207 137-3
137	135	COMB7	Combination	0,254	-0,889	0,706	-0,1966	-0,0084	-0,0285 137-3
137	32	COMB8	Combination	-0,254	0,889	-0,706	0,0515	0,0401	0,1207 137-3
137	135	COMB8	Combination	0,254	-0,889	0,706	-0,1966	-0,0084	-0,0285 137-3
137	32	COMB9	Combination	0,103	-0,123	2,35	2,2148	0,1183	0,1737 137-3
137	135	COMB9	Combination	-0,103	0,123	-2,35	-1,3777	-0,1312	-0,2111 137-3
137	32	COMB10	Combination	-0,723	0,101	-2,358	-2,2115	-0,0564	0,0133 137-3
137	135	COMB10	Combination	0,723	-0,101	2,358	1,3686	0,1467	0,2489 137-3
137	32	COMB11	Combination	-0,49	0,953	-2,051	-1,2132	-0,0098	0,0749 137-3
137	135	COMB11	Combination	0,49	-0,953	2,051	0,5881	0,071	0,1029 137-3
137	32	COMB12	Combination	0,335	0,729	2,657	3,2132	0,1649	0,2353 137-3
137	135	COMB12	Combination	-0,335	-0,729	-2,657	-2,1582	-0,2068	-0,357 137-3
137	32	ENV	Combination	0,335	0,953	2,657	3,2132	0,1649	0,2353 137-3
137	135	ENV	Combination	0,723	0,123	2,358	1,3686	0,1467	0,2489 137-3
137	32	ENV	Combination	-0,723	-0,123	-2,358	-2,2115	-0,0564	0,0133 137-3
137	135	ENV	Combination	-0,335	-0,953	-2,657	-2,1582	-0,2068	-0,357 137-3
137	135	DEAD	LinStatic	-0,145	-0,01	0,003049	-0,0001491	0,0188	0,0565 137-4
137	129	DEAD	LinStatic	0,145	0,01	-0,003049	-0,000158	0,0189	0,053 137-4
137	135	CM	LinStatic	0,028	-0,864	0,686	0,0537	0,0016	-0,0125 137-4
137	129	CM	LinStatic	-0,028	0,864	-0,536	0,1832	-0,009	-0,009 137-4
137	135	CV	LinStatic	0	0	0	0	0	0 137-4
137	129	CV	LinStatic	0	0	0	0	0	0 137-4
137	135	L	LinStatic	0,141	0,634	0,264	0,7102	0,0427	-0,0356 137-4
137	129	L	LinStatic	-0,141	-0,634	-0,264	-0,3452	-0,0795	-0,0713 137-4
137	135	COMB1	Combination	0,08	0,433	0,873	1,2497	0,1007	-0,0026 137-4
137	129	COMB1	Combination	-0,08	-0,433	-0,873	-0,4761	-0,1216	-0,0581 137-4
137	135	COMB5	Combination	0,08	0,433	0,873	1,2497	0,1007	-0,0026 137-4
137	129	COMB5	Combination	-0,08	-0,433	-0,873	-0,4761	-0,1216	-0,0581 137-4
137	135	COMB6	Combination	0,08	0,433	0,873	1,2497	0,1007	-0,0026 137-4
137	129	COMB6	Combination	-0,08	-0,433	-0,873	-0,4761	-0,1216	-0,0581 137-4
137	135	COMB7	Combination	-0,087	0,814	-0,339	0,1703	0,0223	0,0442 137-4
137	129	COMB7	Combination	0,087	-0,814	0,339	-0,2146	0,0003954	0,0216 137-4
137	135	COMB8	Combination	-0,087	0,814	-0,339	0,1703	0,0223	0,0442 137-4
137	129	COMB8	Combination	0,087	-0,814	0,339	-0,2146	0,0003954	0,0216 137-4
137	135	COMB9	Combination	0,05	-0,454	1,417	1,2591	0,1103	0,0018 137-4
137	129	COMB9	Combination	-0,05	0,454	-1,417	-0,3052	-0,1234	-0,0399 137-4
137	135	COMB10	Combination	-0,34	0,434	-1,411	-1,2594	-0,0728	0,1111 137-4
137	129	COMB10	Combination	0,34	-0,434	1,411	0,3049	0,1613	0,1459 137-4
137	135	COMB11	Combination	-0,198	1,067	-1,147	-0,5493	-0,0301	0,0754 137-4
137	129	COMB11	Combination	0,198	-1,067	1,147	-0,0403	0,0817	0,0746 137-4
137	135	COMB12	Combination	0,192	0,18	1,682	1,9693	0,153	-0,0338 137-4
137	129	COMB12	Combination	-0,192	-0,18	-1,682	-0,6504	-0,2029	-0,1112 137-4
137	135	ENV	Combination	0,192	1,067	1,682	1,9693	0,153	0,1111 137-4
137	129	ENV	Combination	0,34	0,454	1,411	0,3049	0,1613	0,1459 137-4
137	135	ENV	Combination	-0,34	-0,454	-1,411	-1,2594	-0,0728	-0,0338 137-4
137	129	ENV	Combination	-0,192	-1,067	-1,682	-0,6504	-0,2029	-0,1112 137-4
137	129	DEAD	LinStatic	-0,085	-0,009351	-0,003451	-0,005	0,0055	0,0303 137-5
137	78	DEAD	LinStatic	0,085	0,009351	0,003451	-6,234E-16	0,0166	0,0338 137-5
137	129	CM	LinStatic	0,01	-0,864	0,142	-0,174	0,0014	-0,0019 137-5
137	78	CM	LinStatic	-0,01	0,864	0,006985	1,493E-16	-0,004	-0,0057 137-5
137	129	CV	LinStatic	0	0	0	0	0	0 137-5
137	78	CV	LinStatic	0	0	0	0	0	0 137-5
137	129	L	LinStatic	0,288	0,446	0,245	0,3013	0,0184	-0,0776 137-5

137	78	L	LinStatic	-0,288	-0,446	-0,245	3,508E-15	-0,0934	-0,1402	137-5
137	129	COMB1	Combination	0,425	0,124	0,476	0,3925	0,0363	-0,1053	137-5
137	78	COMB1	Combination	-0,425	-0,124	-0,476	5,524E-15	-0,147	-0,2163	137-5
137	129	COMB5	Combination	0,425	0,124	0,476	0,3925	0,0363	-0,1053	137-5
137	78	COMB5	Combination	-0,425	-0,124	-0,476	5,524E-15	-0,147	-0,2163	137-5
137	129	COMB6	Combination	0,425	0,124	0,476	0,3925	0,0363	-0,1053	137-5
137	78	COMB6	Combination	-0,425	-0,124	-0,476	5,524E-15	-0,147	-0,2163	137-5
137	129	COMB7	Combination	-0,019	0,75	0,006105	0,2	0,0114	0,0106	137-5
137	78	COMB7	Combination	0,019	-0,75	-0,006105	2,45E-16	-0,0065	0,0037	137-5
137	129	COMB8	Combination	-0,019	0,75	0,006105	0,2	0,0114	0,0106	137-5
137	78	COMB8	Combination	0,019	-0,75	-0,006105	2,45E-16	-0,0065	0,0037	137-5
137	129	COMB9	Combination	0,433	-0,74	0,545	0,2196	0,0345	-0,1049	137-5
137	78	COMB9	Combination	-0,433	0,74	-0,545	5,535E-15	-0,1473	-0,2228	137-5
137	129	COMB10	Combination	-0,603	0,721	-0,552	-0,2297	-0,0235	0,1654	137-5
137	78	COMB10	Combination	0,603	-0,721	0,552	-6,782E-15	0,1805	0,2905	137-5
137	129	COMB11	Combination	-0,315	1,168	-0,307	0,0716	-0,0051	0,0878	137-5
137	78	COMB11	Combination	0,315	-1,168	0,307	-3,274E-15	0,0871	0,1503	137-5
137	129	COMB12	Combination	0,721	-0,294	0,79	0,5209	0,0528	-0,1825	137-5
137	78	COMB12	Combination	-0,721	0,294	-0,79	9,043E-15	-0,2407	-0,363	137-5
137	129	ENV	Combination	0,721	1,168	0,79	0,5209	0,0528	0,1654	137-5
137	78	ENV	Combination	0,603	0,74	0,552	9,043E-15	0,1805	0,2905	137-5
137	129	ENV	Combination	-0,603	-0,74	-0,552	-0,2297	-0,0235	-0,1825	137-5
137	78	ENV	Combination	-0,721	-1,168	-0,79	-6,782E-15	-0,2407	-0,363	137-5
138	43	DEAD	LinStatic	-0,037	0,00269	0,00134	0	-0,016	0,0391	138-1
138	78	DEAD	LinStatic	0,037	-0,00269	-0,00134	0	-0,0182	0,0296	138-1
138	43	CM	LinStatic	0,002547	0,85	0,451	0	0,0048	0,0007942	138-1
138	78	CM	LinStatic	-0,002547	-0,85	-0,396	0	-0,0024	-0,0056	138-1
138	43	CV	LinStatic	0	0	0	0	0	0	138-1
138	78	CV	LinStatic	0	0	0	0	0	0	138-1
138	43	L	LinStatic	-0,117	-0,272	-0,136	0	-0,0031	0,1322	138-1
138	78	L	LinStatic	0,117	0,272	0,136	0	-0,1063	0,0876	138-1
138	43	COMB1	Combination	-0,275	0,158	0,079	0	-0,0348	0,3108	138-1
138	78	COMB1	Combination	0,275	-0,158	-0,079	0	-0,2221	0,2048	138-1
138	43	COMB5	Combination	-0,275	0,158	0,079	0	-0,0348	0,3108	138-1
138	78	COMB5	Combination	0,275	-0,158	-0,079	0	-0,2221	0,2048	138-1
138	43	COMB6	Combination	-0,275	0,158	0,079	0	-0,0348	0,3108	138-1
138	78	COMB6	Combination	0,275	-0,158	-0,079	0	-0,2221	0,2048	138-1
138	43	COMB7	Combination	-0,033	-0,698	-0,347	0	-0,0035	0,0318	138-1
138	78	COMB7	Combination	0,033	0,698	0,347	0	-0,027	0,0294	138-1
138	43	COMB8	Combination	-0,033	-0,698	-0,347	0	-0,0035	0,0318	138-1
138	78	COMB8	Combination	0,033	0,698	0,347	0	-0,027	0,0294	138-1
138	43	COMB9	Combination	-0,319	1,001	0,499	0	-0,0525	0,3647	138-1
138	78	COMB9	Combination	0,319	-1,001	-0,499	0	-0,2458	0,2342	138-1
138	43	COMB10	Combination	0,246	-0,996	-0,496	0	0,0204	-0,2864	138-1
138	78	COMB10	Combination	-0,246	0,996	0,496	0	0,2094	-0,1751	138-1
138	43	COMB11	Combination	0,129	-1,268	-0,632	0	0,0173	-0,1542	138-1
138	78	COMB11	Combination	-0,129	1,268	0,632	0	0,1031	-0,0875	138-1
138	43	COMB12	Combination	-0,436	0,729	0,363	0	-0,0556	0,4969	138-1
138	78	COMB12	Combination	0,436	-0,729	-0,363	0	-0,3521	0,3218	138-1
138	43	ENV	Combination	0,246	1,001	0,499	0	0,0204	0,4969	138-1
138	78	ENV	Combination	0,436	1,268	0,632	0	0,2094	0,3218	138-1
138	43	ENV	Combination	-0,436	-1,268	-0,632	0	-0,0556	-0,2864	138-1
138	78	ENV	Combination	-0,246	-1,001	-0,499	0	-0,3521	-0,1751	138-1
139	58	DEAD	LinStatic	0,062	-0,001912	0,0005078	3,895E-17	-0,0083	0,0332	139-1
139	109	DEAD	LinStatic	-0,062	0,001912	-0,0005078	-0,0008821	-0,008	0,014	139-1
139	58	CM	LinStatic	0,06	-0,636	-0,258	2,974E-17	-0,0063	0,0305	139-1
139	109	CM	LinStatic	-0,06	0,636	0,408	0,0861	-0,0093	0,0148	139-1
139	58	CV	LinStatic	0	0	0	0	0	0	139-1
139	109	CV	LinStatic	0	0	0	0	0	0	139-1
139	58	L	LinStatic	-1,252	0,006562	0,972	-1,017E-15	0,2166	-0,4237	139-1
139	109	L	LinStatic	1,252	-0,006562	-0,972	-0,7336	0,1095	-0,5235	139-1
139	58	COMB1	Combination	-2,072	-0,142	1,633	-1,665E-15	0,3545	-0,6874	139-1
139	109	COMB1	Combination	2,072	0,142	-1,633	-1,2724	0,1852	-0,8801	139-1
139	58	COMB5	Combination	-2,072	-0,142	1,633	-1,665E-15	0,3545	-0,6874	139-1
139	109	COMB5	Combination	2,072	0,142	-1,633	-1,2724	0,1852	-0,8801	139-1
139	58	COMB6	Combination	-2,072	-0,142	1,633	-1,665E-15	0,3545	-0,6874	139-1
139	109	COMB6	Combination	2,072	0,142	-1,633	-1,2724	0,1852	-0,8801	139-1
139	58	COMB7	Combination	-0,307	0,151	0,312	-2,918E-16	0,0621	-0,0936	139-1
139	109	COMB7	Combination	0,307	-0,151	-0,312	-0,1965	0,0179	-0,1389	139-1
139	58	COMB8	Combination	-0,307	0,151	0,312	-2,918E-16	0,0621	-0,0936	139-1
139	109	COMB8	Combination	0,307	-0,151	-0,312	-0,1965	0,0179	-0,1389	139-1
139	58	COMB9	Combination	-1,997	-0,343	1,542	-1,563E-15	0,3329	-0,6595	139-1
139	109	COMB9	Combination	1,997	0,343	-1,542	-1,256	0,1872	-0,8508	139-1
139	58	COMB10	Combination	2,122	0,339	-1,541	1,641E-15	-0,3494	0,7259	139-1
139	109	COMB10	Combination	-2,122	-0,339	1,541	1,2543	-0,2031	0,8788	139-1
139	58	COMB11	Combination	0,869	0,346	-0,569	6,238E-16	-0,1328	0,3022	139-1
139	109	COMB11	Combination	-0,869	-0,346	0,569	0,5207	-0,0936	0,3553	139-1
139	58	COMB12	Combination	-3,249	-0,337	2,514	-2,581E-15	0,5495	-1,0832	139-1
139	109	COMB12	Combination	3,249	0,337	-2,514	-1,9896	0,2967	-1,3743	139-1
139	58	ENV	Combination	2,122	0,346	2,514	1,641E-15	0,5495	0,7259	139-1

139	109	ENV	Combination	Max	3,249	0,343	1,541	1,2543	0,2967	0,8788	139-1
139	58	ENV	Combination	Min	-3,249	-0,343	-1,541	-2,581E-15	-0,3494	-1,0832	139-1
139	109	ENV	Combination	Min	-2,122	-0,346	-2,514	-1,9896	-0,2031	-1,3743	139-1
139	109	DEAD	LinStatic		0,233	-0,002412	0,0005806	0,0009386	-0,0059	0,0234	139-2
139	2	DEAD	LinStatic		-0,233	0,002412	-0,0005806	-0,0015	-0,0257	0,0683	139-2
139	109	CM	LinStatic		0,038	-0,623	-0,578	-0,0847	0,0045	0,0059	139-2
139	2	CM	LinStatic		-0,038	0,623	0,656	0,243	-0,0097	0,0092	139-2
139	109	CV	LinStatic		0	0	0	0	0	0	139-2
139	2	CV	LinStatic		0	0	0	0	0	0	139-2
139	109	L	LinStatic		-2,325	-0,108	0,953	0,731	0,1875	-0,3064	139-2
139	2	L	LinStatic		2,325	0,108	-0,953	-1,1206	0,1276	-0,6088	139-2
139	109	COMB1	Combination		-3,867	-0,372	1,393	1,2659	0,2736	-0,5211	139-2
139	2	COMB1	Combination		3,867	0,372	-1,393	-1,8647	0,2504	-1,0008	139-2
139	109	COMB5	Combination		-3,867	-0,372	1,393	1,2659	0,2736	-0,5211	139-2
139	2	COMB5	Combination		3,867	0,372	-1,393	-1,8647	0,2504	-1,0008	139-2
139	109	COMB6	Combination		-3,867	-0,372	1,393	1,2659	0,2736	-0,5211	139-2
139	2	COMB6	Combination		3,867	0,372	-1,393	-1,8647	0,2504	-1,0008	139-2
139	109	COMB7	Combination		-0,318	0,15	0,513	0,1979	0,0897	-0,0449	139-2
139	2	COMB7	Combination		0,318	-0,15	-0,513	-0,3795	-0,0466	-0,0802	139-2
139	109	COMB8	Combination		-0,318	0,15	0,513	0,1979	0,0897	-0,0449	139-2
139	2	COMB8	Combination		0,318	-0,15	-0,513	-0,3795	-0,0466	-0,0802	139-2
139	109	COMB9	Combination		-3,907	-0,611	1,028	1,2469	0,2087	-0,5322	139-2
139	2	COMB9	Combination		3,907	0,611	-1,028	-1,7342	0,3208	-1,0057	139-2
139	109	COMB10	Combination		4,374	0,606	-1,027	-1,245	-0,2205	0,5791	139-2
139	2	COMB10	Combination		-4,374	-0,606	1,027	1,7312	-0,3723	1,1424	139-2
139	109	COMB11	Combination		2,048	0,498	-0,074	-0,5141	-0,033	0,2726	139-2
139	2	COMB11	Combination		-2,048	-0,498	0,074	0,6106	-0,2446	0,5336	139-2
139	109	COMB12	Combination		-6,233	-0,719	1,98	1,9779	0,3962	-0,8386	139-2
139	2	COMB12	Combination		6,233	0,719	-1,98	-2,8548	0,4485	-1,6146	139-2
139	109	ENV	Combination	Max	4,374	0,606	1,98	1,9779	0,3962	0,5791	139-2
139	2	ENV	Combination	Max	6,233	0,719	1,027	1,7312	0,4485	1,1424	139-2
139	109	ENV	Combination	Min	-6,233	-0,719	-1,027	-1,245	-0,2205	-0,8386	139-2
139	2	ENV	Combination	Min	-4,374	-0,606	-1,98	-2,8548	-0,3723	-1,6146	139-2
139	2	DEAD	LinStatic		-0,32	-0,004764	-0,007328	0,0025	0,0326	-0,0951	139-3
139	103	DEAD	LinStatic		0,32	0,004764	0,007328	-0,0004377	0,0073	-0,0208	139-3
139	2	CM	LinStatic		0,119	0,589	0,675	-0,1651	0,0005688	0,0318	139-3
139	103	CM	LinStatic		-0,119	-0,589	-0,603	0,0068	-0,0154	0,0112	139-3
139	2	CV	LinStatic		0	0	0	0	0	0	139-3
139	103	CV	LinStatic		0	0	0	0	0	0	139-3
139	2	L	LinStatic		-1,475	0,328	-0,338	0,658	0,0341	-0,2262	139-3
139	103	L	LinStatic		1,475	-0,328	0,338	-0,4942	0,1501	-0,3089	139-3
139	2	COMB1	Combination		-2,843	0,901	-0,393	1,1138	0,1233	-0,4765	139-3
139	103	COMB1	Combination		2,843	-0,901	0,393	-0,8586	0,2319	-0,5552	139-3
139	2	COMB5	Combination		-2,843	0,901	-0,393	1,1138	0,1233	-0,4765	139-3
139	103	COMB5	Combination		2,843	-0,901	0,393	-0,8586	0,2319	-0,5552	139-3
139	2	COMB6	Combination		-2,843	0,901	-0,393	1,1138	0,1233	-0,4765	139-3
139	103	COMB6	Combination		2,843	-0,901	0,393	-0,8586	0,2319	-0,5552	139-3
139	2	COMB7	Combination		-0,745	-0,254	-0,298	0,2072	0,0101	-0,1661	139-3
139	103	COMB7	Combination		0,745	0,254	0,298	-0,1306	0,0829	-0,1043	139-3
139	2	COMB8	Combination		-0,745	-0,254	-0,298	0,2072	0,0101	-0,1661	139-3
139	103	COMB8	Combination		0,745	0,254	0,298	-0,1306	0,0829	-0,1043	139-3
139	2	COMB9	Combination		-2,768	1,343	-0,118	1,0602	0,1646	-0,4573	139-3
139	103	COMB9	Combination		2,768	-1,343	0,118	-0,8497	0,1811	-0,5469	139-3
139	2	COMB10	Combination		2,128	-1,352	0,103	-1,0552	-0,0994	0,2671	139-3
139	103	COMB10	Combination		-2,128	1,352	-0,103	0,8489	-0,1665	0,5052	139-3
139	2	COMB11	Combination		0,654	-1,024	-0,235	-0,3972	-0,0653	0,0409	139-3
139	103	COMB11	Combination		-0,654	1,024	0,235	0,3547	-0,0164	0,1963	139-3
139	2	COMB12	Combination		-4,242	1,671	-0,456	1,7182	0,1987	-0,6834	139-3
139	103	COMB12	Combination		4,242	-1,671	0,456	-1,3439	0,3313	-0,8557	139-3
139	2	ENV	Combination	Max	2,128	1,671	0,103	1,7182	0,1987	0,2671	139-3
139	103	ENV	Combination	Max	4,242	1,352	0,456	0,8489	0,3313	0,5052	139-3
139	2	ENV	Combination	Min	-4,242	-1,352	-0,456	-1,0552	-0,0994	-0,6834	139-3
139	103	ENV	Combination	Min	-2,128	-1,671	-0,103	-1,3439	-0,1665	-0,8557	139-3
139	103	DEAD	LinStatic		-0,141	-0,004506	-0,008595	0,0015	0,022	-0,0549	139-4
139	97	DEAD	LinStatic		0,141	0,004506	0,008595	0,0038	0,0148	-0,0517	139-4
139	103	CM	LinStatic		0,021	0,573	0,454	-0,0156	0,0135	0,0117	139-4
139	97	CM	LinStatic		-0,021	-0,573	-0,305	-0,1222	-0,019	0,0044	139-4
139	103	CV	LinStatic		0	0	0	0	0	0	139-4
139	97	CV	LinStatic		0	0	0	0	0	0	139-4
139	103	L	LinStatic		-0,504	0,275	-0,239	0,4796	0,0479	-0,1697	139-4
139	97	L	LinStatic		0,504	-0,275	0,239	-0,2273	0,0835	-0,2118	139-4
139	103	COMB1	Combination		-1,004	0,78	-0,24	0,8306	0,1349	-0,3395	139-4
139	97	COMB1	Combination		1,004	-0,78	0,24	-0,4461	0,1265	-0,4196	139-4
139	103	COMB5	Combination		-1,004	0,78	-0,24	0,8306	0,1349	-0,3395	139-4
139	97	COMB5	Combination		1,004	-0,78	0,24	-0,4461	0,1265	-0,4196	139-4
139	103	COMB6	Combination		-1,004	0,78	-0,24	0,8306	0,1349	-0,3395	139-4
139	97	COMB6	Combination		1,004	-0,78	0,24	-0,4461	0,1265	-0,4196	139-4
139	103	COMB7	Combination		-0,287	-0,239	-0,255	0,1315	0,0048	-0,1098	139-4
139	97	COMB7	Combination		0,287	0,239	0,255	-0,0009854	0,0701	-0,1075	139-4
139	103	COMB8	Combination		-0,287	-0,239	-0,255	0,1315	0,0048	-0,1098	139-4

139	97	COMB8	Combination	0,287	0,239	0,255	-0,0009854	0,0701	-0,1075	139-4
139	103	COMB9	Combination	-0,977	1,184	0,009041	0,8171	0,1739	-0,3229	139-4
139	97	COMB9	Combination	0,977	-1,184	-0,009041	-0,5155	0,0805	-0,4159	139-4
139	103	COMB10	Combination	0,695	-1,193	-0,026	-0,8141	-0,1299	0,2131	139-4
139	97	COMB10	Combination	-0,695	1,193	0,026	0,5231	-0,051	0,3125	139-4
139	103	COMB11	Combination	0,19	-0,919	-0,265	-0,3345	-0,082	0,0433	139-4
139	97	COMB11	Combination	-0,19	0,919	0,265	0,2957	0,0325	0,1006	139-4
139	103	COMB12	Combination	-1,481	1,459	-0,23	1,2967	0,2217	-0,4927	139-4
139	97	COMB12	Combination	1,481	-1,459	0,23	-0,7428	0,164	-0,6277	139-4
139	103	ENV	Combination	0,695	1,459	0,009041	1,2967	0,2217	0,2131	139-4
139	97	ENV	Combination	1,481	1,193	0,265	0,5231	0,164	0,3125	139-4
139	103	ENV	Combination	-1,481	-1,193	-0,265	-0,8141	-0,1299	-0,4927	139-4
139	97	ENV	Combination	-0,695	-1,459	-0,009041	-0,7428	-0,051	-0,6277	139-4
139	97	DEAD	LinStatic	-0,088	-0,003274	0,00354	-0,0035	0,0024	-0,0301	139-5
139	79	DEAD	LinStatic	0,088	0,003274	-0,00354	1,939E-16	0,0206	-0,0368	139-5
139	97	CM	LinStatic	0,066	0,565	0,108	0,1219	-0,0164	0,0152	139-5
139	79	CM	LinStatic	-0,066	-0,565	0,041	-6,962E-18	-0,0007412	0,0347	139-5
139	97	CV	LinStatic	0	0	0	0	0	0	139-5
139	79	CV	LinStatic	0	0	0	0	0	0	139-5
139	97	L	LinStatic	-0,459	0,25	-0,158	0,1843	-0,0034	-0,1634	139-5
139	79	L	LinStatic	0,459	-0,25	0,158	1,154E-15	0,1228	-0,1835	139-5
139	97	COMB1	Combination	-0,836	0,711	-0,241	0,3675	-0,0116	-0,2998	139-5
139	79	COMB1	Combination	0,836	-0,711	0,241	2,154E-15	0,2293	-0,3324	139-5
139	97	COMB5	Combination	-0,836	0,711	-0,241	0,3675	-0,0116	-0,2998	139-5
139	79	COMB5	Combination	0,836	-0,711	0,241	2,154E-15	0,2293	-0,3324	139-5
139	97	COMB6	Combination	-0,836	0,711	-0,241	0,3675	-0,0116	-0,2998	139-5
139	79	COMB6	Combination	0,836	-0,711	0,241	2,154E-15	0,2293	-0,3324	139-5
139	97	COMB7	Combination	-0,259	-0,217	-0,067	-0,006	0,0097	-0,0874	139-5
139	79	COMB7	Combination	0,259	0,217	0,067	5,418E-16	0,0577	-0,1083	139-5
139	97	COMB8	Combination	-0,259	-0,217	-0,067	-0,006	0,0097	-0,0874	139-5
139	79	COMB8	Combination	0,259	0,217	0,067	5,418E-16	0,0577	-0,1083	139-5
139	97	COMB9	Combination	-0,762	1,079	-0,2	0,4322	-0,0224	-0,278	139-5
139	79	COMB9	Combination	0,762	-1,079	0,2	2,075E-15	0,2208	-0,2982	139-5
139	97	COMB10	Combination	0,585	-1,086	0,207	-0,4393	0,0272	0,2177	139-5
139	79	COMB10	Combination	-0,585	1,086	-0,207	-1,687E-15	-0,1796	0,2247	139-5
139	97	COMB11	Combination	0,126	-0,836	0,049	-0,255	0,0239	0,0542	139-5
139	79	COMB11	Combination	-0,126	0,836	-0,049	-5,329E-16	-0,0567	0,0411	139-5
139	97	COMB12	Combination	-1,221	1,329	-0,357	0,6165	-0,0258	-0,4414	139-5
139	79	COMB12	Combination	1,221	-1,329	0,357	3,228E-15	0,3437	-0,4818	139-5
139	97	ENV	Combination	0,585	1,329	0,207	0,6165	0,0272	0,2177	139-5
139	79	ENV	Combination	1,221	1,086	0,357	3,228E-15	0,3437	0,2247	139-5
139	97	ENV	Combination	-1,221	-1,086	-0,357	-0,4393	-0,0258	-0,4414	139-5
139	79	ENV	Combination	-0,585	-1,329	-0,207	-1,687E-15	-0,1796	-0,4818	139-5
140	18	DEAD	LinStatic	-0,041	0,003029	-0,001509	-6,624E-17	-0,0175	-0,0425	140-1
140	79	DEAD	LinStatic	0,041	-0,003029	0,001509	-7,816E-17	-0,0206	-0,034	140-1
140	18	CM	LinStatic	-0,047	-0,556	0,305	-2,404E-17	-0,0063	-0,0432	140-1
140	79	CM	LinStatic	0,047	0,556	-0,249	-1,422E-16	-0,0375	-0,0449	140-1
140	18	CV	LinStatic	0	0	0	0	0	0	140-1
140	79	CV	LinStatic	0	0	0	0	0	0	140-1
140	18	L	LinStatic	-0,148	-0,234	0,116	-2,732E-16	-0,0721	-0,1556	140-1
140	79	L	LinStatic	0,148	0,234	-0,116	-2,505E-16	-0,0661	-0,122	140-1
140	18	COMB1	Combination	-0,317	-0,653	0,325	-5,353E-16	-0,1413	-0,3301	140-1
140	79	COMB1	Combination	0,317	0,653	-0,325	-5,864E-16	-0,1548	-0,2644	140-1
140	18	COMB5	Combination	-0,317	-0,653	0,325	-5,353E-16	-0,1413	-0,3301	140-1
140	79	COMB5	Combination	0,317	0,653	-0,325	-5,864E-16	-0,1548	-0,2644	140-1
140	18	COMB6	Combination	-0,317	-0,653	0,325	-5,353E-16	-0,1413	-0,3301	140-1
140	79	COMB6	Combination	0,317	0,653	-0,325	-5,864E-16	-0,1548	-0,2644	140-1
140	18	COMB7	Combination	-0,061	0,192	-0,095	-1,435E-16	-0,0379	-0,0662	140-1
140	79	COMB7	Combination	0,061	-0,192	0,095	-7,095E-17	-0,0187	-0,0475	140-1
140	18	COMB8	Combination	-0,061	0,192	-0,095	-1,435E-16	-0,0379	-0,0662	140-1
140	79	COMB8	Combination	0,061	-0,192	0,095	-7,095E-17	-0,0187	-0,0475	140-1
140	18	COMB9	Combination	-0,34	-0,982	0,489	-5,233E-16	-0,1382	-0,3505	140-1
140	79	COMB9	Combination	0,34	0,982	-0,489	-6,795E-16	-0,1794	-0,2871	140-1
140	18	COMB10	Combination	0,258	0,988	-0,492	3,909E-16	0,1032	0,2654	140-1
140	79	COMB10	Combination	-0,258	-0,988	0,492	5,232E-16	0,1381	0,219	140-1
140	18	COMB11	Combination	0,11	0,755	-0,376	1,177E-16	0,0311	0,1098	140-1
140	79	COMB11	Combination	-0,11	-0,755	0,376	2,727E-16	0,072	0,0971	140-1
140	18	COMB12	Combination	-0,488	-1,216	0,605	-7,965E-16	-0,2103	-0,5061	140-1
140	79	COMB12	Combination	0,488	1,216	-0,605	-9,3E-16	-0,2455	-0,409	140-1
140	18	ENV	Combination	0,258	0,988	0,605	3,909E-16	0,1032	0,2654	140-1
140	79	ENV	Combination	0,488	1,216	0,492	5,232E-16	0,1381	0,219	140-1
140	18	ENV	Combination	-0,488	-1,216	-0,492	-7,965E-16	-0,2103	-0,5061	140-1
140	79	ENV	Combination	-0,258	-0,988	-0,605	-9,3E-16	-0,2455	-0,409	140-1
141	58	DEAD	LinStatic	0,063	0,001474	-0,0005313	-1,596E-16	-0,0085	-0,0335	141-1
141	142	DEAD	LinStatic	-0,063	-0,001474	0,0005313	-0,00001799	-0,008	-0,0144	141-1
141	58	CM	LinStatic	0,06	0,636	-0,259	-1,206E-16	-0,0064	-0,0304	141-1
141	142	CM	LinStatic	-0,06	-0,636	0,408	-0,0867	-0,0091	-0,0147	141-1
141	58	CV	LinStatic	0	0	0	0	0	0	141-1
141	142	CV	LinStatic	0	0	0	0	0	0	141-1
141	58	L	LinStatic	1,301	-0,112	-0,958	-3,975E-15	-0,2116	-0,4599	141-1

141	142	L	LinStatic	-1,301	0,112	0,958	-0,7536	-0,1274	-0,5246	141-1
141	58	COMB1	Combination	2,356	-0,041	-1,774	-7,223E-15	-0,3845	-0,8432	141-1
141	142	COMB1	Combination	-2,356	0,041	1,774	-1,3523	-0,2293	-0,9393	141-1
141	58	COMB5	Combination	2,356	-0,041	-1,774	-7,223E-15	-0,3845	-0,8432	141-1
141	142	COMB5	Combination	-2,356	0,041	1,774	-1,3523	-0,2293	-0,9393	141-1
141	58	COMB6	Combination	2,356	-0,041	-1,774	-7,223E-15	-0,3845	-0,8432	141-1
141	142	COMB6	Combination	-2,356	0,041	1,774	-1,3523	-0,2293	-0,9393	141-1
141	58	COMB7	Combination	0,373	-0,181	-0,143	-1,046E-15	-0,0557	-0,1436	141-1
141	142	COMB7	Combination	-0,373	0,181	0,143	-0,1551	-0,0415	-0,1386	141-1
141	58	COMB8	Combination	0,373	-0,181	-0,143	-1,046E-15	-0,0557	-0,1436	141-1
141	142	COMB8	Combination	-0,373	0,181	0,143	-0,1551	-0,0415	-0,1386	141-1
141	58	COMB9	Combination	2,377	0,165	-1,903	-7,366E-15	-0,3921	-0,8497	141-1
141	142	COMB9	Combination	-2,377	-0,165	1,903	-1,3967	-0,2271	-0,9485	141-1
141	58	COMB10	Combination	-2,251	-0,162	1,902	7,047E-15	0,3751	0,7827	141-1
141	142	COMB10	Combination	2,251	0,162	-1,902	1,3967	0,2111	0,9197	141-1
141	58	COMB11	Combination	-0,949	-0,275	0,945	3,072E-15	0,1635	0,3229	141-1
141	142	COMB11	Combination	0,949	0,275	-0,945	0,6431	0,0837	0,3952	141-1
141	58	COMB12	Combination	3,679	0,053	-2,861	-1,134E-14	-0,6037	-1,3096	141-1
141	142	COMB12	Combination	-3,679	-0,053	2,861	-2,1504	-0,3545	-1,473	141-1
141	58	ENV	Combination	3,679	0,165	1,902	7,047E-15	0,3751	0,7827	141-1
141	142	ENV	Combination	2,251	0,275	2,861	1,3967	0,2111	0,9197	141-1
141	58	ENV	Combination	-2,251	-0,275	-2,861	-1,134E-14	-0,6037	-1,3096	141-1
141	142	ENV	Combination	-3,679	-0,165	-1,902	-2,1504	-0,3545	-1,473	141-1
141	142	DEAD	LinStatic	0,235	0,001011	-0,0005188	0,00001258	-0,0061	-0,0237	141-2
141	31	DEAD	LinStatic	-0,235	-0,001011	0,0005188	-0,00007981	-0,0257	-0,0687	141-2
141	142	CM	LinStatic	0,037	0,623	-0,579	0,0854	0,0039	-0,0055	141-2
141	31	CM	LinStatic	-0,037	-0,623	0,657	-0,2441	-0,0089	-0,009	141-2
141	142	CV	LinStatic	0	0	0	0	0	0	141-2
141	31	CV	LinStatic	0	0	0	0	0	0	141-2
141	142	L	LinStatic	2,687	-0,244	-0,81	0,7496	-0,1241	-0,3656	141-2
141	31	L	LinStatic	-2,687	0,244	0,81	-1,1016	-0,2402	-0,6922	141-2
141	142	COMB1	Combination	4,73	-0,293	-1,718	1,3439	-0,2517	-0,6276	141-2
141	31	COMB1	Combination	-4,73	0,293	1,718	-2,0598	-0,3893	-1,2341	141-2
141	142	COMB5	Combination	4,73	-0,293	-1,718	1,3439	-0,2517	-0,6276	141-2
141	31	COMB5	Combination	-4,73	0,293	1,718	-2,0598	-0,3893	-1,2341	141-2
141	142	COMB6	Combination	4,73	-0,293	-1,718	1,3439	-0,2517	-0,6276	141-2
141	31	COMB6	Combination	-4,73	0,293	1,718	-2,0598	-0,3893	-1,2341	141-2
141	142	COMB7	Combination	1,115	-0,193	0,096	0,1552	-0,0087	-0,1509	141-2
141	31	COMB7	Combination	-1,115	0,193	-0,096	-0,1436	-0,1424	-0,2878	141-2
141	142	COMB8	Combination	1,115	-0,193	0,096	0,1552	-0,0087	-0,1509	141-2
141	31	COMB8	Combination	-1,115	0,193	-0,096	-0,1436	-0,1424	-0,2878	141-2
141	142	COMB9	Combination	4,453	-0,116	-2,117	1,3868	-0,2897	-0,5799	141-2
141	31	COMB9	Combination	-4,453	0,116	2,117	-2,2358	-0,3137	-1,1727	141-2
141	142	COMB10	Combination	-3,983	0,118	2,116	-1,3868	0,2775	0,5325	141-2
141	31	COMB10	Combination	3,983	-0,118	-2,116	2,2356	0,2623	1,0352	141-2
141	142	COMB11	Combination	-1,296	-0,126	1,305	-0,6372	0,1534	0,1669	141-2
141	31	COMB11	Combination	1,296	0,126	-1,305	1,134	0,0222	0,343	141-2
141	142	COMB12	Combination	7,14	-0,36	-2,927	2,1364	-0,4138	-0,9455	141-2
141	31	COMB12	Combination	-7,14	0,36	2,927	-3,3374	-0,5539	-1,8649	141-2
141	142	ENV	Combination	7,14	0,118	2,116	2,1364	0,2775	0,5325	141-2
141	31	ENV	Combination	3,983	0,36	2,927	2,2356	0,2623	1,0352	141-2
141	142	ENV	Combination	-3,983	-0,36	-2,927	-1,3868	-0,4138	-0,9455	141-2
141	31	ENV	Combination	-7,14	-0,118	-2,116	-3,3374	-0,5539	-1,8649	141-2
141	31	DEAD	LinStatic	-0,318	0,001479	-0,0003759	0,0000694	0,0318	0,0952	141-3
141	136	DEAD	LinStatic	0,318	-0,001479	0,0003759	-0,00002101	0,0079	0,0201	141-3
141	31	CM	LinStatic	0,12	-0,59	0,678	0,1661	-0,0016	-0,0309	141-3
141	136	CM	LinStatic	-0,12	0,59	-0,606	-0,0068	-0,0134	-0,0126	141-3
141	31	CV	LinStatic	0	0	0	0	0	0	141-3
141	136	CV	LinStatic	0	0	0	0	0	0	141-3
141	31	L	LinStatic	1,573	0,331	0,189	0,613	-0,118	-0,2461	141-3
141	136	L	LinStatic	-1,573	-0,331	-0,189	-0,5031	-0,0785	-0,3247	141-3
141	31	COMB1	Combination	2,359	0,35	0,687	1,1771	-0,1144	-0,3284	141-3
141	136	COMB1	Combination	-2,359	-0,35	-0,687	-0,8841	-0,1804	-0,5277	141-3
141	31	COMB5	Combination	2,359	0,35	0,687	1,1771	-0,1144	-0,3284	141-3
141	136	COMB5	Combination	-2,359	-0,35	-0,687	-0,8841	-0,1804	-0,5277	141-3
141	31	COMB6	Combination	2,359	0,35	0,687	1,1771	-0,1144	-0,3284	141-3
141	136	COMB6	Combination	-2,359	-0,35	-0,687	-0,8841	-0,1804	-0,5277	141-3
141	31	COMB7	Combination	0,151	0,314	-0,309	0,0491	-0,0579	0,0266	141-3
141	136	COMB7	Combination	-0,151	-0,314	0,309	-0,1221	0,039	-0,0815	141-3
141	31	COMB8	Combination	0,151	0,314	-0,309	0,0491	-0,0579	0,0266	141-3
141	136	COMB8	Combination	-0,151	-0,314	0,309	-0,1221	0,039	-0,0815	141-3
141	31	COMB9	Combination	2,258	0,044	1,162	1,3161	-0,034	-0,3189	141-3
141	136	COMB9	Combination	-2,258	-0,044	-1,162	-0,8891	-0,2481	-0,5005	141-3
141	31	COMB10	Combination	-2,894	-0,041	-1,163	-1,316	0,0977	0,5093	141-3
141	136	COMB10	Combination	2,894	0,041	1,163	0,889	0,2638	0,5407	141-3
141	31	COMB11	Combination	-1,321	0,289	-0,973	-0,703	-0,0203	0,2632	141-3
141	136	COMB11	Combination	1,321	-0,289	0,973	0,3859	0,1853	0,216	141-3
141	31	COMB12	Combination	3,832	0,375	1,351	1,9292	-0,152	-0,565	141-3
141	136	COMB12	Combination	-3,832	-0,375	-1,351	-1,3921	-0,3267	-0,8252	141-3
141	31	ENV	Combination	3,832	0,375	1,351	1,9292	0,0977	0,5093	141-3

141	136	ENV	Combination	Max	2,894	0,041	1,163	0,889	0,2638	0,5407	141-3
141	31	ENV	Combination	Min	-2,894	-0,041	-1,163	-1,316	-0,152	-0,565	141-3
141	136	ENV	Combination	Min	-3,832	-0,375	-1,351	-1,3921	-0,3267	-0,8252	141-3
141	136	DEAD	LinStatic		-0,144	0,001063	-0,0003054	0,00007849	0,019	0,0561	141-4
141	130	DEAD	LinStatic		0,144	-0,001063	0,0003054	-0,0000326	0,0185	0,0528	141-4
141	136	CM	LinStatic		0,016	-0,574	0,456	0,0158	0,0088	-0,0088	141-4
141	130	CM	LinStatic		-0,016	0,574	-0,307	0,1233	-0,0129	-0,003	141-4
141	136	CV	LinStatic		0	0	0	0	0	0	141-4
141	130	CV	LinStatic		0	0	0	0	0	0	141-4
141	136	L	LinStatic		0,53	0,284	0,201	0,4798	-0,0477	-0,1778	141-4
141	130	L	LinStatic		-0,53	-0,284	-0,201	-0,2535	-0,0903	-0,2232	141-4
141	136	COMB1	Combination		0,786	0,246	0,525	0,8432	-0,0489	-0,2632	141-4
141	130	COMB1	Combination		-0,786	-0,246	-0,525	-0,3819	-0,1557	-0,331	141-4
141	136	COMB5	Combination		0,786	0,246	0,525	0,8432	-0,0489	-0,2632	141-4
141	130	COMB5	Combination		-0,786	-0,246	-0,525	-0,3819	-0,1557	-0,331	141-4
141	136	COMB6	Combination		0,786	0,246	0,525	0,8432	-0,0489	-0,2632	141-4
141	130	COMB6	Combination		-0,786	-0,246	-0,525	-0,3819	-0,1557	-0,331	141-4
141	136	COMB7	Combination		-0,013	0,324	-0,123	0,1165	-0,0086	0,0198	141-4
141	130	COMB7	Combination		0,013	-0,324	0,123	-0,1251	0,012	-0,0098	141-4
141	136	COMB8	Combination		-0,013	0,324	-0,123	0,1165	-0,0086	0,0198	141-4
141	130	COMB8	Combination		0,013	-0,324	0,123	-0,1251	0,012	-0,0098	141-4
141	136	COMB9	Combination		0,788	-0,09	0,756	0,8478	-0,028	-0,274	141-4
141	130	COMB9	Combination		-0,788	0,09	-0,756	-0,2997	-0,1772	-0,3219	141-4
141	136	COMB10	Combination		-1,076	0,092	-0,756	-0,8477	0,066	0,3863	141-4
141	130	COMB10	Combination		1,076	-0,092	0,756	0,2996	0,2141	0,4275	141-4
141	136	COMB11	Combination		-0,546	0,376	-0,555	-0,3679	0,0183	0,2085	141-4
141	130	COMB11	Combination		0,546	-0,376	0,555	0,0461	0,1238	0,2043	141-4
141	136	COMB12	Combination		1,318	0,194	0,957	1,3276	-0,0757	-0,4518	141-4
141	130	COMB12	Combination		-1,318	-0,194	-0,957	-0,5531	-0,2676	-0,5451	141-4
141	136	ENV	Combination	Max	1,318	0,376	0,957	1,3276	0,066	0,3863	141-4
141	130	ENV	Combination	Max	1,076	0,09	0,756	0,2996	0,2141	0,4275	141-4
141	136	ENV	Combination	Min	-1,076	-0,09	-0,756	-0,8477	-0,0757	-0,4518	141-4
141	130	ENV	Combination	Min	-1,318	-0,376	-0,957	-0,5531	-0,2676	-0,5451	141-4
141	130	DEAD	LinStatic		-0,091	0,0006892	-0,0001133	0,00009378	0,0062	0,0309	141-5
141	80	DEAD	LinStatic		0,091	-0,0006892	0,0001133	-6,584E-16	0,0175	0,0379	141-5
141	130	CM	LinStatic		0,059	-0,568	0,108	-0,1228	-0,0104	-0,0133	141-5
141	80	CM	LinStatic		-0,059	0,568	0,042	1,842E-16	-0,0049	-0,0312	141-5
141	130	CV	LinStatic		0	0	0	0	0	0	141-5
141	80	CV	LinStatic		0	0	0	0	0	0	141-5
141	130	L	LinStatic		0,526	0,248	0,183	0,2028	-0,0211	-0,1827	141-5
141	80	L	LinStatic		-0,526	-0,248	-0,183	4,358E-15	-0,116	-0,2154	141-5
141	130	COMB1	Combination		0,854	0,164	0,332	0,294	-0,0364	-0,2925	141-5
141	80	COMB1	Combination		-0,854	-0,164	-0,332	6,991E-15	-0,186	-0,3536	141-5
141	130	COMB5	Combination		0,854	0,164	0,332	0,294	-0,0364	-0,2925	141-5
141	80	COMB5	Combination		-0,854	-0,164	-0,332	6,991E-15	-0,186	-0,3536	141-5
141	130	COMB6	Combination		0,854	0,164	0,332	0,294	-0,0364	-0,2925	141-5
141	80	COMB6	Combination		-0,854	-0,164	-0,332	6,991E-15	-0,186	-0,3536	141-5
141	130	COMB7	Combination		0,017	0,334	0,033	0,1119	0,0065	-0,0112	141-5
141	80	COMB7	Combination		-0,017	-0,334	-0,033	4,075E-16	-0,0108	-0,0014	141-5
141	130	COMB8	Combination		0,017	0,334	0,033	0,1119	0,0065	-0,0112	141-5
141	80	COMB8	Combination		-0,017	-0,334	-0,033	4,075E-16	-0,0108	-0,0014	141-5
141	130	COMB9	Combination		0,886	-0,197	0,349	0,2126	-0,0439	-0,2972	141-5
141	80	COMB9	Combination		-0,886	0,197	-0,349	7,022E-15	-0,1869	-0,3731	141-5
141	130	COMB10	Combination		-1,068	0,198	-0,349	-0,2124	0,0562	0,359	141-5
141	80	COMB10	Combination		1,068	-0,198	0,349	-8,339E-15	0,2219	0,4488	141-5
141	130	COMB11	Combination		-0,542	0,446	-0,166	-0,0096	0,0351	0,1763	141-5
141	80	COMB11	Combination		0,542	-0,446	0,166	-3,981E-15	0,106	0,2335	141-5
141	130	COMB12	Combination		1,413	0,052	0,531	0,4154	-0,065	-0,48	141-5
141	80	COMB12	Combination		-1,413	-0,052	-0,531	1,138E-14	-0,3029	-0,5885	141-5
141	130	ENV	Combination	Max	1,413	0,446	0,531	0,4154	0,0562	0,359	141-5
141	80	ENV	Combination	Max	1,068	0,197	0,349	1,138E-14	0,2219	0,4488	141-5
141	130	ENV	Combination	Min	-1,068	-0,197	-0,349	-0,2124	-0,065	-0,48	141-5
141	80	ENV	Combination	Min	-1,413	-0,446	-0,531	-8,339E-15	-0,3029	-0,5885	141-5
142	42	DEAD	LinStatic		-0,04	-0,0003927	-0,0001956	6,568E-17	-0,0173	0,042	142-1
142	80	DEAD	LinStatic		0,04	0,0003927	0,0001956	7,619E-17	-0,0201	0,0332	142-1
142	42	CM	LinStatic		-0,045	0,559	0,306	2,362E-17	-0,0062	0,0419	142-1
142	80	CM	LinStatic		0,045	-0,559	-0,251	1,36E-16	-0,0359	0,0427	142-1
142	42	CV	LinStatic		0	0	0	0	0	0	142-1
142	80	CV	LinStatic		0	0	0	0	0	0	142-1
142	42	L	LinStatic		0,106	-0,218	-0,109	-2,308E-16	0,0609	-0,1193	142-1
142	80	L	LinStatic		-0,106	0,218	0,109	-1,453E-16	0,0383	-0,08	142-1
142	42	COMB1	Combination		0,112	-0,097	-0,048	-3,222E-16	0,0851	-0,1341	142-1
142	80	COMB1	Combination		-0,112	0,097	0,048	-7,374E-17	0,0195	-0,0758	142-1
142	42	COMB5	Combination		0,112	-0,097	-0,048	-3,222E-16	0,0851	-0,1341	142-1
142	80	COMB5	Combination		-0,112	0,097	0,048	-7,374E-17	0,0195	-0,0758	142-1
142	42	COMB6	Combination		0,112	-0,097	-0,048	-3,222E-16	0,0851	-0,1341	142-1
142	80	COMB6	Combination		-0,112	0,097	0,048	-7,374E-17	0,0195	-0,0758	142-1
142	42	COMB7	Combination		0,02	-0,341	-0,17	-8,097E-18	0,0021	-0,0205	142-1
142	80	COMB7	Combination		-0,02	0,341	0,17	-6,442E-17	0,017	-0,0179	142-1
142	42	COMB8	Combination		0,02	-0,341	-0,17	-8,097E-18	0,0021	-0,0205	142-1

142	80	COMB8	Combination	-0,02	0,341	0,17	-6,442E-17	0,017	-0,0179	142-1
142	42	COMB9	Combination	0,067	0,284	0,142	-3,008E-16	0,0794	-0,0905	142-1
142	80	COMB9	Combination	-0,067	-0,284	-0,142	6,531E-17	-0,0172	-0,0343	142-1
142	42	COMB10	Combination	-0,147	-0,285	-0,142	4,321E-16	-0,1141	0,1745	142-1
142	80	COMB10	Combination	0,147	0,285	0,142	8,706E-17	-0,023	0,1007	142-1
142	42	COMB11	Combination	-0,04	-0,504	-0,251	2,013E-16	-0,0531	0,0552	142-1
142	80	COMB11	Combination	0,04	0,504	0,251	-5,82E-17	0,0154	0,0206	142-1
142	42	COMB12	Combination	0,173	0,066	0,033	-5,316E-16	0,1403	-0,2098	142-1
142	80	COMB12	Combination	-0,173	-0,066	-0,033	-7,996E-17	0,0211	-0,1143	142-1
142	42	ENV	Combination	0,173	0,284	0,142	4,321E-16	0,1403	0,1745	142-1
142	80	ENV	Combination	0,147	0,504	0,251	8,706E-17	0,0211	0,1007	142-1
142	42	ENV	Combination	-0,147	-0,504	-0,251	-5,316E-16	-0,1141	-0,2098	142-1
142	80	ENV	Combination	-0,173	-0,284	-0,142	-7,996E-17	-0,023	-0,1143	142-1
143	56	DEAD	LinStatic	0,061	0,003846	0,0008343	1,025E-15	-0,0081	0,0324	143-1
143	123	DEAD	LinStatic	-0,061	-0,003846	-0,0008343	0,0003706	-0,0078	0,0137	143-1
143	56	CM	LinStatic	0,00003325	0,004768	-0,046	3,989E-16	-0,0031	0,0048	143-1
143	123	CM	LinStatic	-0,00003325	-0,004768	0,067	0,044	0,0031	-0,0047	143-1
143	56	CV	LinStatic	0	0	0	0	0	0	143-1
143	123	CV	LinStatic	0	0	0	0	0	0	143-1
143	56	L	LinStatic	-1,518	0,152	1,172	-3,059E-14	0,2412	-0,5207	143-1
143	123	L	LinStatic	1,518	-0,152	-1,172	-0,8472	0,154	-0,6272	143-1
143	56	COMB1	Combination	-2,623	0,313	2,068	-5,337E-14	0,4209	-0,8963	143-1
143	123	COMB1	Combination	2,623	-0,313	-2,068	-1,483	0,2624	-1,088	143-1
143	56	COMB5	Combination	-2,623	0,313	2,068	-5,337E-14	0,4209	-0,8963	143-1
143	123	COMB5	Combination	2,623	-0,313	-2,068	-1,483	0,2624	-1,088	143-1
143	56	COMB6	Combination	-2,623	0,313	2,068	-5,337E-14	0,4209	-0,8963	143-1
143	123	COMB6	Combination	2,623	-0,313	-2,068	-1,483	0,2624	-1,088	143-1
143	56	COMB7	Combination	-0,29	-0,00145	0,278	-5,759E-15	0,0454	-0,0803	143-1
143	123	COMB7	Combination	0,29	0,00145	-0,278	-0,2106	0,0301	-0,1389	143-1
143	56	COMB8	Combination	-0,29	-0,00145	0,278	-5,759E-15	0,0454	-0,0803	143-1
143	123	COMB8	Combination	0,29	0,00145	-0,278	-0,2106	0,0301	-0,1389	143-1
143	56	COMB9	Combination	-2,661	0,37	2,09	-5,452E-14	0,4299	-0,9196	143-1
143	123	COMB9	Combination	2,661	-0,37	-2,09	-1,4842	0,2633	-1,0936	143-1
143	56	COMB10	Combination	2,783	-0,363	-2,088	5,657E-14	-0,4461	0,9844	143-1
143	123	COMB10	Combination	-2,783	0,363	2,088	1,4849	-0,2789	1,121	143-1
143	56	COMB11	Combination	1,266	-0,211	-0,916	2,598E-14	-0,2049	0,4637	143-1
143	123	COMB11	Combination	-1,266	0,211	0,916	0,6377	-0,1248	0,4938	143-1
143	56	COMB12	Combination	-4,179	0,522	3,262	-8,511E-14	0,6711	-1,4403	143-1
143	123	COMB12	Combination	4,179	-0,522	-3,262	-2,3313	0,4173	-1,7208	143-1
143	56	ENV	Combination	2,783	0,522	3,262	5,657E-14	0,6711	0,9844	143-1
143	123	ENV	Combination	4,179	0,363	2,088	1,4849	0,4173	1,121	143-1
143	56	ENV	Combination	-4,179	-0,363	-2,088	-8,511E-14	-0,4461	-1,4403	143-1
143	123	ENV	Combination	-2,783	-0,522	-3,262	-2,3313	-0,2789	-1,7208	143-1
143	123	DEAD	LinStatic	0,223	0,002415	-0,005701	0,0019	-0,0055	0,0217	143-2
143	11	DEAD	LinStatic	-0,223	-0,002415	0,005701	0,0006955	-0,0248	0,0661	143-2
143	123	CM	LinStatic	0,193	0,004258	-0,078	-0,0441	-0,006	0,0313	143-2
143	11	CM	LinStatic	-0,193	-0,004258	0,089	0,0776	-0,0202	0,0446	143-2
143	123	CV	LinStatic	0	0	0	0	0	0	143-2
143	11	CV	LinStatic	0	0	0	0	0	0	143-2
143	123	L	LinStatic	-2,117	0,149	1,287	0,7814	0,1159	-0,3551	143-2
143	11	L	LinStatic	2,117	-0,149	-1,287	-1,2678	0,1711	-0,4783	143-2
143	123	COMB1	Combination	-3,67	0,301	2,255	1,3671	0,2137	-0,624	143-2
143	11	COMB1	Combination	3,67	-0,301	-2,255	-2,2137	0,2836	-0,8203	143-2
143	123	COMB5	Combination	-3,67	0,301	2,255	1,3671	0,2137	-0,624	143-2
143	11	COMB5	Combination	3,67	-0,301	-2,255	-2,2137	0,2836	-0,8203	143-2
143	123	COMB6	Combination	-3,67	0,301	2,255	1,3671	0,2137	-0,624	143-2
143	11	COMB6	Combination	3,67	-0,301	-2,255	-2,2137	0,2836	-0,8203	143-2
143	123	COMB7	Combination	-0,119	0,001065	0,308	0,1994	0,0071	-0,0427	143-2
143	11	COMB7	Combination	0,119	-0,001065	-0,308	-0,3205	0,009	-0,0039	143-2
143	123	COMB8	Combination	-0,119	0,001065	0,308	0,1994	0,0071	-0,0427	143-2
143	11	COMB8	Combination	0,119	-0,001065	-0,308	-0,3205	0,009	-0,0039	143-2
143	123	COMB9	Combination	-3,92	0,353	2,265	1,3642	0,2356	-0,6565	143-2
143	11	COMB9	Combination	3,92	-0,353	-2,265	-2,2081	0,2957	-0,8863	143-2
143	123	COMB10	Combination	4,366	-0,348	-2,277	-1,3605	-0,2466	0,6998	143-2
143	11	COMB10	Combination	-4,366	0,348	2,277	2,2094	-0,3452	1,0186	143-2
143	123	COMB11	Combination	2,249	-0,199	-0,99	-0,5791	-0,1307	0,3448	143-2
143	11	COMB11	Combination	-2,249	0,199	0,99	0,9417	-0,1741	0,5404	143-2
143	123	COMB12	Combination	-6,037	0,502	3,552	2,1456	0,3514	-1,0115	143-2
143	11	COMB12	Combination	6,037	-0,502	-3,552	-3,4758	0,4667	-1,3646	143-2
143	123	ENV	Combination	4,366	0,502	3,552	2,1456	0,3514	0,6998	143-2
143	11	ENV	Combination	6,037	0,348	2,277	2,2094	0,4667	1,0186	143-2
143	123	ENV	Combination	-6,037	-0,348	-2,277	-1,3605	-0,2466	-1,0115	143-2
143	11	ENV	Combination	-4,366	-0,502	-3,552	-3,4758	-0,3452	-1,3646	143-2
143	11	DEAD	LinStatic	-0,31	-0,006504	0,012	-0,0012	0,0316	-0,0929	143-3
143	118	DEAD	LinStatic	0,31	0,006504	-0,012	-0,0039	0,0071	-0,0194	143-3
143	11	CM	LinStatic	-0,284	0,195	0,131	-0,0316	0,0283	-0,0677	143-3
143	118	CM	LinStatic	0,284	-0,195	-0,121	0,0103	0,0071	-0,0352	143-3
143	11	CV	LinStatic	0	0	0	0	0	0	143-3
143	118	CV	LinStatic	0	0	0	0	0	0	143-3
143	11	L	LinStatic	-1,48	0,234	-0,181	0,5368	0,082	-0,1897	143-3

143	118	L	LinStatic	1,48	-0,234	0,181	-0,4419	0,1028	-0,3472	143-3
143	11	COMB1	Combination	-2,771	0,402	-0,287	0,9356	0,1662	-0,3953	143-3
143	118	COMB1	Combination	2,771	-0,402	0,287	-0,7811	0,18	-0,6102	143-3
143	11	COMB5	Combination	-2,771	0,402	-0,287	0,9356	0,1662	-0,3953	143-3
143	118	COMB5	Combination	2,771	-0,402	0,287	-0,7811	0,18	-0,6102	143-3
143	11	COMB6	Combination	-2,771	0,402	-0,287	0,9356	0,1662	-0,3953	143-3
143	118	COMB6	Combination	2,771	-0,402	0,287	-0,7811	0,18	-0,6102	143-3
143	11	COMB7	Combination	-0,807	0,054	-0,05	0,1355	0,061	-0,1699	143-3
143	118	COMB7	Combination	0,807	-0,054	0,05	-0,1105	0,0399	-0,123	143-3
143	11	COMB8	Combination	-0,807	0,054	-0,05	0,1355	0,061	-0,1699	143-3
143	118	COMB8	Combination	0,807	-0,054	0,05	-0,1105	0,0399	-0,123	143-3
143	11	COMB9	Combination	-2,601	0,4	-0,264	0,9322	0,1543	-0,3558	143-3
143	118	COMB9	Combination	2,601	-0,4	0,264	-0,7863	0,1706	-0,5877	143-3
143	11	COMB10	Combination	1,981	-0,413	0,288	-0,9347	-0,0912	0,17	143-3
143	118	COMB10	Combination	-1,981	0,413	-0,288	0,7786	-0,1564	0,5489	143-3
143	11	COMB11	Combination	0,502	-0,178	0,107	-0,3979	-0,0091	-0,0197	143-3
143	118	COMB11	Combination	-0,502	0,178	-0,107	0,3366	-0,0535	0,2017	143-3
143	11	COMB12	Combination	-4,08	0,634	-0,445	1,469	0,2364	-0,5455	143-3
143	118	COMB12	Combination	4,08	-0,634	0,445	-1,2282	0,2734	-0,9349	143-3
143	11	ENV	Combination	1,981	0,634	0,288	1,469	0,2364	0,17	143-3
143	118	ENV	Combination	4,08	0,413	0,445	0,7786	0,2734	0,5489	143-3
143	11	ENV	Combination	-4,08	-0,413	-0,445	-0,9347	-0,0912	-0,5455	143-3
143	118	ENV	Combination	-1,981	-0,634	-0,288	-1,2282	-0,1564	-0,9349	143-3
143	118	DEAD	LinStatic	-0,141	-0,005557	0,005503	-0,0019	0,0215	-0,0551	143-4
143	113	DEAD	LinStatic	0,141	0,005557	-0,005503	-0,0037	0,0152	-0,0516	143-4
143	118	CM	LinStatic	-0,011	0,181	0,105	0,0039	-0,0003965	0,004	143-4
143	113	CM	LinStatic	0,011	-0,181	-0,084	-0,0283	0,0032	-0,0121	143-4
143	118	CV	LinStatic	0	0	0	0	0	0	143-4
143	113	CV	LinStatic	0	0	0	0	0	0	143-4
143	118	L	LinStatic	-0,524	0,271	-0,13	0,4023	0,0755	-0,172	143-4
143	113	L	LinStatic	0,524	-0,271	0,13	-0,2336	0,061	-0,2242	143-4
143	118	COMB1	Combination	-1,096	0,471	-0,226	0,7122	0,1614	-0,3767	143-4
143	113	COMB1	Combination	1,096	-0,471	0,226	-0,4183	0,1241	-0,4525	143-4
143	118	COMB5	Combination	-1,096	0,471	-0,226	0,7122	0,1614	-0,3767	143-4
143	113	COMB5	Combination	1,096	-0,471	0,226	-0,4183	0,1241	-0,4525	143-4
143	118	COMB6	Combination	-1,096	0,471	-0,226	0,7122	0,1614	-0,3767	143-4
143	113	COMB6	Combination	1,096	-0,471	0,226	-0,4183	0,1241	-0,4525	143-4
143	118	COMB7	Combination	-0,233	0,059	-0,022	0,0887	0,0325	-0,0775	143-4
143	113	COMB7	Combination	0,233	-0,059	0,022	-0,0564	0,0283	-0,099	143-4
143	118	COMB8	Combination	-0,233	0,059	-0,022	0,0887	0,0325	-0,0775	143-4
143	113	COMB8	Combination	0,233	-0,059	0,022	-0,0564	0,0283	-0,099	143-4
143	118	COMB9	Combination	-1,148	0,475	-0,232	0,7256	0,1719	-0,404	143-4
143	113	COMB9	Combination	1,148	-0,475	0,232	-0,426	0,127	-0,464	143-4
143	118	COMB10	Combination	0,866	-0,486	0,243	-0,7293	-0,1289	0,2939	143-4
143	113	COMB10	Combination	-0,866	0,486	-0,243	0,4185	-0,0966	0,3609	143-4
143	118	COMB11	Combination	0,342	-0,215	0,114	-0,327	-0,0534	0,1219	143-4
143	113	COMB11	Combination	-0,342	0,215	-0,114	0,1849	-0,0356	0,1366	143-4
143	118	COMB12	Combination	-1,671	0,746	-0,362	1,1279	0,2474	-0,5761	143-4
143	113	COMB12	Combination	1,671	-0,746	0,362	-0,6595	0,188	-0,6882	143-4
143	118	ENV	Combination	0,866	0,746	0,243	1,1279	0,2474	0,2939	143-4
143	113	ENV	Combination	1,671	0,486	0,362	0,4185	0,188	0,3609	143-4
143	118	ENV	Combination	-1,671	-0,486	-0,362	-0,7293	-0,1289	-0,5761	143-4
143	113	ENV	Combination	-0,866	-0,746	-0,243	-0,6595	-0,0966	-0,6882	143-4
143	113	DEAD	LinStatic	-0,082	-0,006166	0,0000122	-0,0016	0,002	-0,0296	143-5
143	81	DEAD	LinStatic	0,082	0,006166	-0,0000122	1,828E-15	0,0195	-0,0327	143-5
143	113	CM	LinStatic	0,0008406	0,178	0,028	0,0335	0,0052	0,0011	143-5
143	81	CM	LinStatic	-0,0008406	-0,178	-0,006574	-5,104E-16	-0,0054	-0,0004219	143-5
143	113	CV	LinStatic	0	0	0	0	0	0	143-5
143	81	CV	LinStatic	0	0	0	0	0	0	143-5
143	113	L	LinStatic	-0,332	0,329	-0,147	0,1969	0,0074	-0,1229	143-5
143	81	L	LinStatic	0,332	-0,329	0,147	7,422E-15	0,079	-0,128	143-5
143	113	COMB1	Combination	-0,704	0,572	-0,268	0,3513	0,0192	-0,2588	143-5
143	81	COMB1	Combination	0,704	-0,572	0,268	1,542E-14	0,1641	-0,2736	143-5
143	113	COMB5	Combination	-0,704	0,572	-0,268	0,3513	0,0192	-0,2588	143-5
143	81	COMB5	Combination	0,704	-0,572	0,268	1,542E-14	0,1641	-0,2736	143-5
143	113	COMB6	Combination	-0,704	0,572	-0,268	0,3513	0,0192	-0,2588	143-5
143	81	COMB6	Combination	0,704	-0,572	0,268	1,542E-14	0,1641	-0,2736	143-5
143	113	COMB7	Combination	-0,124	0,074	-0,026	0,0393	-0,0004621	-0,0461	143-5
143	81	COMB7	Combination	0,124	-0,074	0,026	3,081E-15	0,0328	-0,0478	143-5
143	113	COMB8	Combination	-0,124	0,074	-0,026	0,0393	-0,0004621	-0,0461	143-5
143	81	COMB8	Combination	0,124	-0,074	0,026	3,081E-15	0,0328	-0,0478	143-5
143	113	COMB9	Combination	-0,759	0,574	-0,281	0,3623	0,0249	-0,2778	143-5
143	81	COMB9	Combination	0,759	-0,574	0,281	1,622E-14	0,1727	-0,2961	143-5
143	113	COMB10	Combination	0,594	-0,587	0,281	-0,3656	-0,0209	0,2186	143-5
143	81	COMB10	Combination	-0,594	0,587	-0,281	-1,257E-14	-0,1338	0,2307	143-5
143	113	COMB11	Combination	0,262	-0,258	0,134	-0,1687	-0,0136	0,0957	143-5
143	81	COMB11	Combination	-0,262	0,258	-0,134	-5,145E-15	-0,0548	0,1027	143-5
143	113	COMB12	Combination	-1,09	0,903	-0,428	0,5593	0,0323	-0,4007	143-5
143	81	COMB12	Combination	1,09	-0,903	0,428	2,364E-14	0,2517	-0,4241	143-5
143	113	ENV	Combination	0,594	0,903	0,281	0,5593	0,0323	0,2186	143-5

143	81	ENV	Combination	Max	1,09	0,587	0,428	2,364E-14	0,2517	0,2307	143-5
143	113	ENV	Combination	Min	-1,09	-0,587	-0,428	-0,3656	-0,0209	-0,4007	143-5
143	81	ENV	Combination	Min	-0,594	-0,903	-0,281	-1,257E-14	-0,1338	-0,4241	143-5
144	19	DEAD	LinStatic		-0,037	-0,000184	0,00009162	-6,101E-17	-0,0161	-0,0396	144-1
144	81	DEAD	LinStatic		0,037	0,000184	-0,00009162	-7,078E-17	-0,0187	-0,0302	144-1
144	19	CM	LinStatic		-0,028	-0,179	0,117	-3,531E-17	-0,0093	-0,0269	144-1
144	81	CM	LinStatic		0,028	0,179	-0,061	-6,512E-17	-0,0172	-0,0263	144-1
144	19	CV	LinStatic		0	0	0	0	0	0	144-1
144	81	CV	LinStatic		0	0	0	0	0	0	144-1
144	19	L	LinStatic		-0,146	-0,398	0,198	-2,207E-16	-0,0582	-0,1511	144-1
144	81	L	LinStatic		0,146	0,398	-0,198	-2,964E-16	-0,0782	-0,123	144-1
144	19	COMB1	Combination		-0,303	-0,703	0,35	-4,604E-16	-0,1215	-0,3159	144-1
144	81	COMB1	Combination		0,303	0,703	-0,35	-6,11E-16	-0,1613	-0,252	144-1
144	19	COMB5	Combination		-0,303	-0,703	0,35	-4,604E-16	-0,1215	-0,3159	144-1
144	81	COMB5	Combination		0,303	0,703	-0,35	-6,11E-16	-0,1613	-0,252	144-1
144	19	COMB6	Combination		-0,303	-0,703	0,35	-4,604E-16	-0,1215	-0,3159	144-1
144	81	COMB6	Combination		0,303	0,703	-0,35	-6,11E-16	-0,1613	-0,252	144-1
144	19	COMB7	Combination		-0,064	-0,093	0,046	-1,029E-16	-0,0272	-0,0655	144-1
144	81	COMB7	Combination		0,064	0,093	-0,046	-1,235E-16	-0,0326	-0,0545	144-1
144	19	COMB8	Combination		-0,064	-0,093	0,046	-1,029E-16	-0,0272	-0,0655	144-1
144	81	COMB8	Combination		0,064	0,093	-0,046	-1,235E-16	-0,0326	-0,0545	144-1
144	19	COMB9	Combination		-0,316	-0,711	0,354	-4,781E-16	-0,1262	-0,3317	144-1
144	81	COMB9	Combination		0,316	0,711	-0,354	-6,395E-16	-0,1688	-0,2606	144-1
144	19	COMB10	Combination		0,241	0,711	-0,354	3,561E-16	0,094	0,2525	144-1
144	81	COMB10	Combination		-0,241	-0,711	0,354	4,98E-16	0,1315	0,2001	144-1
144	19	COMB11	Combination		0,095	0,313	-0,156	1,354E-16	0,0358	0,1015	144-1
144	81	COMB11	Combination		-0,095	-0,313	0,156	2,015E-16	0,0532	0,0771	144-1
144	19	COMB12	Combination		-0,462	-1,109	0,553	-6,988E-16	-0,1845	-0,4828	144-1
144	81	COMB12	Combination		0,462	1,109	-0,553	-9,359E-16	-0,2471	-0,3836	144-1
144	19	ENV	Combination	Max	0,241	0,711	0,553	3,561E-16	0,094	0,2525	144-1
144	81	ENV	Combination	Max	0,462	1,109	0,354	4,98E-16	0,1315	0,2001	144-1
144	19	ENV	Combination	Min	-0,462	-1,109	-0,354	-6,988E-16	-0,1845	-0,4828	144-1
144	81	ENV	Combination	Min	-0,241	-0,711	-0,553	-9,359E-16	-0,2471	-0,3836	144-1
145	56	DEAD	LinStatic		0,062	-0,003347	0,001812	-1,089E-15	-0,0083	-0,0327	145-1
145	158	DEAD	LinStatic		-0,062	0,003347	-0,001812	0,0004989	-0,0078	-0,0141	145-1
145	56	CM	LinStatic		0,00007376	-0,004968	-0,047	-3,921E-16	-0,003	-0,0049	145-1
145	158	CM	LinStatic		-0,00007376	0,004968	0,068	-0,045	0,003	0,0048	145-1
145	56	CV	LinStatic		0	0	0	0	0	0	145-1
145	158	CV	LinStatic		0	0	0	0	0	0	145-1
145	56	L	LinStatic		1,537	0,071	-1,16	-3,308E-14	-0,2515	-0,5471	145-1
145	158	L	LinStatic		-1,537	-0,071	1,16	-0,8594	-0,1489	-0,6158	145-1
145	56	COMB1	Combination		2,745	0,078	-2,04	-5,865E-14	-0,446	-0,9804	145-1
145	158	COMB1	Combination		-2,745	-0,078	2,04	-1,5227	-0,2689	-1,0958	145-1
145	56	COMB5	Combination		2,745	0,078	-2,04	-5,865E-14	-0,446	-0,9804	145-1
145	158	COMB5	Combination		-2,745	-0,078	2,04	-1,5227	-0,2689	-1,0958	145-1
145	56	COMB6	Combination		2,745	0,078	-2,04	-5,865E-14	-0,446	-0,9804	145-1
145	158	COMB6	Combination		-2,745	-0,078	2,04	-1,5227	-0,2689	-1,0958	145-1
145	56	COMB7	Combination		0,454	0,056	-0,277	-9,683E-15	-0,0736	-0,1791	145-1
145	158	COMB7	Combination		-0,454	-0,056	0,277	-0,1951	-0,0445	-0,1639	145-1
145	56	COMB8	Combination		0,454	0,056	-0,277	-9,683E-15	-0,0736	-0,1791	145-1
145	158	COMB8	Combination		-0,454	-0,056	0,277	-0,1951	-0,0445	-0,1639	145-1
145	56	COMB9	Combination		2,735	0,022	-2,055	-5,822E-14	-0,4427	-0,9675	145-1
145	158	COMB9	Combination		-2,735	-0,022	2,055	-1,5483	-0,2697	-1,1013	145-1
145	56	COMB10	Combination		2,611	-0,029	2,058	5,604E-14	0,4261	0,9022	145-1
145	158	COMB10	Combination		-2,611	0,029	-2,058	1,5493	0,254	1,0731	145-1
145	56	COMB11	Combination		-1,074	0,041	0,898	2,296E-14	0,1746	0,3551	145-1
145	158	COMB11	Combination		1,074	-0,041	-0,898	0,6899	0,1051	0,4574	145-1
145	56	COMB12	Combination		4,272	0,093	-3,215	-9,129E-14	-0,6942	-1,5146	145-1
145	158	COMB12	Combination		-4,272	-0,093	3,215	-2,4077	-0,4186	-1,7171	145-1
145	56	ENV	Combination	Max	4,272	0,093	2,058	5,604E-14	0,4261	0,9022	145-1
145	158	ENV	Combination	Max	2,611	0,029	3,215	1,5493	0,254	1,0731	145-1
145	56	ENV	Combination	Min	-2,611	-0,029	-3,215	-9,129E-14	-0,6942	-1,5146	145-1
145	158	ENV	Combination	Min	-4,272	-0,093	-2,058	-2,4077	-0,4186	-1,7171	145-1
145	158	DEAD	LinStatic		0,225	-0,000945	-0,004722	-0,0028	-0,0057	-0,0219	145-2
145	39	DEAD	LinStatic		-0,225	0,000945	0,004722	0,0008464	-0,0248	-0,0666	145-2
145	158	CM	LinStatic		0,194	-0,004937	-0,08	0,0451	-0,0053	-0,0316	145-2
145	39	CM	LinStatic		-0,194	0,004937	0,091	-0,0793	-0,021	-0,0446	145-2
145	158	CV	LinStatic		0	0	0	0	0	0	145-2
145	39	CV	LinStatic		0	0	0	0	0	0	145-2
145	158	L	LinStatic		2,733	0,066	-1,206	0,7888	-0,1513	-0,4403	145-2
145	39	L	LinStatic		-2,733	-0,066	1,206	-1,2546	-0,219	-0,6352	145-2
145	158	COMB1	Combination		4,849	0,077	-2,128	1,3983	-0,2568	-0,7757	145-2
145	39	COMB1	Combination		-4,849	-0,077	2,128	-2,2254	-0,4004	-1,1328	145-2
145	158	COMB5	Combination		4,849	0,077	-2,128	1,3983	-0,2568	-0,7757	145-2
145	39	COMB5	Combination		-4,849	-0,077	2,128	-2,2254	-0,4004	-1,1328	145-2
145	158	COMB6	Combination		4,849	0,077	-2,128	1,3983	-0,2568	-0,7757	145-2
145	39	COMB6	Combination		-4,849	-0,077	2,128	-2,2254	-0,4004	-1,1328	145-2
145	158	COMB7	Combination		1,066	0,054	-0,294	0,1735	-0,0573	-0,1487	145-2
145	39	COMB7	Combination		-1,066	-0,054	0,294	-0,2821	-0,0872	-0,2708	145-2
145	158	COMB8	Combination		1,066	0,054	-0,294	0,1735	-0,0573	-0,1487	145-2

145	39	COMB8	Combination		-1,066	-0,054	0,294	-0,2821	-0,0872	-0,2708	145-2
145	158	COMB9	Combination		4,639	0,026	-2,144	1,4261	-0,2385	-0,7535	145-2
145	39	COMB9	Combination		-4,639	-0,026	2,144	-2,2663	-0,3901	-1,0722	145-2
145	158	COMB10	Combination		-4,189	-0,028	2,134	-1,4318	0,2271	0,7096	145-2
145	39	COMB10	Combination		4,189	0,028	-2,134	2,268	0,3406	0,939	145-2
145	158	COMB11	Combination		-1,456	0,038	0,928	-0,643	0,0758	0,2693	145-2
145	39	COMB11	Combination		1,456	-0,038	-0,928	1,0134	0,1216	0,3038	145-2
145	158	COMB12	Combination		7,371	0,093	-3,35	2,2149	-0,3898	-1,1938	145-2
145	39	COMB12	Combination		-7,371	-0,093	3,35	-3,5209	-0,6091	-1,7074	145-2
145	158	ENV	Combination	Max	7,371	0,093	2,134	2,2149	0,2271	0,7096	145-2
145	39	ENV	Combination	Max	4,189	0,028	3,35	2,268	0,3406	0,939	145-2
145	158	ENV	Combination	Min	-4,189	-0,028	-3,35	-1,4318	-0,3898	-1,1938	145-2
145	39	ENV	Combination	Min	-7,371	-0,093	-2,134	-3,5209	-0,6091	-1,7074	145-2
145	39	DEAD	LinStatic		-0,309	0,009685	0,004871	-0,0014	0,0309	0,0933	145-3
145	153	DEAD	LinStatic		0,309	-0,009685	-0,004871	0,0043	0,0077	0,0187	145-3
145	39	CM	LinStatic		-0,285	-0,198	0,138	0,0339	0,0308	0,0665	145-3
145	153	CM	LinStatic		0,285	0,198	-0,127	-0,0106	0,0049	0,0369	145-3
145	39	CV	LinStatic		0	0	0	0	0	0	145-3
145	153	CV	LinStatic		0	0	0	0	0	0	145-3
145	39	L	LinStatic		0,843	0,19	0,14	0,5216	-0,0189	-0,0429	145-3
145	153	L	LinStatic		-0,843	-0,19	-0,14	-0,4472	-0,0865	-0,2631	145-3
145	39	COMB1	Combination		1,287	0,338	0,246	0,9182	-0,0129	-0,0091	145-3
145	153	COMB1	Combination		-1,287	-0,338	-0,246	-0,7866	-0,1479	-0,4579	145-3
145	39	COMB5	Combination		1,287	0,338	0,246	0,9182	-0,0129	-0,0091	145-3
145	153	COMB5	Combination		-1,287	-0,338	-0,246	-0,7866	-0,1479	-0,4579	145-3
145	39	COMB6	Combination		1,287	0,338	0,246	0,9182	-0,0129	-0,0091	145-3
145	153	COMB6	Combination		-1,287	-0,338	-0,246	-0,7866	-0,1479	-0,4579	145-3
145	39	COMB7	Combination		-0,218	0,06	0,043	0,1222	0,037	0,1099	145-3
145	153	COMB7	Combination		0,218	-0,06	-0,043	-0,0991	-0,0098	-0,031	145-3
145	39	COMB8	Combination		-0,218	0,06	0,043	0,1222	0,037	0,1099	145-3
145	153	COMB8	Combination		0,218	-0,06	-0,043	-0,0991	-0,0098	-0,031	145-3
145	39	COMB9	Combination		1,447	0,334	0,242	0,9273	-0,0274	-0,0455	145-3
145	153	COMB9	Combination		-1,447	-0,334	-0,242	-0,7977	-0,1534	-0,4794	145-3
145	39	COMB10	Combination		-2,064	-0,314	-0,232	-0,93	0,0892	0,2322	145-3
145	153	COMB10	Combination		2,064	0,314	0,232	0,8064	0,1687	0,5168	145-3
145	39	COMB11	Combination		-1,221	-0,125	-0,093	-0,4084	0,0703	0,1893	145-3
145	153	COMB11	Combination		1,221	0,125	0,093	0,3592	0,0822	0,2536	145-3
145	39	COMB12	Combination		2,29	0,524	0,382	1,4489	-0,0462	-0,0884	145-3
145	153	COMB12	Combination		-2,29	-0,524	-0,382	-1,245	-0,2399	-0,7425	145-3
145	39	ENV	Combination	Max	2,29	0,524	0,382	1,4489	0,0892	0,2322	145-3
145	153	ENV	Combination	Max	2,064	0,314	0,232	0,8064	0,1687	0,5168	145-3
145	39	ENV	Combination	Min	-2,064	-0,314	-0,232	-0,93	-0,0462	-0,0884	145-3
145	153	ENV	Combination	Min	-2,29	-0,524	-0,382	-1,245	-0,2399	-0,7425	145-3
145	153	DEAD	LinStatic		-0,144	0,008903	-0,002553	0,0002926	0,0187	0,0563	145-4
145	148	DEAD	LinStatic		0,144	-0,008903	0,002553	0,00009511	0,0188	0,0528	145-4
145	153	CM	LinStatic		-0,00334	-0,184	0,111	-0,003	0,0056	-0,0075	145-4
145	148	CM	LinStatic		0,00334	0,184	-0,09	0,0311	-0,0048	0,01	145-4
145	153	CV	LinStatic		0	0	0	0	0	0	145-4
145	148	CV	LinStatic		0	0	0	0	0	0	145-4
145	153	L	LinStatic		0,595	0,249	0,162	0,4123	-0,0711	-0,2186	145-4
145	148	L	LinStatic		-0,595	-0,249	-0,162	-0,2251	-0,0839	-0,2314	145-4
145	153	COMB1	Combination		0,892	0,44	0,274	0,7183	-0,1017	-0,3227	145-4
145	148	COMB1	Combination		-0,892	-0,44	-0,274	-0,3961	-0,1307	-0,3522	145-4
145	153	COMB5	Combination		0,892	0,44	0,274	0,7183	-0,1017	-0,3227	145-4
145	148	COMB5	Combination		-0,892	-0,44	-0,274	-0,3961	-0,1307	-0,3522	145-4
145	153	COMB6	Combination		0,892	0,44	0,274	0,7183	-0,1017	-0,3227	145-4
145	148	COMB6	Combination		-0,892	-0,44	-0,274	-0,3961	-0,1307	-0,3522	145-4
145	153	COMB7	Combination		0,009337	0,076	0,044	0,1068	-0,003	-0,0021	145-4
145	148	COMB7	Combination		-0,009337	-0,076	-0,044	-0,054	0,0006156	-0,005	145-4
145	153	COMB8	Combination		0,009337	0,076	0,044	0,1068	-0,003	-0,0021	145-4
145	148	COMB8	Combination		-0,009337	-0,076	-0,044	-0,054	0,0006156	-0,005	145-4
145	153	COMB9	Combination		0,886	0,434	0,267	0,7138	-0,0963	-0,3178	145-4
145	148	COMB9	Combination		-0,886	-0,434	-0,267	-0,399	-0,1344	-0,3522	145-4
145	153	COMB10	Combination		-1,174	-0,417	-0,272	-0,7132	0,1338	0,4303	145-4
145	148	COMB10	Combination		1,174	0,417	0,272	0,3992	0,172	0,4579	145-4
145	153	COMB11	Combination		-0,579	-0,167	-0,11	-0,301	0,0627	0,2116	145-4
145	148	COMB11	Combination		0,579	0,167	0,11	0,1741	0,0882	0,2265	145-4
145	153	COMB12	Combination		1,481	0,684	0,428	1,1261	-0,1674	-0,5364	145-4
145	148	COMB12	Combination		-1,481	-0,684	-0,428	-0,6242	-0,2182	-0,5836	145-4
145	153	ENV	Combination	Max	1,481	0,684	0,428	1,1261	0,1338	0,4303	145-4
145	148	ENV	Combination	Max	1,174	0,417	0,272	0,3992	0,172	0,4579	145-4
145	153	ENV	Combination	Min	-1,174	-0,417	-0,272	-0,7132	-0,1674	-0,5364	145-4
145	148	ENV	Combination	Min	-1,481	-0,684	-0,428	-0,6242	-0,2182	-0,5836	145-4
145	148	DEAD	LinStatic		-0,084	0,008631	0,003664	0,005	0,0055	0,03	145-5
145	82	DEAD	LinStatic		0,084	-0,008631	-0,003664	-1,622E-15	0,0164	0,0336	145-5
145	148	CM	LinStatic		0,008784	-0,182	0,025	-0,0362	-0,0025	-0,0032	145-5
145	82	CM	LinStatic		-0,008784	0,182	-0,004245	-2,046E-17	0,0002075	-0,0034	145-5
145	148	CV	LinStatic		0	0	0	0	0	0	145-5
145	82	CV	LinStatic		0	0	0	0	0	0	145-5
145	148	L	LinStatic		0,393	0,319	0,136	0,1858	-0,0305	-0,1403	145-5

145	82	L	LinStatic	-0,393	-0,319	-0,136	7,074E-15	-0,0717	-0,1566	145-5
145	148	COMB1	Combination	0,605	0,565	0,238	0,3272	-0,0475	-0,2199	145-5
145	82	COMB1	Combination	-0,605	-0,565	-0,238	1,087E-14	-0,1102	-0,2381	145-5
145	148	COMB5	Combination	0,605	0,565	0,238	0,3272	-0,0475	-0,2199	145-5
145	82	COMB5	Combination	-0,605	-0,565	-0,238	1,087E-14	-0,1102	-0,2381	145-5
145	148	COMB6	Combination	0,605	0,565	0,238	0,3272	-0,0475	-0,2199	145-5
145	82	COMB6	Combination	-0,605	-0,565	-0,238	1,087E-14	-0,1102	-0,2381	145-5
145	148	COMB7	Combination	0,011	0,09	0,041	0,0546	-0,0026	-0,0006242	145-5
145	82	COMB7	Combination	-0,011	-0,09	-0,041	3,642E-17	-0,0003692	-0,008	145-5
145	148	COMB8	Combination	0,011	0,09	0,041	0,0546	-0,0026	-0,0006242	145-5
145	82	COMB8	Combination	-0,011	-0,09	-0,041	3,642E-17	-0,0003692	-0,008	145-5
145	148	COMB9	Combination	0,609	0,563	0,233	0,3231	-0,047	-0,2257	145-5
145	82	COMB9	Combination	-0,609	-0,563	-0,233	1,101E-14	-0,1117	-0,2349	145-5
145	148	COMB10	Combination	-0,777	-0,545	-0,226	-0,313	0,0579	0,2858	145-5
145	82	COMB10	Combination	0,777	0,545	0,226	-1,426E-14	0,1446	0,3021	145-5
145	148	COMB11	Combination	-0,385	-0,226	-0,09	-0,1272	0,0274	0,1455	145-5
145	82	COMB11	Combination	0,385	0,226	0,09	-7,184E-15	0,0728	0,1454	145-5
145	148	COMB12	Combination	1,002	0,882	0,369	0,5089	-0,0775	-0,366	145-5
145	82	COMB12	Combination	-1,002	-0,882	-0,369	1,809E-14	-0,1834	-0,3916	145-5
145	148	ENV	Combination	1,002	0,882	0,369	0,5089	0,0579	0,2858	145-5
145	82	ENV	Combination	0,777	0,545	0,226	1,809E-14	0,1446	0,3021	145-5
145	148	ENV	Combination	-0,777	-0,545	-0,226	-0,313	-0,0775	-0,366	145-5
145	82	ENV	Combination	-1,002	-0,882	-0,369	-1,426E-14	-0,1834	-0,3916	145-5
146	44	DEAD	LinStatic	-0,037	-0,002323	-0,001157	6,053E-17	-0,016	0,0391	146-1
146	82	DEAD	LinStatic	0,037	0,002323	0,001157	6,906E-17	-0,0182	0,0296	146-1
146	44	CM	LinStatic	-0,031	0,183	0,119	3,586E-17	-0,0095	0,0285	146-1
146	82	CM	LinStatic	0,031	-0,183	-0,063	7,219E-17	-0,0191	0,0288	146-1
146	44	CV	LinStatic	0	0	0	0	0	0	146-1
146	82	CV	LinStatic	0	0	0	0	0	0	146-1
146	44	L	LinStatic	0,116	-0,39	-0,194	-1,87E-16	0,0494	-0,1245	146-1
146	82	L	LinStatic	-0,116	0,39	0,194	-2,238E-16	0,0591	-0,0933	146-1
146	44	COMB1	Combination	0,165	-0,684	-0,341	-2,677E-16	0,0707	-0,178	146-1
146	82	COMB1	Combination	-0,165	0,684	0,341	-3,166E-16	0,0836	-0,1317	146-1
146	44	COMB5	Combination	0,165	-0,684	-0,341	-2,677E-16	0,0707	-0,178	146-1
146	82	COMB5	Combination	-0,165	0,684	0,341	-3,166E-16	0,0836	-0,1317	146-1
146	44	COMB6	Combination	0,165	-0,684	-0,341	-2,677E-16	0,0707	-0,178	146-1
146	82	COMB6	Combination	-0,165	0,684	0,341	-3,166E-16	0,0836	-0,1317	146-1
146	44	COMB7	Combination	-0,006158	-0,101	-0,05	1,477E-17	-0,0039	0,0073	146-1
146	82	COMB7	Combination	0,006158	0,101	0,05	7,023E-18	-0,0019	0,0043	146-1
146	44	COMB8	Combination	-0,006158	-0,101	-0,05	1,477E-17	-0,0039	0,0073	146-1
146	82	COMB8	Combination	0,006158	0,101	0,05	7,023E-18	-0,0019	0,0043	146-1
146	44	COMB9	Combination	0,163	-0,682	-0,34	-2,691E-16	0,071	-0,177	146-1
146	82	COMB9	Combination	-0,163	0,682	0,34	-3,084E-16	0,0814	-0,1291	146-1
146	44	COMB10	Combination	-0,236	0,678	0,338	3,901E-16	-0,103	0,2553	146-1
146	82	COMB10	Combination	0,236	-0,678	-0,338	4,466E-16	-0,1179	0,1882	146-1
146	44	COMB11	Combination	-0,12	0,287	0,143	2,031E-16	-0,0536	0,1308	146-1
146	82	COMB11	Combination	0,12	-0,287	-0,143	2,227E-16	-0,0588	0,0949	146-1
146	44	COMB12	Combination	0,279	-1,073	-0,534	-4,561E-16	0,1204	-0,3015	146-1
146	82	COMB12	Combination	-0,279	1,073	0,534	-5,323E-16	0,1405	-0,2224	146-1
146	44	ENV	Combination	0,279	0,678	0,338	3,901E-16	0,1204	0,2553	146-1
146	82	ENV	Combination	0,236	1,073	0,534	4,466E-16	0,1405	0,1882	146-1
146	44	ENV	Combination	-0,236	-1,073	-0,534	-4,561E-16	-0,103	-0,3015	146-1
146	82	ENV	Combination	-0,279	-0,678	-0,338	-5,323E-16	-0,1179	-0,2224	146-1
147	54	DEAD	LinStatic	0,06	0,004697	0,001332	-4,636E-16	-0,0076	0,0301	147-1
147	124	DEAD	LinStatic	-0,06	-0,004697	-0,001332	0,0002155	-0,0081	0,0153	147-1
147	54	CM	LinStatic	0,016	-0,081	-0,055	-2,224E-16	-0,0036	0,0167	147-1
147	124	CM	LinStatic	-0,016	0,081	0,076	0,0283	-0,0005574	-0,0045	147-1
147	54	CV	LinStatic	0	0	0	0	0	0	147-1
147	124	CV	LinStatic	0	0	0	0	0	0	147-1
147	54	L	LinStatic	-1,493	0,249	1,325	1,435E-14	0,2349	-0,5107	147-1
147	124	L	LinStatic	1,493	-0,249	-1,325	-0,9372	0,154	-0,6188	147-1
147	54	COMB1	Combination	-2,58	0,447	2,334	2,491E-14	0,4079	-0,8796	147-1
147	124	COMB1	Combination	2,58	-0,447	-2,334	-1,6491	0,264	-1,0717	147-1
147	54	COMB5	Combination	-2,58	0,447	2,334	2,491E-14	0,4079	-0,8796	147-1
147	124	COMB5	Combination	2,58	-0,447	-2,334	-1,6491	0,264	-1,0717	147-1
147	54	COMB6	Combination	-2,58	0,447	2,334	2,491E-14	0,4079	-0,8796	147-1
147	124	COMB6	Combination	2,58	-0,447	-2,334	-1,6491	0,264	-1,0717	147-1
147	54	COMB7	Combination	-0,287	0,061	0,318	2,859E-15	0,0468	-0,0815	147-1
147	124	COMB7	Combination	0,287	-0,061	-0,318	-0,2249	0,0278	-0,1353	147-1
147	54	COMB8	Combination	-0,287	0,061	0,318	2,859E-15	0,0468	-0,0815	147-1
147	124	COMB8	Combination	0,287	-0,061	-0,318	-0,2249	0,0278	-0,1353	147-1
147	54	COMB9	Combination	-2,615	0,456	2,353	2,526E-14	0,4137	-0,9009	147-1
147	124	COMB9	Combination	2,615	-0,456	-2,353	-1,6614	0,2675	-1,0772	147-1
147	54	COMB10	Combination	2,735	-0,446	-2,351	-2,618E-14	-0,4288	0,9612	147-1
147	124	COMB10	Combination	-2,735	0,446	2,351	1,6618	-0,2836	1,1078	147-1
147	54	COMB11	Combination	1,242	-0,197	-1,026	-1,184E-14	-0,1939	0,4505	147-1
147	124	COMB11	Combination	-1,242	0,197	1,026	0,7246	-0,1296	0,489	147-1
147	54	COMB12	Combination	-4,108	0,705	3,678	3,96E-14	0,6486	-1,4116	147-1
147	124	COMB12	Combination	4,108	-0,705	-3,678	-2,5986	0,4214	-1,696	147-1
147	54	ENV	Combination	2,735	0,705	3,678	3,96E-14	0,6486	0,9612	147-1

147	124	ENV	Combination	Max	4,108	0,446	2,351	1,6618	0,4214	1,1078	147-1
147	54	ENV	Combination	Min	-4,108	-0,446	-2,351	-2,618E-14	-0,4288	-1,4116	147-1
147	124	ENV	Combination	Min	-2,735	-0,705	-3,678	-2,5986	-0,2836	-1,696	147-1
147	124	DEAD	LinStatic		0,17	0,0009079	-0,005433	0,0035	-0,003	0,0133	147-2
147	13	DEAD	LinStatic		-0,17	-0,0009079	0,005433	-0,0012	-0,0201	0,0538	147-2
147	124	CM	LinStatic		0,281	-0,078	-0,146	-0,0233	-0,0111	0,0392	147-2
147	13	CM	LinStatic		-0,281	0,078	0,157	0,0723	-0,027	0,0713	147-2
147	124	CV	LinStatic		0	0	0	0	0	0	147-2
147	13	CV	LinStatic		0	0	0	0	0	0	147-2
147	124	L	LinStatic		-1,655	0,286	1,437	0,8095	0,0862	-0,322	147-2
147	13	L	LinStatic		1,655	-0,286	-1,437	-1,3361	0,1381	-0,3294	147-2
147	124	COMB1	Combination		-2,907	0,511	2,532	1,4254	0,1567	-0,5772	147-2
147	13	COMB1	Combination		2,907	-0,511	-2,532	-2,3527	0,2373	-0,567	147-2
147	124	COMB5	Combination		-2,907	0,511	2,532	1,4254	0,1567	-0,5772	147-2
147	13	COMB5	Combination		2,907	-0,511	-2,532	-2,3527	0,2373	-0,567	147-2
147	124	COMB6	Combination		-2,907	0,511	2,532	1,4254	0,1567	-0,5772	147-2
147	13	COMB6	Combination		2,907	-0,511	-2,532	-2,3527	0,2373	-0,567	147-2
147	124	COMB7	Combination		-0,062	0,064	0,33	0,2006	0,0096	-0,0401	147-2
147	13	COMB7	Combination		0,062	-0,064	-0,33	-0,3219	-0,0012	0,0158	147-2
147	124	COMB8	Combination		-0,062	0,064	0,33	0,2006	0,0096	-0,0401	147-2
147	13	COMB8	Combination		0,062	-0,064	-0,33	-0,3219	-0,0012	0,0158	147-2
147	124	COMB9	Combination		-3,149	0,522	2,563	1,4324	0,1686	-0,6133	147-2
147	13	COMB9	Combination		3,149	-0,522	-2,563	-2,3705	0,2582	-0,6261	147-2
147	124	COMB10	Combination		3,49	-0,52	-2,574	-1,4255	-0,1747	0,6399	147-2
147	13	COMB10	Combination		-3,49	0,52	2,574	2,3681	-0,2983	0,7337	147-2
147	124	COMB11	Combination		1,835	-0,234	-1,137	-0,616	-0,0885	0,3179	147-2
147	13	COMB11	Combination		-1,835	0,234	1,137	1,032	-0,1602	0,4043	147-2
147	124	COMB12	Combination		-4,804	0,808	4	2,2419	0,2548	-0,9353	147-2
147	13	COMB12	Combination		4,804	-0,808	-4	-3,7066	0,3963	-0,9555	147-2
147	124	ENV	Combination	Max	3,49	0,808	4	2,2419	0,2548	0,6399	147-2
147	13	ENV	Combination	Max	4,804	0,52	2,574	2,3681	0,3963	0,7337	147-2
147	124	ENV	Combination	Min	-4,804	-0,52	-2,574	-1,4255	-0,1747	-0,9353	147-2
147	13	ENV	Combination	Min	-3,49	-0,808	-4	-3,7066	-0,2983	-0,9555	147-2
147	13	DEAD	LinStatic		-0,252	-0,022	0,003759	0,0027	0,0263	-0,0802	147-3
147	119	DEAD	LinStatic		0,252	0,022	-0,003759	-0,0069	0,0051	-0,011	147-3
147	13	CM	LinStatic		-0,362	0,179	0,195	-0,044	0,0299	-0,0854	147-3
147	119	CM	LinStatic		0,362	-0,179	-0,184	-0,0025	0,0153	-0,0459	147-3
147	13	CV	LinStatic		0	0	0	0	0	0	147-3
147	119	CV	LinStatic		0	0	0	0	0	0	147-3
147	13	L	LinStatic		-0,945	0,114	-0,2	0,5585	0,0439	-0,0784	147-3
147	119	L	LinStatic		0,945	-0,114	0,2	-0,4717	0,0741	-0,2644	147-3
147	13	COMB1	Combination		-1,793	0,176	-0,358	0,9885	0,0946	-0,1913	147-3
147	119	COMB1	Combination		1,793	-0,176	0,358	-0,8366	0,1294	-0,4592	147-3
147	13	COMB5	Combination		-1,793	0,176	-0,358	0,9885	0,0946	-0,1913	147-3
147	119	COMB5	Combination		1,793	-0,176	0,358	-0,8366	0,1294	-0,4592	147-3
147	13	COMB6	Combination		-1,793	0,176	-0,358	0,9885	0,0946	-0,1913	147-3
147	119	COMB6	Combination		1,793	-0,176	0,358	-0,8366	0,1294	-0,4592	147-3
147	13	COMB7	Combination		-0,599	0,007114	-0,035	0,1339	0,0458	-0,1258	147-3
147	119	COMB7	Combination		0,599	-0,007114	0,035	-0,1205	0,0291	-0,0917	147-3
147	13	COMB8	Combination		-0,599	0,007114	-0,035	0,1339	0,0458	-0,1258	147-3
147	119	COMB8	Combination		0,599	-0,007114	0,035	-0,1205	0,0291	-0,0917	147-3
147	13	COMB9	Combination		-1,644	0,174	-0,374	0,9997	0,0832	-0,1567	147-3
147	119	COMB9	Combination		1,644	-0,174	0,374	-0,8423	0,1222	-0,4398	147-3
147	13	COMB10	Combination		1,141	-0,219	0,381	-0,9943	-0,0306	-0,0038	147-3
147	119	COMB10	Combination		-1,141	0,219	-0,381	0,8285	-0,1119	0,4177	147-3
147	13	COMB11	Combination		0,196	-0,105	0,181	-0,4358	0,0133	-0,0821	147-3
147	119	COMB11	Combination		-0,196	0,105	-0,181	0,3569	-0,0378	0,1533	147-3
147	13	COMB12	Combination		-2,589	0,288	-0,574	1,5582	0,1271	-0,235	147-3
147	119	COMB12	Combination		2,589	-0,288	0,574	-1,3139	0,1963	-0,7042	147-3
147	13	ENV	Combination	Max	1,141	0,288	0,381	1,5582	0,1271	-0,0038	147-3
147	119	ENV	Combination	Max	2,589	0,219	0,574	0,8285	0,1963	0,4177	147-3
147	13	ENV	Combination	Min	-2,589	-0,219	-0,574	-0,9943	-0,0306	-0,235	147-3
147	119	ENV	Combination	Min	-1,141	-0,288	-0,381	-1,3139	-0,1119	-0,7042	147-3
147	119	DEAD	LinStatic		-0,151	-0,02	-0,002384	-0,0025	0,0194	-0,06	147-4
147	114	DEAD	LinStatic		0,151	0,02	0,002384	-0,0011	0,0201	-0,0545	147-4
147	119	CM	LinStatic		-0,021	0,175	0,113	-0,0005559	0,0007581	-0,0005972	147-4
147	114	CM	LinStatic		0,021	-0,175	-0,091	-0,031	0,0047	-0,0151	147-4
147	119	CV	LinStatic		0	0	0	0	0	0	147-4
147	114	CV	LinStatic		0	0	0	0	0	0	147-4
147	119	L	LinStatic		-0,337	0,193	-0,218	0,4276	0,0437	-0,1092	147-4
147	114	L	LinStatic		0,337	-0,193	0,218	-0,2125	0,0441	-0,1459	147-4
147	119	COMB1	Combination		-0,772	0,316	-0,388	0,7516	0,1027	-0,2675	147-4
147	114	COMB1	Combination		0,772	-0,316	0,388	-0,3763	0,0984	-0,3165	147-4
147	119	COMB5	Combination		-0,772	0,316	-0,388	0,7516	0,1027	-0,2675	147-4
147	114	COMB5	Combination		0,772	-0,316	0,388	-0,3763	0,0984	-0,3165	147-4
147	119	COMB6	Combination		-0,772	0,316	-0,388	0,7516	0,1027	-0,2675	147-4
147	114	COMB6	Combination		0,772	-0,316	0,388	-0,3763	0,0984	-0,3165	147-4
147	119	COMB7	Combination		-0,205	0,029	-0,053	0,0987	0,0235	-0,0709	147-4
147	114	COMB7	Combination		0,205	-0,029	0,053	-0,0509	0,03	-0,0843	147-4
147	119	COMB8	Combination		-0,205	0,029	-0,053	0,0987	0,0235	-0,0709	147-4

147	114	COMB8	Combination	0,205	-0,029	0,053	-0,0509	0,03	-0,0843	147-4
147	119	COMB9	Combination	-0,813	0,314	-0,392	0,7593	0,1118	-0,2893	147-4
147	114	COMB9	Combination	0,813	-0,314	0,392	-0,3808	0,0999	-0,3254	147-4
147	119	COMB10	Combination	0,51	-0,355	0,388	-0,7642	-0,0731	0,1693	147-4
147	114	COMB10	Combination	-0,51	0,355	-0,388	0,3786	-0,0598	0,2165	147-4
147	119	COMB11	Combination	0,173	-0,162	0,17	-0,3366	-0,0293	0,0601	147-4
147	114	COMB11	Combination	-0,173	0,162	-0,17	0,1661	-0,0157	0,0705	147-4
147	119	COMB12	Combination	-1,15	0,507	-0,61	1,1869	0,1555	-0,3985	147-4
147	114	COMB12	Combination	1,15	-0,507	0,61	-0,5933	0,144	-0,4713	147-4
147	119	ENV	Combination	0,51	0,507	0,388	1,1869	0,1555	0,1693	147-4
147	114	ENV	Combination	1,15	0,355	0,61	0,3786	0,144	0,2165	147-4
147	119	ENV	Combination	-1,15	-0,355	-0,61	-0,7642	-0,0731	-0,3985	147-4
147	114	ENV	Combination	-0,51	-0,507	-0,388	-0,5933	-0,0598	-0,4713	147-4
147	114	DEAD	LinStatic	-0,067	-0,02	0,0068	-0,0104	0,0041	-0,0277	147-5
147	83	DEAD	LinStatic	0,067	0,02	-0,0068	-1,257E-16	0,0134	-0,0231	147-5
147	114	CM	LinStatic	-0,001884	0,172	0,027	0,0323	-0,0019	0,002	147-5
147	83	CM	LinStatic	0,001884	-0,172	-0,005739	-2,292E-17	0,0024	-0,0034	147-5
147	114	CV	LinStatic	0	0	0	0	0	0	147-5
147	83	CV	LinStatic	0	0	0	0	0	0	147-5
147	114	L	LinStatic	-0,074	0,273	-0,155	0,1884	0,0115	-0,0241	147-5
147	83	L	LinStatic	0,074	-0,273	0,155	-7,276E-17	0,0077	-0,0318	147-5
147	114	COMB1	Combination	-0,231	0,459	-0,266	0,3209	0,029	-0,0825	147-5
147	83	COMB1	Combination	0,231	-0,459	0,266	-2,917E-16	0,0311	-0,0919	147-5
147	114	COMB5	Combination	-0,231	0,459	-0,266	0,3209	0,029	-0,0825	147-5
147	83	COMB5	Combination	0,231	-0,459	0,266	-2,917E-16	0,0311	-0,0919	147-5
147	114	COMB6	Combination	-0,231	0,459	-0,266	0,3209	0,029	-0,0825	147-5
147	83	COMB6	Combination	0,231	-0,459	0,266	-2,917E-16	0,0311	-0,0919	147-5
147	114	COMB7	Combination	-0,051	0,047	-0,03	0,0351	0,0021	-0,021	147-5
147	83	COMB7	Combination	0,051	-0,047	0,03	-1,053E-16	0,0112	-0,0177	147-5
147	114	COMB8	Combination	-0,051	0,047	-0,03	0,0351	0,0021	-0,021	147-5
147	83	COMB8	Combination	0,051	-0,047	0,03	-1,053E-16	0,0112	-0,0177	147-5
147	114	COMB9	Combination	-0,276	0,461	-0,268	0,3231	0,0355	-0,0994	147-5
147	83	COMB9	Combination	0,276	-0,461	0,268	-3,432E-16	0,0365	-0,1097	147-5
147	114	COMB10	Combination	0,142	-0,501	0,282	-0,3438	-0,0273	0,044	147-5
147	83	COMB10	Combination	-0,142	0,501	-0,282	9,17E-17	-0,0098	0,0635	147-5
147	114	COMB11	Combination	0,068	-0,228	0,127	-0,1555	-0,0158	0,02	147-5
147	83	COMB11	Combination	-0,068	0,228	-0,127	1,894E-17	-0,002	0,0318	147-5
147	114	COMB12	Combination	-0,35	0,734	-0,423	0,5114	0,0469	-0,1235	147-5
147	83	COMB12	Combination	0,35	-0,734	0,423	-4,159E-16	0,0443	-0,1414	147-5
147	114	ENV	Combination	0,142	0,734	0,282	0,5114	0,0469	0,044	147-5
147	83	ENV	Combination	0,35	0,501	0,423	9,17E-17	0,0443	0,0635	147-5
147	114	ENV	Combination	-0,35	-0,501	-0,423	-0,3438	-0,0273	-0,1235	147-5
147	83	ENV	Combination	-0,142	-0,734	-0,282	-4,159E-16	-0,0098	-0,1414	147-5
148	23	DEAD	LinStatic	-0,029	0,00996	-0,004961	2,467E-17	-0,013	-0,0335	148-1
148	83	DEAD	LinStatic	0,029	-0,00996	0,004961	2,682E-17	-0,0142	-0,021	148-1
148	23	CM	LinStatic	-0,021	-0,169	0,112	1,508E-17	-0,008	-0,0167	148-1
148	83	CM	LinStatic	0,021	0,169	-0,056	2,165E-17	-0,0114	-0,0222	148-1
148	23	CV	LinStatic	0	0	0	0	0	0	148-1
148	83	CV	LinStatic	0	0	0	0	0	0	148-1
148	23	L	LinStatic	-0,109	-0,295	0,147	6,723E-17	-0,0355	-0,1086	148-1
148	83	L	LinStatic	0,109	0,295	-0,147	1,262E-16	-0,0666	-0,0965	148-1
148	23	COMB1	Combination	-0,225	-0,511	0,254	1,462E-16	-0,0772	-0,2291	148-1
148	83	COMB1	Combination	0,225	0,511	-0,254	2,512E-16	-0,1326	-0,1921	148-1
148	23	COMB5	Combination	-0,225	-0,511	0,254	1,462E-16	-0,0772	-0,2291	148-1
148	83	COMB5	Combination	0,225	0,511	-0,254	2,512E-16	-0,1326	-0,1921	148-1
148	23	COMB6	Combination	-0,225	-0,511	0,254	1,462E-16	-0,0772	-0,2291	148-1
148	83	COMB6	Combination	0,225	0,511	-0,254	2,512E-16	-0,1326	-0,1921	148-1
148	23	COMB7	Combination	-0,052	-0,06	0,03	3,764E-17	-0,0199	-0,0551	148-1
148	83	COMB7	Combination	0,052	0,06	-0,03	5,477E-17	-0,0289	-0,0429	148-1
148	23	COMB8	Combination	-0,052	-0,06	0,03	3,764E-17	-0,0199	-0,0551	148-1
148	83	COMB8	Combination	0,052	0,06	-0,03	5,477E-17	-0,0289	-0,0429	148-1
148	23	COMB9	Combination	-0,23	-0,516	0,257	1,513E-16	-0,0799	-0,2366	148-1
148	83	COMB9	Combination	0,23	0,516	-0,257	2,56E-16	-0,1352	-0,1952	148-1
148	23	COMB10	Combination	0,172	0,536	-0,267	-1,019E-16	0,0538	0,1695	148-1
148	83	COMB10	Combination	-0,172	-0,536	0,267	-2,024E-16	0,1068	0,1531	148-1
148	23	COMB11	Combination	0,063	0,24	-0,12	-3,471E-17	0,0183	0,061	148-1
148	83	COMB11	Combination	-0,063	-0,24	0,12	-7,62E-17	0,0402	0,0566	148-1
148	23	COMB12	Combination	-0,34	-0,811	0,404	2,185E-16	-0,1154	-0,3451	148-1
148	83	COMB12	Combination	0,34	0,811	-0,404	3,822E-16	-0,2018	-0,2917	148-1
148	23	ENV	Combination	0,172	0,536	0,404	2,185E-16	0,0538	0,1695	148-1
148	83	ENV	Combination	0,34	0,811	0,267	3,822E-16	0,1068	0,1531	148-1
148	23	ENV	Combination	-0,34	-0,811	-0,267	-1,019E-16	-0,1154	-0,3451	148-1
148	83	ENV	Combination	-0,172	-0,536	-0,404	-2,024E-16	-0,2018	-0,2917	148-1
149	54	DEAD	LinStatic	0,06	-0,004804	0,001465	3,165E-16	-0,0075	-0,03	149-1
149	159	DEAD	LinStatic	-0,06	0,004804	-0,001465	-0,0001432	-0,0081	-0,0152	149-1
149	54	CM	LinStatic	0,017	0,081	-0,054	1,617E-16	-0,0038	-0,0169	149-1
149	159	CM	LinStatic	-0,017	-0,081	0,075	-0,0277	-0,0005214	0,0042	149-1
149	54	CV	LinStatic	0	0	0	0	0	0	149-1
149	159	CV	LinStatic	0	0	0	0	0	0	149-1
149	54	L	LinStatic	1,537	0,254	-1,324	1,031E-14	-0,2439	-0,5481	149-1

149	159	L	LinStatic	-1,537	-0,254	1,324	-0,9356	-0,1564	-0,6144	149-1
149	54	COMB1	Combination	2,746	0,438	-2,334	1,832E-14	-0,4333	-0,9822	149-1
149	159	COMB1	Combination	-2,746	-0,438	2,334	-1,6512	-0,2818	-1,0946	149-1
149	54	COMB5	Combination	2,746	0,438	-2,334	1,832E-14	-0,4333	-0,9822	149-1
149	159	COMB5	Combination	-2,746	-0,438	2,334	-1,6512	-0,2818	-1,0946	149-1
149	54	COMB6	Combination	2,746	0,438	-2,334	1,832E-14	-0,4333	-0,9822	149-1
149	159	COMB6	Combination	-2,746	-0,438	2,334	-1,6512	-0,2818	-1,0946	149-1
149	54	COMB7	Combination	0,447	0,061	-0,312	2,936E-15	-0,0695	-0,174	149-1
149	159	COMB7	Combination	-0,447	-0,061	0,312	-0,2203	-0,0471	-0,1645	149-1
149	54	COMB8	Combination	0,447	0,061	-0,312	2,936E-15	-0,0695	-0,174	149-1
149	159	COMB8	Combination	-0,447	-0,061	0,312	-0,2203	-0,0471	-0,1645	149-1
149	54	COMB9	Combination	2,741	0,435	-2,357	1,826E-14	-0,432	-0,9729	149-1
149	159	COMB9	Combination	-2,741	-0,435	2,357	-1,6694	-0,2819	-1,1003	149-1
149	54	COMB10	Combination	-2,621	-0,444	2,36	-1,763E-14	0,417	0,9129	149-1
149	159	COMB10	Combination	2,621	0,444	-2,36	1,6692	0,2658	1,07	149-1
149	54	COMB11	Combination	-1,085	-0,19	1,035	-7,317E-15	0,1731	0,3648	149-1
149	159	COMB11	Combination	1,085	0,19	-1,035	0,7335	0,1094	0,4556	149-1
149	54	COMB12	Combination	4,278	0,689	-3,681	2,857E-14	-0,6759	-1,521	149-1
149	159	COMB12	Combination	-4,278	-0,689	3,681	-2,605	-0,4383	-1,7148	149-1
149	54	ENV	Combination	4,278	0,689	2,36	2,857E-14	0,417	0,9129	149-1
149	159	ENV	Combination	2,621	0,444	3,681	1,6692	0,2658	1,07	149-1
149	54	ENV	Combination	-2,621	-0,444	-3,681	-1,763E-14	-0,6759	-1,521	149-1
149	159	ENV	Combination	-4,278	-0,689	-2,36	-2,605	-0,4383	-1,7148	149-1
149	159	DEAD	LinStatic	0,17	-0,001176	-0,005498	-0,0035	-0,003	-0,0131	149-2
149	37	DEAD	LinStatic	-0,17	0,001176	0,005498	0,0011	-0,02	-0,0538	149-2
149	159	CM	LinStatic	0,281	0,079	-0,145	0,0226	-0,0112	-0,0392	149-2
149	37	CM	LinStatic	-0,281	-0,079	0,156	-0,0711	-0,0268	-0,0714	149-2
149	159	CV	LinStatic	0	0	0	0	0	0	149-2
149	37	CV	LinStatic	0	0	0	0	0	0	149-2
149	159	L	LinStatic	2,238	0,297	-1,468	0,798	-0,1116	-0,3997	149-2
149	37	L	LinStatic	-2,238	-0,297	1,468	-1,3355	-0,1917	-0,4813	149-2
149	159	COMB1	Combination	3,955	0,513	-2,586	1,4079	-0,1925	-0,6966	149-2
149	37	COMB1	Combination	-3,955	-0,513	2,586	-2,3563	-0,3435	-0,86	149-2
149	159	COMB5	Combination	3,955	0,513	-2,586	1,4079	-0,1925	-0,6966	149-2
149	37	COMB5	Combination	-3,955	-0,513	2,586	-2,3563	-0,3435	-0,86	149-2
149	159	COMB6	Combination	3,955	0,513	-2,586	1,4079	-0,1925	-0,6966	149-2
149	37	COMB6	Combination	-3,955	-0,513	2,586	-2,3563	-0,3435	-0,86	149-2
149	159	COMB7	Combination	0,862	0,077	-0,36	0,1812	-0,0367	-0,1291	149-2
149	37	COMB7	Combination	-0,862	-0,077	0,36	-0,3124	-0,08	-0,21	149-2
149	159	COMB8	Combination	0,862	0,077	-0,36	0,1812	-0,0367	-0,1291	149-2
149	37	COMB8	Combination	-0,862	-0,077	0,36	-0,3124	-0,08	-0,21	149-2
149	159	COMB9	Combination	3,779	0,508	-2,603	1,4277	-0,1847	-0,6753	149-2
149	37	COMB9	Combination	-3,779	-0,508	2,603	-2,3833	-0,3274	-0,812	149-2
149	159	COMB10	Combination	-3,439	-0,51	2,592	-1,4346	0,1787	0,6491	149-2
149	37	COMB10	Combination	3,439	0,51	-2,592	2,3856	0,2873	0,7045	149-2
149	159	COMB11	Combination	-1,201	-0,213	1,124	-0,6366	0,0671	0,2493	149-2
149	37	COMB11	Combination	1,201	0,213	-1,124	1,0501	0,0956	0,2233	149-2
149	159	COMB12	Combination	6,017	0,804	-4,07	2,2257	-0,2963	-1,075	149-2
149	37	COMB12	Combination	-6,017	-0,804	4,07	-3,7188	-0,5191	-1,2933	149-2
149	159	ENV	Combination	6,017	0,804	2,592	2,2257	0,1787	0,6491	149-2
149	37	ENV	Combination	3,439	0,51	4,07	2,3856	0,2873	0,7045	149-2
149	159	ENV	Combination	-3,439	-0,51	-4,07	-1,4346	-0,2963	-1,075	149-2
149	37	ENV	Combination	-6,017	-0,804	-2,592	-3,7188	-0,5191	-1,2933	149-2
149	37	DEAD	LinStatic	-0,253	0,022	0,005586	-0,0022	0,0264	0,0802	149-3
149	154	DEAD	LinStatic	0,253	-0,022	-0,005586	0,007	0,0052	0,0115	149-3
149	37	CM	LinStatic	-0,363	-0,177	0,189	0,0421	0,0295	0,0861	149-3
149	154	CM	LinStatic	0,363	0,177	-0,179	0,0024	0,0158	0,0454	149-3
149	37	CV	LinStatic	0	0	0	0	0	0	149-3
149	154	CV	LinStatic	0	0	0	0	0	0	149-3
149	37	L	LinStatic	0,353	0,111	0,223	0,5581	0,0038	0,0653	149-3
149	154	L	LinStatic	-0,353	-0,111	-0,223	-0,4634	-0,0479	-0,1932	149-3
149	37	COMB1	Combination	0,49	0,218	0,391	0,9811	0,0227	0,1639	149-3
149	154	COMB1	Combination	-0,49	-0,218	-0,391	-0,812	-0,084	-0,3417	149-3
149	37	COMB5	Combination	0,49	0,218	0,391	0,9811	0,0227	0,1639	149-3
149	154	COMB5	Combination	-0,49	-0,218	-0,391	-0,812	-0,084	-0,3417	149-3
149	37	COMB6	Combination	0,49	0,218	0,391	0,9811	0,0227	0,1639	149-3
149	154	COMB6	Combination	-0,49	-0,218	-0,391	-0,812	-0,084	-0,3417	149-3
149	37	COMB7	Combination	-0,291	0,049	0,066	0,1308	0,0377	0,127	149-3
149	154	COMB7	Combination	0,291	-0,049	-0,066	-0,1009	-0,0014	-0,0216	149-3
149	37	COMB8	Combination	-0,291	0,049	0,066	0,1308	0,0377	0,127	149-3
149	154	COMB8	Combination	0,291	-0,049	-0,066	-0,1009	-0,0014	-0,0216	149-3
149	37	COMB9	Combination	0,658	0,22	0,385	0,9897	0,0089	0,1232	149-3
149	154	COMB9	Combination	-0,658	-0,22	-0,385	-0,8226	-0,0911	-0,3619	149-3
149	37	COMB10	Combination	-1,164	-0,175	-0,374	-0,9941	0,0438	0,0372	149-3
149	154	COMB10	Combination	1,164	0,175	0,374	0,8365	0,1015	0,385	149-3
149	37	COMB11	Combination	-0,811	-0,064	-0,151	-0,436	0,0477	0,1025	149-3
149	154	COMB11	Combination	0,811	0,064	0,151	0,3731	0,0537	0,1918	149-3
149	37	COMB12	Combination	1,011	0,331	0,608	1,5479	0,0127	0,1885	149-3
149	154	COMB12	Combination	-1,011	-0,331	-0,608	-1,286	-0,139	-0,5551	149-3
149	37	ENV	Combination	1,011	0,331	0,608	1,5479	0,0477	0,1885	149-3

149	154	ENV	Combination	Max	1,164	0,175	0,374	0,8365	0,1015	0,385	149-3
149	37	ENV	Combination	Min	-1,164	-0,175	-0,374	-0,9941	0,0089	0,0372	149-3
149	154	ENV	Combination	Min	-1,011	-0,331	-0,608	-1,286	-0,139	-0,5551	149-3
149	154	DEAD	LinStatic		-0,15	0,02	-0,000721	0,0028	0,0195	0,0595	149-4
149	149	DEAD	LinStatic		0,15	-0,02	0,000721	0,0019	0,0196	0,0541	149-4
149	154	CM	LinStatic		-0,022	-0,173	0,108	-0,0002813	0,00003306	0,0011	149-4
149	149	CM	LinStatic		0,022	0,173	-0,087	0,0287	0,0057	0,0155	149-4
149	154	CV	LinStatic		0	0	0	0	0	0	149-4
149	149	CV	LinStatic		0	0	0	0	0	0	149-4
149	154	L	LinStatic		0,341	0,189	0,21	0,4253	-0,0522	-0,1253	149-4
149	149	L	LinStatic		-0,341	-0,189	-0,21	-0,2172	-0,0366	-0,1326	149-4
149	154	COMB1	Combination		0,449	0,352	0,369	0,7516	-0,0713	-0,1585	149-4
149	149	COMB1	Combination		-0,449	-0,352	-0,369	-0,3811	-0,0455	-0,1809	149-4
149	154	COMB5	Combination		0,449	0,352	0,369	0,7516	-0,0713	-0,1585	149-4
149	149	COMB5	Combination		-0,449	-0,352	-0,369	-0,3811	-0,0455	-0,1809	149-4
149	154	COMB6	Combination		0,449	0,352	0,369	0,7516	-0,0713	-0,1585	149-4
149	149	COMB6	Combination		-0,449	-0,352	-0,369	-0,3811	-0,0455	-0,1809	149-4
149	154	COMB7	Combination		-0,067	0,065	0,05	0,1046	0,0059	0,0269	149-4
149	149	COMB7	Combination		0,067	-0,065	-0,05	-0,0495	0,0117	0,0239	149-4
149	154	COMB8	Combination		-0,067	0,065	0,05	0,1046	0,0059	0,0269	149-4
149	149	COMB8	Combination		0,067	-0,065	-0,05	-0,0495	0,0117	0,0239	149-4
149	154	COMB9	Combination		0,452	0,354	0,371	0,7576	-0,0706	-0,1568	149-4
149	149	COMB9	Combination		-0,452	-0,354	-0,371	-0,385	-0,0471	-0,1849	149-4
149	154	COMB10	Combination		-0,752	-0,315	-0,372	-0,752	0,1095	0,2758	149-4
149	149	COMB10	Combination		0,752	0,315	0,372	0,3887	0,0864	0,2931	149-4
149	154	COMB11	Combination		-0,411	-0,126	-0,162	-0,3267	0,0573	0,1505	149-4
149	149	COMB11	Combination		0,411	0,126	0,162	0,1715	0,0498	0,1605	149-4
149	154	COMB12	Combination		0,793	0,543	0,581	1,1829	-0,1228	-0,2821	149-4
149	149	COMB12	Combination		-0,793	-0,543	-0,581	-0,6022	-0,0837	-0,3175	149-4
149	154	ENV	Combination	Max	0,793	0,543	0,581	1,1829	0,1095	0,2758	149-4
149	149	ENV	Combination	Max	0,752	0,315	0,372	0,3887	0,0864	0,2931	149-4
149	154	ENV	Combination	Min	-0,752	-0,315	-0,372	-0,752	-0,1228	-0,2821	149-4
149	149	ENV	Combination	Min	-0,793	-0,543	-0,581	-0,6022	-0,0837	-0,3175	149-4
149	149	DEAD	LinStatic		-0,067	0,019	0,006133	0,0096	0,0037	0,0276	149-5
149	84	DEAD	LinStatic		0,067	-0,019	-0,006133	-6,428E-17	0,0137	0,0229	149-5
149	149	CM	LinStatic		-0,001767	-0,168	0,028	-0,0303	-0,0011	-0,0024	149-5
149	84	CM	LinStatic		0,001767	0,168	-0,007194	-7,359E-18	0,0016	0,0037	149-5
149	149	CV	LinStatic		0	0	0	0	0	0	149-5
149	84	CV	LinStatic		0	0	0	0	0	0	149-5
149	149	L	LinStatic		0,11	0,277	0,16	0,193	-0,017	-0,0363	149-5
149	84	L	LinStatic		-0,11	-0,277	-0,16	5,524E-17	-0,0118	-0,0472	149-5
149	149	COMB1	Combination		0,121	0,505	0,287	0,3483	-0,0254	-0,0381	149-5
149	84	COMB1	Combination		-0,121	-0,505	-0,287	2,898E-17	-0,0062	-0,0535	149-5
149	149	COMB5	Combination		0,121	0,505	0,287	0,3483	-0,0254	-0,0381	149-5
149	84	COMB5	Combination		-0,121	-0,505	-0,287	2,898E-17	-0,0062	-0,0535	149-5
149	149	COMB6	Combination		0,121	0,505	0,287	0,3483	-0,0254	-0,0381	149-5
149	84	COMB6	Combination		-0,121	-0,505	-0,287	2,898E-17	-0,0062	-0,0535	149-5
149	149	COMB7	Combination		-0,034	0,087	0,045	0,0569	-0,0012	0,0208	149-5
149	84	COMB7	Combination		0,034	-0,087	-0,045	-4,706E-17	0,01	0,0049	149-5
149	149	COMB8	Combination		-0,034	0,087	0,045	0,0569	-0,0012	0,0208	149-5
149	84	COMB8	Combination		0,034	-0,087	-0,045	-4,706E-17	0,01	0,0049	149-5
149	149	COMB9	Combination		0,114	0,507	0,288	0,3497	-0,0245	-0,0411	149-5
149	84	COMB9	Combination		-0,114	-0,507	-0,288	2,444E-17	-0,0052	-0,0452	149-5
149	149	COMB10	Combination		-0,248	-0,469	-0,275	-0,3304	0,032	0,0964	149-5
149	84	COMB10	Combination		0,248	0,469	0,275	-1,53E-16	0,0326	0,091	149-5
149	149	COMB11	Combination		-0,137	-0,192	-0,116	-0,1374	0,015	0,0601	149-5
149	84	COMB11	Combination		0,137	0,192	0,116	-9,776E-17	0,0208	0,0438	149-5
149	149	COMB12	Combination		0,224	0,784	0,448	0,5427	-0,0415	-0,0774	149-5
149	84	COMB12	Combination		-0,224	-0,784	-0,448	7,968E-17	-0,017	-0,0924	149-5
149	149	ENV	Combination	Max	0,224	0,784	0,448	0,5427	0,032	0,0964	149-5
149	84	ENV	Combination	Max	0,248	0,469	0,275	7,968E-17	0,0326	0,091	149-5
149	149	ENV	Combination	Min	-0,248	-0,469	-0,275	-0,3304	-0,0415	-0,0774	149-5
149	84	ENV	Combination	Min	-0,224	-0,784	-0,448	-1,53E-16	-0,017	-0,0924	149-5
150	48	DEAD	LinStatic		-0,029	-0,008948	-0,004457	-2,453E-17	-0,013	0,0333	150-1
150	84	DEAD	LinStatic		0,029	0,008948	0,004457	-2,67E-17	-0,0141	0,021	150-1
150	48	CM	LinStatic		-0,021	0,165	0,11	-1,537E-17	-0,0081	0,0168	150-1
150	84	CM	LinStatic		0,021	-0,165	-0,054	-2,131E-17	-0,0113	0,0221	150-1
150	48	CV	LinStatic		0	0	0	0	0	0	150-1
150	84	CV	LinStatic		0	0	0	0	0	0	150-1
150	48	L	LinStatic		0,089	-0,3	-0,149	5,643E-17	0,0298	-0,0902	150-1
150	84	L	LinStatic		-0,089	0,3	0,149	1,011E-16	0,0534	-0,0767	150-1
150	48	COMB1	Combination		0,131	-0,536	-0,267	7,581E-17	0,04	-0,1299	150-1
150	84	COMB1	Combination		-0,131	0,536	0,267	1,552E-16	0,082	-0,115	150-1
150	48	COMB5	Combination		0,131	-0,536	-0,267	7,581E-17	0,04	-0,1299	150-1
150	84	COMB5	Combination		-0,131	0,536	0,267	1,552E-16	0,082	-0,115	150-1
150	48	COMB6	Combination		0,131	-0,536	-0,267	7,581E-17	0,04	-0,1299	150-1
150	84	COMB6	Combination		-0,131	0,536	0,267	1,552E-16	0,082	-0,115	150-1
150	48	COMB7	Combination		-0,01	-0,082	-0,041	-1,201E-17	-0,0063	0,0162	150-1
150	84	COMB7	Combination		0,01	0,082	0,041	-6,496E-18	-0,0034	0,0034	150-1
150	48	COMB8	Combination		-0,01	-0,082	-0,041	-1,201E-17	-0,0063	0,0162	150-1

150	84	COMB8	Combination	0,01	0,082	0,041	-6,496E-18	-0,0034	0,0034	150-1
150	48	COMB9	Combination	0,136	-0,539	-0,268	7,792E-17	0,0411	-0,1371	150-1
150	84	COMB9	Combination	-0,136	0,539	0,268	1,62E-16	0,0855	-0,1172	150-1
150	48	COMB10	Combination	-0,193	0,521	0,259	-1,27E-16	-0,067	0,2038	150-1
150	84	COMB10	Combination	0,193	-0,521	-0,259	-2,154E-16	-0,1137	0,1591	150-1
150	48	COMB11	Combination	-0,104	0,221	0,11	-7,055E-17	-0,0372	0,1136	150-1
150	84	COMB11	Combination	0,104	-0,221	-0,11	-1,143E-16	-0,0603	0,0824	150-1
150	48	COMB12	Combination	0,225	-0,839	-0,418	1,344E-16	0,0709	-0,2273	150-1
150	84	COMB12	Combination	-0,225	0,839	0,418	2,63E-16	0,1389	-0,1939	150-1
150	48	ENV	Combination	0,225	0,521	0,259	1,344E-16	0,0709	0,2038	150-1
150	84	ENV	Combination	0,193	0,839	0,418	2,63E-16	0,1389	0,1591	150-1
150	48	ENV	Combination	-0,193	-0,839	-0,418	-1,27E-16	-0,067	-0,2273	150-1
150	84	ENV	Combination	-0,225	-0,521	-0,259	-2,154E-16	-0,1137	-0,1939	150-1
151	52	DEAD	LinStatic	0,059	0,00432	0,001511	5,717E-16	-0,0072	0,0275	151-1
151	125	DEAD	LinStatic	-0,059	-0,00432	-0,001511	-0,00001755	-0,0083	0,0175	151-1
151	52	CM	LinStatic	0,012	-0,09	-0,058	2,684E-16	-0,0034	0,0128	151-1
151	125	CM	LinStatic	-0,012	0,09	0,079	0,0284	0,0003627	-0,0041	151-1
151	52	CV	LinStatic	0	0	0	0	0	0	151-1
151	125	CV	LinStatic	0	0	0	0	0	0	151-1
151	52	L	LinStatic	-1,341	0,315	1,427	-1,739E-14	0,2178	-0,46	151-1
151	125	L	LinStatic	1,341	-0,315	-1,427	-0,9973	0,1316	-0,5547	151-1
151	52	COMB1	Combination	-2,317	0,569	2,52	-3,023E-14	0,3786	-0,7926	151-1
151	125	COMB1	Combination	2,317	-0,569	-2,52	-1,7577	0,2248	-0,9597	151-1
151	52	COMB5	Combination	-2,317	0,569	2,52	-3,023E-14	0,3786	-0,7926	151-1
151	125	COMB5	Combination	2,317	-0,569	-2,52	-1,7577	0,2248	-0,9597	151-1
151	52	COMB6	Combination	-2,317	0,569	2,52	-3,023E-14	0,3786	-0,7926	151-1
151	125	COMB6	Combination	2,317	-0,569	-2,52	-1,7577	0,2248	-0,9597	151-1
151	52	COMB7	Combination	-0,247	0,07	0,337	-3,411E-15	0,0427	-0,0725	151-1
151	125	COMB7	Combination	0,247	-0,07	-0,337	-0,2369	0,0217	-0,1146	151-1
151	52	COMB8	Combination	-0,247	0,07	0,337	-3,411E-15	0,0427	-0,0725	151-1
151	125	COMB8	Combination	0,247	-0,07	-0,337	-0,2369	0,0217	-0,1146	151-1
151	52	COMB9	Combination	-2,355	0,586	2,548	-3,071E-14	0,3847	-0,8127	151-1
151	125	COMB9	Combination	2,355	-0,586	-2,548	-1,7743	0,2286	-0,9684	151-1
151	52	COMB10	Combination	2,474	-0,578	-2,545	3,186E-14	-0,399	0,8676	151-1
151	125	COMB10	Combination	-2,474	0,578	2,545	1,7742	-0,2453	1,0034	151-1
151	52	COMB11	Combination	1,132	-0,263	-1,118	1,447E-14	-0,1812	0,4076	151-1
151	125	COMB11	Combination	-1,132	0,263	1,118	0,777	-0,1137	0,4487	151-1
151	52	COMB12	Combination	-3,696	0,901	3,974	-4,811E-14	0,6025	-1,2727	151-1
151	125	COMB12	Combination	3,696	-0,901	-3,974	-2,7715	0,3602	-1,5231	151-1
151	52	ENV	Combination	2,474	0,901	3,974	3,186E-14	0,6025	0,8676	151-1
151	125	ENV	Combination	3,696	0,578	2,545	1,7742	0,3602	1,0034	151-1
151	52	ENV	Combination	-3,696	-0,578	-2,545	-4,811E-14	-0,399	-1,2727	151-1
151	125	ENV	Combination	-2,474	-0,901	-3,974	-2,7715	-0,2453	-1,5231	151-1
151	125	DEAD	LinStatic	0,106	0,002754	0,006718	0,0041	-0,00007593	0,0031	151-2
151	15	DEAD	LinStatic	-0,106	-0,002754	-0,006718	-0,0064	-0,0143	0,0387	151-2
151	125	CM	LinStatic	0,258	-0,091	-0,189	-0,0213	-0,011	0,036	151-2
151	15	CM	LinStatic	-0,258	0,091	0,2	0,0856	-0,024	0,0654	151-2
151	125	CV	LinStatic	0	0	0	0	0	0	151-2
151	15	CV	LinStatic	0	0	0	0	0	0	151-2
151	125	L	LinStatic	-1,084	0,363	1,513	0,8354	0,0369	-0,2475	151-2
151	15	L	LinStatic	1,084	-0,363	-1,513	-1,3816	0,11	-0,1792	151-2
151	125	COMB1	Combination	-1,906	0,653	2,689	1,4736	0,0702	-0,4478	151-2
151	15	COMB1	Combination	1,906	-0,653	-2,689	-2,4433	0,1882	-0,3025	151-2
151	125	COMB5	Combination	-1,906	0,653	2,689	1,4736	0,0702	-0,4478	151-2
151	15	COMB5	Combination	1,906	-0,653	-2,689	-2,4433	0,1882	-0,3025	151-2
151	125	COMB6	Combination	-1,906	0,653	2,689	1,4736	0,0702	-0,4478	151-2
151	15	COMB6	Combination	1,906	-0,653	-2,689	-2,4433	0,1882	-0,3025	151-2
151	125	COMB7	Combination	-0,05	0,078	0,35	0,2053	0,0035	-0,0411	151-2
151	15	COMB7	Combination	0,05	-0,078	-0,35	-0,3326	0,0032	0,0215	151-2
151	125	COMB8	Combination	-0,05	0,078	0,35	0,2053	0,0035	-0,0411	151-2
151	15	COMB8	Combination	0,05	-0,078	-0,35	-0,3326	0,0032	0,0215	151-2
151	125	COMB9	Combination	-2,06	0,674	2,735	1,4837	0,0777	-0,4714	151-2
151	15	COMB9	Combination	2,06	-0,674	-2,735	-2,4688	0,2015	-0,3393	151-2
151	125	COMB10	Combination	2,272	-0,668	-2,721	-1,4756	-0,0778	0,4776	151-2
151	15	COMB10	Combination	-2,272	0,668	2,721	2,4561	-0,2301	0,4168	151-2
151	125	COMB11	Combination	1,188	-0,305	-1,209	-0,6402	-0,0409	0,2301	151-2
151	15	COMB11	Combination	-1,188	0,305	1,209	1,0745	-0,1201	0,2376	151-2
151	125	COMB12	Combination	-3,144	1,037	4,248	2,3191	0,1146	-0,7189	151-2
151	15	COMB12	Combination	3,144	-1,037	-4,248	-3,8504	0,3115	-0,5186	151-2
151	125	ENV	Combination	2,272	1,037	4,248	2,3191	0,1146	0,4776	151-2
151	15	ENV	Combination	3,144	0,668	2,721	2,4561	0,3115	0,4168	151-2
151	125	ENV	Combination	-3,144	-0,668	-2,721	-1,4756	-0,0778	-0,7189	151-2
151	15	ENV	Combination	-2,272	-1,037	-4,248	-3,8504	-0,2301	-0,5186	151-2
151	15	DEAD	LinStatic	-0,192	-0,015	0,008048	0,0029	0,0215	-0,0655	151-3
151	120	DEAD	LinStatic	0,192	0,015	-0,008048	-0,0077	0,0025	-0,0043	151-3
151	15	CM	LinStatic	-0,36	0,234	0,261	-0,0571	0,0277	-0,0842	151-3
151	120	CM	LinStatic	0,36	-0,234	-0,251	-0,0066	0,0173	-0,0462	151-3
151	15	CV	LinStatic	0	0	0	0	0	0	151-3
151	120	CV	LinStatic	0	0	0	0	0	0	151-3
151	15	L	LinStatic	-0,251	0,146	-0,247	0,5634	-0,025	0,0313	151-3

151	120	L	LinStatic		0,251	-0,146	0,247	-0,4556	0,0564	-0,1225	151-3
151	15	COMB1	Combination		-0,556	0,242	-0,439	0,9997	-0,0287	0,007	151-3
151	120	COMB1	Combination		0,556	-0,242	0,439	-0,8101	0,0981	-0,2087	151-3
151	15	COMB5	Combination		-0,556	0,242	-0,439	0,9997	-0,0287	0,007	151-3
151	120	COMB5	Combination		0,556	-0,242	0,439	-0,8101	0,0981	-0,2087	151-3
151	15	COMB6	Combination		-0,556	0,242	-0,439	0,9997	-0,0287	0,007	151-3
151	120	COMB6	Combination		0,556	-0,242	0,439	-0,8101	0,0981	-0,2087	151-3
151	15	COMB7	Combination		-0,331	0,02	-0,038	0,1329	0,0217	-0,0753	151-3
151	120	COMB7	Combination		0,331	-0,02	0,038	-0,1165	0,0197	-0,0448	151-3
151	15	COMB8	Combination		-0,331	0,02	-0,038	0,1329	0,0217	-0,0753	151-3
151	120	COMB8	Combination		0,331	-0,02	0,038	-0,1165	0,0197	-0,0448	151-3
151	15	COMB9	Combination		-0,454	0,245	-0,46	1,0142	-0,0372	0,0306	151-3
151	120	COMB9	Combination		0,454	-0,245	0,46	-0,8169	0,094	-0,1955	151-3
151	15	COMB10	Combination		0,07	-0,275	0,476	-1,0084	0,0803	-0,1616	151-3
151	120	COMB10	Combination		-0,07	0,275	-0,476	0,8015	-0,089	0,187	151-3
151	15	COMB11	Combination		-0,181	-0,129	0,229	-0,445	0,0553	-0,1303	151-3
151	120	COMB11	Combination		0,181	0,129	-0,229	0,3458	-0,0326	0,0644	151-3
151	15	COMB12	Combination		-0,706	0,391	-0,706	1,5776	-0,0623	0,0619	151-3
151	120	COMB12	Combination		0,706	-0,391	0,706	-1,2725	0,1504	-0,318	151-3
151	15	ENV	Combination	Max	0,07	0,391	0,476	1,5776	0,0803	0,0619	151-3
151	120	ENV	Combination	Max	0,706	0,275	0,706	0,8015	0,1504	0,187	151-3
151	15	ENV	Combination	Min	-0,706	-0,275	-0,706	-1,0084	-0,0623	-0,1616	151-3
151	120	ENV	Combination	Min	-0,07	-0,391	-0,476	-1,2725	-0,089	-0,318	151-3
151	120	DEAD	LinStatic		-0,16	-0,018	0,011	-0,0064	0,022	-0,0643	151-4
151	115	DEAD	LinStatic		0,16	0,018	-0,011	-0,0066	0,0198	-0,057	151-4
151	120	CM	LinStatic		-0,045	0,227	0,134	-0,0021	-0,0013	-0,0128	151-4
151	115	CM	LinStatic		0,045	-0,227	-0,112	-0,0317	0,0129	-0,021	151-4
151	120	CV	LinStatic		0	0	0	0	0	0	151-4
151	115	CV	LinStatic		0	0	0	0	0	0	151-4
151	120	L	LinStatic		0,111	0,308	-0,257	0,488	-0,0417	0,0286	151-4
151	115	L	LinStatic		-0,111	-0,308	0,257	-0,2133	0,0128	0,0554	151-4
151	120	COMB1	Combination		0,021	0,525	-0,442	0,8541	-0,0484	-0,0233	151-4
151	115	COMB1	Combination		-0,021	-0,525	0,442	-0,383	0,0429	0,0391	151-4
151	120	COMB5	Combination		0,021	0,525	-0,442	0,8541	-0,0484	-0,0233	151-4
151	115	COMB5	Combination		-0,021	-0,525	0,442	-0,383	0,0429	0,0391	151-4
151	120	COMB6	Combination		0,021	0,525	-0,442	0,8541	-0,0484	-0,0233	151-4
151	115	COMB6	Combination		-0,021	-0,525	0,442	-0,383	0,0429	0,0391	151-4
151	120	COMB7	Combination		-0,119	0,055	-0,05	0,109	0,0088	-0,0481	151-4
151	115	COMB7	Combination		0,119	-0,055	0,05	-0,0567	0,0223	-0,0422	151-4
151	120	COMB8	Combination		-0,119	0,055	-0,05	0,109	0,0088	-0,0481	151-4
151	115	COMB8	Combination		0,119	-0,055	0,05	-0,0567	0,0223	-0,0422	151-4
151	120	COMB9	Combination		0,003295	0,53	-0,446	0,8628	-0,0448	-0,0353	151-4
151	115	COMB9	Combination		-0,003295	-0,53	0,446	-0,3873	0,0439	0,0378	151-4
151	120	COMB10	Combination		-0,324	-0,566	0,468	-0,8757	0,0887	-0,0932	151-4
151	115	COMB10	Combination		0,324	0,566	-0,468	0,3742	-0,0044	-0,1517	151-4
151	120	COMB11	Combination		-0,213	-0,258	0,211	-0,3877	0,0469	-0,0646	151-4
151	115	COMB11	Combination		0,213	0,258	-0,211	0,1609	0,0085	-0,0963	151-4
151	120	COMB12	Combination		0,114	0,838	-0,703	1,3509	-0,0865	-0,0068	151-4
151	115	COMB12	Combination		-0,114	-0,838	0,703	-0,6006	0,0567	0,0932	151-4
151	120	ENV	Combination	Max	0,114	0,838	0,468	1,3509	0,0887	-0,0068	151-4
151	115	ENV	Combination	Max	0,324	0,566	0,703	0,3742	0,0567	0,0932	151-4
151	120	ENV	Combination	Min	-0,324	-0,566	-0,703	-0,8757	-0,0865	-0,0932	151-4
151	115	ENV	Combination	Min	-0,114	-0,838	-0,468	-0,6006	-0,0044	-0,1517	151-4
151	115	DEAD	LinStatic		-0,059	-0,025	0,007414	-0,0121	0,0053	-0,0274	151-5
151	85	DEAD	LinStatic		0,059	0,025	-0,007414	1,029E-15	0,01	-0,0169	151-5
151	115	CM	LinStatic		-0,026	0,223	0,036	0,0385	-0,0048	-0,0063	151-5
151	85	CM	LinStatic		0,026	-0,223	-0,015	1,206E-15	0,0117	-0,0137	151-5
151	115	CV	LinStatic		0	0	0	0	0	0	151-5
151	85	CV	LinStatic		0	0	0	0	0	0	151-5
151	115	L	LinStatic		0,247	0,539	-0,257	0,3344	-0,0451	0,104	151-5
151	85	L	LinStatic		-0,247	-0,539	0,257	-1,998E-15	-0,0193	0,083	151-5
151	115	COMB1	Combination		0,35	0,926	-0,443	0,5761	-0,0704	0,1446	151-5
151	85	COMB1	Combination		-0,35	-0,926	0,443	-2,147E-15	-0,0208	0,1202	151-5
151	115	COMB5	Combination		0,35	0,926	-0,443	0,5761	-0,0704	0,1446	151-5
151	85	COMB5	Combination		-0,35	-0,926	0,443	-2,147E-15	-0,0208	0,1202	151-5
151	115	COMB6	Combination		0,35	0,926	-0,443	0,5761	-0,0704	0,1446	151-5
151	85	COMB6	Combination		-0,35	-0,926	0,443	-2,147E-15	-0,0208	0,1202	151-5
151	115	COMB7	Combination		0,027	0,102	-0,056	0,0686	-0,0091	0,0087	151-5
151	85	COMB7	Combination		-0,027	-0,102	0,056	2,079E-16	0,002	0,0119	151-5
151	115	COMB8	Combination		0,027	0,102	-0,056	0,0686	-0,0091	0,0087	151-5
151	85	COMB8	Combination		-0,027	-0,102	0,056	2,079E-16	0,002	0,0119	151-5
151	115	COMB9	Combination		0,318	0,937	-0,444	0,5799	-0,0662	0,1312	151-5
151	85	COMB9	Combination		-0,318	-0,937	0,444	-1,718E-15	-0,0166	0,1094	151-5
151	115	COMB10	Combination		-0,435	-0,986	0,459	-0,6041	0,0769	-0,186	151-5
151	85	COMB10	Combination		0,435	0,986	-0,459	3,776E-15	0,0365	-0,1433	151-5
151	115	COMB11	Combination		-0,188	-0,447	0,202	-0,2697	0,0318	-0,082	151-5
151	85	COMB11	Combination		0,188	0,447	-0,202	1,778E-15	0,0172	-0,0603	151-5
151	115	COMB12	Combination		0,565	1,476	-0,701	0,9143	-0,1113	0,2352	151-5
151	85	COMB12	Combination		-0,565	-1,476	0,701	-3,716E-15	-0,036	0,1924	151-5
151	115	ENV	Combination	Max	0,565	1,476	0,459	0,9143	0,0769	0,2352	151-5

151	85	ENV	Combination	Max	0,435	0,986	0,701	3,776E-15	0,0365	0,1924	151-5
151	115	ENV	Combination	Min	-0,435	-0,986	-0,701	-0,6041	-0,1113	-0,186	151-5
151	85	ENV	Combination	Min	-0,565	-1,476	-0,459	-3,716E-15	-0,036	-0,1433	151-5
152	86	DEAD	LinStatic		-0,008911	0,016	-0,008134	0	-0,0015	-0,014	152-1
152	85	DEAD	LinStatic		0,008911	-0,016	0,008134	0	-0,0068	-0,0028	152-1
152	86	CM	LinStatic		-0,004503	-0,237	0,146	0	-0,0053	-0,0054	152-1
152	85	CM	LinStatic		0,004503	0,237	-0,09	0	0,0011	-0,0031	152-1
152	86	CV	LinStatic		0	0	0	0	0	0	152-1
152	85	CV	LinStatic		0	0	0	0	0	0	152-1
152	86	L	LinStatic		0,029	-0,753	0,375	0	-0,0042	0,0208	152-1
152	85	L	LinStatic		-0,029	0,753	-0,375	0	0,031	0,0331	152-1
152	86	COMB1	Combination		0,043	-1,315	0,655	0	-0,0082	0,0241	152-1
152	85	COMB1	Combination		-0,043	1,315	-0,655	0	0,0486	0,0571	152-1
152	86	COMB5	Combination		0,043	-1,315	0,655	0	-0,0082	0,0241	152-1
152	85	COMB5	Combination		-0,043	1,315	-0,655	0	0,0486	0,0571	152-1
152	86	COMB6	Combination		0,043	-1,315	0,655	0	-0,0082	0,0241	152-1
152	85	COMB6	Combination		-0,043	1,315	-0,655	0	0,0486	0,0571	152-1
152	86	COMB7	Combination		-0,003659	-0,159	0,079	0	-0,0033	-0,0105	152-1
152	85	COMB7	Combination		0,003659	0,159	-0,079	0	-0,0001647	0,0036	152-1
152	86	COMB8	Combination		-0,003659	-0,159	0,079	0	-0,0033	-0,0105	152-1
152	85	COMB8	Combination		0,003659	0,159	-0,079	0	-0,0001647	0,0036	152-1
152	86	COMB9	Combination		0,046	-1,332	0,663	0	-0,0073	0,0264	152-1
152	85	COMB9	Combination		-0,046	1,332	-0,663	0	0,0501	0,0597	152-1
152	86	COMB10	Combination		-0,064	1,365	-0,68	0	0,0042	-0,0543	152-1
152	85	COMB10	Combination		0,064	-1,365	0,68	0	-0,0637	-0,0652	152-1
152	86	COMB11	Combination		-0,035	0,611	-0,305	0	0,00002573	-0,0336	152-1
152	85	COMB11	Combination		0,035	-0,611	0,305	0	-0,0327	-0,032	152-1
152	86	COMB12	Combination		0,075	-2,085	1,039	0	-0,0115	0,0471	152-1
152	85	COMB12	Combination		-0,075	2,085	-1,039	0	0,0812	0,0928	152-1
152	86	ENV	Combination	Max	0,075	1,365	1,039	0	0,0042	0,0471	152-1
152	85	ENV	Combination	Max	0,064	2,085	0,68	0	0,0812	0,0928	152-1
152	86	ENV	Combination	Min	-0,064	-2,085	-0,68	0	-0,0115	-0,0543	152-1
152	85	ENV	Combination	Min	-0,075	-1,365	-1,039	0	-0,0637	-0,0652	152-1
153	52	DEAD	LinStatic		0,059	-0,004372	0,001647	-2,008E-16	-0,0071	-0,0274	153-1
153	160	DEAD	LinStatic		-0,059	0,004372	-0,001647	0,0001076	-0,0083	-0,0174	153-1
153	52	CM	LinStatic		0,012	0,09	-0,058	-9,413E-17	-0,0033	-0,0128	153-1
153	160	CM	LinStatic		-0,012	-0,09	0,079	-0,0283	0,000317	0,004	153-1
153	52	CV	LinStatic		0	0	0	0	0	0	153-1
153	160	CV	LinStatic		0	0	0	0	0	0	153-1
153	52	L	LinStatic		1,396	0,339	-1,432	-6,388E-15	-0,2267	-0,4936	153-1
153	160	L	LinStatic		-1,396	-0,339	1,432	-0,9947	-0,137	-0,5625	153-1
153	52	COMB1	Combination		2,493	0,581	-2,521	-1,134E-14	-0,4025	-0,8839	153-1
153	160	COMB1	Combination		-2,493	-0,581	2,521	-1,7555	-0,247	-1,0022	153-1
153	52	COMB5	Combination		2,493	0,581	-2,521	-1,134E-14	-0,4025	-0,8839	153-1
153	160	COMB5	Combination		-2,493	-0,581	2,521	-1,7555	-0,247	-1,0022	153-1
153	52	COMB6	Combination		2,493	0,581	-2,521	-1,134E-14	-0,4025	-0,8839	153-1
153	160	COMB6	Combination		-2,493	-0,581	2,521	-1,7555	-0,247	-1,0022	153-1
153	52	COMB7	Combination		0,418	0,087	-0,339	-1,836E-15	-0,0651	-0,1582	153-1
153	160	COMB7	Combination		-0,418	-0,087	0,339	-0,2336	-0,0436	-0,1577	153-1
153	52	COMB8	Combination		0,418	0,087	-0,339	-1,836E-15	-0,0651	-0,1582	153-1
153	160	COMB8	Combination		-0,418	-0,087	0,339	-0,2336	-0,0436	-0,1577	153-1
153	52	COMB9	Combination		2,481	0,572	-2,544	-1,129E-14	-0,4007	-0,874	153-1
153	160	COMB9	Combination		-2,481	-0,572	2,544	-1,7754	-0,2455	-1,0027	153-1
153	52	COMB10	Combination		-2,363	-0,58	2,547	1,089E-14	0,3864	0,8193	153-1
153	160	COMB10	Combination		2,363	0,58	-2,547	1,7756	0,2289	0,9679	153-1
153	52	COMB11	Combination		-0,966	-0,242	1,116	4,502E-15	0,1598	0,3256	153-1
153	160	COMB11	Combination		0,966	0,242	-1,116	0,7809	0,0919	0,4054	153-1
153	52	COMB12	Combination		3,877	0,91	-3,976	-1,768E-14	-0,6274	-1,3677	153-1
153	160	COMB12	Combination		-3,877	-0,91	3,976	-2,7701	-0,3825	-1,5653	153-1
153	52	ENV	Combination	Max	3,877	0,91	2,547	1,089E-14	0,3864	0,8193	153-1
153	160	ENV	Combination	Max	2,363	0,58	3,976	1,7756	0,2289	0,9679	153-1
153	52	ENV	Combination	Min	-2,363	-0,58	-3,976	-1,768E-14	-0,6274	-1,3677	153-1
153	160	ENV	Combination	Min	-3,877	-0,91	-2,547	-2,7701	-0,3825	-1,5653	153-1
153	160	DEAD	LinStatic		0,106	-0,002773	0,006959	-0,0041	-0,00003788	-0,003	153-2
153	35	DEAD	LinStatic		-0,106	0,002773	-0,006959	0,0065	-0,0143	-0,0386	153-2
153	160	CM	LinStatic		0,258	0,091	-0,189	0,0212	-0,011	-0,036	153-2
153	35	CM	LinStatic		-0,258	-0,091	0,2	-0,0856	-0,024	-0,0656	153-2
153	160	CV	LinStatic		0	0	0	0	0	0	153-2
153	35	CV	LinStatic		0	0	0	0	0	0	153-2
153	160	L	LinStatic		1,453	0,393	-1,561	0,8223	-0,0521	-0,2923	153-2
153	35	L	LinStatic		-1,453	-0,393	1,561	-1,3835	-0,1448	-0,2796	153-2
153	160	COMB1	Combination		2,563	0,677	-2,733	1,4513	-0,0874	-0,5057	153-2
153	35	COMB1	Combination		-2,563	-0,677	2,733	-2,4353	-0,2599	-0,5031	153-2
153	160	COMB5	Combination		2,563	0,677	-2,733	1,4513	-0,0874	-0,5057	153-2
153	35	COMB5	Combination		-2,563	-0,677	2,733	-2,4353	-0,2599	-0,5031	153-2
153	160	COMB6	Combination		2,563	0,677	-2,733	1,4513	-0,0874	-0,5057	153-2
153	35	COMB6	Combination		-2,563	-0,677	2,733	-2,4353	-0,2599	-0,5031	153-2
153	160	COMB7	Combination		0,554	0,102	-0,375	0,1849	-0,0168	-0,0847	153-2
153	35	COMB7	Combination		-0,554	-0,102	0,375	-0,3187	-0,0582	-0,1333	153-2
153	160	COMB8	Combination		0,554	0,102	-0,375	0,1849	-0,0168	-0,0847	153-2

153	35	COMB8	Combination	-0,554	-0,102	0,375	-0,3187	-0,0582	-0,1333 153-2
153	160	COMB9	Combination	2,45	0,668	-2,744	1,4733	-0,0824	-0,4941 153-2
153	35	COMB9	Combination	-2,45	-0,668	2,744	-2,4628	-0,2496	-0,4701 153-2
153	160	COMB10	Combination	-2,239	-0,673	2,758	-1,4816	0,0824	0,4882 153-2
153	35	COMB10	Combination	2,239	0,673	-2,758	2,4758	0,221	0,3929 153-2
153	160	COMB11	Combination	-0,786	-0,281	1,197	-0,6593	0,0303	0,1959 153-2
153	35	COMB11	Combination	0,786	0,281	-1,197	1,0923	0,0762	0,1133 153-2
153	160	COMB12	Combination	3,903	1,06	-4,305	2,2956	-0,1345	-0,7864 153-2
153	35	COMB12	Combination	-3,903	-1,06	4,305	-3,8463	-0,3944	-0,7497 153-2
153	160	ENV	Combination	3,903	1,06	2,758	2,2956	0,0824	0,4882 153-2
153	35	ENV	Combination	2,239	0,673	4,305	2,4758	0,221	0,3929 153-2
153	160	ENV	Combination	-2,239	-0,673	-4,305	-1,4816	-0,1345	-0,7864 153-2
153	35	ENV	Combination	-3,903	-1,06	-2,758	-3,8463	-0,3944	-0,7497 153-2
153	35	DEAD	LinStatic	-0,193	0,015	0,007931	-0,0029	0,0215	0,0655 153-3
153	155	DEAD	LinStatic	0,193	-0,015	-0,007931	0,0077	0,0026	0,0045 153-3
153	35	CM	LinStatic	-0,359	-0,234	0,262	0,0573	0,0276	0,0842 153-3
153	155	CM	LinStatic	0,359	0,234	-0,252	0,0067	0,0172	0,0461 153-3
153	35	CV	LinStatic	0	0	0	0	0	0 153-3
153	155	CV	LinStatic	0	0	0	0	0	0 153-3
153	35	L	LinStatic	-0,155	0,127	0,31	0,573	0,0597	0,1332 153-3
153	155	L	LinStatic	0,155	-0,127	-0,31	-0,4447	-0,0403	-0,0768 153-3
153	35	COMB1	Combination	-0,385	0,242	0,542	1,0063	0,119	0,2773 153-3
153	155	COMB1	Combination	0,385	-0,242	-0,542	-0,7794	-0,0709	-0,1377 153-3
153	35	COMB5	Combination	-0,385	0,242	0,542	1,0063	0,119	0,2773 153-3
153	155	COMB5	Combination	0,385	-0,242	-0,542	-0,7794	-0,0709	-0,1377 153-3
153	35	COMB6	Combination	-0,385	0,242	0,542	1,0063	0,119	0,2773 153-3
153	155	COMB6	Combination	0,385	-0,242	-0,542	-0,7794	-0,0709	-0,1377 153-3
153	35	COMB7	Combination	-0,312	0,043	0,094	0,1339	0,0435	0,1201 153-3
153	155	COMB7	Combination	0,312	-0,043	-0,094	-0,0945	-0,0046	-0,007 153-3
153	35	COMB8	Combination	-0,312	0,043	0,094	0,1339	0,0435	0,1201 153-3
153	155	COMB8	Combination	0,312	-0,043	-0,094	-0,0945	-0,0046	-0,007 153-3
153	35	COMB9	Combination	-0,278	0,248	0,531	1,0149	0,1096	0,2489 153-3
153	155	COMB9	Combination	0,278	-0,248	-0,531	-0,7913	-0,0749	-0,148 153-3
153	35	COMB10	Combination	-0,108	-0,218	-0,515	-1,0208	-0,0666	-0,1179 153-3
153	155	COMB10	Combination	0,108	0,218	0,515	0,8067	0,08	0,157 153-3
153	35	COMB11	Combination	-0,263	-0,091	-0,205	-0,4477	-0,0068	0,0153 153-3
153	155	COMB11	Combination	0,263	0,091	0,205	0,362	0,0397	0,0802 153-3
153	35	COMB12	Combination	-0,433	0,376	0,841	1,5879	0,1694	0,3821 153-3
153	155	COMB12	Combination	0,433	-0,376	-0,841	-1,2359	-0,1152	-0,2248 153-3
153	35	ENV	Combination	-0,108	0,376	0,841	1,5879	0,1694	0,3821 153-3
153	155	ENV	Combination	0,433	0,218	0,515	0,8067	0,08	0,157 153-3
153	35	ENV	Combination	-0,433	-0,218	-0,515	-1,0208	-0,0666	-0,1179 153-3
153	155	ENV	Combination	0,108	-0,376	-0,841	-1,2359	-0,1152	-0,2248 153-3
153	155	DEAD	LinStatic	-0,16	0,018	0,011	0,0063	0,0218	0,064 153-4
153	150	DEAD	LinStatic	0,16	-0,018	-0,011	0,0065	0,0197	0,0568 153-4
153	155	CM	LinStatic	-0,045	-0,227	0,134	0,0023	-0,0012	0,0128 153-4
153	150	CM	LinStatic	0,045	0,227	-0,113	0,032	0,0129	0,021 153-4
153	155	CV	LinStatic	0	0	0	0	0	0 153-4
153	150	CV	LinStatic	0	0	0	0	0	0 153-4
153	155	L	LinStatic	-0,155	0,291	0,27	0,4882	0,0442	0,0362 153-4
153	150	L	LinStatic	0,155	-0,291	-0,27	-0,2082	-0,0039	0,0809 153-4
153	155	COMB1	Combination	-0,423	0,535	0,484	0,8682	0,0988	0,1249 153-4
153	150	COMB1	Combination	0,423	-0,535	-0,484	-0,3624	0,0115	0,1952 153-4
153	155	COMB5	Combination	-0,423	0,535	0,484	0,8682	0,0988	0,1249 153-4
153	150	COMB5	Combination	0,423	-0,535	-0,484	-0,3624	0,0115	0,1952 153-4
153	155	COMB6	Combination	-0,423	0,535	0,484	0,8682	0,0988	0,1249 153-4
153	150	COMB6	Combination	0,423	-0,535	-0,484	-0,3624	0,0115	0,1952 153-4
153	155	COMB7	Combination	-0,206	0,084	0,077	0,121	0,0332	0,0754 153-4
153	150	COMB7	Combination	0,206	-0,084	-0,077	-0,0409	0,0203	0,0802 153-4
153	155	COMB8	Combination	-0,206	0,084	0,077	0,121	0,0332	0,0754 153-4
153	150	COMB8	Combination	0,206	-0,084	-0,077	-0,0409	0,0203	0,0802 153-4
153	155	COMB9	Combination	-0,414	0,544	0,486	0,878	0,0983	0,1218 153-4
153	150	COMB9	Combination	0,414	-0,544	-0,486	-0,3686	0,0094	0,191 153-4
153	155	COMB10	Combination	0,094	-0,507	-0,465	-0,8653	-0,0546	0,0062 153-4
153	150	COMB10	Combination	-0,094	0,507	0,465	0,3816	0,0301	-0,0774 153-4
153	155	COMB11	Combination	-0,061	-0,216	-0,195	-0,3771	-0,0105	0,0424 153-4
153	150	COMB11	Combination	0,061	0,216	0,195	0,1734	0,0262	0,0034 153-4
153	155	COMB12	Combination	-0,568	0,835	0,756	1,3663	0,1425	0,1579 153-4
153	150	COMB12	Combination	0,568	-0,835	-0,756	-0,5768	0,0056	0,2719 153-4
153	155	ENV	Combination	0,094	0,835	0,756	1,3663	0,1425	0,1579 153-4
153	150	ENV	Combination	0,568	0,507	0,465	0,3816	0,0301	0,2719 153-4
153	155	ENV	Combination	-0,568	-0,507	-0,465	-0,8653	-0,0546	0,0062 153-4
153	150	ENV	Combination	-0,094	-0,835	-0,756	-0,5768	0,0056	-0,0774 153-4
153	150	DEAD	LinStatic	-0,058	0,025	0,007387	0,0121	0,0053	0,0272 153-5
153	87	DEAD	LinStatic	0,058	-0,025	-0,007387	-5,1E-16	0,0099	0,0168 153-5
153	150	CM	LinStatic	-0,027	-0,223	0,036	-0,0386	-0,0048	0,0064 153-5
153	87	CM	LinStatic	0,027	0,223	-0,015	-6,102E-16	0,0118	0,0139 153-5
153	150	CV	LinStatic	0	0	0	0	0	0 153-5
153	87	CV	LinStatic	0	0	0	0	0	0 153-5
153	150	L	LinStatic	-0,227	0,529	0,257	0,3323	0,0398	0,0955 153-5

153	87	L	LinStatic	0,227	-0,529	-0,257	-9,939E-16	0,0192	0,0761	153-5
153	150	COMB1	Combination	-0,464	0,959	0,461	0,5987	0,0761	0,1932	153-5
153	87	COMB1	Combination	0,464	-0,959	-0,461	-2,31E-15	0,0447	0,1576	153-5
153	150	COMB5	Combination	-0,464	0,959	0,461	0,5987	0,0761	0,1932	153-5
153	87	COMB5	Combination	0,464	-0,959	-0,461	-2,31E-15	0,0447	0,1576	153-5
153	150	COMB6	Combination	-0,464	0,959	0,461	0,5987	0,0761	0,1932	153-5
153	87	COMB6	Combination	0,464	-0,959	-0,461	-2,31E-15	0,0447	0,1576	153-5
153	150	COMB7	Combination	-0,106	0,149	0,068	0,0901	0,0141	0,0521	153-5
153	87	COMB7	Combination	0,106	-0,149	-0,068	-6,977E-16	0,0135	0,0282	153-5
153	150	COMB8	Combination	-0,106	0,149	0,068	0,0901	0,0141	0,0521	153-5
153	87	COMB8	Combination	0,106	-0,149	-0,068	-6,977E-16	0,0135	0,0282	153-5
153	150	COMB9	Combination	-0,475	0,97	0,466	0,6055	0,0775	0,1919	153-5
153	87	COMB9	Combination	0,475	-0,97	-0,466	-2,391E-15	0,0463	0,1677	153-5
153	150	COMB10	Combination	0,359	-0,92	-0,452	-0,5813	-0,067	-0,1375	153-5
153	87	COMB10	Combination	-0,359	0,92	0,452	1,371E-15	-0,0265	-0,1341	153-5
153	150	COMB11	Combination	0,132	-0,392	-0,194	-0,249	-0,0271	-0,042	153-5
153	87	COMB11	Combination	-0,132	0,392	0,194	3,772E-16	-0,0073	-0,058	153-5
153	150	COMB12	Combination	-0,702	1,499	0,724	0,9378	0,1174	0,2873	153-5
153	87	COMB12	Combination	0,702	-1,499	-0,724	-3,385E-15	0,0655	0,2438	153-5
153	150	ENV	Combination	0,359	1,499	0,724	0,9378	0,1174	0,2873	153-5
153	87	ENV	Combination	0,702	0,92	0,452	1,371E-15	0,0655	0,2438	153-5
153	150	ENV	Combination	-0,702	-0,92	-0,452	-0,5813	-0,067	-0,1375	153-5
153	87	ENV	Combination	-0,359	-1,499	-0,724	-3,385E-15	-0,0265	-0,1341	153-5
154	88	DEAD	LinStatic	-0,008868	-0,016	-0,008192	0	-0,0015	0,0139	154-1
154	87	DEAD	LinStatic	0,008868	0,016	0,008192	0	-0,0068	0,0027	154-1
154	88	CM	LinStatic	-0,004481	0,237	0,146	0	-0,0053	0,0053	154-1
154	87	CM	LinStatic	0,004481	-0,237	-0,09	0	0,0011	0,0031	154-1
154	88	CV	LinStatic	0	0	0	0	0	0	154-1
154	87	CV	LinStatic	0	0	0	0	0	0	154-1
154	88	L	LinStatic	-0,045	-0,741	-0,369	0	-0,0016	0,0391	154-1
154	87	L	LinStatic	0,045	0,741	0,369	0	-0,04	0,0444	154-1
154	88	COMB1	Combination	-0,085	-1,327	-0,661	0	-0,0034	0,0771	154-1
154	87	COMB1	Combination	0,085	1,327	0,661	0	-0,0758	0,0819	154-1
154	88	COMB5	Combination	-0,085	-1,327	-0,661	0	-0,0034	0,0771	154-1
154	87	COMB5	Combination	0,085	1,327	0,661	0	-0,0758	0,0819	154-1
154	88	COMB6	Combination	-0,085	-1,327	-0,661	0	-0,0034	0,0771	154-1
154	87	COMB6	Combination	0,085	1,327	0,661	0	-0,0758	0,0819	154-1
154	88	COMB7	Combination	-0,022	-0,189	-0,094	0	-0,0028	0,0288	154-1
154	87	COMB7	Combination	0,022	0,189	0,094	0	-0,0178	0,0125	154-1
154	88	COMB8	Combination	-0,022	-0,189	-0,094	0	-0,0028	0,0288	154-1
154	87	COMB8	Combination	0,022	0,189	0,094	0	-0,0178	0,0125	154-1
154	88	COMB9	Combination	-0,082	-1,344	-0,67	0	-0,0022	0,0702	154-1
154	87	COMB9	Combination	0,082	1,344	0,67	0	-0,0744	0,0837	154-1
154	88	COMB10	Combination	0,064	1,311	0,653	0	-0,0008211	-0,0425	154-1
154	87	COMB10	Combination	-0,064	-1,311	-0,653	0	0,0609	-0,0782	154-1
154	88	COMB11	Combination	0,02	0,57	0,284	0	-0,0024	-0,0034	154-1
154	87	COMB11	Combination	-0,02	-0,57	-0,284	0	0,0209	-0,0337	154-1
154	88	COMB12	Combination	-0,127	-2,085	-1,039	0	-0,0038	0,1093	154-1
154	87	COMB12	Combination	0,127	2,085	1,039	0	-0,1144	0,1281	154-1
154	88	ENV	Combination	0,064	1,311	0,653	0	-0,0008211	0,1093	154-1
154	87	ENV	Combination	0,127	2,085	1,039	0	0,0609	0,1281	154-1
154	88	ENV	Combination	-0,127	-2,085	-1,039	0	-0,0038	-0,0425	154-1
154	87	ENV	Combination	-0,064	-1,311	-0,653	0	-0,1144	-0,0782	154-1
155	68	DEAD	LinStatic	0,049	-0,031	-0,008352	4,259E-17	-0,0045	0,0228	155-1
155	126	DEAD	LinStatic	-0,049	0,031	0,008352	-0,0018	-0,0083	0,0145	155-1
155	68	CM	LinStatic	0,031	-0,039	-0,045	3,684E-17	-0,0039	0,0197	155-1
155	126	CM	LinStatic	-0,031	0,039	0,067	0,0321	-0,0042	0,0038	155-1
155	68	CV	LinStatic	0	0	0	0	0	0	155-1
155	126	CV	LinStatic	0	0	0	0	0	0	155-1
155	68	L	LinStatic	-0,844	0,361	1,237	-1,14E-15	0,1214	-0,2418	155-1
155	126	L	LinStatic	0,844	-0,361	-1,237	-0,8414	0,0984	-0,3965	155-1
155	68	COMB1	Combination	-1,448	0,625	2,178	-1,977E-15	0,2105	-0,4112	155-1
155	126	COMB1	Combination	1,448	-0,625	-2,178	-1,4844	0,1666	-0,6839	155-1
155	68	COMB5	Combination	-1,448	0,625	2,178	-1,977E-15	0,2105	-0,4112	155-1
155	126	COMB5	Combination	1,448	-0,625	-2,178	-1,4844	0,1666	-0,6839	155-1
155	68	COMB6	Combination	-1,448	0,625	2,178	-1,977E-15	0,2105	-0,4112	155-1
155	126	COMB6	Combination	1,448	-0,625	-2,178	-1,4844	0,1666	-0,6839	155-1
155	68	COMB7	Combination	-0,141	0,035	0,279	-2,182E-16	0,0232	-0,0267	155-1
155	126	COMB7	Combination	0,141	-0,035	-0,279	-0,2019	0,0136	-0,0802	155-1
155	68	COMB8	Combination	-0,141	0,035	0,279	-2,182E-16	0,0232	-0,0267	155-1
155	126	COMB8	Combination	0,141	-0,035	-0,279	-0,2019	0,0136	-0,0802	155-1
155	68	COMB9	Combination	-1,475	0,658	2,207	-2,009E-15	0,2139	-0,4258	155-1
155	126	COMB9	Combination	1,475	-0,658	-2,207	-1,498	0,1702	-0,6899	155-1
155	68	COMB10	Combination	1,573	-0,72	-2,224	2,094E-15	-0,223	0,4714	155-1
155	126	COMB10	Combination	-1,573	0,72	2,224	1,4944	-0,1868	0,7188	155-1
155	68	COMB11	Combination	0,73	-0,359	-0,987	9,542E-16	-0,1016	0,2296	155-1
155	126	COMB11	Combination	-0,73	0,359	0,987	0,653	-0,0884	0,3223	155-1
155	68	COMB12	Combination	-2,319	1,019	3,444	-3,149E-15	0,3353	-0,6676	155-1
155	126	COMB12	Combination	2,319	-1,019	-3,444	-2,3394	0,2687	-1,0864	155-1
155	68	ENV	Combination	1,573	1,019	3,444	2,094E-15	0,3353	0,4714	155-1

155	126	ENV	Combination	Max	2,319	0,72	2,224	1,4944	0,2687	0,7188	155-1
155	68	ENV	Combination	Min	-2,319	-0,72	-2,224	-3,149E-15	-0,223	-0,6676	155-1
155	126	ENV	Combination	Min	-1,573	-1,019	-3,444	-2,3394	-0,1868	-1,0864	155-1
155	126	DEAD	LinStatic		0,064	-0,039	-0,005179	0,0041	0,004	-0,0054	155-2
155	16	DEAD	LinStatic		-0,064	0,039	0,005179	-0,0074	-0,0126	0,0306	155-2
155	126	CM	LinStatic		0,113	-0,052	-0,115	-0,029	-0,0031	0,0113	155-2
155	16	CM	LinStatic		-0,113	0,052	0,126	0,0692	-0,0123	0,0334	155-2
155	126	CV	LinStatic		0	0	0	0	0	0	155-2
155	16	CV	LinStatic		0	0	0	0	0	0	155-2
155	126	L	LinStatic		0,181	0,678	1,027	0,7557	-0,0727	0,0192	155-2
155	16	L	LinStatic		-0,181	-0,678	-1,027	-1,0682	0,0482	0,052	155-2
155	126	COMB1	Combination		0,328	1,18	1,825	1,3341	-0,1224	0,0222	155-2
155	16	COMB1	Combination		-0,328	-1,18	-1,825	-1,8926	0,078	0,1069	155-2
155	126	COMB5	Combination		0,328	1,18	1,825	1,3341	-0,1224	0,0222	155-2
155	16	COMB5	Combination		-0,328	-1,18	-1,825	-1,8926	0,078	0,1069	155-2
155	126	COMB6	Combination		0,328	1,18	1,825	1,3341	-0,1224	0,0222	155-2
155	16	COMB6	Combination		-0,328	-1,18	-1,825	-1,8926	0,078	0,1069	155-2
155	126	COMB7	Combination		0,162	0,097	0,219	0,1855	-0,0151	0,0054	155-2
155	16	COMB7	Combination		-0,162	-0,097	-0,219	-0,2587	-0,0068	0,0583	155-2
155	126	COMB8	Combination		0,162	0,097	0,219	0,1855	-0,0151	0,0054	155-2
155	16	COMB8	Combination		-0,162	-0,097	-0,219	-0,2587	-0,0068	0,0583	155-2
155	126	COMB9	Combination		0,258	1,224	1,868	1,3442	-0,1212	0,0142	155-2
155	16	COMB9	Combination		-0,258	-1,224	-1,868	-1,9136	0,0863	0,0872	155-2
155	126	COMB10	Combination		-0,13	-1,303	-1,878	-1,336	0,1291	-0,0251	155-2
155	16	COMB10	Combination		0,13	1,303	1,878	1,8988	-0,1116	-0,026	155-2
155	126	COMB11	Combination		0,051	-0,625	-0,851	-0,5803	0,0564	-0,0059	155-2
155	16	COMB11	Combination		-0,051	0,625	0,851	0,8306	-0,0633	0,026	155-2
155	126	COMB12	Combination		0,439	1,902	2,896	2,0999	-0,1939	0,0335	155-2
155	16	COMB12	Combination		-0,439	-1,902	-2,896	-2,9818	0,1345	0,1392	155-2
155	126	ENV	Combination	Max	0,439	1,902	2,896	2,0999	0,1291	0,0335	155-2
155	16	ENV	Combination	Max	0,13	1,303	1,878	1,8988	0,1345	0,1392	155-2
155	126	ENV	Combination	Min	-0,13	-1,303	-1,878	-1,336	-0,1939	-0,0251	155-2
155	16	ENV	Combination	Min	-0,439	-1,902	-2,896	-2,9818	-0,1116	-0,026	155-2
155	16	DEAD	LinStatic		-0,103	-0,074	-0,024	0,0068	0,0169	-0,0521	155-3
155	121	DEAD	LinStatic		0,103	0,074	0,024	-0,0074	-0,004	0,0147	155-3
155	16	CM	LinStatic		-0,166	-0,037	0,136	-0,0868	0,0111	-0,04	155-3
155	121	CM	LinStatic		0,166	0,037	-0,126	0,0345	0,0096	-0,0202	155-3
155	16	CV	LinStatic		0	0	0	0	0	0	155-3
155	121	CV	LinStatic		0	0	0	0	0	0	155-3
155	16	L	LinStatic		0,42	0,411	-0,098	0,45	-0,096	0,2098	155-3
155	121	L	LinStatic		-0,42	-0,411	0,098	-0,363	0,0435	-0,0573	155-3
155	16	COMB1	Combination		0,679	0,644	-0,21	0,8033	-0,1564	0,3265	155-3
155	121	COMB1	Combination		-0,679	-0,644	0,21	-0,6466	0,0715	-0,08	155-3
155	16	COMB5	Combination		0,679	0,644	-0,21	0,8033	-0,1564	0,3265	155-3
155	121	COMB5	Combination		-0,679	-0,644	0,21	-0,6466	0,0715	-0,08	155-3
155	16	COMB6	Combination		0,679	0,644	-0,21	0,8033	-0,1564	0,3265	155-3
155	121	COMB6	Combination		-0,679	-0,644	0,21	-0,6466	0,0715	-0,08	155-3
155	16	COMB7	Combination		-0,045	0,029	-0,035	0,1103	-0,0018	-0,0111	155-3
155	121	COMB7	Combination		0,045	-0,029	0,035	-0,0941	0,0074	-0,0052	155-3
155	16	COMB8	Combination		-0,045	0,029	-0,035	0,1103	-0,0018	-0,0111	155-3
155	121	COMB8	Combination		0,045	-0,029	0,035	-0,0941	0,0074	-0,0052	155-3
155	16	COMB9	Combination		0,742	0,642	-0,229	0,8154	-0,1635	0,3418	155-3
155	121	COMB9	Combination		-0,742	-0,642	0,229	-0,6521	0,0708	-0,0725	155-3
155	16	COMB10	Combination		-0,948	-0,791	0,181	-0,8017	0,1972	-0,4459	155-3
155	121	COMB10	Combination		0,948	0,791	-0,181	0,6373	-0,0787	0,1019	155-3
155	16	COMB11	Combination		-0,528	-0,38	0,082	-0,3517	0,1012	-0,2362	155-3
155	121	COMB11	Combination		0,528	0,38	-0,082	0,2743	-0,0353	0,0446	155-3
155	16	COMB12	Combination		1,162	1,053	-0,327	1,2654	-0,2595	0,5515	155-3
155	121	COMB12	Combination		-1,162	-1,053	0,327	-1,015	0,1142	-0,1298	155-3
155	16	ENV	Combination	Max	1,162	1,053	0,181	1,2654	0,1972	0,5515	155-3
155	121	ENV	Combination	Max	0,948	0,791	0,327	0,6373	0,1142	0,1019	155-3
155	16	ENV	Combination	Min	-0,948	-0,791	-0,327	-0,8017	-0,2595	-0,4459	155-3
155	121	ENV	Combination	Min	-1,162	-1,053	-0,181	-1,015	-0,0787	-0,1298	155-3
155	121	DEAD	LinStatic		-0,114	-0,044	-0,0011	-0,0006235	0,0173	-0,0506	155-4
155	116	DEAD	LinStatic		0,114	0,044	0,0011	-0,0099	0,0124	-0,0357	155-4
155	121	CM	LinStatic		-0,044	-0,01	0,079	-0,0461	-0,0066	-0,0092	155-4
155	116	CM	LinStatic		0,044	0,01	-0,057	-0,008	0,018	-0,0241	155-4
155	121	CV	LinStatic		0	0	0	0	0	0	155-4
155	116	CV	LinStatic		0	0	0	0	0	0	155-4
155	121	L	LinStatic		0,249	0,363	-0,09	0,3379	-0,1053	0,1071	155-4
155	116	L	LinStatic		-0,249	-0,363	0,09	-0,1749	0,0405	0,0814	155-4
155	121	COMB1	Combination		0,32	0,59	-0,162	0,5946	-0,1673	0,1328	155-4
155	116	COMB1	Combination		-0,32	-0,59	0,162	-0,3182	0,0838	0,1095	155-4
155	121	COMB5	Combination		0,32	0,59	-0,162	0,5946	-0,1673	0,1328	155-4
155	116	COMB5	Combination		-0,32	-0,59	0,162	-0,3182	0,0838	0,1095	155-4
155	121	COMB6	Combination		0,32	0,59	-0,162	0,5946	-0,1673	0,1328	155-4
155	116	COMB6	Combination		-0,32	-0,59	0,162	-0,3182	0,0838	0,1095	155-4
155	121	COMB7	Combination		-0,05	0,05	-0,02	0,0799	-0,0088	-0,0199	155-4
155	116	COMB7	Combination		0,05	-0,05	0,02	-0,0515	0,0219	-0,018	155-4
155	121	COMB8	Combination		-0,05	0,05	-0,02	0,0799	-0,0088	-0,0199	155-4

155	116	COMB8	Combination		0,05	-0,05	0,02	-0,0515	0,0219	-0,018	155-4
155	121	COMB9	Combination		0,318	0,586	-0,167	0,5998	-0,1675	0,1275	155-4
155	116	COMB9	Combination		-0,318	-0,586	0,167	-0,3211	0,0847	0,1131	155-4
155	121	COMB10	Combination		-0,546	-0,674	0,164	-0,6011	0,2022	-0,2287	155-4
155	116	COMB10	Combination		0,546	0,674	-0,164	0,3013	-0,0599	-0,1844	155-4
155	121	COMB11	Combination		-0,297	-0,31	0,074	-0,2632	0,0968	-0,1217	155-4
155	116	COMB11	Combination		0,297	0,31	-0,074	0,1263	-0,0194	-0,1031	155-4
155	121	COMB12	Combination		0,567	0,95	-0,257	0,9377	-0,2729	0,2346	155-4
155	116	COMB12	Combination		-0,567	-0,95	0,257	-0,4961	0,1251	0,1945	155-4
155	121	ENV	Combination	Max	0,567	0,95	0,164	0,9377	0,2022	0,2346	155-4
155	116	ENV	Combination	Max	0,546	0,674	0,257	0,3013	0,1251	0,1945	155-4
155	121	ENV	Combination	Min	-0,546	-0,674	-0,257	-0,6011	-0,2729	-0,2287	155-4
155	116	ENV	Combination	Min	-0,567	-0,95	-0,164	-0,4961	-0,0599	-0,1844	155-4
155	116	DEAD	LinStatic		-0,023	-0,004014	-0,002122	0,0005598	0,0023	-0,0119	155-5
155	89	DEAD	LinStatic		0,023	0,004014	0,002122	2,112E-16	0,0037	-0,0057	155-5
155	116	CM	LinStatic		0,022	0,002006	0,022	-0,0084	-0,0178	0,012	155-5
155	89	CM	LinStatic		-0,022	-0,002006	-0,001126	6,739E-16	0,012	0,0049	155-5
155	116	CV	LinStatic		0	0	0	0	0	0	155-5
155	89	CV	LinStatic		0	0	0	0	0	0	155-5
155	116	L	LinStatic		0,434	0,167	-0,163	0,1665	-0,1165	0,1457	155-5
155	89	L	LinStatic		-0,434	-0,167	0,163	1,989E-16	0,0035	0,1824	155-5
155	116	COMB1	Combination		0,728	0,288	-0,287	0,2923	-0,2014	0,2375	155-5
155	89	COMB1	Combination		-0,728	-0,288	0,287	6,704E-16	0,0119	0,313	155-5
155	116	COMB5	Combination		0,728	0,288	-0,287	0,2923	-0,2014	0,2375	155-5
155	89	COMB5	Combination		-0,728	-0,288	0,287	6,704E-16	0,0119	0,313	155-5
155	116	COMB6	Combination		0,728	0,288	-0,287	0,2923	-0,2014	0,2375	155-5
155	89	COMB6	Combination		-0,728	-0,288	0,287	6,704E-16	0,0119	0,313	155-5
155	116	COMB7	Combination		0,093	0,038	-0,042	0,0417	-0,027	0,0303	155-5
155	89	COMB7	Combination		-0,093	-0,038	0,042	1,497E-16	0,0027	0,0404	155-5
155	116	COMB8	Combination		0,093	0,038	-0,042	0,0417	-0,027	0,0303	155-5
155	89	COMB8	Combination		-0,093	-0,038	0,042	1,497E-16	0,0027	0,0404	155-5
155	116	COMB9	Combination		0,717	0,288	-0,288	0,2929	-0,2012	0,2299	155-5
155	89	COMB9	Combination		-0,717	-0,288	0,288	8,188E-16	0,0145	0,3124	155-5
155	116	COMB10	Combination		-0,763	-0,296	0,284	-0,2918	0,2058	-0,2536	155-5
155	89	COMB10	Combination		0,763	0,296	-0,284	-3,964E-16	-0,007	-0,3238	155-5
155	116	COMB11	Combination		-0,33	-0,129	0,121	-0,1253	0,0893	-0,1079	155-5
155	89	COMB11	Combination		0,33	0,129	-0,121	-1,975E-16	-0,0035	-0,1414	155-5
155	116	COMB12	Combination		1,151	0,455	-0,451	0,4594	-0,3177	0,3756	155-5
155	89	COMB12	Combination		-1,151	-0,455	0,451	1,018E-15	0,0181	0,4948	155-5
155	116	ENV	Combination	Max	1,151	0,455	0,284	0,4594	0,2058	0,3756	155-5
155	89	ENV	Combination	Max	0,763	0,296	0,451	1,018E-15	0,0181	0,4948	155-5
155	116	ENV	Combination	Min	-0,763	-0,296	-0,451	-0,2918	-0,3177	-0,2536	155-5
155	89	ENV	Combination	Min	-1,151	-0,455	-0,284	-3,964E-16	-0,007	-0,3238	155-5
156	68	DEAD	LinStatic		0,049	0,031	-0,008248	0	-0,0045	-0,0228	156-1
156	161	DEAD	LinStatic		-0,049	-0,031	0,008248	0,0019	-0,0083	-0,0144	156-1
156	68	CM	LinStatic		0,031	0,039	-0,045	0	-0,0039	-0,0198	156-1
156	161	CM	LinStatic		-0,031	-0,039	0,067	-0,0321	-0,0042	-0,0038	156-1
156	68	CV	LinStatic		0	0	0	0	0	0	156-1
156	161	CV	LinStatic		0	0	0	0	0	0	156-1
156	68	L	LinStatic		0,891	0,427	-1,251	0	-0,1272	-0,2691	156-1
156	161	L	LinStatic		-0,891	-0,427	1,251	-0,835	-0,1048	-0,4046	156-1
156	68	COMB1	Combination		1,598	0,759	-2,21	0	-0,2259	-0,4867	156-1
156	161	COMB1	Combination		-1,598	-0,759	2,21	-1,4738	-0,1904	-0,7222	156-1
156	68	COMB5	Combination		1,598	0,759	-2,21	0	-0,2259	-0,4867	156-1
156	161	COMB5	Combination		-1,598	-0,759	2,21	-1,4738	-0,1904	-0,7222	156-1
156	68	COMB6	Combination		1,598	0,759	-2,21	0	-0,2259	-0,4867	156-1
156	161	COMB6	Combination		-1,598	-0,759	2,21	-1,4738	-0,1904	-0,7222	156-1
156	68	COMB7	Combination		0,282	0,156	-0,308	0	-0,0376	-0,0971	156-1
156	161	COMB7	Combination		-0,282	-0,156	0,308	-0,1924	-0,0358	-0,1159	156-1
156	68	COMB8	Combination		0,282	0,156	-0,308	0	-0,0376	-0,0971	156-1
156	161	COMB8	Combination		-0,282	-0,156	0,308	-0,1924	-0,0358	-0,1159	156-1
156	68	COMB9	Combination		1,585	0,735	-2,227	0	-0,2242	-0,4773	156-1
156	161	COMB9	Combination		-1,585	-0,735	2,227	-1,4931	-0,1887	-0,7217	156-1
156	68	COMB10	Combination		-1,487	-0,673	2,211	0	0,2152	0,4318	156-1
156	161	COMB10	Combination		1,487	0,673	-2,211	1,4969	0,1721	0,6929	156-1
156	68	COMB11	Combination		-0,596	-0,246	0,96	0	0,088	0,1627	156-1
156	161	COMB11	Combination		0,596	0,246	-0,96	0,6619	0,0673	0,2883	156-1
156	68	COMB12	Combination		2,476	1,162	-3,478	0	-0,3514	-0,7465	156-1
156	161	COMB12	Combination		-2,476	-1,162	3,478	-2,3281	-0,2935	-1,1263	156-1
156	68	ENV	Combination	Max	2,476	1,162	2,211	0	0,2152	0,4318	156-1
156	161	ENV	Combination	Max	1,487	0,673	3,478	1,4969	0,1721	0,6929	156-1
156	68	ENV	Combination	Min	-1,487	-0,673	-3,478	0	-0,3514	-0,7465	156-1
156	161	ENV	Combination	Min	-2,476	-1,162	-2,211	-2,3281	-0,2935	-1,1263	156-1
156	161	DEAD	LinStatic		0,064	0,039	-0,005011	-0,0041	0,004	0,0055	156-2
156	41	DEAD	LinStatic		-0,064	-0,039	0,005011	0,0075	-0,0126	-0,0305	156-2
156	161	CM	LinStatic		0,114	0,052	-0,115	0,029	-0,0031	-0,0113	156-2
156	41	CM	LinStatic		-0,114	-0,052	0,126	-0,0692	-0,0123	-0,0334	156-2
156	161	CV	LinStatic		0	0	0	0	0	0	156-2
156	41	CV	LinStatic		0	0	0	0	0	0	156-2
156	161	L	LinStatic		0,021	0,762	-1,086	0,7437	0,0688	0,0059	156-2

156	41	L	LinStatic	-0,021	-0,762	1,086	-1,0677	-0,0716	-0,0143	156-2
156	161	COMB1	Combination	0,044	1,351	-1,904	1,3129	0,1264	0,0192	156-2
156	41	COMB1	Combination	-0,044	-1,351	1,904	-1,8792	-0,1323	-0,0364	156-2
156	161	COMB5	Combination	0,044	1,351	-1,904	1,3129	0,1264	0,0192	156-2
156	41	COMB5	Combination	-0,044	-1,351	1,904	-1,8792	-0,1323	-0,0364	156-2
156	161	COMB6	Combination	0,044	1,351	-1,904	1,3129	0,1264	0,0192	156-2
156	41	COMB6	Combination	-0,044	-1,351	1,904	-1,8792	-0,1323	-0,0364	156-2
156	161	COMB7	Combination	0,126	0,251	-0,277	0,1663	0,0191	0,0036	156-2
156	41	COMB7	Combination	-0,126	-0,251	0,277	-0,2413	-0,0362	-0,0532	156-2
156	161	COMB8	Combination	0,126	0,251	-0,277	0,1663	0,0191	0,0036	156-2
156	41	COMB8	Combination	-0,126	-0,251	0,277	-0,2413	-0,0362	-0,0532	156-2
156	161	COMB9	Combination	-0,033	1,322	-1,903	1,3335	0,1292	0,0237	156-2
156	41	COMB9	Combination	0,033	-1,322	1,903	-1,9034	-0,1247	-0,0109	156-2
156	161	COMB10	Combination	0,16	-1,244	1,893	-1,3418	-0,1212	-0,0127	156-2
156	41	COMB10	Combination	-0,16	1,244	-1,893	1,9183	0,0995	-0,0502	156-2
156	161	COMB11	Combination	0,181	-0,482	0,808	-0,598	-0,0524	-0,0068	156-2
156	41	COMB11	Combination	-0,181	0,482	-0,808	0,8506	0,0279	-0,0644	156-2
156	161	COMB12	Combination	-0,011	2,084	-2,989	2,0772	0,1979	0,0296	156-2
156	41	COMB12	Combination	0,011	-2,084	2,989	-2,9711	-0,1964	-0,0252	156-2
156	161	ENV	Combination	0,181	2,084	1,893	2,0772	0,1979	0,0296	156-2
156	41	ENV	Combination	0,033	1,244	2,989	1,9183	0,0995	-0,0109	156-2
156	161	ENV	Combination	-0,033	-1,244	-2,989	-1,3418	-0,1212	-0,0127	156-2
156	41	ENV	Combination	-0,181	-2,084	-1,893	-2,9711	-0,1964	-0,0644	156-2
156	41	DEAD	LinStatic	-0,103	0,074	-0,024	-0,0068	0,0168	0,052	156-3
156	156	DEAD	LinStatic	0,103	-0,074	0,024	0,0075	-0,0039	-0,0145	156-3
156	41	CM	LinStatic	-0,166	0,037	0,136	0,0867	0,0111	0,04	156-3
156	156	CM	LinStatic	0,166	-0,037	-0,126	-0,0345	0,0096	0,0201	156-3
156	41	CV	LinStatic	0	0	0	0	0	0	156-3
156	156	CV	LinStatic	0	0	0	0	0	0	156-3
156	41	L	LinStatic	-0,635	0,445	0,135	0,4618	0,1186	0,2725	156-3
156	156	L	LinStatic	0,635	-0,445	-0,135	-0,3573	-0,0393	-0,042	156-3
156	41	COMB1	Combination	-1,18	0,855	0,206	0,8067	0,2207	0,5174	156-3
156	156	COMB1	Combination	1,18	-0,855	-0,206	-0,6251	-0,0732	-0,0892	156-3
156	41	COMB5	Combination	-1,18	0,855	0,206	0,8067	0,2207	0,5174	156-3
156	156	COMB5	Combination	1,18	-0,855	-0,206	-0,6251	-0,0732	-0,0892	156-3
156	41	COMB6	Combination	-1,18	0,855	0,206	0,8067	0,2207	0,5174	156-3
156	156	COMB6	Combination	1,18	-0,855	-0,206	-0,6251	-0,0732	-0,0892	156-3
156	41	COMB7	Combination	-0,297	0,183	0,016	0,1032	0,0503	0,1316	156-3
156	156	COMB7	Combination	0,297	-0,183	-0,016	-0,0746	-0,0132	-0,0239	156-3
156	41	COMB8	Combination	-0,297	0,183	0,016	0,1032	0,0503	0,1316	156-3
156	156	COMB8	Combination	0,297	-0,183	-0,016	-0,0746	-0,0132	-0,0239	156-3
156	41	COMB9	Combination	-1,134	0,859	0,198	0,8139	0,2156	0,5021	156-3
156	156	COMB9	Combination	1,134	-0,859	-0,198	-0,6348	-0,0739	-0,0906	156-3
156	41	COMB10	Combination	0,927	-0,711	-0,245	-0,8276	-0,1819	-0,3981	156-3
156	156	COMB10	Combination	-0,927	0,711	0,245	0,6497	0,0661	0,0617	156-3
156	41	COMB11	Combination	0,292	-0,266	-0,111	-0,3658	-0,0633	-0,1256	156-3
156	156	COMB11	Combination	-0,292	0,266	0,111	0,2924	0,0268	0,0197	156-3
156	41	COMB12	Combination	-1,769	1,304	0,333	1,2757	0,3342	0,7746	156-3
156	156	COMB12	Combination	1,769	-1,304	-0,333	-0,9921	-0,1132	-0,1327	156-3
156	41	ENV	Combination	0,927	1,304	0,333	1,2757	0,3342	0,7746	156-3
156	156	ENV	Combination	1,769	0,711	0,245	0,6497	0,0661	0,0617	156-3
156	41	ENV	Combination	-1,769	-0,711	-0,245	-0,8276	-0,1819	-0,3981	156-3
156	156	ENV	Combination	-0,927	-1,304	-0,333	-0,9921	-0,1132	-0,1327	156-3
156	156	DEAD	LinStatic	-0,114	0,043	-0,001109	0,0005657	0,0172	0,0503	156-4
156	151	DEAD	LinStatic	0,114	-0,043	0,001109	0,00099	0,0124	0,0356	156-4
156	156	CM	LinStatic	-0,044	0,01	0,079	0,0461	-0,0065	0,0093	156-4
156	151	CM	LinStatic	0,044	-0,01	-0,057	0,008	0,0181	0,0241	156-4
156	156	CV	LinStatic	0	0	0	0	0	0	156-4
156	151	CV	LinStatic	0	0	0	0	0	0	156-4
156	156	L	LinStatic	-0,296	0,374	0,096	0,3388	0,1097	0,119	156-4
156	151	L	LinStatic	0,296	-0,374	-0,096	-0,169	-0,0326	0,1049	156-4
156	156	COMB1	Combination	-0,626	0,704	0,166	0,5995	0,2094	0,2561	156-4
156	151	COMB1	Combination	0,626	-0,704	-0,166	-0,2905	-0,0462	0,2177	156-4
156	156	COMB5	Combination	-0,626	0,704	0,166	0,5995	0,2094	0,2561	156-4
156	151	COMB5	Combination	0,626	-0,704	-0,166	-0,2905	-0,0462	0,2177	156-4
156	156	COMB6	Combination	-0,626	0,704	0,166	0,5995	0,2094	0,2561	156-4
156	151	COMB6	Combination	0,626	-0,704	-0,166	-0,2905	-0,0462	0,2177	156-4
156	156	COMB7	Combination	-0,193	0,131	0,023	0,0792	0,0445	0,0826	156-4
156	151	COMB7	Combination	0,193	-0,131	-0,023	-0,0277	0,0058	0,0633	156-4
156	156	COMB8	Combination	-0,193	0,131	0,023	0,0792	0,0445	0,0826	156-4
156	151	COMB8	Combination	0,193	-0,131	-0,023	-0,0277	0,0058	0,0633	156-4
156	156	COMB9	Combination	-0,619	0,711	0,166	0,6076	0,2096	0,2527	156-4
156	151	COMB9	Combination	0,619	-0,711	-0,166	-0,2967	-0,0483	0,2157	156-4
156	156	COMB10	Combination	0,392	-0,624	-0,168	-0,6064	-0,1751	-0,152	156-4
156	151	COMB10	Combination	-0,392	0,624	0,168	0,3165	0,073	-0,1445	156-4
156	156	COMB11	Combination	0,096	-0,25	-0,073	-0,2676	-0,0654	-0,033	156-4
156	151	COMB11	Combination	-0,096	0,25	0,073	0,1476	0,0404	-0,0396	156-4
156	156	COMB12	Combination	-0,915	1,085	0,262	0,9464	0,3193	0,3717	156-4
156	151	COMB12	Combination	0,915	-1,085	-0,262	-0,4657	-0,0809	0,3206	156-4
156	156	ENV	Combination	0,392	1,085	0,262	0,9464	0,3193	0,3717	156-4

156	151	ENV	Combination	Max	0,915	0,624	0,168	0,3165	0,073	0,3206	156-4
156	156	ENV	Combination	Min	-0,915	-0,624	-0,168	-0,6064	-0,1751	-0,152	156-4
156	151	ENV	Combination	Min	-0,392	-1,085	-0,262	-0,4657	-0,0809	-0,1445	156-4
156	151	DEAD	LinStatic		-0,023	0,003972	-0,002156	-0,0005962	0,0023	0,0117	156-5
156	90	DEAD	LinStatic		0,023	-0,003972	0,002156	-1,921E-16	0,0037	0,0057	156-5
156	151	CM	LinStatic		0,022	-0,001935	0,022	0,0084	-0,0178	-0,012	156-5
156	90	CM	LinStatic		-0,022	0,001935	-0,00114	-6,19E-16	0,012	-0,0048	156-5
156	151	CV	LinStatic		0	0	0	0	0	0	156-5
156	90	CV	LinStatic		0	0	0	0	0	0	156-5
156	151	L	LinStatic		-0,42	0,167	0,159	0,1635	0,1129	0,1351	156-5
156	90	L	LinStatic		0,42	-0,167	-0,159	1,885E-16	-0,0036	0,1823	156-5
156	151	COMB1	Combination		-0,767	0,303	0,278	0,2894	0,2019	0,2484	156-5
156	90	COMB1	Combination		0,767	-0,303	-0,278	1,062E-16	-0,0021	0,3319	156-5
156	151	COMB5	Combination		-0,767	0,303	0,278	0,2894	0,2019	0,2484	156-5
156	90	COMB5	Combination		0,767	-0,303	-0,278	1,062E-16	-0,0021	0,3319	156-5
156	151	COMB6	Combination		-0,767	0,303	0,278	0,2894	0,2019	0,2484	156-5
156	90	COMB6	Combination		0,767	-0,303	-0,278	1,062E-16	-0,0021	0,3319	156-5
156	151	COMB7	Combination		-0,118	0,039	0,035	0,0364	0,0285	0,0452	156-5
156	90	COMB7	Combination		0,118	-0,039	-0,035	-1,135E-16	0,0022	0,044	156-5
156	151	COMB8	Combination		-0,118	0,039	0,035	0,0364	0,0285	0,0452	156-5
156	90	COMB8	Combination		0,118	-0,039	-0,035	-1,135E-16	0,0022	0,044	156-5
156	151	COMB9	Combination		-0,78	0,311	0,282	0,2946	0,2045	0,2487	156-5
156	90	COMB9	Combination		0,78	-0,311	-0,282	6,416E-17	-0,0012	0,3415	156-5
156	151	COMB10	Combination		0,734	-0,303	-0,287	-0,2958	-0,1999	-0,2253	156-5
156	90	COMB10	Combination		-0,734	0,303	0,287	-4,484E-16	0,0087	-0,3302	156-5
156	151	COMB11	Combination		0,315	-0,136	-0,128	-0,1323	-0,087	-0,0902	156-5
156	90	COMB11	Combination		-0,315	0,136	0,128	-2,599E-16	0,005	-0,1479	156-5
156	151	COMB12	Combination		-1,2	0,478	0,441	0,4581	0,3174	0,3838	156-5
156	90	COMB12	Combination		1,2	-0,478	-0,441	2,526E-16	-0,0049	0,5238	156-5
156	151	ENV	Combination	Max	0,734	0,478	0,441	0,4581	0,3174	0,3838	156-5
156	90	ENV	Combination	Max	1,2	0,303	0,287	2,526E-16	0,0087	0,5238	156-5
156	151	ENV	Combination	Min	-1,2	-0,303	-0,287	-0,2958	-0,1999	-0,2253	156-5
156	90	ENV	Combination	Min	-0,734	-0,478	-0,441	-4,484E-16	-0,0049	-0,3302	156-5
158	71	DEAD	LinStatic		0,0008924	-0,003967	-0,002134	-0,0022	-0,0017	0,0035	158-1
158	69	DEAD	LinStatic		-0,0008924	0,003967	0,002134	-1,995E-16	-0,0037	0,0057	158-1
158	71	CM	LinStatic		0,139	-0,045	0,358	-0,0247	0,2611	0,0374	158-1
158	69	CM	LinStatic		-0,139	0,045	0,007546	3,412E-15	0,0658	0,0662	158-1
158	71	CV	LinStatic		0	0	0	0	0	0	158-1
158	69	CV	LinStatic		0	0	0	0	0	0	158-1
158	71	L	LinStatic		0,247	-0,148	0,3	-0,0808	0,4414	0,1978	158-1
158	69	L	LinStatic		-0,247	0,148	-0,3	5,954E-15	0,1128	0,1418	158-1
158	71	COMB1	Combination		0,508	-0,286	0,786	-0,1564	0,9375	0,3656	158-1
158	69	COMB1	Combination		-0,508	0,286	-0,467	1,177E-14	0,2259	0,2914	158-1
158	71	COMB5	Combination		0,508	-0,286	0,786	-0,1564	0,9375	0,3656	158-1
158	69	COMB5	Combination		-0,508	0,286	-0,467	1,177E-14	0,2259	0,2914	158-1
158	71	COMB6	Combination		0,508	-0,286	0,786	-0,1564	0,9375	0,3656	158-1
158	69	COMB6	Combination		-0,508	0,286	-0,467	1,177E-14	0,2259	0,2914	158-1
158	71	COMB7	Combination		-0,012	-0,018	-0,191	-0,0096	-0,0581	0,0369	158-1
158	69	COMB7	Combination		0,012	0,018	-0,128	-2,661E-16	-0,0078	0,0036	158-1
158	71	COMB8	Combination		-0,012	-0,018	-0,191	-0,0096	-0,0581	0,0369	158-1
158	69	COMB8	Combination		0,012	0,018	-0,128	-2,661E-16	-0,0078	0,0036	158-1
158	71	COMB9	Combination		0,608	-0,317	1,138	-0,1734	1,1599	0,387	158-1
158	69	COMB9	Combination		-0,608	0,317	-0,393	1,385E-14	0,2689	0,3413	158-1
158	71	COMB10	Combination		-0,606	0,309	-1,142	0,169	-1,1632	-0,38	158-1
158	69	COMB10	Combination		0,606	-0,309	0,398	-1,425E-14	-0,2764	-0,33	158-1
158	71	COMB11	Combination		-0,359	0,161	-0,843	0,0882	-0,7218	-0,1823	158-1
158	69	COMB11	Combination		0,359	-0,161	0,098	-8,293E-15	-0,1636	-0,1882	158-1
158	71	COMB12	Combination		0,855	-0,464	1,438	-0,2542	1,6012	0,5847	158-1
158	69	COMB12	Combination		-0,855	0,464	-0,693	1,98E-14	0,3817	0,4832	158-1
158	71	ENV	Combination	Max	0,855	0,309	1,438	0,169	1,6012	0,5847	158-1
158	69	ENV	Combination	Max	0,606	0,464	0,398	1,98E-14	0,3817	0,4832	158-1
158	71	ENV	Combination	Min	-0,606	-0,464	-1,142	-0,2542	-1,1632	-0,38	158-1
158	69	ENV	Combination	Min	-0,855	-0,309	-0,693	-1,425E-14	-0,2764	-0,33	158-1
159	75	DEAD	LinStatic		-0,011	-0,013	-0,002889	-0,0074	-0,0009475	0,0148	159-1
159	71	DEAD	LinStatic		0,011	0,013	0,002889	0,0022	-0,0015	0,0161	159-1
159	75	CM	LinStatic		0,032	0,035	0,162	-0,0101	0,068	-0,0361	159-1
159	71	CM	LinStatic		-0,032	-0,035	0,225	0,0247	-0,1585	-0,0499	159-1
159	75	CV	LinStatic		0	0	0	0	0	0	159-1
159	71	CV	LinStatic		0	0	0	0	0	0	159-1
159	75	L	LinStatic		-0,249	0,282	-0,344	0,037	-0,2862	-0,2989	159-1
159	71	L	LinStatic		0,249	-0,282	0,344	0,0808	-0,4604	-0,3967	159-1
159	75	COMB1	Combination		-0,43	0,488	-0,437	0,048	-0,4139	-0,514	159-1
159	71	COMB1	Combination		0,43	-0,488	0,775	0,1564	-0,9036	-0,6923	159-1
159	75	COMB5	Combination		-0,43	0,488	-0,437	0,048	-0,4139	-0,514	159-1
159	71	COMB5	Combination		0,43	-0,488	0,775	0,1564	-0,9036	-0,6923	159-1
159	75	COMB6	Combination		-0,43	0,488	-0,437	0,048	-0,4139	-0,514	159-1
159	71	COMB6	Combination		0,43	-0,488	0,775	0,1564	-0,9036	-0,6923	159-1
159	75	COMB7	Combination		-0,09	0,05	-0,257	0,0112	-0,1604	-0,0542	159-1
159	71	COMB7	Combination		0,09	-0,05	-0,081	0,0096	-0,0201	-0,0688	159-1
159	75	COMB8	Combination		-0,09	0,05	-0,257	0,0112	-0,1604	-0,0542	159-1

159	71	COMB8	Combination		0,09	-0,05	-0,081	0,0096	-0,0201	-0,0688	159-1
159	75	COMB9	Combination		-0,407	0,499	-0,212	0,0355	-0,2967	-0,5216	159-1
159	71	COMB9	Combination		0,407	-0,499	1,002	0,1734	-1,0322	-0,7113	159-1
159	75	COMB10	Combination		0,385	-0,524	0,207	-0,0504	0,2948	0,5512	159-1
159	71	COMB10	Combination		-0,385	0,524	-0,996	-0,169	1,0293	0,7436	159-1
159	75	COMB11	Combination		0,136	-0,243	-0,138	-0,0133	0,0086	0,2523	159-1
159	71	COMB11	Combination		-0,136	0,243	-0,651	-0,0882	0,5689	0,3468	159-1
159	75	COMB12	Combination		-0,656	0,781	-0,557	0,0726	-0,5829	-0,8205	159-1
159	71	COMB12	Combination		0,656	-0,781	1,346	0,2542	-1,4926	-1,108	159-1
159	75	ENV	Combination	Max	0,385	0,781	0,207	0,0726	0,2948	0,5512	159-1
159	71	ENV	Combination	Max	0,656	0,524	1,346	0,2542	1,0293	0,7436	159-1
159	75	ENV	Combination	Min	-0,656	-0,524	-0,557	-0,0504	-0,5829	-0,8205	159-1
159	71	ENV	Combination	Min	-0,385	-0,781	-0,996	-0,169	-1,4926	-1,108	159-1
160	77	DEAD	LinStatic		-0,016	-0,023	-0,001091	-0,0131	-0,0001792	-0,0269	160-1
160	75	DEAD	LinStatic		0,016	0,023	0,001091	0,0074	0,0014	0,0292	160-1
160	77	CM	LinStatic		-0,027	0,012	0,191	-0,0072	0,0762	-0,0169	160-1
160	75	CM	LinStatic		0,027	-0,012	0,192	0,0101	-0,071	-0,0121	160-1
160	77	CV	LinStatic		0	0	0	0	0	0	160-1
160	75	CV	LinStatic		0	0	0	0	0	0	160-1
160	77	L	LinStatic		-0,769	0,063	-0,177	0,0527	-0,1785	-0,0921	160-1
160	75	L	LinStatic		0,769	-0,063	0,177	-0,037	-0,0674	-0,0631	160-1
160	77	COMB1	Combination		-1,379	0,099	-0,163	0,0727	-0,2652	-0,1489	160-1
160	75	COMB1	Combination		1,379	-0,099	0,498	-0,048	-0,2078	-0,0961	160-1
160	77	COMB5	Combination		-1,379	0,099	-0,163	0,0727	-0,2652	-0,1489	160-1
160	75	COMB5	Combination		1,379	-0,099	0,498	-0,048	-0,2078	-0,0961	160-1
160	77	COMB6	Combination		-1,379	0,099	-0,163	0,0727	-0,2652	-0,1489	160-1
160	75	COMB6	Combination		1,379	-0,099	0,498	-0,048	-0,2078	-0,0961	160-1
160	77	COMB7	Combination		-0,191	-0,019	-0,194	0,0065	-0,0921	0,0185	160-1
160	75	COMB7	Combination		0,191	0,019	-0,142	-0,0112	0,0757	0,0283	160-1
160	77	COMB8	Combination		-0,191	-0,019	-0,194	0,0065	-0,0921	0,0185	160-1
160	75	COMB8	Combination		0,191	0,019	-0,142	-0,0112	0,0757	0,0283	160-1
160	77	COMB9	Combination		-1,401	0,115	0,035	0,0642	-0,2021	-0,1684	160-1
160	75	COMB9	Combination		1,401	-0,115	0,747	-0,0355	-0,3294	-0,1159	160-1
160	77	COMB10	Combination		1,369	-0,161	-0,037	-0,0903	0,2018	0,2222	160-1
160	75	COMB10	Combination		-1,369	0,161	-0,745	0,0504	0,3322	0,1744	160-1
160	77	COMB11	Combination		0,6	-0,098	-0,214	-0,0377	0,0233	0,1302	160-1
160	75	COMB11	Combination		-0,6	0,098	-0,568	0,0133	0,2647	0,1113	160-1
160	77	COMB12	Combination		-2,17	0,178	-0,142	0,1169	-0,3806	-0,2605	160-1
160	75	COMB12	Combination		2,17	-0,178	0,924	-0,0726	-0,3969	-0,179	160-1
160	77	ENV	Combination	Max	1,369	0,178	0,035	0,1169	0,2018	0,2222	160-1
160	75	ENV	Combination	Max	2,17	0,161	0,924	0,0504	0,3322	0,1744	160-1
160	77	ENV	Combination	Min	-2,17	-0,161	-0,214	-0,0903	-0,3806	-0,2605	160-1
160	75	ENV	Combination	Min	-1,369	-0,178	-0,745	-0,0726	-0,3969	-0,179	160-1
161	79	DEAD	LinStatic		-0,005699	-0,029	0,001133	-0,0155	0,0011	0,0355	161-1
161	77	DEAD	LinStatic		0,005699	0,029	-0,001133	0,0131	0,0022	0,0367	161-1
161	79	CM	LinStatic		-0,04	-0,0017	0,184	-0,0073	0,0549	-0,0014	161-1
161	77	CM	LinStatic		0,04	0,0017	0,198	0,0072	-0,0694	0,0056	161-1
161	79	CV	LinStatic		0	0	0	0	0	0	161-1
161	77	CV	LinStatic		0	0	0	0	0	0	161-1
161	79	L	LinStatic		-0,558	-0,122	-0,042	0,0426	-0,0698	0,1372	161-1
161	77	L	LinStatic		0,558	0,122	0,042	-0,0527	0,0119	0,165	161-1
161	79	COMB1	Combination		-1,063	-0,226	0,079	0,0541	-0,0791	0,2521	161-1
161	77	COMB1	Combination		1,063	0,226	0,254	-0,0727	-0,049	0,3058	161-1
161	79	COMB5	Combination		-1,063	-0,226	0,079	0,0541	-0,0791	0,2521	161-1
161	77	COMB5	Combination		1,063	0,226	0,254	-0,0727	-0,049	0,3058	161-1
161	79	COMB6	Combination		-1,063	-0,226	0,079	0,0541	-0,0791	0,2521	161-1
161	77	COMB6	Combination		1,063	0,226	0,254	-0,0727	-0,049	0,3058	161-1
161	79	COMB7	Combination		-0,064	-0,077	-0,161	0,0001093	-0,0583	0,0933	161-1
161	77	COMB7	Combination		0,064	0,077	-0,172	-0,0065	0,0772	0,0976	161-1
161	79	COMB8	Combination		-0,064	-0,077	-0,161	0,0001093	-0,0583	0,0933	161-1
161	77	COMB8	Combination		0,064	0,077	-0,172	-0,0065	0,0772	0,0976	161-1
161	79	COMB9	Combination		-1,172	-0,203	0,282	0,0475	-0,0231	0,2208	161-1
161	77	COMB9	Combination		1,172	0,203	0,496	-0,0642	-0,145	0,2796	161-1
161	79	COMB10	Combination		1,16	0,144	-0,28	-0,0784	0,0253	-0,1498	161-1
161	77	COMB10	Combination		-1,16	-0,144	-0,499	0,0903	0,1494	-0,2062	161-1
161	79	COMB11	Combination		0,602	0,022	-0,322	-0,0359	-0,0445	-0,0126	161-1
161	77	COMB11	Combination		-0,602	-0,022	-0,457	0,0377	0,1613	-0,0412	161-1
161	79	COMB12	Combination		-1,73	-0,325	0,24	0,09	-0,0929	0,358	161-1
161	77	COMB12	Combination		1,73	0,325	0,539	-0,1169	-0,1331	0,4446	161-1
161	79	ENV	Combination	Max	1,16	0,144	0,282	0,09	0,0253	0,358	161-1
161	77	ENV	Combination	Max	1,73	0,325	0,539	0,0903	0,1613	0,4446	161-1
161	79	ENV	Combination	Min	-1,73	-0,325	-0,322	-0,0784	-0,0929	-0,1498	161-1
161	77	ENV	Combination	Min	-1,16	-0,144	-0,499	-0,1169	-0,145	-0,2062	161-1
163	94	DEAD	LinStatic		0,057	-0,04	0,001053	-0,0124	-0,0141	0,0438	163-1
163	92	DEAD	LinStatic		-0,057	0,04	-0,001053	-0,0094	-0,0147	0,0475	163-1
163	94	CM	LinStatic		-0,207	0,02	0,181	-0,0742	0,1331	-0,0397	163-1
163	92	CM	LinStatic		0,207	-0,02	0,184	0,0853	-0,0228	-0,0067	163-1
163	94	CV	LinStatic		0	0	0	0	0	0	163-1
163	92	CV	LinStatic		0	0	0	0	0	0	163-1
163	94	L	LinStatic		-0,336	-0,1	-0,006953	-0,1468	0,1884	0,1265	163-1

163	92	L	LinStatic	0,336	0,1	0,006953	0,092	-0,0206	0,1041	163-1
163	94	COMB1	Combination	-0,612	-0,206	0,156	-0,3111	0,4051	0,2416	163-1
163	92	COMB1	Combination	0,612	0,206	0,163	0,1986	-0,0786	0,2313	163-1
163	94	COMB5	Combination	-0,612	-0,206	0,156	-0,3111	0,4051	0,2416	163-1
163	92	COMB5	Combination	0,612	0,206	0,163	0,1986	-0,0786	0,2313	163-1
163	94	COMB6	Combination	-0,612	-0,206	0,156	-0,3111	0,4051	0,2416	163-1
163	92	COMB6	Combination	0,612	0,206	0,163	0,1986	-0,0786	0,2313	163-1
163	94	COMB7	Combination	0,055	-0,074	-0,168	-0,0073	-0,0564	0,099	163-1
163	92	COMB7	Combination	-0,055	0,074	-0,152	-0,0334	0,0081	0,0718	163-1
163	94	COMB8	Combination	0,055	-0,074	-0,168	-0,0073	-0,0564	0,099	163-1
163	92	COMB8	Combination	-0,055	0,074	-0,152	-0,0334	0,0081	0,0718	163-1
163	94	COMB9	Combination	-0,721	-0,193	0,378	-0,3668	0,5244	0,2101	163-1
163	92	COMB9	Combination	0,721	0,193	0,366	0,2612	-0,1159	0,2336	163-1
163	94	COMB10	Combination	0,835	0,114	-0,376	0,3421	-0,5526	-0,1226	163-1
163	92	COMB10	Combination	-0,835	-0,114	-0,369	-0,28	0,0865	-0,1386	163-1
163	94	COMB11	Combination	0,499	0,013	-0,383	0,1953	-0,3641	0,0039	163-1
163	92	COMB11	Combination	-0,499	-0,013	-0,362	-0,188	0,066	-0,0345	163-1
163	94	COMB12	Combination	-1,057	-0,293	0,371	-0,5137	0,7128	0,3366	163-1
163	92	COMB12	Combination	1,057	0,293	0,373	0,3532	-0,1365	0,3376	163-1
163	94	ENV	Combination	0,835	0,114	0,378	0,3421	0,7128	0,3366	163-1
163	92	ENV	Combination	1,057	0,293	0,373	0,3532	0,0865	0,3376	163-1
163	94	ENV	Combination	-1,057	-0,293	-0,383	-0,5137	-0,5526	-0,1226	163-1
163	92	ENV	Combination	-0,835	-0,114	-0,369	-0,28	-0,1365	-0,1386	163-1
164	95	DEAD	LinStatic	0,082	-0,033	0,0044	-0,0075	-0,0125	0,0405	164-1
164	94	DEAD	LinStatic	-0,082	0,033	-0,0044	-0,0063	-0,011	0,0406	164-1
164	95	CM	LinStatic	-0,136	0,019	0,157	-0,0081	0,0794	-0,019	164-1
164	94	CM	LinStatic	0,136	-0,019	0,231	0,0159	-0,114	-0,0269	164-1
164	95	CV	LinStatic	0	0	0	0	0	0	164-1
164	94	CV	LinStatic	0	0	0	0	0	0	164-1
164	95	L	LinStatic	-0,295	0,189	-0,1	0,1627	-0,0054	-0,1829	164-1
164	94	L	LinStatic	0,295	-0,189	0,1	-0,0836	-0,1187	-0,2836	164-1
164	95	COMB1	Combination	-0,461	0,297	-0,006276	0,2688	0,0595	-0,2767	164-1
164	94	COMB1	Combination	0,461	-0,297	0,344	-0,1443	-0,2997	-0,4578	164-1
164	95	COMB5	Combination	-0,461	0,297	-0,006276	0,2688	0,0595	-0,2767	164-1
164	94	COMB5	Combination	0,461	-0,297	0,344	-0,1443	-0,2997	-0,4578	164-1
164	95	COMB6	Combination	-0,461	0,297	-0,006276	0,2688	0,0595	-0,2767	164-1
164	94	COMB6	Combination	0,461	-0,297	0,344	-0,1443	-0,2997	-0,4578	164-1
164	95	COMB7	Combination	0,036	0,015	-0,185	0,0417	-0,0954	-0,0081	164-1
164	94	COMB7	Combination	-0,036	-0,015	-0,153	-0,0355	0,0402	-0,0282	164-1
164	95	COMB8	Combination	0,036	0,015	-0,185	0,0417	-0,0954	-0,0081	164-1
164	94	COMB8	Combination	-0,036	-0,015	-0,153	-0,0355	0,0402	-0,0282	164-1
164	95	COMB9	Combination	-0,498	0,297	0,213	0,2574	0,1682	-0,2729	164-1
164	94	COMB9	Combination	0,498	-0,297	0,576	-0,1331	-0,4076	-0,4605	164-1
164	95	COMB10	Combination	0,662	-0,363	-0,204	-0,2724	-0,1932	0,3539	164-1
164	94	COMB10	Combination	-0,662	0,363	-0,585	0,1206	0,3855	0,5417	164-1
164	95	COMB11	Combination	0,368	-0,174	-0,305	-0,1097	-0,1986	0,171	164-1
164	94	COMB11	Combination	-0,368	0,174	-0,484	0,037	0,2668	0,2581	164-1
164	95	COMB12	Combination	-0,792	0,486	0,113	0,4201	0,1628	-0,4559	164-1
164	94	COMB12	Combination	0,792	-0,486	0,676	-0,2168	-0,5263	-0,7441	164-1
164	95	ENV	Combination	0,662	0,486	0,213	0,4201	0,1682	0,3539	164-1
164	94	ENV	Combination	0,792	0,363	0,676	0,1206	0,3855	0,5417	164-1
164	95	ENV	Combination	-0,792	-0,363	-0,305	-0,2724	-0,1986	-0,4559	164-1
164	94	ENV	Combination	-0,662	-0,486	-0,585	-0,2168	-0,5263	-0,7441	164-1
165	96	DEAD	LinStatic	0,071	-0,034	-0,002176	-0,0043	-0,0123	0,0414	165-1
165	95	DEAD	LinStatic	-0,071	0,034	0,002176	-0,0041	-0,0109	0,0416	165-1
165	96	CM	LinStatic	-0,142	0,006177	0,185	0,0015	0,0851	-0,0087	165-1
165	95	CM	LinStatic	0,142	-0,006177	0,198	0,00004837	-0,0655	-0,0066	165-1
165	96	CV	LinStatic	0	0	0	0	0	0	165-1
165	95	CV	LinStatic	0	0	0	0	0	0	165-1
165	96	L	LinStatic	-0,636	0,037	-0,076	0,1062	-0,0646	-0,0629	165-1
165	95	L	LinStatic	0,636	-0,037	0,076	-0,097	0,0359	-0,0287	165-1
165	96	COMB1	Combination	-1,041	0,035	0,029	0,1887	-0,0604	-0,0709	165-1
165	95	COMB1	Combination	1,041	-0,035	0,307	-0,18	-0,0241	-0,0148	165-1
165	96	COMB5	Combination	-1,041	0,035	0,029	0,1887	-0,0604	-0,0709	165-1
165	95	COMB5	Combination	1,041	-0,035	0,307	-0,18	-0,0241	-0,0148	165-1
165	96	COMB6	Combination	-1,041	0,035	0,029	0,1887	-0,0604	-0,0709	165-1
165	95	COMB6	Combination	1,041	-0,035	0,307	-0,18	-0,0241	-0,0148	165-1
165	96	COMB7	Combination	-0,089	-0,028	-0,184	0,0152	-0,0933	0,0279	165-1
165	95	COMB7	Combination	0,089	0,028	-0,151	-0,0221	0,0741	0,0404	165-1
165	96	COMB8	Combination	-0,089	-0,028	-0,184	0,0152	-0,0933	0,0279	165-1
165	95	COMB8	Combination	0,089	0,028	-0,151	-0,0221	0,0741	0,0404	165-1
165	96	COMB9	Combination	-1,039	0,039	0,246	0,1981	0,0261	-0,0738	165-1
165	95	COMB9	Combination	1,039	-0,039	0,536	-0,1884	-0,1255	-0,0228	165-1
165	96	COMB10	Combination	1,181	-0,106	-0,25	-0,2067	-0,0507	0,1566	165-1
165	95	COMB10	Combination	-1,181	0,106	-0,532	0,1802	0,1038	0,1059	165-1
165	96	COMB11	Combination	0,545	-0,069	-0,326	-0,1005	-0,1152	0,0937	165-1
165	95	COMB11	Combination	-0,545	0,069	-0,456	0,0833	0,1396	0,0772	165-1
165	96	COMB12	Combination	-1,675	0,076	0,17	0,3043	-0,0385	-0,1368	165-1
165	95	COMB12	Combination	1,675	-0,076	0,612	-0,2853	-0,0896	-0,0516	165-1
165	96	ENV	Combination	1,181	0,076	0,246	0,3043	0,0261	0,1566	165-1

165	95	ENV	Combination	Max	1,675	0,106	0,612	0,1802	0,1396	0,1059	165-1
165	96	ENV	Combination	Min	-1,675	-0,106	-0,326	-0,2067	-0,1152	-0,1368	165-1
165	95	ENV	Combination	Min	-1,181	-0,076	-0,532	-0,2853	-0,1255	-0,0516	165-1
166	97	DEAD	LinStatic		0,028	-0,034	-0,011	-0,0019	-0,0172	0,0415	166-1
166	96	DEAD	LinStatic		-0,028	0,034	0,011	-0,0008522	-0,0129	0,0423	166-1
166	97	CM	LinStatic		-0,16	0,007238	0,168	-0,0074	0,0354	-0,0155	166-1
166	96	CM	LinStatic		0,16	-0,007238	0,214	0,008	-0,079	-0,0024	166-1
166	97	CV	LinStatic		0	0	0	0	0	0	166-1
166	96	CV	LinStatic		0	0	0	0	0	0	166-1
166	97	L	LinStatic		-0,822	-0,148	-0,055	0,0416	-0,0801	0,1628	166-1
166	96	L	LinStatic		0,822	0,148	0,055	-0,0539	0,0115	0,2027	166-1
166	97	COMB1	Combination		-1,423	-0,274	0,047	0,0686	-0,1149	0,299	166-1
166	96	COMB1	Combination		1,423	0,274	0,287	-0,0912	-0,064	0,3777	166-1
166	97	COMB5	Combination		-1,423	-0,274	0,047	0,0686	-0,1149	0,299	166-1
166	96	COMB5	Combination		1,423	0,274	0,287	-0,0912	-0,064	0,3777	166-1
166	97	COMB6	Combination		-1,423	-0,274	0,047	0,0686	-0,1149	0,299	166-1
166	96	COMB6	Combination		1,423	0,274	0,287	-0,0912	-0,064	0,3777	166-1
166	97	COMB7	Combination		-0,166	-0,09	-0,18	0,0108	-0,0798	0,1096	166-1
166	96	COMB7	Combination		0,166	0,09	-0,154	-0,0182	0,0611	0,1121	166-1
166	97	COMB8	Combination		-0,166	-0,09	-0,18	0,0108	-0,0798	0,1096	166-1
166	96	COMB8	Combination		0,166	0,09	-0,154	-0,0182	0,0611	0,1121	166-1
166	97	COMB9	Combination		-1,438	-0,249	0,253	0,0655	-0,0581	0,2625	166-1
166	96	COMB9	Combination		1,438	0,249	0,525	-0,0861	-0,1589	0,3521	166-1
166	97	COMB10	Combination		1,494	0,181	-0,276	-0,0694	0,0238	-0,1795	166-1
166	96	COMB10	Combination		-1,494	-0,181	-0,503	0,0844	0,1331	-0,2676	166-1
166	97	COMB11	Combination		0,672	0,033	-0,331	-0,0278	-0,0564	-0,0167	166-1
166	96	COMB11	Combination		-0,672	-0,033	-0,447	0,0305	0,1445	-0,0649	166-1
166	97	COMB12	Combination		-2,26	-0,397	0,198	0,1072	-0,1382	0,4253	166-1
166	96	COMB12	Combination		2,26	0,397	0,58	-0,1399	-0,1474	0,5548	166-1
166	97	ENV	Combination	Max	1,494	0,181	0,253	0,1072	0,0238	0,4253	166-1
166	96	ENV	Combination	Max	2,26	0,397	0,58	0,0844	0,1445	0,5548	166-1
166	97	ENV	Combination	Min	-2,26	-0,397	-0,331	-0,0694	-0,1382	-0,1795	166-1
166	96	ENV	Combination	Min	-1,494	-0,181	-0,503	-0,1399	-0,1589	-0,2676	166-1
168	100	DEAD	LinStatic		-0,046	-0,031	-0,023	-0,0088	-0,0137	0,0346	168-1
168	98	DEAD	LinStatic		0,046	0,031	0,023	-0,008	-0,0133	0,0359	168-1
168	100	CM	LinStatic		-0,031	0,058	0,21	-0,0116	0,1025	-0,0782	168-1
168	98	CM	LinStatic		0,031	-0,058	0,155	0,0435	-0,0217	-0,0559	168-1
168	100	CV	LinStatic		0	0	0	0	0	0	168-1
168	98	CV	LinStatic		0	0	0	0	0	0	168-1
168	100	L	LinStatic		-0,377	0,036	-0,053	-0,0447	0,08	-0,0367	168-1
168	98	L	LinStatic		0,377	-0,036	0,053	0,0645	0,0045	-0,0463	168-1
168	100	COMB1	Combination		-0,639	0,055	0,061	-0,0964	0,1845	-0,0592	168-1
168	98	COMB1	Combination		0,639	-0,055	0,258	0,1266	-0,0605	-0,0678	168-1
168	100	COMB5	Combination		-0,639	0,055	0,061	-0,0964	0,1845	-0,0592	168-1
168	98	COMB5	Combination		0,639	-0,055	0,258	0,1266	-0,0605	-0,0678	168-1
168	100	COMB6	Combination		-0,639	0,055	0,061	-0,0964	0,1845	-0,0592	168-1
168	98	COMB6	Combination		0,639	-0,055	0,258	0,1266	-0,0605	-0,0678	168-1
168	100	COMB7	Combination		-0,208	-0,044	-0,213	-0,0106	-0,052	0,055	168-1
168	98	COMB7	Combination		0,208	0,044	-0,106	-0,0136	0,0429	0,0469	168-1
168	100	COMB8	Combination		-0,208	-0,044	-0,213	-0,0106	-0,052	0,055	168-1
168	98	COMB8	Combination		0,208	0,044	-0,106	-0,0136	0,0429	0,0469	168-1
168	100	COMB9	Combination		-0,549	0,085	0,297	-0,1088	0,2622	-0,0987	168-1
168	98	COMB9	Combination		0,549	-0,085	0,447	0,1556	-0,1339	-0,0979	168-1
168	100	COMB10	Combination		0,457	-0,147	-0,343	0,0912	-0,2896	0,1679	168-1
168	98	COMB10	Combination		-0,457	0,147	-0,402	-0,1716	0,1073	0,1698	168-1
168	100	COMB11	Combination		0,08	-0,111	-0,396	0,0465	-0,2096	0,1312	168-1
168	98	COMB11	Combination		-0,08	0,111	-0,349	-0,1071	0,1118	0,1234	168-1
168	100	COMB12	Combination		-0,926	0,122	0,244	-0,1535	0,3421	-0,1354	168-1
168	98	COMB12	Combination		0,926	-0,122	0,5	0,2201	-0,1294	-0,1442	168-1
168	100	ENV	Combination	Max	0,457	0,122	0,297	0,0912	0,3421	0,1679	168-1
168	98	ENV	Combination	Max	0,926	0,147	0,5	0,2201	0,1118	0,1698	168-1
168	100	ENV	Combination	Min	-0,926	-0,147	-0,396	-0,1535	-0,2896	-0,1354	168-1
168	98	ENV	Combination	Min	-0,457	-0,122	-0,402	-0,1716	-0,1339	-0,1442	168-1
169	101	DEAD	LinStatic		-0,095	-0,028	-0,026	-0,0063	-0,0131	0,0344	169-1
169	100	DEAD	LinStatic		0,095	0,028	0,026	-0,0053	-0,0107	0,034	169-1
169	101	CM	LinStatic		-0,525	0,039	0,103	-0,0028	0,0823	-0,0489	169-1
169	100	CM	LinStatic		0,525	-0,039	0,284	0,0192	-0,0866	-0,0479	169-1
169	101	CV	LinStatic		0	0	0	0	0	0	169-1
169	100	CV	LinStatic		0	0	0	0	0	0	169-1
169	101	L	LinStatic		-1,886	0,207	-0,263	0,1234	0,0857	-0,2362	169-1
169	100	L	LinStatic		1,886	-0,207	0,263	-0,0366	0,0531	-0,2759	169-1
169	101	COMB1	Combination		-3,036	0,332	-0,256	0,2034	0,2114	-0,3771	169-1
169	100	COMB1	Combination		3,036	-0,332	0,594	-0,0644	0,0104	-0,4429	169-1
169	101	COMB5	Combination		-3,036	0,332	-0,256	0,2034	0,2114	-0,3771	169-1
169	100	COMB5	Combination		3,036	-0,332	0,594	-0,0644	0,0104	-0,4429	169-1
169	101	COMB6	Combination		-3,036	0,332	-0,256	0,2034	0,2114	-0,3771	169-1
169	100	COMB6	Combination		3,036	-0,332	0,594	-0,0644	0,0104	-0,4429	169-1
169	101	COMB7	Combination		-0,926	0,027	-0,323	0,0309	-0,0661	-0,0265	169-1
169	100	COMB7	Combination		0,926	-0,027	-0,016	-0,0195	0,0743	-0,041	169-1
169	101	COMB8	Combination		-0,926	0,027	-0,323	0,0309	-0,0661	-0,0265	169-1

169	100	COMB8	Combination		0,926	-0,027	-0,016	-0,0195	0,0743	-0,041	169-1
169	101	COMB9	Combination		-2,557	0,328	0,053	0,1949	0,3107	-0,3746	169-1
169	100	COMB9	Combination		2,557	-0,328	0,737	-0,0577	-0,0853	-0,4349	169-1
169	101	COMB10	Combination		2,367	-0,383	-0,104	-0,2075	-0,3369	0,4434	169-1
169	100	COMB10	Combination		-2,367	0,383	-0,685	0,0471	0,0639	0,5029	169-1
169	101	COMB11	Combination		0,481	-0,176	-0,367	-0,0841	-0,2511	0,2072	169-1
169	100	COMB11	Combination		-0,481	0,176	-0,422	0,0105	0,117	0,227	169-1
169	101	COMB12	Combination		-4,443	0,535	-0,211	0,3184	0,3964	-0,6108	169-1
169	100	COMB12	Combination		4,443	-0,535	1	-0,0944	-0,0322	-0,7109	169-1
169	101	ENV	Combination	Max	2,367	0,535	0,053	0,3184	0,3964	0,4434	169-1
169	100	ENV	Combination	Max	4,443	0,383	1	0,0471	0,117	0,5029	169-1
169	101	ENV	Combination	Min	-4,443	-0,383	-0,367	-0,2075	-0,3369	-0,6108	169-1
169	100	ENV	Combination	Min	-2,367	-0,535	-0,685	-0,0944	-0,0853	-0,7109	169-1
170	102	DEAD	LinStatic		-0,092	-0,03	-0,019	-0,0039	-0,0133	0,0371	170-1
170	101	DEAD	LinStatic		0,092	0,03	0,019	-0,0035	-0,0117	0,0367	170-1
170	102	CM	LinStatic		-0,855	0,018	0,119	-0,0021	0,0932	-0,0226	170-1
170	101	CM	LinStatic		0,855	-0,018	0,264	0,0067	-0,0593	-0,0223	170-1
170	102	CV	LinStatic		0	0	0	0	0	0	170-1
170	101	CV	LinStatic		0	0	0	0	0	0	170-1
170	102	L	LinStatic		-2,94	0,043	-0,278	0,0929	-0,0082	-0,064	170-1
170	101	L	LinStatic		2,94	-0,043	0,278	-0,0822	0,0543	-0,0419	170-1
170	102	COMB1	Combination		-4,683	0,051	-0,293	0,1604	0,0246	-0,0844	170-1
170	101	COMB1	Combination		4,683	-0,051	0,628	-0,1476	0,0035	-0,0426	170-1
170	102	COMB5	Combination		-4,683	0,051	-0,293	0,1604	0,0246	-0,0844	170-1
170	101	COMB5	Combination		4,683	-0,051	0,628	-0,1476	0,0035	-0,0426	170-1
170	102	COMB6	Combination		-4,683	0,051	-0,293	0,1604	0,0246	-0,0844	170-1
170	101	COMB6	Combination		4,683	-0,051	0,628	-0,1476	0,0035	-0,0426	170-1
170	102	COMB7	Combination		-1,38	-0,025	-0,301	0,0176	-0,0677	0,0307	170-1
170	101	COMB7	Combination		1,38	0,025	-0,034	-0,0239	0,0819	0,0321	170-1
170	102	COMB8	Combination		-1,38	-0,025	-0,301	0,0176	-0,0677	0,0307	170-1
170	101	COMB8	Combination		1,38	0,025	-0,034	-0,0239	0,0819	0,0321	170-1
170	102	COMB9	Combination		-3,945	0,06	-0,01	0,1627	0,0943	-0,0971	170-1
170	101	COMB9	Combination		3,945	-0,06	0,792	-0,1478	-0,1031	-0,0506	170-1
170	102	COMB10	Combination		3,762	-0,12	-0,029	-0,1705	-0,121	0,1713	170-1
170	101	COMB10	Combination		-3,762	0,12	-0,753	0,1408	0,0798	0,1239	170-1
170	102	COMB11	Combination		0,822	-0,077	-0,306	-0,0776	-0,1292	0,1074	170-1
170	101	COMB11	Combination		-0,822	0,077	-0,476	0,0585	0,1341	0,082	170-1
170	102	COMB12	Combination		-6,885	0,103	-0,288	0,2556	0,0861	-0,1611	170-1
170	101	COMB12	Combination		6,885	-0,103	1,07	-0,2301	-0,0488	-0,0925	170-1
170	102	ENV	Combination	Max	3,762	0,103	-0,01	0,2556	0,0943	0,1713	170-1
170	101	ENV	Combination	Max	6,885	0,12	1,07	0,1408	0,1341	0,1239	170-1
170	102	ENV	Combination	Min	-6,885	-0,12	-0,306	-0,1705	-0,1292	-0,1611	170-1
170	101	ENV	Combination	Min	-3,762	-0,103	-0,753	-0,2301	-0,1031	-0,0925	170-1
171	103	DEAD	LinStatic		-0,036	-0,031	-0,012	-0,0022	-0,0139	0,038	171-1
171	102	DEAD	LinStatic		0,036	0,031	0,012	-0,0003899	-0,013	0,0383	171-1
171	103	CM	LinStatic		-0,953	0,012	0,14	-0,0102	0,039	-0,0208	171-1
171	102	CM	LinStatic		0,953	-0,012	0,242	0,0112	-0,0852	-0,0098	171-1
171	103	CV	LinStatic		0	0	0	0	0	0	171-1
171	102	CV	LinStatic		0	0	0	0	0	0	171-1
171	103	L	LinStatic		-2,724	-0,176	-0,13	0,0021	-0,0783	0,1984	171-1
171	102	L	LinStatic		2,724	0,176	0,13	-0,0167	-0,0183	0,2364	171-1
171	103	COMB1	Combination		-4,321	-0,316	-0,23	-0,0039	-0,1511	0,3575	171-1
171	102	COMB1	Combination		4,321	0,316	0,23	-0,0222	-0,0593	0,4238	171-1
171	103	COMB5	Combination		-4,321	-0,316	-0,23	-0,0039	-0,1511	0,3575	171-1
171	102	COMB5	Combination		4,321	0,316	0,23	-0,0222	-0,0593	0,4238	171-1
171	103	COMB6	Combination		-4,321	-0,316	-0,23	-0,0039	-0,1511	0,3575	171-1
171	102	COMB6	Combination		4,321	0,316	0,23	-0,0222	-0,0593	0,4238	171-1
171	103	COMB7	Combination		-1,2	-0,098	-0,055	0,0038	-0,0331	0,1152	171-1
171	102	COMB7	Combination		1,2	0,098	0,055	-0,0119	-0,0033	0,1257	171-1
171	103	COMB8	Combination		-1,2	-0,098	-0,055	0,0038	-0,0331	0,1152	171-1
171	102	COMB8	Combination		1,2	0,098	0,055	-0,0119	-0,0033	0,1257	171-1
171	103	COMB9	Combination		-3,677	-0,286	-0,216	-0,0112	-0,1515	0,3206	171-1
171	102	COMB9	Combination		3,677	0,286	0,216	-0,0125	-0,0784	0,3861	171-1
171	103	COMB10	Combination		3,604	0,224	0,192	0,0068	0,1238	-0,2447	171-1
171	102	COMB10	Combination		-3,604	-0,224	-0,192	0,0117	0,0524	-0,3095	171-1
171	103	COMB11	Combination		0,88	0,048	0,062	0,009	0,0455	-0,0463	171-1
171	102	COMB11	Combination		-0,88	-0,048	-0,062	-0,005	0,0341	-0,0731	171-1
171	103	COMB12	Combination		-6,401	-0,462	-0,346	-0,009	-0,2298	0,519	171-1
171	102	COMB12	Combination		6,401	0,462	0,346	-0,0291	-0,0967	0,6225	171-1
171	103	ENV	Combination	Max	3,604	0,224	0,192	0,009	0,1238	0,519	171-1
171	102	ENV	Combination	Max	6,401	0,462	0,346	0,0117	0,0524	0,6225	171-1
171	103	ENV	Combination	Min	-6,401	-0,462	-0,346	-0,0112	-0,2298	-0,2447	171-1
171	102	ENV	Combination	Min	-3,604	-0,224	-0,192	-0,0291	-0,0967	-0,3095	171-1
173	106	DEAD	LinStatic		-0,027	0,008032	-0,003209	0,0021	0,0031	-0,0095	173-1
173	104	DEAD	LinStatic		0,027	-0,008032	0,003209	0,0023	0,0043	-0,009	173-1
173	106	CM	LinStatic		0,017	-0,029	0,218	-0,0114	0,0904	0,0296	173-1
173	104	CM	LinStatic		-0,017	0,029	0,148	-0,0042	-0,0195	0,0361	173-1
173	106	CV	LinStatic		0	0	0	0	0	0	173-1
173	104	CV	LinStatic		0	0	0	0	0	0	173-1
173	106	L	LinStatic		-0,412	0,17	-0,081	0,0427	0,0269	-0,1911	173-1

173	104	L	LinStatic	0,412	-0,17	0,081	0,0503	0,0136	-0,1995	173-1
173	106	COMB1	Combination	-0,519	0,332	0,085	0,0811	0,1224	-0,3766	173-1
173	104	COMB1	Combination	0,519	-0,332	0,234	0,1004	-0,0091	-0,3862	173-1
173	106	COMB5	Combination	-0,519	0,332	0,085	0,0811	0,1224	-0,3766	173-1
173	104	COMB5	Combination	0,519	-0,332	0,234	0,1004	-0,0091	-0,3862	173-1
173	106	COMB6	Combination	-0,519	0,332	0,085	0,0811	0,1224	-0,3766	173-1
173	104	COMB6	Combination	0,519	-0,332	0,234	0,1004	-0,0091	-0,3862	173-1
173	106	COMB7	Combination	-0,36	0,024	-0,253	0,0084	-0,0623	-0,0245	173-1
173	104	COMB7	Combination	0,36	-0,024	-0,066	0,0047	0,0451	-0,0308	173-1
173	106	COMB8	Combination	-0,36	0,024	-0,253	0,0084	-0,0623	-0,0245	173-1
173	104	COMB8	Combination	0,36	-0,024	-0,066	0,0047	0,0451	-0,0308	173-1
173	106	COMB9	Combination	-0,213	0,367	0,391	0,0869	0,2186	-0,4202	173-1
173	104	COMB9	Combination	0,213	-0,367	0,354	0,114	-0,0589	-0,4236	173-1
173	106	COMB10	Combination	0,158	-0,351	-0,398	-0,0827	-0,2123	0,4013	173-1
173	104	COMB10	Combination	-0,158	0,351	-0,347	-0,1094	0,0676	0,4056	173-1
173	106	COMB11	Combination	-0,254	-0,181	-0,478	-0,04	-0,1854	0,2103	173-1
173	104	COMB11	Combination	0,254	0,181	-0,267	-0,0591	0,0812	0,2062	173-1
173	106	COMB12	Combination	-0,625	0,537	0,311	0,1296	0,2455	-0,6113	173-1
173	104	COMB12	Combination	0,625	-0,537	0,434	0,1642	-0,0453	-0,6231	173-1
173	106	ENV	Combination	0,158	0,537	0,391	0,1296	0,2455	0,4013	173-1
173	104	ENV	Combination	0,625	0,351	0,434	0,1642	0,0812	0,4056	173-1
173	106	ENV	Combination	-0,625	-0,351	-0,478	-0,0827	-0,2123	-0,6113	173-1
173	104	ENV	Combination	-0,158	-0,537	-0,347	-0,1094	-0,0589	-0,6231	173-1
174	107	DEAD	LinStatic	-0,072	0,009621	-0,008495	0,0021	0,0037	-0,0127	174-1
174	106	DEAD	LinStatic	0,072	-0,009621	0,008495	0,002	0,0052	-0,0111	174-1
174	107	CM	LinStatic	-0,394	-0,021	0,108	-0,0052	0,0604	0,0261	174-1
174	106	CM	LinStatic	0,394	0,021	0,279	-0,0035	-0,106	0,0255	174-1
174	107	CV	LinStatic	0	0	0	0	0	0	174-1
174	106	CV	LinStatic	0	0	0	0	0	0	174-1
174	107	L	LinStatic	0,131	0,204	0,079	0,0492	0,0625	-0,264	174-1
174	106	L	LinStatic	-0,131	-0,204	-0,079	0,0364	0,0775	-0,2411	174-1
174	107	COMB1	Combination	0,567	0,375	0,371	0,0883	0,1866	-0,4829	174-1
174	106	COMB1	Combination	-0,567	-0,375	-0,033	0,0685	0,0757	-0,4425	174-1
174	107	COMB5	Combination	0,567	0,375	0,371	0,0883	0,1866	-0,4829	174-1
174	106	COMB5	Combination	-0,567	-0,375	-0,033	0,0685	0,0757	-0,4425	174-1
174	107	COMB6	Combination	0,567	0,375	0,371	0,0883	0,1866	-0,4829	174-1
174	106	COMB6	Combination	-0,567	-0,375	-0,033	0,0685	0,0757	-0,4425	174-1
174	107	COMB7	Combination	-0,448	0,054	-0,231	0,0142	-0,0542	-0,0704	174-1
174	106	COMB7	Combination	0,448	-0,054	-0,108	0,0082	0,0897	-0,0619	174-1
174	107	COMB8	Combination	-0,448	0,054	-0,231	0,0142	-0,0542	-0,0704	174-1
174	106	COMB8	Combination	0,448	-0,054	-0,108	0,0082	0,0897	-0,0619	174-1
174	107	COMB9	Combination	1,112	0,384	0,694	0,0885	0,2847	-0,4939	174-1
174	106	COMB9	Combination	-1,112	-0,384	0,095	0,0723	-0,011	-0,4551	174-1
174	107	COMB10	Combination	-1,256	-0,365	-0,711	-0,0844	-0,2772	0,4686	174-1
174	106	COMB10	Combination	1,256	0,365	-0,078	-0,0684	0,0215	0,433	174-1
174	107	COMB11	Combination	-1,124	-0,161	-0,632	-0,0351	-0,2147	0,2046	174-1
174	106	COMB11	Combination	1,124	0,161	-0,157	-0,032	0,0989	0,1919	174-1
174	107	COMB12	Combination	1,244	0,589	0,773	0,1377	0,3471	-0,7579	174-1
174	106	COMB12	Combination	-1,244	-0,589	0,016	0,1087	0,0664	-0,6962	174-1
174	107	ENV	Combination	1,244	0,589	0,773	0,1377	0,3471	0,4686	174-1
174	106	ENV	Combination	1,256	0,365	0,095	0,1087	0,0989	0,433	174-1
174	107	ENV	Combination	-1,256	-0,365	-0,711	-0,0844	-0,2772	-0,7579	174-1
174	106	ENV	Combination	-1,244	-0,589	-0,157	-0,0684	-0,011	-0,6962	174-1
175	108	DEAD	LinStatic	-0,07	0,013	-0,001525	0,0017	0,0063	-0,017	175-1
175	107	DEAD	LinStatic	0,07	-0,013	0,001525	0,0016	0,0073	-0,0158	175-1
175	108	CM	LinStatic	-0,697	-0,016	0,12	-0,0026	0,0749	0,017	175-1
175	107	CM	LinStatic	0,697	0,016	0,264	-0,0013	-0,0798	0,0218	175-1
175	108	CV	LinStatic	0	0	0	0	0	0	175-1
175	107	CV	LinStatic	0	0	0	0	0	0	175-1
175	108	L	LinStatic	0,785	-0,034	0,106	0,0072	0,019	0,0204	175-1
175	107	L	LinStatic	-0,785	0,034	-0,106	-0,0156	0,0472	0,0639	175-1
175	108	COMB1	Combination	1,798	-0,04	0,403	0,015	0,1115	0,0138	175-1
175	107	COMB1	Combination	-1,798	0,04	-0,067	-0,025	0,0215	0,0861	175-1
175	108	COMB5	Combination	1,798	-0,04	0,403	0,015	0,1115	0,0138	175-1
175	107	COMB5	Combination	-1,798	0,04	-0,067	-0,025	0,0215	0,0861	175-1
175	108	COMB6	Combination	1,798	-0,04	0,403	0,015	0,1115	0,0138	175-1
175	107	COMB6	Combination	-1,798	0,04	-0,067	-0,025	0,0215	0,0861	175-1
175	108	COMB7	Combination	-0,367	-0,001159	-0,194	0,0028	-0,0608	-0,0071	175-1
175	107	COMB7	Combination	0,367	0,001159	-0,141	-0,0031	0,0876	0,01	175-1
175	108	COMB8	Combination	-0,367	-0,001159	-0,194	0,0028	-0,0608	-0,0071	175-1
175	107	COMB8	Combination	0,367	0,001159	-0,141	-0,0031	0,0876	0,01	175-1
175	108	COMB9	Combination	2,456	-0,033	0,694	0,0159	0,2073	0,0073	175-1
175	107	COMB9	Combination	-2,456	0,033	0,088	-0,024	-0,0698	0,073	175-1
175	108	COMB10	Combination	-2,595	0,059	-0,697	-0,0124	-0,1947	-0,0414	175-1
175	107	COMB10	Combination	2,595	-0,059	-0,085	0,0272	0,0845	-0,1047	175-1
175	108	COMB11	Combination	-1,81	0,025	-0,591	-0,0053	-0,1757	-0,021	175-1
175	107	COMB11	Combination	1,81	-0,025	-0,191	0,0115	0,1317	-0,0408	175-1
175	108	COMB12	Combination	3,241	-0,067	0,8	0,0231	0,2264	0,0277	175-1
175	107	COMB12	Combination	-3,241	0,067	-0,018	-0,0396	-0,0226	0,1369	175-1
175	108	ENV	Combination	3,241	0,059	0,8	0,0231	0,2264	0,0277	175-1

175	107	ENV	Combination	Max	2,595	0,067	0,088	0,0272	0,1317	0,1369	175-1
175	108	ENV	Combination	Min	-2,595	-0,067	-0,697	-0,0124	-0,1947	-0,0414	175-1
175	107	ENV	Combination	Min	-3,241	-0,059	-0,191	-0,0396	-0,0698	-0,1047	175-1
176	109	DEAD	LinStatic		-0,025	0,015	0,004846	0,0006446	0,0069	-0,0191	176-1
176	108	DEAD	LinStatic		0,025	-0,015	-0,004846	0,0006217	0,0072	-0,0188	176-1
176	109	CM	LinStatic		-0,764	-0,0008079	0,15	0,0005869	0,0461	-0,0042	176-1
176	108	CM	LinStatic		0,764	0,0008079	0,232	-0,0006536	-0,0851	0,0062	176-1
176	109	CV	LinStatic		0	0	0	0	0	0	176-1
176	108	CV	LinStatic		0	0	0	0	0	0	176-1
176	109	L	LinStatic		0,553	-0,283	-0,084	-0,0145	-0,1426	0,3316	176-1
176	108	L	LinStatic		-0,553	0,283	0,084	-0,0089	-0,1098	0,3681	176-1
176	109	COMB1	Combination		1,462	-0,461	0,039	-0,0222	-0,1799	0,5374	176-1
176	108	COMB1	Combination		-1,462	0,461	0,294	-0,0158	-0,256	0,6011	176-1
176	109	COMB5	Combination		1,462	-0,461	0,039	-0,0222	-0,1799	0,5374	176-1
176	108	COMB5	Combination		-1,462	0,461	0,294	-0,0158	-0,256	0,6011	176-1
176	109	COMB6	Combination		1,462	-0,461	0,039	-0,0222	-0,1799	0,5374	176-1
176	108	COMB6	Combination		-1,462	0,461	0,294	-0,0158	-0,256	0,6011	176-1
176	109	COMB7	Combination		-0,407	-0,075	-0,197	-0,0055	-0,0916	0,0877	176-1
176	108	COMB7	Combination		0,407	0,075	-0,137	-0,0006965	0,0507	0,0976	176-1
176	109	COMB8	Combination		-0,407	-0,075	-0,197	-0,0055	-0,0916	0,0877	176-1
176	108	COMB8	Combination		0,407	0,075	-0,137	-0,0006965	0,0507	0,0976	176-1
176	109	COMB9	Combination		2,156	-0,435	0,28	-0,0189	-0,0961	0,5056	176-1
176	108	COMB9	Combination		-2,156	0,435	0,498	-0,017	-0,3506	0,5686	176-1
176	109	COMB10	Combination		-2,206	0,466	-0,271	0,0202	0,1099	-0,5437	176-1
176	108	COMB10	Combination		2,206	-0,466	-0,508	0,0183	0,365	-0,6062	176-1
176	109	COMB11	Combination		-1,653	0,182	-0,354	0,0057	-0,0328	-0,2121	176-1
176	108	COMB11	Combination		1,653	-0,182	-0,424	0,0094	0,2552	-0,2381	176-1
176	109	COMB12	Combination		2,708	-0,718	0,197	-0,0334	-0,2388	0,8372	176-1
176	108	COMB12	Combination		-2,708	0,718	0,582	-0,0259	-0,4605	0,9367	176-1
176	109	ENV	Combination	Max	2,708	0,466	0,28	0,0202	0,1099	0,8372	176-1
176	108	ENV	Combination	Max	2,206	0,718	0,582	0,0183	0,365	0,9367	176-1
176	109	ENV	Combination	Min	-2,206	-0,718	-0,354	-0,0334	-0,2388	-0,5437	176-1
176	108	ENV	Combination	Min	-2,708	-0,466	-0,508	-0,0259	-0,4605	-0,6062	176-1
178	64	DEAD	LinStatic		0,041	0,00005058	0,017	0,00001294	0,0068	-0,00005633	178-1
178	66	DEAD	LinStatic		-0,041	-0,00005058	-0,017	0,00001475	0,009	-0,00006001	178-1
178	64	CM	LinStatic		-0,166	0,000001504	0,175	0,000001254	0,0944	-0,000002411	178-1
178	66	CM	LinStatic		0,166	-0,000001504	0,19	-4,309E-07	-0,0203	-0,000001048	178-1
178	64	CV	LinStatic		0	0	0	0	0	0	178-1
178	66	CV	LinStatic		0	0	0	0	0	0	178-1
178	64	L	LinStatic		-0,108	0,155	-0,023	0,0389	0,0025	-0,1692	178-1
178	66	L	LinStatic		0,108	-0,155	0,023	0,0459	0,0046	-0,187	178-1
178	64	COMB1	Combination		-0,181	0,287	0,152	0,0724	0,0885	-0,314	178-1
178	66	COMB1	Combination		0,181	-0,287	0,167	0,0845	-0,0066	-0,3451	178-1
178	64	COMB5	Combination		-0,181	0,287	0,152	0,0724	0,0885	-0,314	178-1
178	66	COMB5	Combination		0,181	-0,287	0,167	0,0845	-0,0066	-0,3451	178-1
178	64	COMB6	Combination		-0,181	0,287	0,152	0,0724	0,0885	-0,314	178-1
178	66	COMB6	Combination		0,181	-0,287	0,167	0,0845	-0,0066	-0,3451	178-1
178	64	COMB7	Combination		0,047	0,023	-0,164	0,0053	-0,0699	-0,0244	178-1
178	66	COMB7	Combination		-0,047	-0,023	-0,155	0,0074	0,034	-0,029	178-1
178	64	COMB8	Combination		0,047	0,023	-0,164	0,0053	-0,0699	-0,0244	178-1
178	66	COMB8	Combination		-0,047	-0,023	-0,155	0,0074	0,034	-0,029	178-1
178	64	COMB9	Combination		-0,226	0,307	0,385	0,0783	0,1916	-0,3379	178-1
178	66	COMB9	Combination		0,226	-0,307	0,36	0,09	-0,0383	-0,3688	178-1
178	64	COMB10	Combination		0,308	-0,307	-0,352	-0,0782	-0,1781	0,3378	178-1
178	66	COMB10	Combination		-0,308	0,307	-0,393	-0,0899	0,0564	0,3687	178-1
178	64	COMB11	Combination		0,2	-0,152	-0,375	-0,0394	-0,1756	0,1686	178-1
178	66	COMB11	Combination		-0,2	0,152	-0,37	-0,044	0,061	0,1817	178-1
178	64	COMB12	Combination		-0,334	0,462	0,363	0,1171	0,1941	-0,507	178-1
178	66	COMB12	Combination		0,334	-0,462	0,382	0,1359	-0,0337	-0,5558	178-1
178	64	ENV	Combination	Max	0,308	0,462	0,385	0,1171	0,1941	0,3378	178-1
178	66	ENV	Combination	Max	0,334	0,307	0,382	0,1359	0,061	0,3687	178-1
178	64	ENV	Combination	Min	-0,334	-0,307	-0,375	-0,0782	-0,1781	-0,507	178-1
178	66	ENV	Combination	Min	-0,308	-0,462	-0,393	-0,0899	-0,0383	-0,5558	178-1
179	62	DEAD	LinStatic		0,046	0,00004052	0,013	0,00000819	0,0059	-0,00004981	179-1
179	64	DEAD	LinStatic		-0,046	-0,00004052	-0,013	0,000008769	0,0075	-0,00005027	179-1
179	62	CM	LinStatic		-0,126	-0,000001016	0,16	0,000001634	0,0662	2,332E-07	179-1
179	64	CM	LinStatic		0,126	0,000001016	0,227	-0,000002059	-0,0972	0,000002277	179-1
179	62	CV	LinStatic		0	0	0	0	0	0	179-1
179	64	CV	LinStatic		0	0	0	0	0	0	179-1
179	62	L	LinStatic		-0,129	0,186	-0,035	0,0354	-0,0151	-0,2447	179-1
179	64	L	LinStatic		0,129	-0,186	0,035	0,0427	-0,0166	-0,2159	179-1
179	62	COMB1	Combination		-0,148	0,322	0,132	0,0608	0,0555	-0,4229	179-1
179	64	COMB1	Combination		0,148	-0,322	0,206	0,0738	-0,0854	-0,3718	179-1
179	62	COMB5	Combination		-0,148	0,322	0,132	0,0608	0,0555	-0,4229	179-1
179	64	COMB5	Combination		0,148	-0,322	0,206	0,0738	-0,0854	-0,3718	179-1
179	62	COMB6	Combination		-0,148	0,322	0,132	0,0608	0,0555	-0,4229	179-1
179	64	COMB6	Combination		0,148	-0,322	0,206	0,0738	-0,0854	-0,3718	179-1
179	62	COMB7	Combination		-0,018	0,051	-0,175	0,01	-0,0739	-0,0666	179-1
179	64	COMB7	Combination		0,018	-0,051	-0,163	0,0115	0,0672	-0,0601	179-1
179	62	COMB8	Combination		-0,018	0,051	-0,175	0,01	-0,0739	-0,0666	179-1

179	64	COMB8	Combination		0,018	-0,051	-0,163	0,0115	0,0672	-0,0601	179-1
179	62	COMB9	Combination		-0,105	0,316	0,371	0,0593	0,1569	-0,4157	179-1
179	64	COMB9	Combination		0,105	-0,316	0,418	0,0728	-0,1704	-0,3637	179-1
179	62	COMB10	Combination		0,197	-0,315	-0,345	-0,0593	-0,145	0,4156	179-1
179	64	COMB10	Combination		-0,197	0,315	-0,444	-0,0727	0,1855	0,3636	179-1
179	62	COMB11	Combination		0,069	-0,129	-0,379	-0,0239	-0,1601	0,1709	179-1
179	64	COMB11	Combination		-0,069	0,129	-0,41	-0,0301	0,1688	0,1477	179-1
179	62	COMB12	Combination		-0,234	0,502	0,337	0,0947	0,1418	-0,6604	179-1
179	64	COMB12	Combination		0,234	-0,502	0,453	0,1154	-0,1871	-0,5796	179-1
179	62	ENV	Combination	Max	0,197	0,502	0,371	0,0947	0,1569	0,4156	179-1
179	64	ENV	Combination	Max	0,234	0,315	0,453	0,1154	0,1855	0,3636	179-1
179	62	ENV	Combination	Min	-0,234	-0,315	-0,379	-0,0593	-0,1601	-0,6604	179-1
179	64	ENV	Combination	Min	-0,197	-0,502	-0,444	-0,0727	-0,1871	-0,5796	179-1
180	60	DEAD	LinStatic		0,032	0,00004115	0,01	0,000005357	0,0078	-0,00004836	180-1
180	62	DEAD	LinStatic		-0,032	-0,00004115	-0,01	0,000004884	0,0091	-0,00005328	180-1
180	60	CM	LinStatic		-0,162	-0,00002135	0,18	2,094E-07	0,0826	0,00002757	180-1
180	62	CM	LinStatic		0,162	0,00002135	0,204	-0,000005522	-0,0716	0,00002516	180-1
180	60	CV	LinStatic		0	0	0	0	0	0	180-1
180	62	CV	LinStatic		0	0	0	0	0	0	180-1
180	60	L	LinStatic		-0,182	-0,067	-0,017	-0,0168	-0,0021	0,0608	180-1
180	62	L	LinStatic		0,182	0,067	0,017	0,00009039	0,0047	0,1046	180-1
180	60	COMB1	Combination		-0,212	-0,116	0,158	-0,03	0,0795	0,105	180-1
180	62	COMB1	Combination		0,212	0,116	0,177	0,0012	-0,0491	0,1808	180-1
180	60	COMB5	Combination		-0,212	-0,116	0,158	-0,03	0,0795	0,105	180-1
180	62	COMB5	Combination		0,212	0,116	0,177	0,0012	-0,0491	0,1808	180-1
180	60	COMB6	Combination		-0,212	-0,116	0,158	-0,03	0,0795	0,105	180-1
180	62	COMB6	Combination		0,212	0,116	0,177	0,0012	-0,0491	0,1808	180-1
180	60	COMB7	Combination		-0,087	-0,018	-0,173	-0,0035	-0,0682	0,0165	180-1
180	62	COMB7	Combination		0,087	0,018	-0,162	-0,0011	0,0769	0,0282	180-1
180	60	COMB8	Combination		-0,087	-0,018	-0,173	-0,0035	-0,0682	0,0165	180-1
180	62	COMB8	Combination		0,087	0,018	-0,162	-0,0011	0,0769	0,0282	180-1
180	60	COMB9	Combination		-0,114	-0,114	0,397	-0,031	0,18	0,1032	180-1
180	62	COMB9	Combination		0,114	0,114	0,385	0,0027	-0,1379	0,178	180-1
180	60	COMB10	Combination		0,178	0,114	-0,376	0,031	-0,1645	-0,1033	180-1
180	62	COMB10	Combination		-0,178	-0,114	-0,406	-0,0027	0,1561	-0,1781	180-1
180	60	COMB11	Combination		-0,004216	0,047	-0,394	0,0143	-0,1666	-0,0424	180-1
180	62	COMB11	Combination		0,004216	-0,047	-0,388	-0,0026	0,1609	-0,0735	180-1
180	60	COMB12	Combination		-0,295	-0,181	0,379	-0,0478	0,1779	0,164	180-1
180	62	COMB12	Combination		0,295	0,181	0,403	0,0028	-0,1331	0,2826	180-1
180	60	ENV	Combination	Max	0,178	0,114	0,397	0,031	0,18	0,164	180-1
180	62	ENV	Combination	Max	0,295	0,181	0,403	0,0028	0,1609	0,2826	180-1
180	60	ENV	Combination	Min	-0,295	-0,181	-0,394	-0,0478	-0,1666	-0,1033	180-1
180	62	ENV	Combination	Min	-0,178	-0,114	-0,406	-0,0027	-0,1379	-0,1781	180-1
181	58	DEAD	LinStatic		0,011	0,00008977	0,007257	3,153E-07	0,0084	-0,0001242	181-1
181	60	DEAD	LinStatic		-0,011	-0,00008977	-0,007257	0,000007098	0,0086	-0,00009749	181-1
181	58	CM	LinStatic		-0,238	0,00006498	0,164	-0,000007188	0,0433	-0,00007586	181-1
181	60	CM	LinStatic		0,238	-0,00006498	0,218	0,00001255	-0,0909	-0,00008464	181-1
181	58	CV	LinStatic		0	0	0	0	0	0	181-1
181	60	CV	LinStatic		0	0	0	0	0	0	181-1
181	58	L	LinStatic		-0,214	-0,36	-0,008872	-0,0069	-0,0059	0,4321	181-1
181	60	L	LinStatic		0,214	0,36	0,008872	-0,0229	0,0017	0,4579	181-1
181	58	COMB1	Combination		-0,303	-0,609	0,147	-0,0106	0,0435	0,729	181-1
181	60	COMB1	Combination		0,303	0,609	0,187	-0,0397	-0,0679	0,7748	181-1
181	58	COMB5	Combination		-0,303	-0,609	0,147	-0,0106	0,0435	0,729	181-1
181	60	COMB5	Combination		0,303	0,609	0,187	-0,0397	-0,0679	0,7748	181-1
181	58	COMB6	Combination		-0,303	-0,609	0,147	-0,0106	0,0435	0,729	181-1
181	60	COMB6	Combination		0,303	0,609	0,187	-0,0397	-0,0679	0,7748	181-1
181	58	COMB7	Combination		-0,104	-0,112	-0,15	-0,0032	-0,0385	0,135	181-1
181	60	COMB7	Combination		0,104	0,112	-0,184	-0,006	0,0886	0,1407	181-1
181	58	COMB8	Combination		-0,104	-0,112	-0,15	-0,0032	-0,0385	0,135	181-1
181	60	COMB8	Combination		0,104	0,112	-0,184	-0,006	0,0886	0,1407	181-1
181	58	COMB9	Combination		-0,221	-0,58	0,354	-0,0086	0,1041	0,6929	181-1
181	60	COMB9	Combination		0,221	0,58	0,425	-0,0393	-0,1739	0,7397	181-1
181	58	COMB10	Combination		0,242	0,58	-0,339	0,0086	-0,0873	-0,6931	181-1
181	60	COMB10	Combination		-0,242	-0,58	-0,439	0,0393	0,1912	-0,7399	181-1
181	58	COMB11	Combination		0,028	0,22	-0,348	0,0017	-0,0932	-0,261	181-1
181	60	COMB11	Combination		-0,028	-0,22	-0,431	0,0164	0,1929	-0,2821	181-1
181	58	COMB12	Combination		-0,435	-0,94	0,345	-0,0155	0,0982	1,1249	181-1
181	60	COMB12	Combination		0,435	0,94	0,434	-0,0622	-0,1723	1,1976	181-1
181	58	ENV	Combination	Max	0,242	0,58	0,354	0,0086	0,1041	1,1249	181-1
181	60	ENV	Combination	Max	0,435	0,94	0,434	0,0393	0,1929	1,1976	181-1
181	58	ENV	Combination	Min	-0,435	-0,94	-0,348	-0,0155	-0,0932	-0,6931	181-1
181	60	ENV	Combination	Min	-0,242	-0,58	-0,439	-0,0622	-0,1739	-0,7399	181-1
182	56	DEAD	LinStatic		-0,011	-0,0003795	0,007228	0,00002245	0,0086	0,0004714	182-1
182	58	DEAD	LinStatic		0,011	0,0003795	-0,007228	0,000008895	0,0084	0,000466	182-1
182	56	CM	LinStatic		-0,118	0,00008181	0,029	-0,000005026	0,0125	-0,0001089	182-1
182	58	CM	LinStatic		0,118	-0,00008181	0,036	-0,00000173	-0,0305	-0,00009317	182-1
182	56	CV	LinStatic		0	0	0	0	0	0	182-1
182	58	CV	LinStatic		0	0	0	0	0	0	182-1
182	56	L	LinStatic		-0,165	-0,499	0,007516	0,0213	0,0041	0,6108	182-1

182	58	L	LinStatic	0,165	0,499	-0,007516	0,02	0,0008649	0,6221	182-1
182	56	COMB1	Combination	-0,166	-0,878	0,002742	0,0375	0,0067	1,0731	182-1
182	58	COMB1	Combination	0,166	0,878	-0,002742	0,0349	-0,0136	1,0949	182-1
182	56	COMB5	Combination	-0,166	-0,878	0,002742	0,0375	0,0067	1,0731	182-1
182	58	COMB5	Combination	0,166	0,878	-0,002742	0,0349	-0,0136	1,0949	182-1
182	56	COMB6	Combination	-0,166	-0,878	0,002742	0,0375	0,0067	1,0731	182-1
182	58	COMB6	Combination	0,166	0,878	-0,002742	0,0349	-0,0136	1,0949	182-1
182	56	COMB7	Combination	-0,186	-0,121	0,027	0,005	0,0187	0,1494	182-1
182	58	COMB7	Combination	0,186	0,121	-0,027	0,005	0,0321	0,1503	182-1
182	56	COMB8	Combination	-0,186	-0,121	0,027	0,005	0,0187	0,1494	182-1
182	58	COMB8	Combination	0,186	0,121	-0,027	0,005	0,0321	0,1503	182-1
182	56	COMB9	Combination	0,013	-0,883	-0,021	0,038	-0,0054	1,0782	182-1
182	58	COMB9	Combination	-0,013	0,883	0,021	0,0349	-0,0448	1,1025	182-1
182	56	COMB10	Combination	-0,034	0,882	0,035	-0,038	0,0226	-1,0772	182-1
182	58	COMB10	Combination	0,034	-0,882	-0,035	-0,0349	0,0616	-1,1015	182-1
182	56	COMB11	Combination	-0,199	0,383	0,043	-0,0167	0,0267	-0,4664	182-1
182	58	COMB11	Combination	0,199	-0,383	-0,043	-0,0149	0,0625	-0,4794	182-1
182	56	COMB12	Combination	-0,152	-1,382	-0,013	0,0593	-0,0014	1,689	182-1
182	58	COMB12	Combination	0,152	1,382	0,013	0,0549	-0,044	1,7246	182-1
182	56	ENV	Combination	0,013	0,882	0,043	0,0593	0,0267	1,689	182-1
182	58	ENV	Combination	0,199	1,382	0,021	0,0549	0,0625	1,7246	182-1
182	56	ENV	Combination	-0,199	-1,382	-0,021	-0,038	-0,0054	-1,0772	182-1
182	58	ENV	Combination	-0,013	-0,882	-0,043	-0,0349	-0,0448	-1,1015	182-1
183	54	DEAD	LinStatic	-0,032	0,00009073	0,01	-0,00001198	0,0091	-0,0001012	183-1
183	56	DEAD	LinStatic	0,032	-0,00009073	-0,01	-0,0000106	0,0078	-0,0001229	183-1
183	54	CM	LinStatic	-0,118	-0,0001325	0,049	0,00002288	0,0177	0,0001677	183-1
183	56	CM	LinStatic	0,118	0,0001325	0,016	0,00001009	-0,0063	0,0001596	183-1
183	54	CV	LinStatic	0	0	0	0	0	0	183-1
183	56	CV	LinStatic	0	0	0	0	0	0	183-1
183	54	L	LinStatic	-0,145	-0,512	0,02	0,0641	0,0073	0,631	183-1
183	56	L	LinStatic	0,145	0,512	-0,02	0,0633	0,0062	0,6333	183-1
183	54	COMB1	Combination	-0,188	-0,9	0,034	0,1129	0,0188	1,1094	183-1
183	56	COMB1	Combination	0,188	0,9	-0,034	0,111	0,0185	1,1136	183-1
183	54	COMB5	Combination	-0,188	-0,9	0,034	0,1129	0,0188	1,1094	183-1
183	56	COMB5	Combination	0,188	0,9	-0,034	0,111	0,0185	1,1136	183-1
183	54	COMB6	Combination	-0,188	-0,9	0,034	0,1129	0,0188	1,1094	183-1
183	56	COMB6	Combination	0,188	0,9	-0,034	0,111	0,0185	1,1136	183-1
183	54	COMB7	Combination	-0,166	-0,124	0,026	0,0153	0,0141	0,1524	183-1
183	56	COMB7	Combination	0,166	0,124	-0,026	0,0155	0,0096	0,1528	183-1
183	54	COMB8	Combination	-0,166	-0,124	0,026	0,0153	0,0141	0,1524	183-1
183	56	COMB8	Combination	0,166	0,124	-0,026	0,0155	0,0096	0,1528	183-1
183	54	COMB9	Combination	-0,057	-0,906	0,019	0,1139	0,0146	1,1164	183-1
183	56	COMB9	Combination	0,057	0,906	-0,019	0,1115	0,0182	1,1207	183-1
183	54	COMB10	Combination	-0,005996	0,906	0,001015	-0,114	0,0036	-1,1166	183-1
183	56	COMB10	Combination	0,005996	-0,906	-0,001015	-0,1115	-0,0026	-1,121	183-1
183	54	COMB11	Combination	-0,151	0,394	0,021	-0,0498	0,0109	-0,4856	183-1
183	56	COMB11	Combination	0,151	-0,394	-0,021	-0,0482	0,0036	-0,4876	183-1
183	54	COMB12	Combination	-0,203	-1,418	0,039	0,1781	0,0219	1,7474	183-1
183	56	COMB12	Combination	0,203	1,418	-0,039	0,1747	0,0244	1,754	183-1
183	54	ENV	Combination	-0,005996	0,906	0,039	0,1781	0,0219	1,7474	183-1
183	56	ENV	Combination	0,203	1,418	-0,001015	0,1747	0,0244	1,754	183-1
183	54	ENV	Combination	-0,203	-1,418	0,001015	-0,114	0,0036	-1,1166	183-1
183	56	ENV	Combination	0,005996	-0,906	-0,039	-0,1115	-0,0026	-1,121	183-1
184	52	DEAD	LinStatic	-0,046	0,00004085	0,013	-0,000008847	0,0075	-0,00005226	184-1
184	54	DEAD	LinStatic	0,046	-0,00004085	-0,013	-0,000008252	0,0059	-0,00004864	184-1
184	52	CM	LinStatic	-0,085	-0,00001073	0,052	0,000001887	0,0215	0,00001382	184-1
184	54	CM	LinStatic	0,085	0,00001073	0,014	0,000002603	-0,0102	0,00001267	184-1
184	52	CV	LinStatic	0	0	0	0	0	0	184-1
184	54	CV	LinStatic	0	0	0	0	0	0	184-1
184	52	L	LinStatic	-0,102	-0,474	0,02	0,0975	0,0059	0,5862	184-1
184	54	L	LinStatic	0,102	0,474	-0,02	0,1009	0,0017	0,5846	184-1
184	52	COMB1	Combination	-0,156	-0,834	0,035	0,1717	0,0141	1,0309	184-1
184	54	COMB1	Combination	0,156	0,834	-0,035	0,1773	0,0067	1,0282	184-1
184	52	COMB5	Combination	-0,156	-0,834	0,035	0,1717	0,0141	1,0309	184-1
184	54	COMB5	Combination	0,156	0,834	-0,035	0,1773	0,0067	1,0282	184-1
184	52	COMB6	Combination	-0,156	-0,834	0,035	0,1717	0,0141	1,0309	184-1
184	54	COMB6	Combination	0,156	0,834	-0,035	0,1773	0,0067	1,0282	184-1
184	52	COMB7	Combination	-0,139	-0,114	0,032	0,0233	0,0127	0,1413	184-1
184	54	COMB7	Combination	0,139	0,114	-0,032	0,0245	0,0086	0,1409	184-1
184	52	COMB8	Combination	-0,139	-0,114	0,032	0,0233	0,0127	0,1413	184-1
184	54	COMB8	Combination	0,139	0,114	-0,032	0,0245	0,0086	0,1409	184-1
184	52	COMB9	Combination	-0,065	-0,839	0,016	0,1731	0,0092	1,0378	184-1
184	54	COMB9	Combination	0,065	0,839	-0,016	0,1782	0,0037	1,0352	184-1
184	52	COMB10	Combination	-0,026	0,839	0,01	-0,1731	0,0058	-1,038	184-1
184	54	COMB10	Combination	0,026	-0,839	-0,01	-0,1783	0,0082	-1,0353	184-1
184	52	COMB11	Combination	-0,128	0,365	0,03	-0,0756	0,0117	-0,4518	184-1
184	54	COMB11	Combination	0,128	-0,365	-0,03	-0,0774	0,0099	-0,4507	184-1
184	52	COMB12	Combination	-0,167	-1,313	0,037	0,2706	0,0151	1,624	184-1
184	54	COMB12	Combination	0,167	1,313	-0,037	0,2791	0,0054	1,6198	184-1
184	52	ENV	Combination	-0,026	0,839	0,037	0,2706	0,0151	1,624	184-1

184	54	ENV	Combination	Max	0,167	1,313	-0,01	0,2791	0,0099	1,6198	184-1
184	52	ENV	Combination	Min	-0,167	-1,313	0,01	-0,1731	0,0058	-1,038	184-1
184	54	ENV	Combination	Min	0,026	-0,839	-0,037	-0,1783	0,0037	-1,0353	184-1
185	68	DEAD	LinStatic		-0,041	0,00005199	0,017	-0,00001538	0,009	-0,00006171	185-1
185	52	DEAD	LinStatic		0,041	-0,00005199	-0,017	-0,00001309	0,0068	-0,00005785	185-1
185	68	CM	LinStatic		-0,062	-0,00002462	0,043	0,000007136	0,0079	0,00002732	185-1
185	52	CM	LinStatic		0,062	0,00002462	0,02	0,000006346	-0,0148	0,00002931	185-1
185	68	CV	LinStatic		0	0	0	0	0	0	185-1
185	52	CV	LinStatic		0	0	0	0	0	0	185-1
185	68	L	LinStatic		-0,047	-0,452	0,015	0,1222	0,0058	0,5427	185-1
185	52	L	LinStatic		0,047	0,452	-0,015	0,1253	0,003	0,4967	185-1
185	68	COMB1	Combination		-0,093	-0,794	0,033	0,2147	0,0154	0,9537	185-1
185	52	COMB1	Combination		0,093	0,794	-0,033	0,2201	0,0098	0,8727	185-1
185	68	COMB5	Combination		-0,093	-0,794	0,033	0,2147	0,0154	0,9537	185-1
185	52	COMB5	Combination		0,093	0,794	-0,033	0,2201	0,0098	0,8727	185-1
185	68	COMB6	Combination		-0,093	-0,794	0,033	0,2147	0,0154	0,9537	185-1
185	52	COMB6	Combination		0,093	0,794	-0,033	0,2201	0,0098	0,8727	185-1
185	68	COMB7	Combination		-0,083	-0,11	0,03	0,0296	0,0143	0,1317	185-1
185	52	COMB7	Combination		0,083	0,11	-0,03	0,0305	0,0097	0,1205	185-1
185	68	COMB8	Combination		-0,083	-0,11	0,03	0,0296	0,0143	0,1317	185-1
185	52	COMB8	Combination		0,083	0,11	-0,03	0,0305	0,0097	0,1205	185-1
185	68	COMB9	Combination		-0,053	-0,798	0,02	0,216	0,0103	0,9589	185-1
185	52	COMB9	Combination		0,053	0,798	-0,02	0,2212	0,0068	0,8774	185-1
185	68	COMB10	Combination		-0,029	0,799	0,013	-0,216	0,0078	-0,9591	185-1
185	52	COMB10	Combination		0,029	-0,799	-0,013	-0,2212	0,0067	-0,8775	185-1
185	68	COMB11	Combination		-0,076	0,347	0,028	-0,0939	0,0136	-0,4163	185-1
185	52	COMB11	Combination		0,076	-0,347	-0,028	-0,0959	0,0097	-0,3809	185-1
185	68	COMB12	Combination		-0,1	-1,25	0,035	0,3381	0,0161	1,5017	185-1
185	52	COMB12	Combination		0,1	1,25	-0,035	0,3465	0,0098	1,3741	185-1
185	68	ENV	Combination	Max	-0,029	0,799	0,035	0,3381	0,0161	1,5017	185-1
185	52	ENV	Combination	Max	0,1	1,25	-0,013	0,3465	0,0098	1,3741	185-1
185	68	ENV	Combination	Min	-0,1	-1,25	0,013	-0,216	0,0078	-0,9591	185-1
185	52	ENV	Combination	Min	0,029	-0,799	-0,035	-0,2212	0,0067	-0,8775	185-1
187	81	DEAD	LinStatic		0,007811	-0,029	-0,0008985	-0,0131	-0,0004532	0,0363	187-1
187	79	DEAD	LinStatic		-0,007811	0,029	0,0008985	0,0155	-0,0011	0,0353	187-1
187	81	CM	LinStatic		-0,059	-0,011	0,042	-0,0065	0,0334	0,0145	187-1
187	79	CM	LinStatic		0,059	0,011	0,024	0,0073	-0,0166	0,0117	187-1
187	81	CV	LinStatic		0	0	0	0	0	0	187-1
187	79	CV	LinStatic		0	0	0	0	0	0	187-1
187	81	L	LinStatic		0,049	-0,139	-0,000884	0,054	-0,0113	0,1743	187-1
187	79	L	LinStatic		-0,049	0,139	0,000884	-0,0426	0,0131	0,1683	187-1
187	81	COMB1	Combination		-0,026	-0,284	-0,004536	0,0775	-0,018	0,356	187-1
187	79	COMB1	Combination		0,026	0,284	0,004536	-0,0541	0,0046	0,3447	187-1
187	81	COMB5	Combination		-0,026	-0,284	-0,004536	0,0775	-0,018	0,356	187-1
187	79	COMB5	Combination		0,026	0,284	0,004536	-0,0541	0,0046	0,3447	187-1
187	81	COMB6	Combination		-0,026	-0,284	-0,004536	0,0775	-0,018	0,356	187-1
187	79	COMB6	Combination		0,026	0,284	0,004536	-0,0541	0,0046	0,3447	187-1
187	81	COMB7	Combination		0,14	-0,052	0,0009712	0,0044	-0,0055	0,0652	187-1
187	79	COMB7	Combination		-0,14	0,052	-0,0009712	-0,0001093	0,0194	0,0625	187-1
187	81	COMB8	Combination		0,14	-0,052	0,0009712	0,0044	-0,0055	0,0652	187-1
187	79	COMB8	Combination		-0,14	0,052	-0,0009712	-0,0001093	0,0194	0,0625	187-1
187	81	COMB9	Combination		-0,186	-0,3	-0,007324	0,0722	-0,015	0,3755	187-1
187	79	COMB9	Combination		0,186	0,3	0,007324	-0,0475	-0,0184	0,3645	187-1
187	81	COMB10	Combination		0,201	0,242	0,005527	-0,0984	0,0141	-0,3029	187-1
187	79	COMB10	Combination		-0,201	-0,242	-0,005527	0,0784	0,0162	-0,2939	187-1
187	81	COMB11	Combination		0,25	0,103	0,004643	-0,0444	0,0029	-0,1286	187-1
187	79	COMB11	Combination		-0,25	-0,103	-0,004643	0,0359	0,0293	-0,1256	187-1
187	81	COMB12	Combination		-0,137	-0,438	-0,008208	0,1262	-0,0263	0,5498	187-1
187	79	COMB12	Combination		0,137	0,438	0,008208	-0,09	-0,0053	0,5328	187-1
187	81	ENV	Combination	Max	0,25	0,242	0,005527	0,1262	0,0141	0,5498	187-1
187	79	ENV	Combination	Max	0,186	0,438	0,008208	0,0784	0,0293	0,5328	187-1
187	81	ENV	Combination	Min	-0,186	-0,438	-0,008208	-0,0984	-0,0263	-0,3029	187-1
187	79	ENV	Combination	Min	-0,25	-0,242	-0,005527	-0,09	-0,0184	-0,2939	187-1
188	83	DEAD	LinStatic		0,015	-0,023	-0,001002	-0,0075	0,0017	0,0292	188-1
188	81	DEAD	LinStatic		-0,015	0,023	0,001002	0,0131	-0,0003233	0,0267	188-1
188	83	CM	LinStatic		-0,031	-0,00982	0,039	-0,004	0,0191	0,012	188-1
188	81	CM	LinStatic		0,031	0,00982	0,026	0,0065	-0,0108	0,0122	188-1
188	83	CV	LinStatic		0	0	0	0	0	0	188-1
188	81	CV	LinStatic		0	0	0	0	0	0	188-1
188	83	L	LinStatic		0,527	-0,07	-0,052	0,0714	-0,0079	0,0958	188-1
188	81	L	LinStatic		-0,527	0,07	0,052	-0,054	0,0105	0,0767	188-1
188	83	COMB1	Combination		0,868	-0,152	-0,087	0,1154	-0,014	0,2067	188-1
188	81	COMB1	Combination		-0,868	0,152	0,087	-0,0775	0,0151	-0,1696	188-1
188	83	COMB5	Combination		0,868	-0,152	-0,087	0,1154	-0,014	0,2067	188-1
188	81	COMB5	Combination		-0,868	0,152	0,087	-0,0775	0,0151	-0,1696	188-1
188	83	COMB6	Combination		0,868	-0,152	-0,087	0,1154	-0,014	0,2067	188-1
188	81	COMB6	Combination		-0,868	0,152	0,087	-0,0775	0,0151	-0,1696	188-1
188	83	COMB7	Combination		0,216	-0,033	-0,019	0,0125	0,0015	0,0434	188-1
188	81	COMB7	Combination		-0,216	0,033	0,019	-0,0044	0,0053	0,0371	188-1
188	83	COMB8	Combination		0,216	-0,033	-0,019	0,0125	0,0015	0,0434	188-1

188	81	COMB8	Combination	-0,216	0,033	0,019	-0,0044	0,0053	0,0371 188-1
188	83	COMB9	Combination	0,777	-0,162	-0,08	0,1126	-0,0164	0,2198 188-1
188	81	COMB9	Combination	-0,777	0,162	0,08	-0,0722	0,0112	0,1812 188-1
188	83	COMB10	Combination	-0,746	0,117	0,078	-0,1275	0,0197	-0,1613 188-1
188	81	COMB10	Combination	0,746	-0,117	-0,078	0,0984	-0,0118	-0,1279 188-1
188	83	COMB11	Combination	-0,219	0,047	0,026	-0,0561	0,0118	-0,0655 188-1
188	81	COMB11	Combination	0,219	-0,047	-0,026	0,0444	-0,0013	-0,0512 188-1
188	83	COMB12	Combination	1,303	-0,232	-0,132	0,184	-0,0243	0,3156 188-1
188	81	COMB12	Combination	-1,303	0,232	0,132	-0,1262	0,0217	0,2579 188-1
188	83	ENV	Combination	1,303	0,117	0,078	0,184	0,0197	0,3156 188-1
188	81	ENV	Combination	0,746	0,232	0,132	0,0984	0,0217	0,2579 188-1
188	83	ENV	Combination	-0,746	-0,232	-0,132	-0,1275	-0,0243	-0,1613 188-1
188	81	ENV	Combination	-1,303	-0,117	-0,078	-0,1262	-0,0118	-0,1279 188-1
189	85	DEAD	LinStatic	0,011	-0,013	-0,002842	-0,0022	-0,0015	0,0162 189-1
189	83	DEAD	LinStatic	-0,011	0,013	0,002842	0,0075	-0,0009035	0,0149 189-1
189	85	CM	LinStatic	-0,008552	-0,012	0,044	0,0011	0,0326	0,0165 189-1
189	83	CM	LinStatic	0,008552	0,012	0,023	0,004	-0,0101	0,0137 189-1
189	85	CV	LinStatic	0	0	0	0	0	0 189-1
189	83	CV	LinStatic	0	0	0	0	0	0 189-1
189	85	L	LinStatic	0,71	-0,047	-0,044	0,0913	0,1214	0,0849 189-1
189	83	L	LinStatic	-0,71	0,047	0,044	-0,0714	0,0668	0,0324 189-1
189	85	COMB1	Combination	1,223	-0,101	-0,075	0,1576	0,2106	0,1715 189-1
189	83	COMB1	Combination	-1,223	0,101	0,075	-0,1154	0,1156	0,0773 189-1
189	85	COMB5	Combination	1,223	-0,101	-0,075	0,1576	0,2106	0,1715 189-1
189	83	COMB5	Combination	-1,223	0,101	0,075	-0,1154	0,1156	0,0773 189-1
189	85	COMB6	Combination	1,223	-0,101	-0,075	0,1576	0,2106	0,1715 189-1
189	83	COMB6	Combination	-1,223	0,101	0,075	-0,1154	0,1156	0,0773 189-1
189	85	COMB7	Combination	0,219	-0,019	-0,019	0,0206	0,0293	0,0306 189-1
189	83	COMB7	Combination	-0,219	0,019	0,019	-0,0125	0,0162	0,0172 189-1
189	85	COMB8	Combination	0,219	-0,019	-0,019	0,0206	0,0293	0,0306 189-1
189	83	COMB8	Combination	-0,219	0,019	0,019	-0,0125	0,0162	0,0172 189-1
189	85	COMB9	Combination	1,183	-0,108	-0,069	0,1576	0,2099	0,1805 189-1
189	83	COMB9	Combination	-1,183	0,108	0,069	-0,1126	0,115	0,085 189-1
189	85	COMB10	Combination	-1,161	0,082	0,063	-0,162	-0,213	-0,1482 189-1
189	83	COMB10	Combination	1,161	-0,082	-0,063	0,1275	-0,1168	-0,0553 189-1
189	85	COMB11	Combination	-0,451	0,035	0,019	-0,0707	-0,0915	-0,0633 189-1
189	83	COMB11	Combination	0,451	-0,035	-0,019	0,0561	-0,05	-0,0229 189-1
189	85	COMB12	Combination	1,892	-0,155	-0,113	0,2489	0,3314	0,2654 189-1
189	83	COMB12	Combination	-1,892	0,155	0,113	-0,184	0,1818	0,1174 189-1
189	85	ENV	Combination	1,892	0,082	0,063	0,2489	0,3314	0,2654 189-1
189	83	ENV	Combination	1,161	0,155	0,113	0,1275	0,1818	0,1174 189-1
189	85	ENV	Combination	-1,161	-0,155	-0,113	-0,162	-0,213	-0,1482 189-1
189	83	ENV	Combination	-1,892	-0,082	-0,063	-0,184	-0,1168	-0,0553 189-1
190	89	DEAD	LinStatic	-0,0009758	-0,004014	-0,002122	-2,194E-16	-0,0037	0,0057 190-1
190	85	DEAD	LinStatic	0,0009758	0,004014	0,002122	0,0022	-0,0017	0,0035 190-1
190	89	CM	LinStatic	0,022	0,002006	0,001126	-6,768E-16	-0,012	-0,0049 190-1
190	85	CM	LinStatic	-0,022	-0,002006	0,062	-0,0011	-0,0453	0,0003127 190-1
190	89	CV	LinStatic	0	0	0	0	0	0 190-1
190	85	CV	LinStatic	0	0	0	0	0	0 190-1
190	89	L	LinStatic	0,434	0,167	-0,163	-1,527E-16	-0,0035	-0,1824 190-1
190	85	L	LinStatic	-0,434	-0,167	0,163	-0,0913	-0,1331	-0,201 190-1
190	89	COMB1	Combination	0,75	0,288	-0,287	-6,219E-16	-0,0119	-0,313 190-1
190	85	COMB1	Combination	-0,75	-0,288	0,287	-0,1576	-0,2384	-0,3488 190-1
190	89	COMB5	Combination	0,75	0,288	-0,287	-6,219E-16	-0,0119	-0,313 190-1
190	85	COMB5	Combination	-0,75	-0,288	0,287	-0,1576	-0,2384	-0,3488 190-1
190	89	COMB6	Combination	0,75	0,288	-0,287	-6,219E-16	-0,0119	-0,313 190-1
190	85	COMB6	Combination	-0,75	-0,288	0,287	-0,1576	-0,2384	-0,3488 190-1
190	89	COMB7	Combination	0,116	0,038	-0,042	-1,223E-16	-0,0027	-0,0404 190-1
190	85	COMB7	Combination	-0,116	-0,038	0,042	-0,0206	-0,0312	-0,0461 190-1
190	89	COMB8	Combination	0,116	0,038	-0,042	-1,223E-16	-0,0027	-0,0404 190-1
190	85	COMB8	Combination	-0,116	-0,038	0,042	-0,0206	-0,0312	-0,0461 190-1
190	89	COMB9	Combination	0,739	0,288	-0,288	-8,023E-16	-0,0145	-0,3124 190-1
190	85	COMB9	Combination	-0,739	-0,288	0,288	-0,1576	-0,2435	-0,3496 190-1
190	89	COMB10	Combination	-0,741	-0,296	0,284	3,634E-16	0,007	0,3238 190-1
190	85	COMB10	Combination	0,741	0,296	-0,284	0,162	0,2401	0,3567 190-1
190	89	COMB11	Combination	-0,307	-0,129	0,121	2,108E-16	0,0035	0,1414 190-1
190	85	COMB11	Combination	0,307	0,129	-0,121	0,0707	0,107	0,1556 190-1
190	89	COMB12	Combination	1,173	0,455	-0,451	-9,55E-16	-0,0181	-0,4948 190-1
190	85	COMB12	Combination	-1,173	-0,455	0,451	-0,2489	-0,3766	-0,5506 190-1
190	89	ENV	Combination	1,173	0,455	0,284	3,634E-16	0,007	0,3238 190-1
190	85	ENV	Combination	0,741	0,296	0,451	0,162	0,2401	0,3567 190-1
190	89	ENV	Combination	-0,741	-0,296	-0,451	-9,55E-16	-0,0181	-0,4948 190-1
190	85	ENV	Combination	-1,173	-0,455	-0,284	-0,2489	-0,3766	-0,5506 190-1
192	113	DEAD	LinStatic	-0,027	-0,033	0,0008883	0,001	0	0,0404 192-1
192	97	DEAD	LinStatic	0,027	0,033	-0,0008883	0,0017	0	0,0403 192-1
192	113	CM	LinStatic	-0,115	-0,0009815	0,037	-0,0077	0	0,0065 192-1
192	97	CM	LinStatic	0,115	0,0009815	0,029	0,0078	0	-0,0041 192-1
192	113	CV	LinStatic	0	0	0	0	0	0 192-1
192	97	CV	LinStatic	0	0	0	0	0	0 192-1
192	113	L	LinStatic	-0,777	-0,173	0,026	0,0128	0	0,2144 192-1

192	97	L	LinStatic		0,777	0,173	-0,026	0,0014	0	0,2125	192-1
192	113	COMB1	Combination		-1,362	-0,343	0,046	0,0184	0	0,4275	192-1
192	97	COMB1	Combination		1,362	0,343	-0,046	0,01	0	0,4204	192-1
192	113	COMB5	Combination		-1,362	-0,343	0,046	0,0184	0	0,4275	192-1
192	97	COMB5	Combination		1,362	0,343	-0,046	0,01	0	0,4204	192-1
192	113	COMB6	Combination		-1,362	-0,343	0,046	0,0184	0	0,4275	192-1
192	97	COMB6	Combination		1,362	0,343	-0,046	0,01	0	0,4204	192-1
192	113	COMB7	Combination		-0,245	-0,068	0,008177	0,0094	0	0,0821	192-1
192	97	COMB7	Combination		0,245	0,068	-0,008177	-0,0038	0	0,0852	192-1
192	113	COMB8	Combination		-0,245	-0,068	0,008177	0,0094	0	0,0821	192-1
192	97	COMB8	Combination		0,245	0,068	-0,008177	-0,0038	0	0,0852	192-1
192	113	COMB9	Combination		-1,33	-0,354	0,044	0,0115	0	0,4434	192-1
192	97	COMB9	Combination		1,33	0,354	-0,044	0,0177	0	0,4313	192-1
192	113	COMB10	Combination		1,277	0,289	-0,043	-0,0094	0	-0,3625	192-1
192	97	COMB10	Combination		-1,277	-0,289	0,043	-0,0144	0	-0,3507	192-1
192	113	COMB11	Combination		0,5	0,116	-0,017	0,0034	0	-0,1481	192-1
192	97	COMB11	Combination		-0,5	-0,116	0,017	-0,013	0	-0,1382	192-1
192	113	COMB12	Combination		-2,107	-0,527	0,07	0,0243	0	0,6577	192-1
192	97	COMB12	Combination		2,107	0,527	-0,07	0,0192	0	0,6438	192-1
192	113	ENV	Combination	Max	1,277	0,289	0,07	0,0243	0	0,6577	192-1
192	97	ENV	Combination	Max	2,107	0,527	0,043	0,0192	0	0,6438	192-1
192	113	ENV	Combination	Min	-2,107	-0,527	-0,043	-0,0094	0	-0,3625	192-1
192	97	ENV	Combination	Min	-1,277	-0,289	-0,07	-0,0144	0	-0,3507	192-1
193	114	DEAD	LinStatic		-0,072	-0,033	-0,004602	0,004	-0,0121	0,0416	193-1
193	113	DEAD	LinStatic		0,072	0,033	0,004602	0,0043	-0,0172	0,0407	193-1
193	114	CM	LinStatic		-0,104	-0,004005	0,046	-0,0016	0,0154	0,0053	193-1
193	113	CM	LinStatic		0,104	0,004005	0,02	0,0026	-0,0084	0,0045	193-1
193	114	CV	LinStatic		0	0	0	0	0	0	193-1
193	113	CV	LinStatic		0	0	0	0	0	0	193-1
193	114	L	LinStatic		-0,584	-0,115	0,008729	0,0047	-0,0555	0,1506	193-1
193	113	L	LinStatic		0,584	0,115	-0,008729	0,0238	-0,0683	0,1327	193-1
193	114	COMB1	Combination		-1,073	-0,243	0,00422	0,0119	-0,1134	0,3165	193-1
193	113	COMB1	Combination		1,073	0,243	-0,00422	0,0486	-0,1433	0,2839	193-1
193	114	COMB5	Combination		-1,073	-0,243	0,00422	0,0119	-0,1134	0,3165	193-1
193	113	COMB5	Combination		1,073	0,243	-0,00422	0,0486	-0,1433	0,2839	193-1
193	114	COMB6	Combination		-1,073	-0,243	0,00422	0,0119	-0,1134	0,3165	193-1
193	113	COMB6	Combination		1,073	0,243	-0,00422	0,0486	-0,1433	0,2839	193-1
193	114	COMB7	Combination		-0,239	-0,053	0,004034	0,0055	-0,0218	0,0678	193-1
193	113	COMB7	Combination		0,239	0,053	-0,004034	0,0077	-0,0278	0,063	193-1
193	114	COMB8	Combination		-0,239	-0,053	0,004034	0,0055	-0,0218	0,0678	193-1
193	113	COMB8	Combination		0,239	0,053	-0,004034	0,0077	-0,0278	0,063	193-1
193	114	COMB9	Combination		-1,045	-0,255	-0,004385	0,0114	-0,119	0,3318	193-1
193	113	COMB9	Combination		1,045	0,255	0,004385	0,0521	-0,1519	0,2984	193-1
193	114	COMB10	Combination		0,901	0,189	-0,004819	-0,0034	0,0949	-0,2486	193-1
193	113	COMB10	Combination		-0,901	-0,189	0,004819	-0,0435	0,1175	-0,217	193-1
193	114	COMB11	Combination		0,317	0,074	0,00391	0,0013	0,0394	-0,098	193-1
193	113	COMB11	Combination		-0,317	-0,074	-0,00391	-0,0196	0,0492	-0,0843	193-1
193	114	COMB12	Combination		-1,629	-0,37	0,004344	0,0161	-0,1745	0,4823	193-1
193	113	COMB12	Combination		1,629	0,37	-0,004344	0,076	-0,2202	0,4311	193-1
193	114	ENV	Combination	Max	0,901	0,189	0,004344	0,0161	0,0949	0,4823	193-1
193	113	ENV	Combination	Max	1,629	0,37	0,004819	0,076	0,1175	0,4311	193-1
193	114	ENV	Combination	Min	-1,629	-0,37	-0,004819	-0,0034	-0,1745	-0,2486	193-1
193	113	ENV	Combination	Min	-0,901	-0,189	-0,004344	-0,0435	-0,2202	-0,217	193-1
194	115	DEAD	LinStatic		-0,082	-0,033	0,004582	0,0063	-0,011	0,0406	194-1
194	114	DEAD	LinStatic		0,082	0,033	-0,004582	0,0075	-0,0121	0,0406	194-1
194	115	CM	LinStatic		-0,085	-0,007683	0,048	0,0029	0,0197	0,0112	194-1
194	114	CM	LinStatic		0,085	0,007683	0,018	0,0003121	-0,0181	0,0078	194-1
194	115	CV	LinStatic		0	0	0	0	0	0	194-1
194	114	CV	LinStatic		0	0	0	0	0	0	194-1
194	115	L	LinStatic		-0,321	-0,034	0,072	-0,005	0,0429	0,0657	194-1
194	114	L	LinStatic		0,321	0,034	-0,072	0,0194	-0,000064	0,0194	194-1
194	115	COMB1	Combination		-0,626	-0,1	0,126	-0,0018	0,062	0,1636	194-1
194	114	COMB1	Combination		0,626	0,1	-0,126	0,0435	-0,014	0,0825	194-1
194	115	COMB5	Combination		-0,626	-0,1	0,126	-0,0018	0,062	0,1636	194-1
194	114	COMB5	Combination		0,626	0,1	-0,126	0,0435	-0,014	0,0825	194-1
194	115	COMB6	Combination		-0,626	-0,1	0,126	-0,0018	0,062	0,1636	194-1
194	114	COMB6	Combination		0,626	0,1	-0,126	0,0435	-0,014	0,0825	194-1
194	115	COMB7	Combination		-0,18	-0,035	0,027	0,0044	0,002	0,0489	194-1
194	114	COMB7	Combination		0,18	0,035	-0,027	0,0103	-0,0103	0,0375	194-1
194	115	COMB8	Combination		-0,18	-0,035	0,027	0,0044	0,002	0,0489	194-1
194	114	COMB8	Combination		0,18	0,035	-0,027	0,0103	-0,0103	0,0375	194-1
194	115	COMB9	Combination		-0,603	-0,108	0,12	-0,0009857	0,059	0,1743	194-1
194	114	COMB9	Combination		0,603	0,108	-0,12	0,0463	-0,0164	0,0931	194-1
194	115	COMB10	Combination		0,439	0,043	-0,11	0,0136	-0,081	-0,0932	194-1
194	114	COMB10	Combination		-0,439	-0,043	0,11	-0,0314	-0,0078	-0,0119	194-1
194	115	COMB11	Combination		0,118	0,008082	-0,039	0,0085	-0,0381	-0,0275	194-1
194	114	COMB11	Combination		-0,118	-0,008082	0,039	-0,0119	-0,0079	0,0075	194-1
194	115	COMB12	Combination		-0,924	-0,143	0,191	-0,006	0,102	0,24	194-1
194	114	COMB12	Combination		0,924	0,143	-0,191	0,0657	-0,0164	0,1125	194-1
194	115	ENV	Combination	Max	0,439	0,043	0,191	0,0136	0,102	0,24	194-1

194	114	ENV	Combination	Max	0,924	0,143	0,11	0,0657	-0,0078	0,1125	194-1
194	115	ENV	Combination	Min	-0,924	-0,143	-0,11	-0,006	-0,081	-0,0932	194-1
194	114	ENV	Combination	Min	-0,439	-0,043	-0,191	-0,0314	-0,0164	-0,0119	194-1
195	116	DEAD	LinStatic		-0,057	-0,04	0,001022	0,0094	-0,0147	0,0475	195-1
195	115	DEAD	LinStatic		0,057	0,04	-0,001022	0,0124	-0,0141	0,0438	195-1
195	116	CM	LinStatic		-0,066	-0,012	0,035	0,0163	-0,0002402	0,0121	195-1
195	115	CM	LinStatic		0,066	0,012	0,028	-0,0096	-0,0278	0,0161	195-1
195	116	CV	LinStatic		0	0	0	0	0	0	195-1
195	115	CV	LinStatic		0	0	0	0	0	0	195-1
195	116	L	LinStatic		-0,185	0,197	0,072	0,0085	0,076	-0,2271	195-1
195	115	L	LinStatic		0,185	-0,197	-0,072	-0,1161	-0,0107	-0,2251	195-1
195	116	COMB1	Combination		-0,374	0,302	0,125	0,0259	0,1176	-0,3469	195-1
195	115	COMB1	Combination		0,374	-0,302	-0,125	-0,1912	-0,0345	-0,3473	195-1
195	116	COMB5	Combination		-0,374	0,302	0,125	0,0259	0,1176	-0,3469	195-1
195	115	COMB5	Combination		0,374	-0,302	-0,125	-0,1912	-0,0345	-0,3473	195-1
195	116	COMB6	Combination		-0,374	0,302	0,125	0,0259	0,1176	-0,3469	195-1
195	115	COMB6	Combination		0,374	-0,302	-0,125	-0,1912	-0,0345	-0,3473	195-1
195	116	COMB7	Combination		-0,11	0,012	0,022	0,0098	0,0051	-0,0122	195-1
195	115	COMB7	Combination		0,11	-0,012	-0,022	-0,0163	-0,0151	-0,0154	195-1
195	116	COMB8	Combination		-0,11	0,012	0,022	0,0098	0,0051	-0,0122	195-1
195	115	COMB8	Combination		0,11	-0,012	-0,022	-0,0163	-0,0151	-0,0154	195-1
195	116	COMB9	Combination		-0,365	0,298	0,122	0,0282	0,1166	-0,343	195-1
195	115	COMB9	Combination		0,365	-0,298	-0,122	-0,1916	-0,0367	-0,3433	195-1
195	116	COMB10	Combination		0,251	-0,378	-0,12	-0,0095	-0,1459	0,438	195-1
195	115	COMB10	Combination		-0,251	0,378	0,12	0,2164	0,0085	0,4309	195-1
195	116	COMB11	Combination		0,066	-0,181	-0,047	-0,001	-0,0699	0,2109	195-1
195	115	COMB11	Combination		-0,066	0,181	0,047	0,1002	-0,0022	0,2058	195-1
195	116	COMB12	Combination		-0,549	0,495	0,194	0,0367	0,1926	-0,5701	195-1
195	115	COMB12	Combination		0,549	-0,495	-0,194	-0,3078	-0,0474	-0,5685	195-1
195	116	ENV	Combination	Max	0,251	0,495	0,194	0,0367	0,1926	0,438	195-1
195	115	ENV	Combination	Max	0,549	0,378	0,12	0,2164	0,0085	0,4309	195-1
195	116	ENV	Combination	Min	-0,549	-0,378	-0,12	-0,0095	-0,1459	-0,5701	195-1
195	115	ENV	Combination	Min	-0,251	-0,495	-0,194	-0,3078	-0,0474	-0,5685	195-1
197	118	DEAD	LinStatic		0,032	-0,031	-0,013	0,0015	-0,0149	0,0378	197-1
197	103	DEAD	LinStatic		-0,032	0,031	0,013	0,0011	-0,0154	0,0378	197-1
197	118	CM	LinStatic		-1,051	-0,003267	0,057	-0,0187	0,0099	0,0101	197-1
197	103	CM	LinStatic		1,051	0,003267	0,008682	0,019	-0,0371	-0,0021	197-1
197	118	CV	LinStatic		0	0	0	0	0	0	197-1
197	103	CV	LinStatic		0	0	0	0	0	0	197-1
197	118	L	LinStatic		-1,754	-0,23	-0,031	0,0065	-0,1008	0,2869	197-1
197	103	L	LinStatic		1,754	0,23	0,031	0,0125	-0,1198	0,2802	197-1
197	118	COMB1	Combination		-2,591	-0,438	-0,076	0,0043	-0,1872	0,5434	197-1
197	103	COMB1	Combination		2,591	0,438	0,076	0,0319	-0,2158	0,5372	197-1
197	118	COMB5	Combination		-2,591	-0,438	-0,076	0,0043	-0,1872	0,5434	197-1
197	103	COMB5	Combination		2,591	0,438	0,076	0,0319	-0,2158	0,5372	197-1
197	118	COMB6	Combination		-2,591	-0,438	-0,076	0,0043	-0,1872	0,5434	197-1
197	103	COMB6	Combination		2,591	0,438	0,076	0,0319	-0,2158	0,5372	197-1
197	118	COMB7	Combination		-0,853	-0,083	-0,011	0,0116	-0,0443	0,1059	197-1
197	103	COMB7	Combination		0,853	0,083	0,011	-0,0047	-0,0546	0,0989	197-1
197	118	COMB8	Combination		-0,853	-0,083	-0,011	0,0116	-0,0443	0,1059	197-1
197	103	COMB8	Combination		0,853	0,083	0,011	-0,0047	-0,0546	0,0989	197-1
197	118	COMB9	Combination		-1,996	-0,444	-0,089	-0,0071	-0,1816	0,5482	197-1
197	103	COMB9	Combination		1,996	0,444	0,089	0,0438	-0,2034	0,5492	197-1
197	118	COMB10	Combination		2,061	0,383	0,062	0,01	0,1518	-0,4726	197-1
197	103	COMB10	Combination		-2,061	-0,383	-0,062	-0,0416	0,1727	-0,4736	197-1
197	118	COMB11	Combination		0,306	0,153	0,032	0,0165	0,051	-0,1857	197-1
197	103	COMB11	Combination		-0,306	-0,153	-0,032	-0,0291	0,0529	-0,1934	197-1
197	118	COMB12	Combination		-3,75	-0,674	-0,12	-0,0006104	-0,2824	0,835	197-1
197	103	COMB12	Combination		3,75	0,674	0,12	0,0563	-0,3232	0,8295	197-1
197	118	ENV	Combination	Max	2,061	0,383	0,062	0,0165	0,1518	0,835	197-1
197	103	ENV	Combination	Max	3,75	0,674	0,12	0,0563	0,1727	0,8295	197-1
197	118	ENV	Combination	Min	-3,75	-0,674	-0,12	-0,0071	-0,2824	-0,4726	197-1
197	103	ENV	Combination	Min	-2,061	-0,383	-0,062	-0,0416	-0,3232	-0,4736	197-1
198	119	DEAD	LinStatic		0,094	-0,03	-0,02	0,0031	-0,0115	0,0366	198-1
198	118	DEAD	LinStatic		-0,094	0,03	0,02	0,0043	-0,0137	0,0367	198-1
198	119	CM	LinStatic		-0,778	-0,017	0,107	-0,0001906	0,007	0,0213	198-1
198	118	CM	LinStatic		0,778	0,017	-0,042	0,0045	-0,0166	0,0211	198-1
198	119	CV	LinStatic		0	0	0	0	0	0	198-1
198	118	CV	LinStatic		0	0	0	0	0	0	198-1
198	119	L	LinStatic		-0,799	-0,193	0,02	0,0149	-0,0713	0,2446	198-1
198	118	L	LinStatic		0,799	0,193	-0,02	0,0331	-0,0775	0,2324	198-1
198	119	COMB1	Combination		-1,023	-0,368	-0,016	0,027	-0,1389	0,4661	198-1
198	118	COMB1	Combination		1,023	0,368	0,016	0,0646	-0,1542	0,4434	198-1
198	119	COMB5	Combination		-1,023	-0,368	-0,016	0,027	-0,1389	0,4661	198-1
198	118	COMB5	Combination		1,023	0,368	0,016	0,0646	-0,1542	0,4434	198-1
198	119	COMB6	Combination		-1,023	-0,368	-0,016	0,027	-0,1389	0,4661	198-1
198	118	COMB6	Combination		1,023	0,368	0,016	0,0646	-0,1542	0,4434	198-1
198	119	COMB7	Combination		-0,386	-0,077	0,017	0,0091	-0,0268	0,0964	198-1
198	118	COMB7	Combination		0,386	0,077	-0,017	0,0102	-0,0281	0,0946	198-1
198	119	COMB8	Combination		-0,386	-0,077	0,017	0,0091	-0,0268	0,0964	198-1

198	118	COMB8	Combination	0,386	0,077	-0,017	0,0102	-0,0281	0,0946 198-1
198	119	COMB9	Combination	-0,65	-0,369	-0,057	0,024	-0,1423	0,4679 198-1
198	118	COMB9	Combination	0,65	0,369	0,057	0,0678	-0,1608	0,4436 198-1
198	119	COMB10	Combination	0,838	0,31	0,018	-0,0178	0,1193	-0,3946 198-1
198	118	COMB10	Combination	-0,838	-0,31	-0,018	-0,0593	0,1334	-0,3703 198-1
198	119	COMB11	Combination	0,039	0,117	0,038	-0,0029	0,048	-0,15 198-1
198	118	COMB11	Combination	-0,039	-0,117	-0,038	-0,0261	0,0559	-0,1379 198-1
198	119	COMB12	Combination	-1,448	-0,562	-0,037	0,0389	-0,2136	0,7125 198-1
198	118	COMB12	Combination	1,448	0,562	0,037	0,1009	-0,2383	0,676 198-1
198	119	ENV	Combination	0,838	0,31	0,038	0,0389	0,1193	0,7125 198-1
198	118	ENV	Combination	1,448	0,562	0,057	0,1009	0,1334	0,676 198-1
198	119	ENV	Combination	-1,448	-0,562	-0,057	-0,0178	-0,2136	-0,3946 198-1
198	118	ENV	Combination	-0,838	-0,31	-0,038	-0,0593	-0,2383	-0,3703 198-1
199	120	DEAD	LinStatic	0,096	-0,028	-0,026	0,0054	-0,0107	0,0339 199-1
199	119	DEAD	LinStatic	-0,096	0,028	0,026	0,0062	-0,013	0,0344 199-1
199	120	CM	LinStatic	-0,437	-0,021	0,102	0,0055	0,0104	0,0262 199-1
199	119	CM	LinStatic	0,437	0,021	-0,036	0,0032	-0,0231	0,0251 199-1
199	120	CV	LinStatic	0	0	0	0	0	0 199-1
199	119	CV	LinStatic	0	0	0	0	0	0 199-1
199	120	L	LinStatic	-0,191	-0,114	0,002314	0,0187	-0,0278	0,1535 199-1
199	119	L	LinStatic	0,191	0,114	-0,002314	0,0291	-0,0465	0,129 199-1
199	120	COMB1	Combination	-0,101	-0,228	-0,045	0,0377	-0,06	0,3036 199-1
199	119	COMB1	Combination	0,101	0,228	0,045	0,0579	-0,0932	0,2606 199-1
199	120	COMB5	Combination	-0,101	-0,228	-0,045	0,0377	-0,06	0,3036 199-1
199	119	COMB5	Combination	0,101	0,228	0,045	0,0579	-0,0932	0,2606 199-1
199	120	COMB6	Combination	-0,101	-0,228	-0,045	0,0377	-0,06	0,3036 199-1
199	119	COMB6	Combination	0,101	0,228	0,045	0,0579	-0,0932	0,2606 199-1
199	120	COMB7	Combination	-0,09	-0,056	-0,002077	0,0106	-0,017	0,0713 199-1
199	119	COMB7	Combination	0,09	0,056	0,002077	0,0127	-0,0258	0,0662 199-1
199	120	COMB8	Combination	-0,09	-0,056	-0,002077	0,0106	-0,017	0,0713 199-1
199	119	COMB8	Combination	0,09	0,056	0,002077	0,0127	-0,0258	0,0662 199-1
199	120	COMB9	Combination	0,083	-0,229	-0,076	0,037	-0,0609	0,305 199-1
199	119	COMB9	Combination	-0,083	0,229	0,076	0,0589	-0,0916	0,2613 199-1
199	120	COMB10	Combination	0,109	0,174	0,024	-0,0263	0,0394	-0,2371 199-1
199	119	COMB10	Combination	-0,109	-0,174	-0,024	-0,0465	0,0657	-0,1924 199-1
199	120	COMB11	Combination	-0,083	0,06	0,026	-0,0075	0,0117	-0,0836 199-1
199	119	COMB11	Combination	0,083	-0,06	-0,026	-0,0174	0,0191	-0,0634 199-1
199	120	COMB12	Combination	-0,108	-0,344	-0,073	0,0558	-0,0886	0,4585 199-1
199	119	COMB12	Combination	0,108	0,344	0,073	0,0881	-0,1382	0,3902 199-1
199	120	ENV	Combination	0,109	0,174	0,026	0,0558	0,0394	0,4585 199-1
199	119	ENV	Combination	0,108	0,344	0,076	0,0881	0,0657	0,3902 199-1
199	120	ENV	Combination	-0,108	-0,344	-0,076	-0,0263	-0,0886	-0,2371 199-1
199	119	ENV	Combination	-0,109	-0,174	-0,026	-0,0465	-0,1382	-0,1924 199-1
200	121	DEAD	LinStatic	0,047	-0,031	-0,023	0,008	-0,0133	0,0359 200-1
200	120	DEAD	LinStatic	-0,047	0,031	0,023	0,0088	-0,0137	0,0346 200-1
200	121	CM	LinStatic	-0,122	-0,027	0,048	0,0116	-0,0031	0,0295 200-1
200	120	CM	LinStatic	0,122	0,027	0,015	0,0032	-0,0264	0,0328 200-1
200	121	CV	LinStatic	0	0	0	0	0	0 200-1
200	120	CV	LinStatic	0	0	0	0	0	0 200-1
200	121	L	LinStatic	0,171	0,048	-0,008169	0,0251	0,0619	-0,0498 200-1
200	120	L	LinStatic	-0,171	-0,048	0,008169	-0,0511	0,0131	-0,0595 200-1
200	121	COMB1	Combination	0,395	0,054	-0,048	0,0521	0,0957	-0,0528 200-1
200	120	COMB1	Combination	-0,395	-0,054	0,048	-0,0817	0,0102	-0,0716 200-1
200	121	COMB5	Combination	0,395	0,054	-0,048	0,0521	0,0957	-0,0528 200-1
200	120	COMB5	Combination	-0,395	-0,054	0,048	-0,0817	0,0102	-0,0716 200-1
200	121	COMB6	Combination	0,395	0,054	-0,048	0,0521	0,0957	-0,0528 200-1
200	120	COMB6	Combination	-0,395	-0,054	0,048	-0,0817	0,0102	-0,0716 200-1
200	121	COMB7	Combination	0,041	-0,02	-0,014	0,0142	0,0014	0,0251 200-1
200	120	COMB7	Combination	-0,041	0,02	0,014	-0,003	-0,0115	0,0217 200-1
200	121	COMB8	Combination	0,041	-0,02	-0,014	0,0142	0,0014	0,0251 200-1
200	120	COMB8	Combination	-0,041	0,02	0,014	-0,003	-0,0115	0,0217 200-1
200	121	COMB9	Combination	0,46	0,056	-0,062	0,0522	0,0968	-0,055 200-1
200	120	COMB9	Combination	-0,46	-0,056	0,062	-0,083	0,0116	-0,0742 200-1
200	121	COMB10	Combination	-0,366	-0,117	0,017	-0,0362	-0,1234	0,1268 200-1
200	120	COMB10	Combination	0,366	0,117	-0,017	0,1005	-0,0391	0,1433 200-1
200	121	COMB11	Combination	-0,195	-0,07	0,008358	-0,0111	-0,0615	0,077 200-1
200	120	COMB11	Combination	0,195	0,07	-0,008358	0,0494	-0,026	0,0838 200-1
200	121	COMB12	Combination	0,631	0,104	-0,07	0,0773	0,1586	-0,1048 200-1
200	120	COMB12	Combination	-0,631	-0,104	0,07	-0,1341	0,0247	-0,1337 200-1
200	121	ENV	Combination	0,631	0,104	0,017	0,0773	0,1586	0,1268 200-1
200	120	ENV	Combination	0,366	0,117	0,07	0,1005	0,0247	0,1433 200-1
200	121	ENV	Combination	-0,366	-0,117	-0,07	-0,0362	-0,1234	-0,1048 200-1
200	120	ENV	Combination	-0,631	-0,104	-0,017	-0,1341	-0,0391	-0,1337 200-1
202	123	DEAD	LinStatic	0,025	0,015	0,004919	-0,0005238	0,0072	-0,0182 202-1
202	109	DEAD	LinStatic	-0,025	-0,015	-0,004919	-0,0007011	0,007	-0,0184 202-1
202	123	CM	LinStatic	-0,786	0,012	0,045	0,0009197	0,0057	-0,014 202-1
202	109	CM	LinStatic	0,786	-0,012	0,021	-0,0019	-0,0413	-0,0164 202-1
202	123	CV	LinStatic	0	0	0	0	0	0 202-1
202	109	CV	LinStatic	0	0	0	0	0	0 202-1
202	123	L	LinStatic	-0,521	-0,398	-0,103	0,0158	-0,1432	0,4854 202-1

202	109	L	LinStatic	0,521	0,398	0,103	0,0171	-0,1544	0,4983	202-1
202	123	COMB1	Combination	-0,453	-0,691	-0,201	0,0283	-0,2541	0,8427	202-1
202	109	COMB1	Combination	0,453	0,691	0,201	0,0287	-0,2789	0,8638	202-1
202	123	COMB5	Combination	-0,453	-0,691	-0,201	0,0283	-0,2541	0,8427	202-1
202	109	COMB5	Combination	0,453	0,691	0,201	0,0287	-0,2789	0,8638	202-1
202	123	COMB6	Combination	-0,453	-0,691	-0,201	0,0283	-0,2541	0,8427	202-1
202	109	COMB6	Combination	0,453	0,691	0,201	0,0287	-0,2789	0,8638	202-1
202	123	COMB7	Combination	-0,538	-0,076	0,00431	0,0022	-0,0178	0,0915	202-1
202	109	COMB7	Combination	0,538	0,076	-0,00431	0,0041	-0,016	0,096	202-1
202	123	COMB8	Combination	-0,538	-0,076	0,00431	0,0022	-0,0178	0,0915	202-1
202	109	COMB8	Combination	0,538	0,076	-0,00431	0,0041	-0,016	0,096	202-1
202	123	COMB9	Combination	0,124	-0,703	-0,234	0,03	-0,2685	0,8582	202-1
202	109	COMB9	Combination	-0,124	0,703	0,234	0,028	-0,2997	0,8774	202-1
202	123	COMB10	Combination	-0,074	0,732	0,244	-0,0311	0,2829	-0,8947	202-1
202	109	COMB10	Combination	0,074	-0,732	-0,244	-0,0294	0,3138	-0,9142	202-1
202	123	COMB11	Combination	-0,595	0,334	0,141	-0,0153	0,1397	-0,4093	202-1
202	109	COMB11	Combination	0,595	-0,334	-0,141	-0,0123	0,1593	-0,4159	202-1
202	123	COMB12	Combination	-0,396	-1,101	-0,337	0,0458	-0,4117	1,3436	202-1
202	109	COMB12	Combination	0,396	1,101	0,337	0,0451	-0,4542	1,3757	202-1
202	123	ENV	Combination	0,124	0,732	0,244	0,0458	0,2829	1,3436	202-1
202	109	ENV	Combination	0,595	1,101	0,337	0,0451	0,3138	1,3757	202-1
202	123	ENV	Combination	-0,595	-1,101	-0,337	-0,0311	-0,4117	-0,8947	202-1
202	109	ENV	Combination	-0,124	-0,732	-0,244	-0,0294	-0,4542	-0,9142	202-1
203	124	DEAD	LinStatic	0,07	0,013	-0,001616	-0,0016	0,0073	-0,0159	203-1
203	123	DEAD	LinStatic	-0,07	-0,013	0,001616	-0,0017	0,0061	-0,0172	203-1
203	124	CM	LinStatic	-0,593	0,012	0,099	-0,0022	0,0195	-0,0166	203-1
203	123	CM	LinStatic	0,593	-0,012	-0,034	-0,0007762	-0,0029	-0,0125	203-1
203	124	CV	LinStatic	0	0	0	0	0	0	203-1
203	123	CV	LinStatic	0	0	0	0	0	0	203-1
203	124	L	LinStatic	-1,12	-0,401	0,012	0,0498	-0,1232	0,4942	203-1
203	123	L	LinStatic	1,12	0,401	-0,012	0,05	-0,1267	0,4969	203-1
203	124	COMB1	Combination	-1,617	-0,702	-0,014	0,0872	-0,2157	0,8654	203-1
203	123	COMB1	Combination	1,617	0,702	0,014	0,0876	-0,222	0,8693	203-1
203	124	COMB5	Combination	-1,617	-0,702	-0,014	0,0872	-0,2157	0,8654	203-1
203	123	COMB5	Combination	1,617	0,702	0,014	0,0876	-0,222	0,8693	203-1
203	124	COMB6	Combination	-1,617	-0,702	-0,014	0,0872	-0,2157	0,8654	203-1
203	123	COMB6	Combination	1,617	0,702	0,014	0,0876	-0,222	0,8693	203-1
203	124	COMB7	Combination	-0,484	-0,073	0,034	0,0092	-0,0162	0,0912	203-1
203	123	COMB7	Combination	0,484	0,073	-0,034	0,009	-0,0193	0,0901	203-1
203	124	COMB8	Combination	-0,484	-0,073	0,034	0,0092	-0,0162	0,0912	203-1
203	123	COMB8	Combination	0,484	0,073	-0,034	0,009	-0,0193	0,0901	203-1
203	124	COMB9	Combination	-1,252	-0,72	-0,058	0,0893	-0,2255	0,8873	203-1
203	123	COMB9	Combination	1,252	0,72	0,058	0,0899	-0,2303	0,8918	203-1
203	124	COMB10	Combination	1,391	0,747	0,055	-0,0926	0,24	-0,9191	203-1
203	123	COMB10	Combination	-1,391	-0,747	-0,055	-0,0933	0,2425	-0,9262	203-1
203	124	COMB11	Combination	0,271	0,346	0,067	-0,0428	0,1168	-0,4249	203-1
203	123	COMB11	Combination	-0,271	-0,346	-0,067	-0,0433	0,1158	-0,4293	203-1
203	124	COMB12	Combination	-2,372	-1,122	-0,047	0,1392	-0,3486	1,3815	203-1
203	123	COMB12	Combination	2,372	1,122	0,047	0,1399	-0,3571	1,3887	203-1
203	124	ENV	Combination	1,391	0,747	0,067	0,1392	0,24	1,3815	203-1
203	123	ENV	Combination	2,372	1,122	0,058	0,1399	0,2425	1,3887	203-1
203	124	ENV	Combination	-2,372	-1,122	-0,058	-0,0926	-0,3486	-0,9191	203-1
203	123	ENV	Combination	-1,391	-0,747	-0,067	-0,0933	-0,3571	-0,9262	203-1
204	125	DEAD	LinStatic	0,071	0,009614	-0,008381	-0,002	0,0053	-0,0111	204-1
204	124	DEAD	LinStatic	-0,071	-0,009614	0,008381	-0,0021	0,0038	-0,0127	204-1
204	125	CM	LinStatic	-0,329	0,014	0,096	-0,003	0,0243	-0,0167	204-1
204	124	CM	LinStatic	0,329	-0,014	-0,029	-0,0029	-0,0078	-0,0181	204-1
204	125	CV	LinStatic	0	0	0	0	0	0	204-1
204	124	CV	LinStatic	0	0	0	0	0	0	204-1
204	125	L	LinStatic	-1,282	-0,364	0,124	0,0745	-0,1145	0,4524	204-1
204	124	L	LinStatic	1,282	0,364	-0,124	0,0779	-0,117	0,4466	204-1
204	125	COMB1	Combination	-2,053	-0,639	0,184	0,1308	-0,2009	0,7942	204-1
204	124	COMB1	Combination	2,053	0,639	-0,184	0,1365	-0,2051	0,7836	204-1
204	125	COMB5	Combination	-2,053	-0,639	0,184	0,1308	-0,2009	0,7942	204-1
204	124	COMB5	Combination	2,053	0,639	-0,184	0,1365	-0,2051	0,7836	204-1
204	125	COMB6	Combination	-2,053	-0,639	0,184	0,1308	-0,2009	0,7942	204-1
204	124	COMB6	Combination	2,053	0,639	-0,184	0,1365	-0,2051	0,7836	204-1
204	125	COMB7	Combination	-0,368	-0,07	0,047	0,0142	-0,0177	0,0885	204-1
204	124	COMB7	Combination	0,368	0,07	-0,047	0,0151	-0,0213	0,0842	204-1
204	125	COMB8	Combination	-0,368	-0,07	0,047	0,0142	-0,0177	0,0885	204-1
204	124	COMB8	Combination	0,368	0,07	-0,047	0,0151	-0,0213	0,0842	204-1
204	125	COMB9	Combination	-1,895	-0,654	0,151	0,1341	-0,2085	0,8123	204-1
204	124	COMB9	Combination	1,895	0,654	-0,151	0,1397	-0,2106	0,8032	204-1
204	125	COMB10	Combination	2,037	0,673	-0,168	-0,138	0,219	-0,8345	204-1
204	124	COMB10	Combination	-2,037	-0,673	0,168	-0,1438	0,2182	-0,8286	204-1
204	125	COMB11	Combination	0,755	0,309	-0,045	-0,0635	0,1045	-0,3821	204-1
204	124	COMB11	Combination	-0,755	-0,309	0,045	-0,0659	0,1012	-0,382	204-1
204	125	COMB12	Combination	-3,177	-1,018	0,275	0,2086	-0,323	1,2647	204-1
204	124	COMB12	Combination	3,177	1,018	-0,275	0,2175	-0,3276	1,2498	204-1
204	125	ENV	Combination	2,037	0,673	0,275	0,2086	0,219	1,2647	204-1

204	124	ENV	Combination	Max	3,177	1,018	0,168	0,2175	0,2182	1,2498	204-1
204	125	ENV	Combination	Min	-3,177	-1,018	-0,168	-0,138	-0,323	-0,8345	204-1
204	124	ENV	Combination	Min	-2,037	-0,673	-0,275	-0,1438	-0,3276	-0,8286	204-1
205	126	DEAD	LinStatic		0,027	0,008048	-0,003174	-0,0023	0,0043	-0,009	205-1
205	125	DEAD	LinStatic		-0,027	-0,008048	0,003174	-0,0021	0,0031	-0,0095	205-1
205	126	CM	LinStatic		-0,082	0,013	0,048	-0,0031	0,0073	-0,015	205-1
205	125	CM	LinStatic		0,082	-0,013	0,015	-0,0041	-0,0137	-0,0153	205-1
205	126	CV	LinStatic		0	0	0	0	0	0	205-1
205	125	CV	LinStatic		0	0	0	0	0	0	205-1
205	126	L	LinStatic		-1,025	-0,316	0,209	0,0857	-0,0257	0,3773	205-1
205	125	L	LinStatic		1,025	0,316	-0,209	0,0874	-0,054	0,3497	205-1
205	126	COMB1	Combination		-1,734	-0,554	0,353	0,1503	-0,0442	0,6617	205-1
205	125	COMB1	Combination		1,734	0,554	-0,353	0,1533	-0,0941	0,6133	205-1
205	126	COMB5	Combination		-1,734	-0,554	0,353	0,1503	-0,0442	0,6617	205-1
205	125	COMB5	Combination		1,734	0,554	-0,353	0,1533	-0,0941	0,6133	205-1
205	126	COMB6	Combination		-1,734	-0,554	0,353	0,1503	-0,0442	0,6617	205-1
205	125	COMB6	Combination		1,734	0,554	-0,353	0,1533	-0,0941	0,6133	205-1
205	126	COMB7	Combination		-0,262	-0,062	0,06	0,0165	0,0015	0,0749	205-1
205	125	COMB7	Combination		0,262	0,062	-0,06	0,0174	-0,0076	0,0672	205-1
205	126	COMB8	Combination		-0,262	-0,062	0,06	0,0165	0,0015	0,0749	205-1
205	125	COMB8	Combination		0,262	0,062	-0,06	0,0174	-0,0076	0,0672	205-1
205	126	COMB9	Combination		-1,691	-0,567	0,339	0,1538	-0,049	0,6756	205-1
205	125	COMB9	Combination		1,691	0,567	-0,339	0,1564	-0,0978	0,6276	205-1
205	126	COMB10	Combination		1,745	0,583	-0,345	-0,1584	0,0577	-0,6937	205-1
205	125	COMB10	Combination		-1,745	-0,583	0,345	-0,1606	0,1041	-0,6465	205-1
205	126	COMB11	Combination		0,72	0,267	-0,136	-0,0727	0,032	-0,3164	205-1
205	125	COMB11	Combination		-0,72	-0,267	0,136	-0,0732	0,0501	-0,2968	205-1
205	126	COMB12	Combination		-2,716	-0,883	0,548	0,2395	-0,0747	1,0529	205-1
205	125	COMB12	Combination		2,716	0,883	-0,548	0,2438	-0,1518	0,9773	205-1
205	126	ENV	Combination	Max	1,745	0,583	0,548	0,2395	0,0577	1,0529	205-1
205	125	ENV	Combination	Max	2,716	0,883	0,345	0,2438	0,1041	0,9773	205-1
205	126	ENV	Combination	Min	-2,716	-0,883	-0,345	-0,1584	-0,0747	-0,6937	205-1
205	125	ENV	Combination	Min	-1,745	-0,583	-0,548	-0,1606	-0,1518	-0,6465	205-1
207	78	DEAD	LinStatic		0,007399	-0,029	-0,0009141	-0,013	0,0018	-0,0366	207-1
207	80	DEAD	LinStatic		-0,007399	0,029	0,0009141	0,0154	0,0011	-0,0357	207-1
207	78	CM	LinStatic		0,04	-0,002056	0,198	-0,0072	-0,0696	-0,0058	207-1
207	80	CM	LinStatic		-0,04	0,002056	0,184	0,0073	0,0564	0,0007061	207-1
207	78	CV	LinStatic		0	0	0	0	0	0	207-1
207	80	CV	LinStatic		0	0	0	0	0	0	207-1
207	78	L	LinStatic		-0,65	0,11	-0,072	-0,053	0,0298	0,1477	207-1
207	80	L	LinStatic		0,65	-0,11	0,072	0,0439	0,0954	0,1239	207-1
207	78	COMB1	Combination		-1,103	0,147	0,054	-0,1091	-0,0236	0,2004	207-1
207	80	COMB1	Combination		1,103	-0,147	0,28	0,0969	0,2112	0,1637	207-1
207	78	COMB5	Combination		-1,103	0,147	0,054	-0,1091	-0,0236	0,2004	207-1
207	80	COMB5	Combination		1,103	-0,147	0,28	0,0969	0,2112	0,1637	207-1
207	78	COMB6	Combination		-1,103	0,147	0,054	-0,1091	-0,0236	0,2004	207-1
207	80	COMB6	Combination		1,103	-0,147	0,28	0,0969	0,2112	0,1637	207-1
207	78	COMB7	Combination		-0,182	0,014	-0,201	-0,0229	0,0867	0,0218	207-1
207	80	COMB7	Combination		0,182	-0,014	-0,133	0,0218	-0,0182	0,0127	207-1
207	78	COMB8	Combination		-0,182	0,014	-0,201	-0,0229	0,0867	0,0218	207-1
207	80	COMB8	Combination		0,182	-0,014	-0,133	0,0218	-0,0182	0,0127	207-1
207	78	COMB9	Combination		-1,067	0,126	0,296	-0,1135	-0,1269	0,1718	207-1
207	80	COMB9	Combination		1,067	-0,126	0,482	0,1031	0,2687	0,1404	207-1
207	78	COMB10	Combination		1,082	-0,185	-0,298	0,0875	0,1305	-0,245	207-1
207	80	COMB10	Combination		-1,082	0,185	-0,481	-0,0722	-0,2666	-0,2118	207-1
207	78	COMB11	Combination		0,432	-0,075	-0,37	0,0345	0,1602	-0,0973	207-1
207	80	COMB11	Combination		-0,432	0,075	-0,408	-0,0283	-0,1712	-0,0879	207-1
207	78	COMB12	Combination		-1,717	0,236	0,224	-0,1665	-0,0971	0,3195	207-1
207	80	COMB12	Combination		1,717	-0,236	0,555	0,147	0,3641	0,2643	207-1
207	78	ENV	Combination	Max	1,082	0,236	0,296	0,0875	0,1602	0,3195	207-1
207	80	ENV	Combination	Max	1,717	0,185	0,555	0,147	0,3641	0,2643	207-1
207	78	ENV	Combination	Min	-1,717	-0,185	-0,37	-0,1665	-0,1269	-0,245	207-1
207	80	ENV	Combination	Min	-1,082	-0,236	-0,481	-0,0722	-0,2666	-0,2118	207-1
208	76	DEAD	LinStatic		0,017	-0,023	0,001197	-0,0074	0,0014	-0,0291	208-1
208	78	DEAD	LinStatic		-0,017	0,023	-0,001197	0,013	-0,000179	-0,0268	208-1
208	76	CM	LinStatic		0,027	0,012	0,193	-0,0101	-0,0709	0,0121	208-1
208	78	CM	LinStatic		-0,027	-0,012	0,191	0,0072	0,076	0,0171	208-1
208	76	CV	LinStatic		0	0	0	0	0	0	208-1
208	78	CV	LinStatic		0	0	0	0	0	0	208-1
208	76	L	LinStatic		-0,82	-0,064	-0,181	-0,037	0,074	-0,063	208-1
208	78	L	LinStatic		0,82	0,064	0,181	0,053	0,1699	-0,0951	208-1
208	76	COMB1	Combination		-1,365	-0,135	-0,166	-0,0756	0,0916	-0,1439	208-1
208	78	COMB1	Combination		1,365	0,135	0,501	0,1091	0,3927	-0,1889	208-1
208	76	COMB5	Combination		-1,365	-0,135	-0,166	-0,0756	0,0916	-0,1439	208-1
208	78	COMB5	Combination		1,365	0,135	0,501	0,1091	0,3927	-0,1889	208-1
208	76	COMB6	Combination		-1,365	-0,135	-0,166	-0,0756	0,0916	-0,1439	208-1
208	78	COMB6	Combination		1,365	0,135	0,501	0,1091	0,3927	-0,1889	208-1
208	76	COMB7	Combination		-0,242	-0,039	-0,194	-0,0133	0,0593	-0,0404	208-1
208	78	COMB7	Combination		0,242	0,039	-0,141	0,0229	-0,0532	-0,0549	208-1
208	76	COMB8	Combination		-0,242	-0,039	-0,194	-0,0133	0,0593	-0,0404	208-1

208	78	COMB8	Combination		0,242	0,039	-0,141	0,0229	-0,0532	-0,0549	208-1
208	76	COMB9	Combination		-1,293	-0,135	0,034	-0,08	0,0391	-0,1498	208-1
208	78	COMB9	Combination		1,293	0,135	0,748	0,1135	0,52	-0,1832	208-1
208	76	COMB10	Combination		1,327	0,09	-0,032	0,0652	-0,0362	0,0915	208-1
208	78	COMB10	Combination		-1,327	-0,09	-0,75	-0,0875	-0,5203	0,1297	208-1
208	76	COMB11	Combination		0,506	0,026	-0,213	0,0282	0,0378	0,0285	208-1
208	78	COMB11	Combination		-0,506	-0,026	-0,569	-0,0345	-0,3504	0,0345	208-1
208	76	COMB12	Combination		-2,113	-0,199	-0,147	-0,117	0,1131	-0,2128	208-1
208	78	COMB12	Combination		2,113	0,199	0,929	0,1665	0,6899	-0,2783	208-1
208	76	ENV	Combination	Max	1,327	0,09	0,034	0,0652	0,1131	0,0915	208-1
208	78	ENV	Combination	Max	2,113	0,199	0,929	0,1665	0,6899	0,1297	208-1
208	76	ENV	Combination	Min	-2,113	-0,199	-0,213	-0,117	-0,0362	-0,2128	208-1
208	78	ENV	Combination	Min	-1,327	-0,09	-0,75	-0,0875	-0,5203	-0,2783	208-1
209	73	DEAD	LinStatic		0,012	-0,012	0,002982	-0,0022	-0,0015	-0,0161	209-1
209	76	DEAD	LinStatic		-0,012	0,012	-0,002982	0,0074	-0,0009288	-0,0147	209-1
209	73	CM	LinStatic		-0,032	0,035	0,225	-0,0247	-0,1585	0,0499	209-1
209	76	CM	LinStatic		0,032	-0,035	0,162	0,0101	0,068	0,0361	209-1
209	73	CV	LinStatic		0	0	0	0	0	0	209-1
209	76	CV	LinStatic		0	0	0	0	0	0	209-1
209	73	L	LinStatic		-0,284	-0,284	-0,335	0,0817	0,4474	-0,4016	209-1
209	76	L	LinStatic		0,284	0,284	0,335	0,037	0,2623	-0,2991	209-1
209	73	COMB1	Combination		-0,488	-0,478	-0,397	0,1245	0,6726	-0,6763	209-1
209	76	COMB1	Combination		0,488	0,478	0,735	0,0756	0,5207	-0,5045	209-1
209	73	COMB5	Combination		-0,488	-0,478	-0,397	0,1245	0,6726	-0,6763	209-1
209	76	COMB5	Combination		0,488	0,478	0,735	0,0756	0,5207	-0,5045	209-1
209	73	COMB6	Combination		-0,488	-0,478	-0,397	0,1245	0,6726	-0,6763	209-1
209	76	COMB6	Combination		0,488	0,478	0,735	0,0756	0,5207	-0,5045	209-1
209	73	COMB7	Combination		-0,057	-0,114	-0,268	0,0345	0,2193	-0,1591	209-1
209	76	COMB7	Combination		0,057	0,114	-0,07	0,0133	0,0021	-0,1231	209-1
209	73	COMB8	Combination		-0,057	-0,114	-0,268	0,0345	0,2193	-0,1591	209-1
209	76	COMB8	Combination		0,057	0,114	-0,07	0,0133	0,0021	-0,1231	209-1
209	73	COMB9	Combination		-0,491	-0,437	-0,147	0,1029	0,5273	-0,6195	209-1
209	76	COMB9	Combination		0,491	0,437	0,936	0,08	0,6041	-0,4597	209-1
209	73	COMB10	Combination		0,514	0,412	0,153	-0,1072	-0,5303	0,5873	209-1
209	76	COMB10	Combination		-0,514	-0,412	-0,942	-0,0652	-0,606	0,4302	209-1
209	73	COMB11	Combination		0,23	0,128	-0,183	-0,0255	-0,0828	0,1857	209-1
209	76	COMB11	Combination		-0,23	-0,128	-0,606	-0,0282	-0,3437	0,1312	209-1
209	73	COMB12	Combination		-0,775	-0,721	-0,482	0,1846	0,9748	-1,0211	209-1
209	76	COMB12	Combination		0,775	0,721	1,271	0,117	0,8664	-0,7588	209-1
209	73	ENV	Combination	Max	0,514	0,412	0,153	0,1846	0,9748	0,5873	209-1
209	76	ENV	Combination	Max	0,775	0,721	1,271	0,117	0,8664	0,4302	209-1
209	73	ENV	Combination	Min	-0,775	-0,721	-0,482	-0,1072	-0,5303	-1,0211	209-1
209	76	ENV	Combination	Min	-0,514	-0,412	-0,942	-0,0652	-0,606	-0,7588	209-1
210	70	DEAD	LinStatic		-0,0007012	-0,003961	0,002157	1,11E-16	-0,0037	-0,0056	210-1
210	73	DEAD	LinStatic		0,0007012	0,003961	-0,002157	0,0022	-0,0016	-0,0035	210-1
210	70	CM	LinStatic		-0,139	-0,045	0,007543	-2,325E-15	0,0658	-0,0662	210-1
210	73	CM	LinStatic		0,139	0,045	0,358	0,0247	0,2611	-0,0374	210-1
210	70	CV	LinStatic		0	0	0	0	0	0	210-1
210	73	CV	LinStatic		0	0	0	0	0	0	210-1
210	70	L	LinStatic		0,232	0,149	0,3	3,234E-15	-0,1112	0,1408	210-1
210	73	L	LinStatic		-0,232	-0,149	-0,3	-0,0817	-0,4519	0,2024	210-1
210	70	COMB1	Combination		0,316	0,227	0,576	5,027E-15	-0,1676	0,1987	210-1
210	73	COMB1	Combination		-0,316	-0,227	-0,257	-0,1245	-0,6176	0,3244	210-1
210	70	COMB5	Combination		0,316	0,227	0,576	5,027E-15	-0,1676	0,1987	210-1
210	73	COMB5	Combination		-0,316	-0,227	-0,257	-0,1245	-0,6176	0,3244	210-1
210	70	COMB6	Combination		0,316	0,227	0,576	5,027E-15	-0,1676	0,1987	210-1
210	73	COMB6	Combination		-0,316	-0,227	-0,257	-0,1245	-0,6176	0,3244	210-1
210	70	COMB7	Combination		0,146	0,063	0,028	1,663E-15	-0,0621	0,0715	210-1
210	73	COMB7	Combination		-0,146	-0,063	-0,347	-0,0345	-0,2896	0,0734	210-1
210	70	COMB8	Combination		0,146	0,063	0,028	1,663E-15	-0,0621	0,0715	210-1
210	73	COMB8	Combination		-0,146	-0,063	-0,347	-0,0345	-0,2896	0,0734	210-1
210	70	COMB9	Combination		0,198	0,188	0,642	4,036E-15	-0,1267	0,1427	210-1
210	73	COMB9	Combination		-0,198	-0,188	0,103	-0,1029	-0,3843	0,2894	210-1
210	70	COMB10	Combination		-0,199	-0,196	-0,637	-3,814E-15	0,1193	-0,154	210-1
210	73	COMB10	Combination		0,199	0,196	-0,107	0,1072	0,381	-0,2963	210-1
210	70	COMB11	Combination		0,033	-0,047	-0,337	-5,801E-16	0,0081	-0,0133	210-1
210	73	COMB11	Combination		-0,033	0,047	-0,408	0,0255	-0,0709	-0,0939	210-1
210	70	COMB12	Combination		0,43	0,337	0,942	7,269E-15	-0,2379	0,2835	210-1
210	73	COMB12	Combination		-0,43	-0,337	-0,197	-0,1846	-0,8362	0,4917	210-1
210	70	ENV	Combination	Max	0,43	0,337	0,942	7,269E-15	0,1193	0,2835	210-1
210	73	ENV	Combination	Max	0,199	0,196	0,103	0,1072	0,381	0,4917	210-1
210	70	ENV	Combination	Min	-0,199	-0,196	-0,637	-3,814E-15	-0,2379	-0,154	210-1
210	73	ENV	Combination	Min	-0,43	-0,337	-0,408	-0,1846	-0,8362	-0,2963	210-1
212	129	DEAD	LinStatic		-0,027	-0,034	0,008878	0,0009388	-0,0117	-0,0421	212-1
212	130	DEAD	LinStatic		0,027	0,034	-0,008878	0,0019	-0,0124	-0,0421	212-1
212	129	CM	LinStatic		0,16	0,00615	0,209	-0,0078	-0,0764	0,0018	212-1
212	130	CM	LinStatic		-0,16	-0,00615	0,173	0,0073	0,0447	0,0134	212-1
212	129	CV	LinStatic		0	0	0	0	0	0	212-1
212	130	CV	LinStatic		0	0	0	0	0	0	212-1
212	129	L	LinStatic		-0,633	0,153	-0,045	-0,0635	-0,0005055	0,2055	212-1

212	130	L	LinStatic		0,633	-0,153	0,045	0,0508	0,0591	0,1721	212-1
212	129	COMB1	Combination		-1,143	0,219	0,111	-0,1134	-0,0895	0,2972	212-1
212	130	COMB1	Combination		1,143	-0,219	0,223	0,0953	0,1329	0,2448	212-1
212	129	COMB5	Combination		-1,143	0,219	0,111	-0,1134	-0,0895	0,2972	212-1
212	130	COMB5	Combination		1,143	-0,219	0,223	0,0953	0,1329	0,2448	212-1
212	129	COMB6	Combination		-1,143	0,219	0,111	-0,1134	-0,0895	0,2972	212-1
212	130	COMB6	Combination		1,143	-0,219	0,223	0,0953	0,1329	0,2448	212-1
212	129	COMB7	Combination		-0,176	0,018	-0,183	-0,0116	0,065	0,0296	212-1
212	130	COMB7	Combination		0,176	-0,018	-0,151	0,0101	-0,0397	0,0152	212-1
212	129	COMB8	Combination		-0,176	0,018	-0,183	-0,0116	0,065	0,0296	212-1
212	130	COMB8	Combination		0,176	-0,018	-0,151	0,0101	-0,0397	0,0152	212-1
212	129	COMB9	Combination		-1,155	0,201	0,352	-0,1178	-0,1919	0,2701	212-1
212	130	COMB9	Combination		1,155	-0,201	0,427	0,1012	0,1889	0,2258	212-1
212	129	COMB10	Combination		1,101	-0,269	-0,334	0,1197	0,1685	-0,3544	212-1
212	130	COMB10	Combination		-1,101	0,269	-0,444	-0,0975	-0,2138	-0,31	212-1
212	129	COMB11	Combination		0,468	-0,116	-0,379	0,0562	0,168	-0,1489	212-1
212	130	COMB11	Combination		-0,468	0,116	-0,4	-0,0466	-0,1547	-0,1379	212-1
212	129	COMB12	Combination		-1,787	0,354	0,307	-0,1813	-0,1924	0,4756	212-1
212	130	COMB12	Combination		1,787	-0,354	0,471	0,1521	0,248	0,3979	212-1
212	129	ENV	Combination	Max	1,101	0,354	0,352	0,1197	0,1685	0,4756	212-1
212	130	ENV	Combination	Max	1,787	0,269	0,471	0,1521	0,248	0,3979	212-1
212	129	ENV	Combination	Min	-1,787	-0,269	-0,379	-0,1813	-0,1924	-0,3544	212-1
212	130	ENV	Combination	Min	-1,101	-0,354	-0,444	-0,0975	-0,2138	-0,31	212-1
213	131	DEAD	LinStatic		-0,071	-0,033	0,002378	0,004	-0,0109	-0,0414	213-1
213	129	DEAD	LinStatic		0,071	0,033	-0,002378	0,0043	-0,0127	-0,0411	213-1
213	131	CM	LinStatic		0,141	0,006337	0,199	-0,000105	-0,0657	0,0066	213-1
213	129	CM	LinStatic		-0,141	-0,006337	0,185	-0,0015	0,084	0,009	213-1
213	131	CV	LinStatic		0	0	0	0	0	0	213-1
213	129	CV	LinStatic		0	0	0	0	0	0	213-1
213	131	L	LinStatic		-0,486	-0,034	-0,065	-0,0988	-0,0232	-0,0283	213-1
213	129	L	LinStatic		0,486	0,034	0,065	0,1073	0,0617	-0,0566	213-1
213	131	COMB1	Combination		-0,902	-0,09	0,049	-0,1745	-0,1062	-0,0888	213-1
213	129	COMB1	Combination		0,902	0,09	0,286	0,197	0,1748	-0,1338	213-1
213	131	COMB5	Combination		-0,902	-0,09	0,049	-0,1745	-0,1062	-0,0888	213-1
213	129	COMB5	Combination		0,902	0,09	0,286	0,197	0,1748	-0,1338	213-1
213	131	COMB6	Combination		-0,902	-0,09	0,049	-0,1745	-0,1062	-0,0888	213-1
213	129	COMB6	Combination		0,902	0,09	0,286	0,197	0,1748	-0,1338	213-1
213	131	COMB7	Combination		-0,212	-0,045	-0,173	-0,0149	0,0382	-0,0507	213-1
213	129	COMB7	Combination		0,212	0,045	-0,162	0,0262	-0,0768	-0,0617	213-1
213	131	COMB8	Combination		-0,212	-0,045	-0,173	-0,0149	0,0382	-0,0507	213-1
213	129	COMB8	Combination		0,212	0,045	-0,162	0,0262	-0,0768	-0,0617	213-1
213	131	COMB9	Combination		-0,876	-0,086	0,262	-0,1822	-0,1794	-0,0859	213-1
213	129	COMB9	Combination		0,876	0,086	0,52	0,2034	0,2808	-0,1253	213-1
213	131	COMB10	Combination		0,734	0,019	-0,257	0,1903	0,1576	0,0031	213-1
213	129	COMB10	Combination		-0,734	-0,019	-0,525	-0,1949	-0,3062	0,043	213-1
213	131	COMB11	Combination		0,248	-0,016	-0,321	0,0915	0,1344	-0,0252	213-1
213	129	COMB11	Combination		-0,248	0,016	-0,461	-0,0876	-0,2445	-0,0136	213-1
213	131	COMB12	Combination		-1,362	-0,12	0,197	-0,2809	-0,2025	-0,1142	213-1
213	129	COMB12	Combination		1,362	0,12	0,585	0,3108	0,3425	-0,1819	213-1
213	131	ENV	Combination	Max	0,734	0,019	0,262	0,1903	0,1576	0,0031	213-1
213	129	ENV	Combination	Max	1,362	0,12	0,585	0,3108	0,3425	0,043	213-1
213	131	ENV	Combination	Min	-1,362	-0,12	-0,321	-0,2809	-0,2025	-0,1142	213-1
213	129	ENV	Combination	Min	-0,734	-0,019	-0,525	-0,1949	-0,3062	-0,1819	213-1
214	132	DEAD	LinStatic		-0,082	-0,033	-0,004405	0,0063	-0,011	-0,0404	214-1
214	131	DEAD	LinStatic		0,082	0,033	0,004405	0,0074	-0,0125	-0,0403	214-1
214	132	CM	LinStatic		0,136	0,019	0,231	-0,0159	-0,114	0,0268	214-1
214	131	CM	LinStatic		-0,136	-0,019	0,157	0,0081	0,0794	0,0189	214-1
214	132	CV	LinStatic		0	0	0	0	0	0	214-1
214	131	CV	LinStatic		0	0	0	0	0	0	214-1
214	132	L	LinStatic		-0,219	-0,19	-0,077	-0,0829	0,1097	-0,2863	214-1
214	131	L	LinStatic		0,219	0,19	0,077	0,1625	-0,0103	-0,1834	214-1
214	132	COMB1	Combination		-0,404	-0,342	0,044	-0,1497	0,0991	-0,5104	214-1
214	131	COMB1	Combination		0,404	0,342	0,294	0,2928	0,0413	-0,3337	214-1
214	132	COMB5	Combination		-0,404	-0,342	0,044	-0,1497	0,0991	-0,5104	214-1
214	131	COMB5	Combination		0,404	0,342	0,294	0,2928	0,0413	-0,3337	214-1
214	132	COMB6	Combination		-0,404	-0,342	0,044	-0,1497	0,0991	-0,5104	214-1
214	131	COMB6	Combination		0,404	0,342	0,294	0,2928	0,0413	-0,3337	214-1
214	132	COMB7	Combination		-0,197	-0,104	-0,207	-0,0036	0,0984	-0,143	214-1
214	131	COMB7	Combination		0,197	0,104	-0,131	0,0471	-0,0868	-0,1138	214-1
214	132	COMB8	Combination		-0,197	-0,104	-0,207	-0,0036	0,0984	-0,143	214-1
214	131	COMB8	Combination		0,197	0,104	-0,131	0,0471	-0,0868	-0,1138	214-1
214	132	COMB9	Combination		-0,325	-0,31	0,288	-0,1642	-0,0102	-0,4691	214-1
214	131	COMB9	Combination		0,325	0,31	0,501	0,294	0,137	-0,2969	214-1
214	132	COMB10	Combination		0,161	0,245	-0,297	0,1767	-0,0118	0,3883	214-1
214	131	COMB10	Combination		-0,161	-0,245	-0,492	-0,2791	-0,1619	0,2162	214-1
214	132	COMB11	Combination		-0,058	0,055	-0,374	0,0938	0,0979	0,102	214-1
214	131	COMB11	Combination		0,058	-0,055	-0,415	-0,1166	-0,1722	0,0328	214-1
214	132	COMB12	Combination		-0,543	-0,5	0,211	-0,2471	0,0995	-0,7554	214-1
214	131	COMB12	Combination		0,543	0,5	0,578	0,4565	0,1267	-0,4803	214-1
214	132	ENV	Combination	Max	0,161	0,245	0,288	0,1767	0,0995	0,3883	214-1

214	131	ENV	Combination	Max	0,543	0,5	0,578	0,4565	0,137	0,2162	214-1
214	132	ENV	Combination	Min	-0,543	-0,5	-0,374	-0,2471	-0,0118	-0,7554	214-1
214	131	ENV	Combination	Min	-0,161	-0,245	-0,492	-0,2791	-0,1722	-0,4803	214-1
215	133	DEAD	LinStatic		-0,057	-0,04	-0,00106	0,0093	-0,0146	-0,0473	215-1
215	132	DEAD	LinStatic		0,057	0,04	0,00106	0,0123	-0,014	-0,0436	215-1
215	133	CM	LinStatic		0,207	0,02	0,184	-0,0853	-0,0228	0,0066	215-1
215	132	CM	LinStatic		-0,207	-0,02	0,181	0,0742	0,1331	0,0397	215-1
215	133	CV	LinStatic		0	0	0	0	0	0	215-1
215	132	CV	LinStatic		0	0	0	0	0	0	215-1
215	133	L	LinStatic		-0,276	0,112	-0,004383	0,0951	0,0421	0,1183	215-1
215	132	L	LinStatic		0,276	-0,112	0,004383	-0,1566	-0,1834	0,1403	215-1
215	133	COMB1	Combination		-0,431	0,159	0,148	0,1315	0,0296	0,1517	215-1
215	132	COMB1	Combination		0,431	-0,159	0,171	-0,2185	-0,2385	0,2138	215-1
215	133	COMB5	Combination		-0,431	0,159	0,148	0,1315	0,0296	0,1517	215-1
215	132	COMB5	Combination		0,431	-0,159	0,171	-0,2185	-0,2385	0,2138	215-1
215	133	COMB6	Combination		-0,431	0,159	0,148	0,1315	0,0296	0,1517	215-1
215	132	COMB6	Combination		0,431	-0,159	0,171	-0,2185	-0,2385	0,2138	215-1
215	133	COMB7	Combination		-0,236	-0,013	-0,159	0,0773	0,0253	-0,0096	215-1
215	132	COMB7	Combination		0,236	0,013	-0,161	-0,0701	-0,1564	-0,0205	215-1
215	133	COMB8	Combination		-0,236	-0,013	-0,159	0,0773	0,0253	-0,0096	215-1
215	132	COMB8	Combination		0,236	0,013	-0,161	-0,0701	-0,1564	-0,0205	215-1
215	133	COMB9	Combination		-0,285	0,161	0,356	0,0725	0,0096	0,1409	215-1
215	132	COMB9	Combination		0,285	-0,161	0,388	-0,1608	-0,1098	0,2297	215-1
215	133	COMB10	Combination		0,171	-0,24	-0,359	-0,0539	-0,0196	-0,2355	215-1
215	132	COMB10	Combination		-0,171	0,24	-0,386	0,1854	0,0817	-0,3169	215-1
215	133	COMB11	Combination		-0,105	-0,128	-0,363	0,0412	0,0224	-0,1172	215-1
215	132	COMB11	Combination		0,105	0,128	-0,382	0,0288	-0,1016	-0,1766	215-1
215	133	COMB12	Combination		-0,561	0,274	0,352	0,1676	0,0325	0,2593	215-1
215	132	COMB12	Combination		0,561	-0,274	0,393	-0,3174	-0,2932	0,3699	215-1
215	133	ENV	Combination	Max	0,171	0,274	0,356	0,1676	0,0325	0,2593	215-1
215	132	ENV	Combination	Max	0,561	0,24	0,393	0,1854	0,0817	0,3699	215-1
215	133	ENV	Combination	Min	-0,561	-0,24	-0,363	-0,0539	-0,0196	-0,2355	215-1
215	132	ENV	Combination	Min	-0,171	-0,274	-0,386	-0,3174	-0,2932	-0,3169	215-1
217	135	DEAD	LinStatic		0,031	-0,031	0,012	0,0008007	-0,0131	-0,0384	217-1
217	136	DEAD	LinStatic		-0,031	0,031	-0,012	0,0018	-0,0135	-0,0384	217-1
217	135	CM	LinStatic		0,954	0,012	0,241	-0,0108	-0,085	0,0096	217-1
217	136	CM	LinStatic		-0,954	-0,012	0,141	0,0098	0,0408	0,0199	217-1
217	135	CV	LinStatic		0	0	0	0	0	0	217-1
217	136	CV	LinStatic		0	0	0	0	0	0	217-1
217	135	L	LinStatic		-0,963	0,183	-0,057	-0,0251	0,0177	0,2395	217-1
217	136	L	LinStatic		0,963	-0,183	0,057	0,01	0,0439	0,2127	217-1
217	135	COMB1	Combination		-1,927	0,272	0,081	-0,054	-0,0602	0,3574	217-1
217	136	COMB1	Combination		1,927	-0,272	0,253	0,0316	0,1138	0,3141	217-1
217	135	COMB5	Combination		-1,927	0,272	0,081	-0,054	-0,0602	0,3574	217-1
217	136	COMB5	Combination		1,927	-0,272	0,253	0,0316	0,1138	0,3141	217-1
217	135	COMB6	Combination		-1,927	0,272	0,081	-0,054	-0,0602	0,3574	217-1
217	136	COMB6	Combination		1,927	-0,272	0,253	0,0316	0,1138	0,3141	217-1
217	135	COMB7	Combination		0,063	0,032	-0,171	0,0054	0,0694	0,0448	217-1
217	136	COMB7	Combination		-0,063	-0,032	-0,162	-0,0081	-0,0531	0,0345	217-1
217	135	COMB8	Combination		0,063	0,032	-0,171	0,0054	0,0694	0,0448	217-1
217	136	COMB8	Combination		-0,063	-0,032	-0,162	-0,0081	-0,0531	0,0345	217-1
217	135	COMB9	Combination		-2,291	0,249	0,306	-0,0685	-0,1643	0,3263	217-1
217	136	COMB9	Combination		2,291	-0,249	0,473	0,048	0,1812	0,2878	217-1
217	135	COMB10	Combination		2,354	-0,311	-0,282	0,0701	0,1381	-0,403	217-1
217	136	COMB10	Combination		-2,354	0,311	-0,496	-0,0445	-0,2082	-0,3646	217-1
217	135	COMB11	Combination		1,391	-0,128	-0,339	0,045	0,1559	-0,1635	217-1
217	136	COMB11	Combination		-1,391	0,128	-0,439	-0,0345	-0,1643	-0,1519	217-1
217	135	COMB12	Combination		-3,254	0,432	0,249	-0,0937	-0,1466	0,5658	217-1
217	136	COMB12	Combination		3,254	-0,432	0,53	0,058	0,2251	0,5005	217-1
217	135	ENV	Combination	Max	2,354	0,432	0,306	0,0701	0,1559	0,5658	217-1
217	136	ENV	Combination	Max	3,254	0,311	0,53	0,058	0,2251	0,5005	217-1
217	135	ENV	Combination	Min	-3,254	-0,311	-0,339	-0,0937	-0,1643	-0,403	217-1
217	136	ENV	Combination	Min	-2,354	-0,432	-0,496	-0,0445	-0,2082	-0,3646	217-1
218	137	DEAD	LinStatic		0,089	-0,03	0,019	0,0035	-0,0116	-0,0366	218-1
218	135	DEAD	LinStatic		-0,089	0,03	-0,019	0,0039	-0,0134	-0,037	218-1
218	137	CM	LinStatic		0,855	0,018	0,264	-0,0069	-0,0594	0,0224	218-1
218	135	CM	LinStatic		-0,855	-0,018	0,119	0,0023	0,0929	0,0229	218-1
218	137	CV	LinStatic		0	0	0	0	0	0	218-1
218	135	CV	LinStatic		0	0	0	0	0	0	218-1
218	137	L	LinStatic		-1,054	-0,035	-0,1	-0,0867	-0,0305	-0,0291	218-1
218	135	L	LinStatic		1,054	0,035	0,1	0,0954	0,0152	-0,0579	218-1
218	137	COMB1	Combination		-2,054	-0,087	-0,022	-0,1562	-0,1287	-0,0863	218-1
218	135	COMB1	Combination		2,054	0,087	0,358	0,1779	0,0869	-0,1292	218-1
218	137	COMB5	Combination		-2,054	-0,087	-0,022	-0,1562	-0,1287	-0,0863	218-1
218	135	COMB5	Combination		2,054	0,087	0,358	0,1779	0,0869	-0,1292	218-1
218	137	COMB6	Combination		-2,054	-0,087	-0,022	-0,1562	-0,1287	-0,0863	218-1
218	135	COMB6	Combination		2,054	0,087	0,358	0,1779	0,0869	-0,1292	218-1
218	137	COMB7	Combination		0,124	-0,043	-0,139	-0,0102	0,0444	-0,0451	218-1
218	135	COMB7	Combination		-0,124	0,043	-0,196	0,0208	-0,0833	-0,0606	218-1
218	137	COMB8	Combination		0,124	-0,043	-0,139	-0,0102	0,0444	-0,0451	218-1

218	135	COMB8	Combination	-0,124	0,043	-0,196	0,0208	-0,0833	-0,0606	218-1
218	137	COMB9	Combination	-2,451	-0,082	0,156	-0,1668	-0,2136	-0,0846	218-1
218	135	COMB9	Combination	2,451	0,082	0,626	0,1872	0,1852	-0,1171	218-1
218	137	COMB10	Combination	2,63	0,022	-0,117	0,1738	0,1903	0,0114	218-1
218	135	COMB10	Combination	-2,63	-0,022	-0,665	-0,1793	-0,212	0,043	218-1
218	137	COMB11	Combination	1,575	-0,013	-0,217	0,0871	0,1598	-0,0177	218-1
218	135	COMB11	Combination	-1,575	0,013	-0,565	-0,0839	-0,1968	-0,0148	218-1
218	137	COMB12	Combination	-3,505	-0,117	0,056	-0,2535	-0,2441	-0,1137	218-1
218	135	COMB12	Combination	3,505	0,117	0,726	0,2826	0,2004	-0,175	218-1
218	137	ENV	Combination	2,63	0,022	0,156	0,1738	0,1903	0,0114	218-1
218	135	ENV	Combination	3,505	0,117	0,726	0,2826	0,2004	0,043	218-1
218	137	ENV	Combination	-3,505	-0,117	-0,217	-0,2535	-0,2441	-0,1137	218-1
218	135	ENV	Combination	-2,63	-0,022	-0,665	-0,1793	-0,212	-0,175	218-1
219	138	DEAD	LinStatic	0,094	-0,028	0,025	0,0053	-0,0107	-0,0339	219-1
219	137	DEAD	LinStatic	-0,094	0,028	-0,025	0,0063	-0,013	-0,0344	219-1
219	138	CM	LinStatic	0,525	0,039	0,284	-0,0192	-0,0866	0,0479	219-1
219	137	CM	LinStatic	-0,525	-0,039	0,103	0,0028	0,0824	0,0489	219-1
219	138	CV	LinStatic	0	0	0	0	0	0	219-1
219	137	CV	LinStatic	0	0	0	0	0	0	219-1
219	138	L	LinStatic	-0,515	-0,176	-0,024	-0,0472	-0,0608	-0,2333	219-1
219	137	L	LinStatic	0,515	0,176	0,024	0,1209	-0,0942	-0,2016	219-1
219	138	COMB1	Combination	-1,053	-0,318	0,107	-0,084	-0,1849	-0,4228	219-1
219	137	COMB1	Combination	1,053	0,318	0,231	0,2173	-0,1034	-0,3639	219-1
219	138	COMB5	Combination	-1,053	-0,318	0,107	-0,084	-0,1849	-0,4228	219-1
219	137	COMB5	Combination	1,053	0,318	0,231	0,2173	-0,1034	-0,3639	219-1
219	138	COMB6	Combination	-1,053	-0,318	0,107	-0,084	-0,1849	-0,4228	219-1
219	137	COMB6	Combination	1,053	0,318	0,231	0,2173	-0,1034	-0,3639	219-1
219	138	COMB7	Combination	0,211	-0,089	-0,105	0,0001896	0,0419	-0,1117	219-1
219	137	COMB7	Combination	-0,211	0,089	-0,233	0,0371	-0,111	-0,108	219-1
219	138	COMB8	Combination	0,211	-0,089	-0,105	0,0001896	0,0419	-0,1117	219-1
219	137	COMB8	Combination	-0,211	0,089	-0,233	0,0371	-0,111	-0,108	219-1
219	138	COMB9	Combination	-1,381	-0,295	0,274	-0,0929	-0,2752	-0,3968	219-1
219	137	COMB9	Combination	1,381	0,295	0,515	0,2165	-0,0042	-0,3328	219-1
219	138	COMB10	Combination	1,568	0,24	-0,223	0,1035	0,2538	0,3289	219-1
219	137	COMB10	Combination	-1,568	-0,24	-0,566	-0,204	-0,0219	0,2641	219-1
219	138	COMB11	Combination	1,053	0,064	-0,247	0,0563	0,193	0,0956	219-1
219	137	COMB11	Combination	-1,053	-0,064	-0,542	-0,0831	-0,116	0,0625	219-1
219	138	COMB12	Combination	-1,896	-0,471	0,249	-0,1401	-0,336	-0,6301	219-1
219	137	COMB12	Combination	1,896	0,471	0,54	0,3374	-0,0984	-0,5344	219-1
219	138	ENV	Combination	1,568	0,24	0,274	0,1035	0,2538	0,3289	219-1
219	137	ENV	Combination	1,896	0,471	0,54	0,3374	-0,0042	0,2641	219-1
219	138	ENV	Combination	-1,896	-0,471	-0,247	-0,1401	-0,336	-0,6301	219-1
219	137	ENV	Combination	-1,568	-0,24	-0,566	-0,204	-0,116	-0,5344	219-1
220	139	DEAD	LinStatic	0,046	-0,031	0,023	0,008	-0,0133	-0,0359	220-1
220	138	DEAD	LinStatic	-0,046	0,031	-0,023	0,0087	-0,0137	-0,0345	220-1
220	139	CM	LinStatic	0,031	0,058	0,155	-0,0435	-0,0217	0,0559	220-1
220	138	CM	LinStatic	-0,031	-0,058	0,21	0,0116	0,1024	0,0781	220-1
220	139	CV	LinStatic	0	0	0	0	0	0	220-1
220	138	CV	LinStatic	0	0	0	0	0	0	220-1
220	139	L	LinStatic	-0,039	-0,001065	-0,026	0,0653	0,0736	-0,0137	220-1
220	138	L	LinStatic	0,039	0,001065	0,026	-0,0647	-0,0364	0,0112	220-1
220	139	COMB1	Combination	-0,123	-0,021	0,11	0,1057	0,0599	-0,0491	220-1
220	138	COMB1	Combination	0,123	0,021	0,21	-0,094	-0,0123	0,00003399	220-1
220	139	COMB5	Combination	-0,123	-0,021	0,11	0,1057	0,0599	-0,0491	220-1
220	138	COMB5	Combination	0,123	0,021	0,21	-0,094	-0,0123	0,00003399	220-1
220	139	COMB6	Combination	-0,123	-0,021	0,11	0,1057	0,0599	-0,0491	220-1
220	138	COMB6	Combination	0,123	0,021	0,21	-0,094	-0,0123	0,00003399	220-1
220	139	COMB7	Combination	0,136	-0,042	-0,115	0,0409	0,0607	-0,0501	220-1
220	138	COMB7	Combination	-0,136	0,042	-0,204	-0,0179	-0,0878	-0,0467	220-1
220	139	COMB8	Combination	0,136	-0,042	-0,115	0,0409	0,0607	-0,0501	220-1
220	138	COMB8	Combination	-0,136	0,042	-0,204	-0,0179	-0,0878	-0,0467	220-1
220	139	COMB9	Combination	-0,257	-0,006425	0,285	0,0836	-0,0143	-0,0347	220-1
220	138	COMB9	Combination	0,257	0,006425	0,46	-0,0801	0,0743	0,0199	220-1
220	139	COMB10	Combination	0,349	-0,055	-0,24	-0,0675	-0,0124	-0,0371	220-1
220	138	COMB10	Combination	-0,349	0,055	-0,505	0,0976	-0,1018	-0,089	220-1
220	139	COMB11	Combination	0,309	-0,056	-0,265	-0,0022	0,0613	-0,0507	220-1
220	138	COMB11	Combination	-0,309	0,056	-0,479	0,0328	-0,1381	-0,0778	220-1
220	139	COMB12	Combination	-0,296	-0,007489	0,26	0,1489	0,0593	-0,0484	220-1
220	138	COMB12	Combination	0,296	0,007489	0,485	-0,1448	0,038	0,0312	220-1
220	139	ENV	Combination	0,349	-0,006425	0,285	0,1489	0,0613	-0,0347	220-1
220	138	ENV	Combination	0,296	0,056	0,485	0,0976	0,0743	0,0312	220-1
220	139	ENV	Combination	-0,296	-0,056	-0,265	-0,0675	-0,0143	-0,0507	220-1
220	138	ENV	Combination	-0,349	0,006425	-0,505	-0,1448	-0,1381	-0,089	220-1
222	141	DEAD	LinStatic	0,026	0,015	-0,004934	-0,0005839	0,0072	0,0186	222-1
222	142	DEAD	LinStatic	-0,026	-0,015	0,004934	-0,0006642	0,0071	0,0187	222-1
222	141	CM	LinStatic	0,764	-0,0009811	0,232	0,0007019	-0,085	-0,0064	222-1
222	142	CM	LinStatic	-0,764	0,0009811	0,15	-0,0006209	0,0464	0,004	222-1
222	141	CV	LinStatic	0	0	0	0	0	0	222-1
222	142	CV	LinStatic	0	0	0	0	0	0	222-1
222	141	L	LinStatic	2,47	0,296	-0,006518	-0,0106	0,1082	0,3766	222-1

222	142	L	LinStatic	-2,47	-0,296	0,006518	-0,0138	0,1118	0,355	222-1
222	141	COMB1	Combination	3,722	0,51	0,142	-0,0181	0,1167	0,6485	222-1
222	142	COMB1	Combination	-3,722	-0,51	0,191	-0,024	0,2514	0,6107	222-1
222	141	COMB5	Combination	3,722	0,51	0,142	-0,0181	0,1167	0,6485	222-1
222	142	COMB5	Combination	-3,722	-0,51	0,191	-0,024	0,2514	0,6107	222-1
222	141	COMB6	Combination	3,722	0,51	0,142	-0,0181	0,1167	0,6485	222-1
222	142	COMB6	Combination	-3,722	-0,51	0,191	-0,024	0,2514	0,6107	222-1
222	141	COMB7	Combination	1,269	0,113	-0,165	-0,0043	0,1143	0,1419	222-1
222	142	COMB7	Combination	-1,269	-0,113	-0,168	-0,005	-0,0136	0,1368	222-1
222	141	COMB8	Combination	1,269	0,113	-0,165	-0,0043	0,1143	0,1419	222-1
222	142	COMB8	Combination	-1,269	-0,113	-0,168	-0,005	-0,0136	0,1368	222-1
222	141	COMB9	Combination	2,888	0,478	0,354	-0,0168	0,0101	0,6097	222-1
222	142	COMB9	Combination	-2,888	-0,478	0,425	-0,0227	0,3162	0,5716	222-1
222	141	COMB10	Combination	-2,837	-0,448	-0,364	0,0156	0,0044	-0,5725	222-1
222	142	COMB10	Combination	2,837	0,448	-0,415	0,0214	-0,302	-0,5341	222-1
222	141	COMB11	Combination	-0,367	-0,152	-0,37	0,005	0,1127	-0,1959	222-1
222	142	COMB11	Combination	0,367	0,152	-0,408	0,0076	-0,1902	-0,1791	222-1
222	141	COMB12	Combination	5,358	0,774	0,347	-0,0274	0,1183	0,9863	222-1
222	142	COMB12	Combination	-5,358	-0,774	0,431	-0,0366	0,428	0,9266	222-1
222	141	ENV	Combination	5,358	0,774	0,354	0,0156	0,1183	0,9863	222-1
222	142	ENV	Combination	2,837	0,448	0,431	0,0214	0,428	0,9266	222-1
222	141	ENV	Combination	-2,837	-0,448	-0,37	-0,0274	0,0044	-0,5725	222-1
222	142	ENV	Combination	-5,358	-0,774	-0,415	-0,0366	-0,302	-0,5341	222-1
223	143	DEAD	LinStatic	0,071	0,013	0,001654	-0,0016	0,0073	0,0157	223-1
223	141	DEAD	LinStatic	-0,071	-0,013	-0,001654	-0,0017	0,0062	0,017	223-1
223	143	CM	LinStatic	0,697	-0,016	0,264	0,0013	-0,0799	-0,0217	223-1
223	141	CM	LinStatic	-0,697	0,016	0,12	0,0026	0,0747	-0,0169	223-1
223	143	CV	LinStatic	0	0	0	0	0	0	223-1
223	141	CV	LinStatic	0	0	0	0	0	0	223-1
223	143	L	LinStatic	2,724	0,015	0,3	-0,0139	-0,0406	0,0338	223-1
223	141	L	LinStatic	-2,724	-0,015	-0,3	0,0101	-0,0214	0,0035	223-1
223	143	COMB1	Combination	4,215	0,04	0,633	-0,0269	-0,1362	0,0759	223-1
223	141	COMB1	Combination	-4,215	-0,04	-0,298	0,017	0,0351	0,0228	223-1
223	143	COMB5	Combination	4,215	0,04	0,633	-0,0269	-0,1362	0,0759	223-1
223	141	COMB5	Combination	-4,215	-0,04	-0,298	0,017	0,0351	0,0228	223-1
223	143	COMB6	Combination	4,215	0,04	0,633	-0,0269	-0,1362	0,0759	223-1
223	141	COMB6	Combination	-4,215	-0,04	-0,298	0,017	0,0351	0,0228	223-1
223	143	COMB7	Combination	1,374	0,017	-0,031	-0,004	0,0696	0,0233	223-1
223	141	COMB7	Combination	-1,374	-0,017	-0,304	-0,000185	-0,0656	0,0181	223-1
223	143	COMB8	Combination	1,374	0,017	-0,031	-0,004	0,0696	0,0233	223-1
223	141	COMB8	Combination	-1,374	-0,017	-0,304	-0,000185	-0,0656	0,0181	223-1
223	143	COMB9	Combination	3,385	0,04	0,776	-0,0283	-0,2328	0,0771	223-1
223	141	COMB9	Combination	-3,385	-0,04	0,005753	0,0183	0,1237	0,0225	223-1
223	143	COMB10	Combination	-3,244	-0,014	-0,773	0,0252	0,2474	-0,0456	223-1
223	141	COMB10	Combination	3,244	0,014	-0,009061	-0,0217	-0,1113	0,0114	223-1
223	143	COMB11	Combination	-0,52	0,001246	-0,473	0,0113	0,2068	-0,0118	223-1
223	141	COMB11	Combination	0,52	-0,001246	-0,309	-0,0116	-0,1327	0,0149	223-1
223	143	COMB12	Combination	6,109	0,055	1,076	-0,0422	-0,2734	0,1109	223-1
223	141	COMB12	Combination	-6,109	-0,055	-0,294	0,0284	0,1023	0,026	223-1
223	143	ENV	Combination	6,109	0,055	1,076	0,0252	0,2474	0,1109	223-1
223	141	ENV	Combination	3,244	0,014	0,005753	0,0284	0,1237	0,026	223-1
223	143	ENV	Combination	-3,244	-0,014	-0,773	-0,0422	-0,2734	-0,0456	223-1
223	141	ENV	Combination	-6,109	-0,055	-0,309	-0,0217	-0,1327	0,0114	223-1
224	144	DEAD	LinStatic	0,072	0,009548	0,008562	-0,0019	0,0052	0,011	224-1
224	143	DEAD	LinStatic	-0,072	-0,009548	-0,008562	-0,002	0,0037	0,0126	224-1
224	144	CM	LinStatic	0,394	-0,021	0,279	0,0035	-0,106	-0,0255	224-1
224	143	CM	LinStatic	-0,394	0,021	0,108	0,0052	0,0604	-0,0261	224-1
224	144	CV	LinStatic	0	0	0	0	0	0	224-1
224	143	CV	LinStatic	0	0	0	0	0	0	224-1
224	144	L	LinStatic	1,569	-0,245	0,358	0,0457	-0,1255	-0,2938	224-1
224	143	L	LinStatic	-1,569	0,245	-0,358	0,0568	-0,1015	-0,3112	224-1
224	144	COMB1	Combination	2,335	-0,408	0,713	0,0753	-0,2739	-0,4871	224-1
224	143	COMB1	Combination	-2,335	0,408	-0,375	0,0953	-0,0928	-0,5197	224-1
224	144	COMB5	Combination	2,335	-0,408	0,713	0,0753	-0,2739	-0,4871	224-1
224	143	COMB5	Combination	-2,335	0,408	-0,375	0,0953	-0,0928	-0,5197	224-1
224	144	COMB6	Combination	2,335	-0,408	0,713	0,0753	-0,2739	-0,4871	224-1
224	143	COMB6	Combination	-2,335	0,408	-0,375	0,0953	-0,0928	-0,5197	224-1
224	144	COMB7	Combination	0,947	-0,063	0,02	0,0123	0,0333	-0,0786	224-1
224	143	COMB7	Combination	-0,947	0,063	-0,358	0,0141	-0,1027	-0,0774	224-1
224	144	COMB8	Combination	0,947	-0,063	0,02	0,0123	0,0333	-0,0786	224-1
224	143	COMB8	Combination	-0,947	0,063	-0,358	0,0141	-0,1027	-0,0774	224-1
224	144	COMB9	Combination	1,691	-0,392	0,818	0,0715	-0,3532	-0,4656	224-1
224	143	COMB9	Combination	-1,691	0,392	-0,029	0,0927	0,0154	-0,5034	224-1
224	144	COMB10	Combination	-1,547	0,411	-0,801	-0,0754	0,3636	0,4876	224-1
224	143	COMB10	Combination	1,547	-0,411	0,012	-0,0968	-0,0079	0,5286	224-1
224	144	COMB11	Combination	0,022	0,166	-0,443	-0,0297	0,2381	0,1937	224-1
224	143	COMB11	Combination	-0,022	-0,166	-0,346	-0,04	-0,1094	0,2175	224-1
224	144	COMB12	Combination	3,261	-0,637	1,176	0,1172	-0,4787	-0,7594	224-1
224	143	COMB12	Combination	-3,261	0,637	-0,387	0,1495	-0,0861	-0,8146	224-1
224	144	ENV	Combination	3,261	0,411	1,176	0,1172	0,3636	0,4876	224-1

224	143	ENV	Combination	Max	1,547	0,637	0,012	0,1495	0,0154	0,5286	224-1
224	144	ENV	Combination	Min	-1,547	-0,637	-0,801	-0,0754	-0,4787	-0,7594	224-1
224	143	ENV	Combination	Min	-3,261	-0,411	-0,387	-0,0968	-0,1094	-0,8146	224-1
225	145	DEAD	LinStatic		0,027	0,007951	0,003254	-0,0023	0,0043	0,0089	225-1
225	144	DEAD	LinStatic		-0,027	-0,007951	-0,003254	-0,0021	0,0031	0,0094	225-1
225	145	CM	LinStatic		-0,017	-0,029	0,148	0,0042	-0,0195	-0,0361	225-1
225	144	CM	LinStatic		0,017	0,029	0,218	0,0114	0,0904	-0,0296	225-1
225	145	CV	LinStatic		0	0	0	0	0	0	225-1
225	144	CV	LinStatic		0	0	0	0	0	0	225-1
225	145	L	LinStatic		0,055	-0,232	0,006317	0,0692	0,0299	-0,2739	225-1
225	144	L	LinStatic		-0,055	0,232	-0,006317	0,0576	-0,0142	-0,2587	225-1
225	145	COMB1	Combination		-0,094	-0,403	0,109	0,1177	0,0155	-0,4793	225-1
225	144	COMB1	Combination		0,094	0,403	0,211	0,1033	0,0502	-0,4487	225-1
225	145	COMB5	Combination		-0,094	-0,403	0,109	0,1177	0,0155	-0,4793	225-1
225	144	COMB5	Combination		0,094	0,403	0,211	0,1033	0,0502	-0,4487	225-1
225	145	COMB6	Combination		-0,094	-0,403	0,109	0,1177	0,0155	-0,4793	225-1
225	144	COMB6	Combination		0,094	0,403	0,211	0,1033	0,0502	-0,4487	225-1
225	145	COMB7	Combination		0,259	-0,044	-0,089	0,0162	0,0528	-0,0507	225-1
225	144	COMB7	Combination		-0,259	0,044	-0,23	0,0078	-0,0723	-0,0501	225-1
225	145	COMB8	Combination		0,259	-0,044	-0,089	0,0162	0,0528	-0,0507	225-1
225	144	COMB8	Combination		-0,259	0,044	-0,23	0,0078	-0,0723	-0,0501	225-1
225	145	COMB9	Combination		-0,385	-0,412	0,234	0,1161	-0,0392	-0,4912	225-1
225	144	COMB9	Combination		0,385	0,412	0,511	0,1093	0,1461	-0,4556	225-1
225	145	COMB10	Combination		0,44	0,428	-0,228	-0,1207	0,0478	0,509	225-1
225	144	COMB10	Combination		-0,44	-0,428	-0,517	-0,1134	-0,1398	0,4744	225-1
225	145	COMB11	Combination		0,495	0,196	-0,221	-0,0515	0,0777	0,2351	225-1
225	144	COMB11	Combination		-0,495	-0,196	-0,523	-0,0558	-0,154	0,2157	225-1
225	145	COMB12	Combination		-0,33	-0,643	0,241	0,1853	-0,0093	-0,7651	225-1
225	144	COMB12	Combination		0,33	0,643	0,504	0,1669	0,1319	-0,7144	225-1
225	145	ENV	Combination	Max	0,495	0,428	0,241	0,1853	0,0777	0,509	225-1
225	144	ENV	Combination	Max	0,385	0,643	0,511	0,1669	0,1461	0,4744	225-1
225	145	ENV	Combination	Min	-0,385	-0,643	-0,228	-0,1207	-0,0392	-0,7651	225-1
225	144	ENV	Combination	Min	-0,495	-0,428	-0,523	-0,1134	-0,154	-0,7144	225-1
227	80	DEAD	LinStatic		-0,007815	-0,029	-0,001223	-0,0154	0,0015	-0,0353	227-1
227	82	DEAD	LinStatic		0,007815	0,029	0,001223	0,013	0,0022	-0,0363	227-1
227	80	CM	LinStatic		0,053	-0,011	0,025	-0,0073	-0,0156	-0,0122	227-1
227	82	CM	LinStatic		-0,053	0,011	0,041	0,0065	0,0312	-0,0139	227-1
227	80	CV	LinStatic		0	0	0	0	0	0	227-1
227	82	CV	LinStatic		0	0	0	0	0	0	227-1
227	80	L	LinStatic		-0,017	0,14	0,001502	-0,0439	-0,0178	0,1715	227-1
227	82	L	LinStatic		0,017	-0,14	-0,001502	0,0555	0,0155	0,174	227-1
227	80	COMB1	Combination		-0,021	0,215	0,004245	-0,0969	-0,0446	0,2657	227-1
227	82	COMB1	Combination		0,021	-0,215	-0,004245	0,1147	0,0358	0,2655	227-1
227	80	COMB5	Combination		-0,021	0,215	0,004245	-0,0969	-0,0446	0,2657	227-1
227	82	COMB5	Combination		0,021	-0,215	-0,004245	0,1147	0,0358	0,2655	227-1
227	80	COMB6	Combination		-0,021	0,215	0,004245	-0,0969	-0,0446	0,2657	227-1
227	82	COMB6	Combination		0,021	-0,215	-0,004245	0,1147	0,0358	0,2655	227-1
227	80	COMB7	Combination		-0,029	0,006686	-0,003688	-0,0218	0,0121	0,0066	227-1
227	82	COMB7	Combination		0,029	-0,006686	0,003688	0,0223	-0,0005904	0,01	227-1
227	80	COMB8	Combination		-0,029	0,006686	-0,003688	-0,0218	0,0121	0,0066	227-1
227	82	COMB8	Combination		0,029	-0,006686	0,003688	0,0223	-0,0005904	0,01	227-1
227	80	COMB9	Combination		0,001482	0,214	0,008033	-0,1031	-0,0646	0,267	227-1
227	82	COMB9	Combination		-0,001482	-0,214	-0,008033	0,1208	0,0447	0,2619	227-1
227	80	COMB10	Combination		-0,017	-0,272	-0,01	0,0722	0,0677	-0,3377	227-1
227	82	COMB10	Combination		0,017	0,272	0,01	-0,0947	-0,0404	-0,3344	227-1
227	80	COMB11	Combination		-0,034	-0,132	-0,008977	0,0283	0,0499	-0,1662	227-1
227	82	COMB11	Combination		0,034	0,132	0,008977	-0,0393	-0,0249	-0,1604	227-1
227	80	COMB12	Combination		-0,016	0,354	0,009534	-0,147	-0,0824	0,4385	227-1
227	82	COMB12	Combination		0,016	-0,354	-0,009534	0,1762	0,0601	0,4359	227-1
227	80	ENV	Combination	Max	0,001482	0,354	0,009534	0,0722	0,0677	0,4385	227-1
227	82	ENV	Combination	Max	0,034	0,272	0,01	0,1762	0,0601	0,4359	227-1
227	80	ENV	Combination	Min	-0,034	-0,272	-0,01	-0,147	-0,0824	-0,3377	227-1
227	82	ENV	Combination	Min	-0,001482	-0,354	-0,009534	-0,0947	-0,0404	-0,3344	227-1
228	82	DEAD	LinStatic		-0,017	-0,023	0,001284	-0,013	-0,0003716	-0,0269	228-1
228	84	DEAD	LinStatic		0,017	0,023	-0,001284	0,0074	0,0013	-0,0292	228-1
228	82	CM	LinStatic		0,032	-0,009447	0,027	-0,0065	-0,0123	-0,0114	228-1
228	84	CM	LinStatic		-0,032	0,009447	0,039	0,0041	0,0196	-0,0119	228-1
228	82	CV	LinStatic		0	0	0	0	0	0	228-1
228	84	CV	LinStatic		0	0	0	0	0	0	228-1
228	82	L	LinStatic		0,492	0,069	-0,057	-0,0555	-0,0028	0,0759	228-1
228	84	L	LinStatic		-0,492	-0,069	0,057	0,0725	0,0217	0,0936	228-1
228	82	COMB1	Combination		0,862	0,096	-0,099	-0,1147	-0,0092	0,1043	228-1
228	84	COMB1	Combination		-0,862	-0,096	0,099	0,1386	0,0383	0,133	228-1
228	82	COMB5	Combination		0,862	0,096	-0,099	-0,1147	-0,0092	0,1043	228-1
228	84	COMB5	Combination		-0,862	-0,096	0,099	0,1386	0,0383	0,133	228-1
228	82	COMB6	Combination		0,862	0,096	-0,099	-0,1147	-0,0092	0,1043	228-1
228	84	COMB6	Combination		-0,862	-0,096	0,099	0,1386	0,0383	0,133	228-1
228	82	COMB7	Combination		0,088	-0,004241	-0,013	-0,0223	0,0028	-0,0062	228-1
228	84	COMB7	Combination		-0,088	0,004241	0,013	0,0213	0,0077	-0,0042	228-1
228	82	COMB8	Combination		0,088	-0,004241	-0,013	-0,0223	0,0028	-0,0062	228-1

228	84	COMB8	Combination	-0,088	0,004241	0,013	0,0213	0,0077	-0,0042 228-1
228	82	COMB9	Combination	0,886	0,094	-0,098	-0,1208	-0,0144	0,1022 228-1
228	84	COMB9	Combination	-0,886	-0,094	0,098	0,1443	0,0371	0,131 228-1
228	82	COMB10	Combination	-0,919	-0,14	0,101	0,0947	0,0137	-0,1559 228-1
228	84	COMB10	Combination	0,919	0,14	-0,101	-0,1295	-0,0344	-0,1893 228-1
228	82	COMB11	Combination	-0,427	-0,071	0,044	0,0393	0,0108	-0,08 228-1
228	84	COMB11	Combination	0,427	0,071	-0,044	-0,057	-0,0128	-0,0958 228-1
228	82	COMB12	Combination	1,377	0,163	-0,156	-0,1762	-0,0173	0,1781 228-1
228	84	COMB12	Combination	-1,377	-0,163	0,156	0,2168	0,0588	0,2245 228-1
228	82	ENV	Combination	1,377	0,163	0,101	0,0947	0,0137	0,1781 228-1
228	84	ENV	Combination	0,919	0,14	0,156	0,2168	0,0588	0,2245 228-1
228	82	ENV	Combination	-0,919	-0,14	-0,156	-0,1762	-0,0173	-0,1559 228-1
228	84	ENV	Combination	-1,377	-0,163	-0,101	-0,1295	-0,0344	-0,1893 228-1
229	84	DEAD	LinStatic	-0,012	-0,012	0,002961	-0,0074	-0,0009053	-0,0147 229-1
229	87	DEAD	LinStatic	0,012	0,012	-0,002961	0,0022	-0,0015	-0,0161 229-1
229	84	CM	LinStatic	0,009119	-0,012	0,023	-0,0041	-0,01	-0,0139 229-1
229	87	CM	LinStatic	-0,009119	0,012	0,044	-0,0011	0,0325	-0,0166 229-1
229	84	CV	LinStatic	0	0	0	0	0	0 229-1
229	87	CV	LinStatic	0	0	0	0	0	0 229-1
229	84	L	LinStatic	0,691	0,045	-0,047	-0,0725	-0,0633	0,0304 229-1
229	87	L	LinStatic	-0,691	-0,045	0,047	0,0915	-0,1106	0,0813 229-1
229	84	COMB1	Combination	1,214	0,065	-0,079	-0,1386	-0,1141	0,0354 229-1
229	87	COMB1	Combination	-1,214	-0,065	0,079	0,1658	-0,1992	0,1249 229-1
229	84	COMB5	Combination	1,214	0,065	-0,079	-0,1386	-0,1141	0,0354 229-1
229	87	COMB5	Combination	-1,214	-0,065	0,079	0,1658	-0,1992	0,1249 229-1
229	84	COMB6	Combination	1,214	0,065	-0,079	-0,1386	-0,1141	0,0354 229-1
229	87	COMB6	Combination	-1,214	-0,065	0,079	0,1658	-0,1992	0,1249 229-1
229	84	COMB7	Combination	0,144	0,0005868	-0,008594	-0,0213	-0,0143	-0,0041 229-1
229	87	COMB7	Combination	-0,144	-0,0005868	0,008594	0,0215	-0,025	0,0056 229-1
229	84	COMB8	Combination	0,144	0,0005868	-0,008594	-0,0213	-0,0143	-0,0041 229-1
229	87	COMB8	Combination	-0,144	-0,0005868	0,008594	0,0215	-0,025	0,0056 229-1
229	84	COMB9	Combination	1,236	0,063	-0,079	-0,1443	-0,1174	0,0314 229-1
229	87	COMB9	Combination	-1,236	-0,063	0,079	0,1705	-0,2047	0,1232 229-1
229	84	COMB10	Combination	-1,259	-0,088	0,085	0,1295	0,1156	-0,0608 229-1
229	87	COMB10	Combination	1,259	0,088	-0,085	-0,1661	0,2017	-0,1554 229-1
229	84	COMB11	Combination	-0,569	-0,042	0,038	0,057	0,0523	-0,0305 229-1
229	87	COMB11	Combination	0,569	0,042	-0,038	-0,0747	0,0912	-0,074 229-1
229	84	COMB12	Combination	1,927	0,108	-0,126	-0,2168	-0,1807	0,0617 229-1
229	87	COMB12	Combination	-1,927	-0,108	0,126	0,2619	-0,3153	0,2045 229-1
229	84	ENV	Combination	1,927	0,108	0,085	0,1295	0,1156	0,0617 229-1
229	87	ENV	Combination	1,259	0,088	0,126	0,2619	0,2017	0,2045 229-1
229	84	ENV	Combination	-1,259	-0,088	-0,126	-0,2168	-0,1807	-0,0608 229-1
229	87	ENV	Combination	-1,927	-0,108	-0,085	-0,1661	-0,3153	-0,1554 229-1
230	87	DEAD	LinStatic	0,0007296	-0,003972	0,002156	-0,0022	-0,0016	-0,0035 230-1
230	90	DEAD	LinStatic	-0,0007296	0,003972	-0,002156	1,926E-16	-0,0037	-0,0057 230-1
230	87	CM	LinStatic	-0,022	0,001935	0,062	0,0011	-0,0454	-0,0003938 230-1
230	90	CM	LinStatic	0,022	-0,001935	0,00114	6,21E-16	-0,012	0,0048 230-1
230	87	CV	LinStatic	0	0	0	0	0	0 230-1
230	90	CV	LinStatic	0	0	0	0	0	0 230-1
230	87	L	LinStatic	0,42	-0,167	-0,159	-0,0915	0,1314	-0,2018 230-1
230	90	L	LinStatic	-0,42	0,167	0,159	-2,984E-16	0,0036	-0,1823 230-1
230	87	COMB1	Combination	0,745	-0,303	-0,278	-0,1658	0,2302	-0,3644 230-1
230	90	COMB1	Combination	-0,745	0,303	0,278	-3,14E-16	0,0021	-0,3319 230-1
230	87	COMB5	Combination	0,745	-0,303	-0,278	-0,1658	0,2302	-0,3644 230-1
230	90	COMB5	Combination	-0,745	0,303	0,278	-3,14E-16	0,0021	-0,3319 230-1
230	87	COMB6	Combination	0,745	-0,303	-0,278	-0,1658	0,2302	-0,3644 230-1
230	90	COMB6	Combination	-0,745	0,303	0,278	-3,14E-16	0,0021	-0,3319 230-1
230	87	COMB7	Combination	0,096	-0,039	-0,035	-0,0215	0,0292	-0,0463 230-1
230	90	COMB7	Combination	-0,096	0,039	0,035	1,023E-16	-0,0022	-0,044 230-1
230	87	COMB8	Combination	0,096	-0,039	-0,035	-0,0215	0,0292	-0,0463 230-1
230	90	COMB8	Combination	-0,096	0,039	0,035	1,023E-16	-0,0022	-0,044 230-1
230	87	COMB9	Combination	0,758	-0,311	-0,282	-0,1705	0,2328	-0,3746 230-1
230	90	COMB9	Combination	-0,758	0,311	0,282	-2,932E-16	0,0012	-0,3415 230-1
230	87	COMB10	Combination	-0,757	0,303	0,287	0,1661	-0,2361	0,3676 230-1
230	90	COMB10	Combination	0,757	-0,303	-0,287	6,783E-16	-0,0087	0,3302 230-1
230	87	COMB11	Combination	-0,337	0,136	0,128	0,0747	-0,1047	0,1658 230-1
230	90	COMB11	Combination	0,337	-0,136	-0,128	3,799E-16	-0,005	0,1479 230-1
230	87	COMB12	Combination	1,178	-0,478	-0,441	-0,2619	0,3642	-0,5764 230-1
230	90	COMB12	Combination	-1,178	0,478	0,441	-5,915E-16	0,0049	-0,5238 230-1
230	87	ENV	Combination	1,178	0,303	0,287	0,1661	0,3642	0,3676 230-1
230	90	ENV	Combination	0,757	0,478	0,441	6,783E-16	0,0049	0,3302 230-1
230	87	ENV	Combination	-0,757	-0,478	-0,441	-0,2619	-0,2361	-0,5764 230-1
230	90	ENV	Combination	-1,178	-0,303	-0,287	-5,915E-16	-0,0087	-0,5238 230-1
232	130	DEAD	LinStatic	0,027	-0,034	0,008686	-0,0019	-0,0122	-0,0416 232-1
232	148	DEAD	LinStatic	-0,027	0,034	-0,008686	-0,0008468	-0,0115	-0,0417 232-1
232	130	CM	LinStatic	0,117	-0,0007153	0,027	-0,0078	-0,0214	0,0029 232-1
232	148	CM	LinStatic	-0,117	0,0007153	0,039	0,0077	0,0271	-0,0047 232-1
232	130	CV	LinStatic	0	0	0	0	0	0 232-1
232	148	CV	LinStatic	0	0	0	0	0	0 232-1
232	130	L	LinStatic	-0,629	0,188	-0,026	-0,000221	0,0524	0,2338 232-1

232	148	L	LinStatic		0,629	-0,188	0,026	0,0158	0,0639	0,2317	232-1
232	130	COMB1	Combination		-1,104	0,301	-0,03	-0,0074	0,0592	0,3786	232-1
232	148	COMB1	Combination		1,104	-0,301	0,03	0,0323	0,1049	0,365	232-1
232	130	COMB5	Combination		-1,104	0,301	-0,03	-0,0074	0,0592	0,3786	232-1
232	148	COMB5	Combination		1,104	-0,301	0,03	0,0323	0,1049	0,365	232-1
232	130	COMB6	Combination		-1,104	0,301	-0,03	-0,0074	0,0592	0,3786	232-1
232	148	COMB6	Combination		1,104	-0,301	0,03	0,0323	0,1049	0,365	232-1
232	130	COMB7	Combination		-0,099	0,008478	-0,005174	0,0031	0,0212	0,0058	232-1
232	148	COMB7	Combination		0,099	-0,008478	0,005174	-0,0024	-0,0001996	0,0151	232-1
232	130	COMB8	Combination		-0,099	0,008478	-0,005174	0,0031	0,0212	0,0058	232-1
232	148	COMB8	Combination		0,099	-0,008478	0,005174	-0,0024	-0,0001996	0,0151	232-1
232	130	COMB9	Combination		-1,146	0,308	-0,02	-0,0142	0,0323	0,3933	232-1
232	148	COMB9	Combination		1,146	-0,308	0,02	0,0396	0,1111	0,3665	232-1
232	130	COMB10	Combination		1,2	-0,375	0,037	0,0103	-0,0566	-0,4765	232-1
232	148	COMB10	Combination		-1,2	0,375	-0,037	-0,0413	-0,1341	-0,4499	232-1
232	130	COMB11	Combination		0,571	-0,187	0,011	0,0101	-0,0042	-0,2427	232-1
232	148	COMB11	Combination		-0,571	0,187	-0,011	-0,0255	-0,0703	-0,2182	232-1
232	130	COMB12	Combination		-1,775	0,496	-0,046	-0,0144	0,0846	0,6272	232-1
232	148	COMB12	Combination		1,775	-0,496	0,046	0,0554	0,175	0,5983	232-1
232	130	ENV	Combination	Max	1,2	0,496	0,037	0,0103	0,0846	0,6272	232-1
232	148	ENV	Combination	Max	1,775	0,375	0,046	0,0554	0,175	0,5983	232-1
232	130	ENV	Combination	Min	-1,775	-0,375	-0,046	-0,0144	-0,0566	-0,4765	232-1
232	148	ENV	Combination	Min	-1,2	-0,496	-0,037	-0,0413	-0,1341	-0,4499	232-1
233	148	DEAD	LinStatic		0,071	-0,033	0,002468	-0,0043	-0,0128	-0,0412	233-1
233	149	DEAD	LinStatic		-0,071	0,033	-0,002468	-0,0041	-0,0109	-0,0414	233-1
233	148	CM	LinStatic		0,105	-0,002832	0,025	-0,0026	-0,0199	-0,0021	233-1
233	149	CM	LinStatic		-0,105	0,002832	0,04	0,0019	0,0123	-0,0049	233-1
233	148	CV	LinStatic		0	0	0	0	0	0	233-1
233	149	CV	LinStatic		0	0	0	0	0	0	233-1
233	148	L	LinStatic		-0,426	0,118	-0,0001972	0,0235	0,0505	0,1399	233-1
233	149	L	LinStatic		0,426	-0,118	0,0001972	0,006	0,056	0,1527	233-1
233	148	COMB1	Combination		-0,714	0,176	0,006958	0,0366	0,0733	0,207	233-1
233	149	COMB1	Combination		0,714	-0,176	-0,006958	0,0072	0,0871	0,2284	233-1
233	148	COMB5	Combination		-0,714	0,176	0,006958	0,0366	0,0733	0,207	233-1
233	149	COMB5	Combination		0,714	-0,176	-0,006958	0,0072	0,0871	0,2284	233-1
233	148	COMB6	Combination		-0,714	0,176	0,006958	0,0366	0,0733	0,207	233-1
233	149	COMB6	Combination		0,714	-0,176	-0,006958	0,0072	0,0871	0,2284	233-1
233	148	COMB7	Combination		0,002848	-0,006251	-0,002415	0,0018	0,0022	-0,0095	233-1
233	149	COMB7	Combination		-0,002848	0,006251	0,002415	-0,0033	0,0031	-0,0059	233-1
233	148	COMB8	Combination		0,002848	-0,006251	-0,002415	0,0018	0,0022	-0,0095	233-1
233	149	COMB8	Combination		-0,002848	0,006251	0,002415	-0,0033	0,0031	-0,0059	233-1
233	148	COMB9	Combination		-0,765	0,179	0,013	0,0364	0,0702	0,2114	233-1
233	149	COMB9	Combination		0,765	-0,179	-0,013	0,0083	0,0871	0,2319	233-1
233	148	COMB10	Combination		0,907	-0,246	-0,008467	-0,0449	-0,0958	-0,2938	233-1
233	149	COMB10	Combination		-0,907	0,246	0,008467	-0,0164	-0,109	-0,3148	233-1
233	148	COMB11	Combination		0,481	-0,128	-0,008664	-0,0214	-0,0452	-0,1539	233-1
233	149	COMB11	Combination		-0,481	0,128	0,008664	-0,0104	-0,053	-0,1621	233-1
233	148	COMB12	Combination		-1,191	0,298	0,013	0,0599	0,1207	0,3514	233-1
233	149	COMB12	Combination		1,191	-0,298	-0,013	0,0143	0,1431	0,3846	233-1
233	148	ENV	Combination	Max	0,907	0,298	0,013	0,0599	0,1207	0,3514	233-1
233	149	ENV	Combination	Max	1,191	0,246	0,008664	0,0143	0,1431	0,3846	233-1
233	148	ENV	Combination	Min	-1,191	-0,246	-0,008664	-0,0449	-0,0958	-0,2938	233-1
233	149	ENV	Combination	Min	-0,907	-0,298	-0,013	-0,0164	-0,109	-0,3148	233-1
234	149	DEAD	LinStatic		0,082	-0,033	-0,004386	-0,0074	-0,0124	-0,0403	234-1
234	150	DEAD	LinStatic		-0,082	0,033	0,004386	-0,0063	-0,011	-0,0404	234-1
234	149	CM	LinStatic		0,084	-0,007906	0,018	-0,0003188	-0,0169	-0,0082	234-1
234	150	CM	LinStatic		-0,084	0,007906	0,049	-0,003	0,0199	-0,0113	234-1
234	149	CV	LinStatic		0	0	0	0	0	0	234-1
234	150	CV	LinStatic		0	0	0	0	0	0	234-1
234	149	L	LinStatic		-0,196	0,031	0,05	0,0182	-0,0024	0,0163	234-1
234	150	L	LinStatic		0,196	-0,031	-0,05	-0,0054	-0,0394	0,0595	234-1
234	149	COMB1	Combination		-0,292	0,024	0,089	0,0255	-0,0162	-0,0093	234-1
234	150	COMB1	Combination		0,292	-0,024	-0,089	-0,0157	-0,0812	0,0674	234-1
234	149	COMB5	Combination		-0,292	0,024	0,089	0,0255	-0,0162	-0,0093	234-1
234	150	COMB5	Combination		0,292	-0,024	-0,089	-0,0157	-0,0812	0,0674	234-1
234	149	COMB6	Combination		-0,292	0,024	0,089	0,0255	-0,0162	-0,0093	234-1
234	150	COMB6	Combination		0,292	-0,024	-0,089	-0,0157	-0,0812	0,0674	234-1
234	149	COMB7	Combination		0,064	-0,028	0,002601	-0,004	-0,0136	-0,0388	234-1
234	150	COMB7	Combination		-0,064	0,028	-0,002601	-0,0075	-0,0197	-0,0293	234-1
234	149	COMB8	Combination		0,064	-0,028	0,002601	-0,004	-0,0136	-0,0388	234-1
234	150	COMB8	Combination		-0,064	0,028	-0,002601	-0,0075	-0,0197	-0,0293	234-1
234	149	COMB9	Combination		-0,333	0,027	0,096	0,0271	-0,0155	-0,0059	234-1
234	150	COMB9	Combination		0,333	-0,027	-0,096	-0,0158	-0,0827	0,0724	234-1
234	149	COMB10	Combination		0,497	-0,092	-0,105	-0,0419	-0,0094	-0,0748	234-1
234	150	COMB10	Combination		-0,497	0,092	0,105	0,0033	0,0607	-0,1533	234-1
234	149	COMB11	Combination		0,301	-0,062	-0,055	-0,0237	-0,0118	-0,0585	234-1
234	150	COMB11	Combination		-0,301	0,062	0,055	-0,0021	0,0213	-0,0938	234-1
234	149	COMB12	Combination		-0,529	0,058	0,146	0,0453	-0,018	0,0104	234-1
234	150	COMB12	Combination		0,529	-0,058	-0,146	-0,0211	-0,1221	0,1319	234-1
234	149	ENV	Combination	Max	0,497	0,058	0,146	0,0453	-0,0094	0,0104	234-1

234	150	ENV	Combination	Max	0,529	0,092	0,105	0,0033	0,0607	0,1319	234-1
234	149	ENV	Combination	Min	-0,529	-0,092	-0,105	-0,0419	-0,018	-0,0748	234-1
234	150	ENV	Combination	Min	-0,497	-0,058	-0,146	-0,0211	-0,1221	-0,1533	234-1
235	150	DEAD	LinStatic		0,057	-0,04	-0,001047	-0,0123	-0,014	-0,0436	235-1
235	151	DEAD	LinStatic		-0,057	0,04	0,001047	-0,0093	-0,0146	-0,0473	235-1
235	150	CM	LinStatic		0,066	-0,012	0,028	0,0096	-0,028	-0,0162	235-1
235	151	CM	LinStatic		-0,066	0,012	0,035	-0,0164	-0,0002742	-0,0121	235-1
235	150	CV	LinStatic		0	0	0	0	0	0	235-1
235	151	CV	LinStatic		0	0	0	0	0	0	235-1
235	150	L	LinStatic		-0,124	-0,207	0,063	-0,1188	0,0035	-0,2358	235-1
235	151	L	LinStatic		0,124	0,207	-0,063	0,0055	-0,0804	-0,24	235-1
235	150	COMB1	Combination		-0,175	-0,401	0,112	-0,2206	-0,0064	-0,4559	235-1
235	151	COMB1	Combination		0,175	0,401	-0,112	0,0011	-0,1556	-0,4661	235-1
235	150	COMB5	Combination		-0,175	-0,401	0,112	-0,2206	-0,0064	-0,4559	235-1
235	151	COMB5	Combination		0,175	0,401	-0,112	0,0011	-0,1556	-0,4661	235-1
235	150	COMB6	Combination		-0,175	-0,401	0,112	-0,2206	-0,0064	-0,4559	235-1
235	151	COMB6	Combination		0,175	0,401	-0,112	0,0011	-0,1556	-0,4661	235-1
235	150	COMB7	Combination		0,041	-0,092	0,012	-0,0416	-0,0148	-0,103	235-1
235	151	COMB7	Combination		-0,041	0,092	-0,012	-0,0087	-0,0343	-0,1086	235-1
235	150	COMB8	Combination		0,041	-0,092	0,012	-0,0416	-0,0148	-0,103	235-1
235	151	COMB8	Combination		-0,041	0,092	-0,012	-0,0087	-0,0343	-0,1086	235-1
235	150	COMB9	Combination		-0,195	-0,4	0,116	-0,2211	-0,0042	-0,4553	235-1
235	151	COMB9	Combination		0,195	0,4	-0,116	0,0021	-0,1562	-0,4644	235-1
235	150	COMB10	Combination		0,308	0,321	-0,118	0,1964	-0,0238	0,3681	235-1
235	151	COMB10	Combination		-0,308	-0,321	0,118	-0,0208	0,1269	0,3698	235-1
235	150	COMB11	Combination		0,185	0,114	-0,055	0,0777	-0,0204	0,1323	235-1
235	151	COMB11	Combination		-0,185	-0,114	0,055	-0,0153	0,0466	0,1298	235-1
235	150	COMB12	Combination		-0,319	-0,607	0,179	-0,3399	-0,0007736	-0,6911	235-1
235	151	COMB12	Combination		0,319	0,607	-0,179	0,0076	-0,2365	-0,7044	235-1
235	150	ENV	Combination	Max	0,308	0,321	0,179	0,1964	-0,0007736	0,3681	235-1
235	151	ENV	Combination	Max	0,319	0,607	0,118	0,0076	0,1269	0,3698	235-1
235	150	ENV	Combination	Min	-0,319	-0,607	-0,118	-0,3399	-0,0238	-0,6911	235-1
235	151	ENV	Combination	Min	-0,308	-0,321	-0,179	-0,0208	-0,2365	-0,7044	235-1
237	136	DEAD	LinStatic		-0,032	-0,031	0,012	-0,0018	-0,0134	-0,0378	237-1
237	153	DEAD	LinStatic		0,032	0,031	-0,012	-0,0007089	-0,013	-0,0379	237-1
237	136	CM	LinStatic		1,058	-0,00324	0,00881	-0,0188	-0,0362	0,0015	237-1
237	153	CM	LinStatic		-1,058	0,00324	0,057	0,0186	0,008	-0,0095	237-1
237	136	CV	LinStatic		0	0	0	0	0	0	237-1
237	153	CV	LinStatic		0	0	0	0	0	0	237-1
237	136	L	LinStatic		0,08	0,23	-0,069	0,0133	0,0824	0,2898	237-1
237	153	L	LinStatic		-0,08	-0,23	0,069	0,0057	0,0825	0,2775	237-1
237	136	COMB1	Combination		-0,243	0,376	-0,091	0,0093	0,1154	0,4768	237-1
237	153	COMB1	Combination		0,243	-0,376	0,091	0,0217	0,13	0,4525	237-1
237	136	COMB5	Combination		-0,243	0,376	-0,091	0,0093	0,1154	0,4768	237-1
237	153	COMB5	Combination		0,243	-0,376	0,091	0,0217	0,13	0,4525	237-1
237	136	COMB6	Combination		-0,243	0,376	-0,091	0,0093	0,1154	0,4768	237-1
237	153	COMB6	Combination		0,243	-0,376	0,091	0,0217	0,13	0,4525	237-1
237	136	COMB7	Combination		0,338	0,022	-0,024	0,0136	0,0226	0,0272	237-1
237	153	COMB7	Combination		-0,338	-0,022	0,024	-0,0118	0,0091	0,0267	237-1
237	136	COMB8	Combination		0,338	0,022	-0,024	0,0136	0,0226	0,0272	237-1
237	153	COMB8	Combination		-0,338	-0,022	0,024	-0,0118	0,0091	0,0267	237-1
237	136	COMB9	Combination		-0,71	0,383	-0,067	-0,0068	0,0949	0,4867	237-1
237	153	COMB9	Combination		0,71	-0,383	0,067	0,0384	0,128	0,4589	237-1
237	136	COMB10	Combination		0,646	-0,444	0,09	0,0032	-0,1217	-0,5624	237-1
237	153	COMB10	Combination		-0,646	0,444	-0,09	-0,0398	-0,154	-0,5346	237-1
237	136	COMB11	Combination		0,726	-0,214	0,021	0,0165	-0,0393	-0,2726	237-1
237	153	COMB11	Combination		-0,726	0,214	-0,021	-0,0342	-0,0715	-0,2571	237-1
237	136	COMB12	Combination		-0,631	0,613	-0,136	0,0065	0,1773	0,7766	237-1
237	153	COMB12	Combination		0,631	-0,613	0,136	0,0441	0,2105	0,7364	237-1
237	136	ENV	Combination	Max	0,726	0,613	0,09	0,0165	0,1773	0,7766	237-1
237	153	ENV	Combination	Max	0,71	0,444	0,136	0,0441	0,2105	0,7364	237-1
237	136	ENV	Combination	Min	-0,71	-0,444	-0,136	-0,0068	-0,1217	-0,5624	237-1
237	153	ENV	Combination	Min	-0,726	-0,613	-0,09	-0,0398	-0,154	-0,5346	237-1
238	153	DEAD	LinStatic		-0,089	-0,03	0,019	-0,0039	-0,0134	-0,0371	238-1
238	154	DEAD	LinStatic		0,089	0,03	-0,019	-0,0035	-0,0117	-0,0367	238-1
238	153	CM	LinStatic		0,776	-0,017	-0,041	-0,005	-0,0185	-0,0199	238-1
238	154	CM	LinStatic		-0,776	0,017	0,106	0,0008604	0,0069	-0,0211	238-1
238	153	CV	LinStatic		0	0	0	0	0	0	238-1
238	154	CV	LinStatic		0	0	0	0	0	0	238-1
238	153	L	LinStatic		0,328	0,17	-0,091	0,0293	0,0751	0,2043	238-1
238	154	L	LinStatic		-0,328	-0,17	0,091	0,0131	0,069	0,2162	238-1
238	153	COMB1	Combination		0,259	0,274	-0,119	0,0466	0,1196	0,3281	238-1
238	154	COMB1	Combination		-0,259	-0,274	0,119	0,0217	0,1109	0,349	238-1
238	153	COMB5	Combination		0,259	0,274	-0,119	0,0466	0,1196	0,3281	238-1
238	154	COMB5	Combination		-0,259	-0,274	0,119	0,0217	0,1109	0,349	238-1
238	153	COMB6	Combination		0,259	0,274	-0,119	0,0466	0,1196	0,3281	238-1
238	154	COMB6	Combination		-0,259	-0,274	0,119	0,0217	0,1109	0,349	238-1
238	153	COMB7	Combination		0,218	0,006628	-0,025	0,0042	0,0038	0,0064	238-1
238	154	COMB7	Combination		-0,218	-0,006628	0,025	-0,0025	0,0038	0,01	238-1
238	153	COMB8	Combination		0,218	0,006628	-0,025	0,0042	0,0038	0,0064	238-1

238	154	COMB8	Combination	-0,218	-0,006628	0,025	-0,0025	0,0038	0,01	238-1
238	153	COMB9	Combination	-0,042	0,282	-0,091	0,0455	0,1217	0,3383	238-1
238	154	COMB9	Combination	0,042	-0,282	0,091	0,0247	0,1133	0,3588	238-1
238	153	COMB10	Combination	-0,137	-0,342	0,129	-0,0534	-0,1485	-0,4124	238-1
238	154	COMB10	Combination	0,137	0,342	-0,129	-0,0317	-0,1367	-0,4321	238-1
238	153	COMB11	Combination	0,191	-0,172	0,038	-0,0241	-0,0734	-0,2081	238-1
238	154	COMB11	Combination	-0,191	0,172	-0,038	-0,0187	-0,0676	-0,216	238-1
238	153	COMB12	Combination	0,286	0,452	-0,182	0,0748	0,1968	0,5426	238-1
238	154	COMB12	Combination	-0,286	-0,452	0,182	0,0378	0,1824	0,575	238-1
238	153	ENV	Combination	0,286	0,452	0,129	0,0748	0,1968	0,5426	238-1
238	154	ENV	Combination	0,137	0,342	0,182	0,0378	0,1824	0,575	238-1
238	153	ENV	Combination	-0,137	-0,342	-0,182	-0,0534	-0,1485	-0,4124	238-1
238	154	ENV	Combination	-0,286	-0,452	-0,129	-0,0317	-0,1367	-0,4321	238-1
239	154	DEAD	LinStatic	-0,094	-0,028	0,025	-0,0062	-0,013	-0,0344	239-1
239	155	DEAD	LinStatic	0,094	0,028	-0,025	-0,0053	-0,0107	-0,0339	239-1
239	154	CM	LinStatic	0,436	-0,021	-0,036	-0,003	-0,0227	-0,0254	239-1
239	155	CM	LinStatic	-0,436	0,021	0,102	-0,0057	0,0104	-0,0262	239-1
239	154	CV	LinStatic	0	0	0	0	0	0	239-1
239	155	CV	LinStatic	0	0	0	0	0	0	239-1
239	154	L	LinStatic	0,34	0,093	-0,079	0,025	0,031	0,1023	239-1
239	155	L	LinStatic	-0,34	-0,093	0,079	0,0139	0,0218	0,1271	239-1
239	154	COMB1	Combination	0,399	0,14	-0,097	0,0387	0,0443	0,1512	239-1
239	155	COMB1	Combination	-0,399	-0,14	0,097	0,02	0,0286	0,1952	239-1
239	154	COMB5	Combination	0,399	0,14	-0,097	0,0387	0,0443	0,1512	239-1
239	155	COMB5	Combination	-0,399	-0,14	0,097	0,02	0,0286	0,1952	239-1
239	154	COMB6	Combination	0,399	0,14	-0,097	0,0387	0,0443	0,1512	239-1
239	155	COMB6	Combination	-0,399	-0,14	0,097	0,02	0,0286	0,1952	239-1
239	154	COMB7	Combination	0,094	-0,009785	-0,009876	-0,0012	-0,0083	-0,0153	239-1
239	155	COMB7	Combination	-0,094	0,009785	0,009876	-0,0029	-0,0065	-0,0088	239-1
239	154	COMB8	Combination	0,094	-0,009785	-0,009876	-0,0012	-0,0083	-0,0153	239-1
239	155	COMB8	Combination	-0,094	0,009785	0,009876	-0,0029	-0,0065	-0,0088	239-1
239	154	COMB9	Combination	0,263	0,147	-0,076	0,0403	0,0483	0,1599	239-1
239	155	COMB9	Combination	-0,263	-0,147	0,076	0,0214	0,0302	0,2042	239-1
239	154	COMB10	Combination	-0,45	-0,203	0,127	-0,0527	-0,0744	-0,2286	239-1
239	155	COMB10	Combination	0,45	0,203	-0,127	-0,0321	-0,0516	-0,272	239-1
239	154	COMB11	Combination	-0,11	-0,11	0,048	-0,0277	-0,0433	-0,1263	239-1
239	155	COMB11	Combination	0,11	0,11	-0,048	-0,0182	-0,0299	-0,1449	239-1
239	154	COMB12	Combination	0,602	0,24	-0,155	0,0653	0,0794	0,2622	239-1
239	155	COMB12	Combination	-0,602	-0,24	0,155	0,0353	0,052	0,3313	239-1
239	154	ENV	Combination	0,602	0,24	0,127	0,0653	0,0794	0,2622	239-1
239	155	ENV	Combination	0,45	0,203	0,155	0,0353	0,052	0,3313	239-1
239	154	ENV	Combination	-0,45	-0,203	-0,155	-0,0527	-0,0744	-0,2286	239-1
239	155	ENV	Combination	-0,602	-0,24	-0,127	-0,0321	-0,0516	-0,272	239-1
240	155	DEAD	LinStatic	-0,046	-0,031	0,023	-0,0087	-0,0137	-0,0345	240-1
240	156	DEAD	LinStatic	0,046	0,031	-0,023	-0,008	-0,0133	-0,0359	240-1
240	155	CM	LinStatic	0,121	-0,027	0,015	-0,0032	-0,0264	-0,0328	240-1
240	156	CM	LinStatic	-0,121	0,027	0,047	-0,0116	-0,0031	-0,0294	240-1
240	155	CV	LinStatic	0	0	0	0	0	0	240-1
240	156	CV	LinStatic	0	0	0	0	0	0	240-1
240	155	L	LinStatic	0,339	-0,071	-0,039	-0,0574	-0,0256	-0,0865	240-1
240	156	L	LinStatic	-0,339	0,071	0,039	0,0185	-0,0704	-0,077	240-1
240	155	COMB1	Combination	0,518	-0,152	-0,04	-0,1088	-0,0564	-0,1825	240-1
240	156	COMB1	Combination	-0,518	0,152	0,04	0,0256	-0,1362	-0,1669	240-1
240	155	COMB5	Combination	0,518	-0,152	-0,04	-0,1088	-0,0564	-0,1825	240-1
240	156	COMB5	Combination	-0,518	0,152	0,04	0,0256	-0,1362	-0,1669	240-1
240	155	COMB6	Combination	0,518	-0,152	-0,04	-0,1088	-0,0564	-0,1825	240-1
240	156	COMB6	Combination	-0,518	0,152	0,04	0,0256	-0,1362	-0,1669	240-1
240	155	COMB7	Combination	0,068	-0,051	0,007034	-0,0236	-0,0222	-0,0596	240-1
240	156	COMB7	Combination	-0,068	0,051	-0,007034	-0,0046	-0,0313	-0,0588	240-1
240	155	COMB8	Combination	0,068	-0,051	0,007034	-0,0236	-0,0222	-0,0596	240-1
240	156	COMB8	Combination	-0,068	0,051	-0,007034	-0,0046	-0,0313	-0,0588	240-1
240	155	COMB9	Combination	0,479	-0,148	-0,032	-0,1082	-0,0536	-0,1779	240-1
240	156	COMB9	Combination	-0,479	0,148	0,032	0,0273	-0,1357	-0,1621	240-1
240	155	COMB10	Combination	-0,571	0,087	0,077	0,0907	0,0262	0,1088	240-1
240	156	COMB10	Combination	0,571	-0,087	-0,077	-0,0433	0,109	0,0903	240-1
240	155	COMB11	Combination	-0,232	0,016	0,038	0,0333	0,0006031	0,0223	240-1
240	156	COMB11	Combination	0,232	-0,016	-0,038	-0,0248	0,0386	0,0134	240-1
240	155	COMB12	Combination	0,818	-0,219	-0,071	-0,1656	-0,0793	-0,2644	240-1
240	156	COMB12	Combination	-0,818	0,219	0,071	0,0458	-0,2061	-0,2391	240-1
240	155	ENV	Combination	0,818	0,087	0,077	0,0907	0,0262	0,1088	240-1
240	156	ENV	Combination	0,571	0,219	0,071	0,0458	0,109	0,0903	240-1
240	155	ENV	Combination	-0,571	-0,219	-0,071	-0,1656	-0,0793	-0,2644	240-1
240	156	ENV	Combination	-0,818	-0,087	-0,077	-0,0433	-0,2061	-0,2391	240-1
242	142	DEAD	LinStatic	-0,025	0,016	-0,004947	0,0006696	0,007	0,0193	242-1
242	158	DEAD	LinStatic	0,025	-0,016	0,004947	0,0006168	0,0072	0,0191	242-1
242	142	CM	LinStatic	0,787	0,012	0,021	0,0019	-0,0412	0,0162	242-1
242	158	CM	LinStatic	-0,787	-0,012	0,045	-0,0009383	0,0056	0,0138	242-1
242	142	CV	LinStatic	0	0	0	0	0	0	242-1
242	158	CV	LinStatic	0	0	0	0	0	0	242-1
242	142	L	LinStatic	1,084	0,428	-0,154	0,0179	0,1396	0,5351	242-1

242	158	L	LinStatic	-1,084	-0,428	0,154	0,0175	0,1506	0,5218	242-1
242	142	COMB1	Combination	1,469	0,762	-0,247	0,0323	0,2296	0,9562	242-1
242	158	COMB1	Combination	-1,469	-0,762	0,247	0,0307	0,2595	0,9272	242-1
242	142	COMB5	Combination	1,469	0,762	-0,247	0,0323	0,2296	0,9562	242-1
242	158	COMB5	Combination	-1,469	-0,762	0,247	0,0307	0,2595	0,9272	242-1
242	142	COMB6	Combination	1,469	0,762	-0,247	0,0323	0,2296	0,9562	242-1
242	158	COMB6	Combination	-1,469	-0,762	0,247	0,0307	0,2595	0,9272	242-1
242	142	COMB7	Combination	0,648	0,124	-0,07	0,0049	0,0637	0,1526	242-1
242	158	COMB7	Combination	-0,648	-0,124	0,07	0,0054	0,0562	0,1547	242-1
242	142	COMB8	Combination	0,648	0,124	-0,07	0,0049	0,0637	0,1526	242-1
242	158	COMB8	Combination	-0,648	-0,124	0,07	0,0054	0,0562	0,1547	242-1
242	142	COMB9	Combination	0,933	0,76	-0,211	0,0326	0,2006	0,9568	242-1
242	158	COMB9	Combination	-0,933	-0,76	0,211	0,0301	0,2445	0,9204	242-1
242	142	COMB10	Combination	-0,984	-0,729	0,202	-0,0313	-0,1865	-0,9181	242-1
242	158	COMB10	Combination	0,984	0,729	-0,202	-0,0289	-0,23	-0,8821	242-1
242	142	COMB11	Combination	0,1	-0,301	0,048	-0,0134	-0,0469	-0,383	242-1
242	158	COMB11	Combination	-0,1	0,301	-0,048	-0,0114	-0,0794	-0,3603	242-1
242	142	COMB12	Combination	2,017	1,188	-0,365	0,0505	0,3403	1,4918	242-1
242	158	COMB12	Combination	-2,017	-1,188	0,365	0,0476	0,3951	1,4422	242-1
242	142	ENV	Combination	2,017	1,188	0,202	0,0505	0,3403	1,4918	242-1
242	158	ENV	Combination	0,984	0,729	0,365	0,0476	0,3951	1,4422	242-1
242	142	ENV	Combination	-0,984	-0,729	-0,365	-0,0313	-0,1865	-0,9181	242-1
242	158	ENV	Combination	-2,017	-1,188	-0,202	-0,0289	-0,23	-0,8821	242-1
243	158	DEAD	LinStatic	-0,07	0,013	0,001587	0,0017	0,0063	0,0169	243-1
243	159	DEAD	LinStatic	0,07	-0,013	-0,001587	0,0016	0,0073	0,0157	243-1
243	158	CM	LinStatic	0,593	0,012	-0,033	0,0007621	-0,0032	0,013	243-1
243	159	CM	LinStatic	-0,593	-0,012	0,099	0,0023	0,0193	0,0169	243-1
243	158	CV	LinStatic	0	0	0	0	0	0	243-1
243	159	CV	LinStatic	0	0	0	0	0	0	243-1
243	158	L	LinStatic	-0,111	0,432	-0,108	0,0532	0,1496	0,5343	243-1
243	159	L	LinStatic	0,111	-0,432	0,108	0,0544	0,1443	0,5332	243-1
243	158	COMB1	Combination	-0,517	0,764	-0,159	0,0936	0,2662	0,9444	243-1
243	159	COMB1	Combination	0,517	-0,764	0,159	0,0964	0,2559	0,942	243-1
243	158	COMB5	Combination	-0,517	0,764	-0,159	0,0936	0,2662	0,9444	243-1
243	159	COMB5	Combination	0,517	-0,764	0,159	0,0964	0,2559	0,942	243-1
243	158	COMB6	Combination	-0,517	0,764	-0,159	0,0936	0,2662	0,9444	243-1
243	159	COMB6	Combination	0,517	-0,764	0,159	0,0964	0,2559	0,942	243-1
243	158	COMB7	Combination	0,153	0,127	-0,053	0,0162	0,0456	0,1579	243-1
243	159	COMB7	Combination	-0,153	-0,127	0,053	0,0154	0,0475	0,1558	243-1
243	158	COMB8	Combination	0,153	0,127	-0,053	0,0162	0,0456	0,1579	243-1
243	159	COMB8	Combination	-0,153	-0,127	0,053	0,0154	0,0475	0,1558	243-1
243	158	COMB9	Combination	-0,853	0,756	-0,122	0,092	0,2637	0,9344	243-1
243	159	COMB9	Combination	0,853	-0,756	0,122	0,0961	0,2505	0,933	243-1
243	158	COMB10	Combination	0,712	-0,73	0,125	-0,0886	-0,2511	-0,9007	243-1
243	159	COMB10	Combination	-0,712	0,73	-0,125	-0,093	-0,2358	-0,9016	243-1
243	158	COMB11	Combination	0,6	-0,297	0,018	-0,0354	-0,1015	-0,3664	243-1
243	159	COMB11	Combination	-0,6	0,297	-0,018	-0,0386	-0,0915	-0,3684	243-1
243	158	COMB12	Combination	-0,964	1,188	-0,23	0,1452	0,4133	1,4687	243-1
243	159	COMB12	Combination	0,964	-1,188	0,23	0,1505	0,3948	1,4662	243-1
243	158	ENV	Combination	0,712	1,188	0,125	0,1452	0,4133	1,4687	243-1
243	159	ENV	Combination	0,964	0,73	0,23	0,1505	0,3948	1,4662	243-1
243	158	ENV	Combination	-0,964	-0,73	-0,23	-0,0886	-0,2511	-0,9007	243-1
243	159	ENV	Combination	-0,712	-1,188	-0,125	-0,093	-0,2358	-0,9016	243-1
244	159	DEAD	LinStatic	-0,072	0,009547	0,008549	0,002	0,0037	0,0126	244-1
244	160	DEAD	LinStatic	0,072	-0,009547	-0,008549	0,0019	0,0052	0,011	244-1
244	159	CM	LinStatic	0,329	0,014	-0,029	0,0029	-0,0076	0,018	244-1
244	160	CM	LinStatic	-0,329	-0,014	0,096	0,003	0,0244	0,0166	244-1
244	159	CV	LinStatic	0	0	0	0	0	0	244-1
244	160	CV	LinStatic	0	0	0	0	0	0	244-1
244	159	L	LinStatic	-0,813	0,39	0,036	0,0832	0,1237	0,4809	244-1
244	160	L	LinStatic	0,813	-0,39	-0,036	0,0799	0,1288	0,4816	244-1
244	159	COMB1	Combination	-1,618	0,688	0,093	0,1468	0,2184	0,8493	244-1
244	160	COMB1	Combination	1,618	-0,688	-0,093	0,1411	0,2277	0,8499	244-1
244	159	COMB5	Combination	-1,618	0,688	0,093	0,1468	0,2184	0,8493	244-1
244	160	COMB5	Combination	1,618	-0,688	-0,093	0,1411	0,2277	0,8499	244-1
244	159	COMB6	Combination	-1,618	0,688	0,093	0,1468	0,2184	0,8493	244-1
244	160	COMB6	Combination	1,618	-0,688	-0,093	0,1411	0,2277	0,8499	244-1
244	159	COMB7	Combination	-0,152	0,111	-0,005318	0,0238	0,0364	0,1378	244-1
244	160	COMB7	Combination	0,152	-0,111	0,005318	0,0225	0,0404	0,1353	244-1
244	159	COMB8	Combination	-0,152	0,111	-0,005318	0,0238	0,0364	0,1378	244-1
244	160	COMB8	Combination	0,152	-0,111	0,005318	0,0225	0,0404	0,1353	244-1
244	159	COMB9	Combination	-1,782	0,683	0,124	0,1456	0,2162	0,8426	244-1
244	160	COMB9	Combination	1,782	-0,683	-0,124	0,1403	0,2238	0,8447	244-1
244	159	COMB10	Combination	1,638	-0,664	-0,107	-0,1415	-0,2087	-0,8174	244-1
244	160	COMB10	Combination	-1,638	0,664	0,107	-0,1364	-0,2134	-0,8227	244-1
244	159	COMB11	Combination	0,825	-0,274	-0,071	-0,0583	-0,085	-0,3365	244-1
244	160	COMB11	Combination	-0,825	0,274	0,071	-0,0565	-0,0845	-0,3411	244-1
244	159	COMB12	Combination	-2,595	1,073	0,159	0,2289	0,3398	1,3236	244-1
244	160	COMB12	Combination	2,595	-1,073	-0,159	0,2202	0,3527	1,3263	244-1
244	159	ENV	Combination	1,638	1,073	0,159	0,2289	0,3398	1,3236	244-1

244	160	ENV	Combination	Max	2,595	0,664	0,107	0,2202	0,3527	1,3263	244-1
244	159	ENV	Combination	Min	-2,595	-0,664	-0,107	-0,1415	-0,2087	-0,8174	244-1
244	160	ENV	Combination	Min	-1,638	-1,073	-0,159	-0,1364	-0,2134	-0,8227	244-1
245	160	DEAD	LinStatic		-0,027	0,007949	0,003238	0,0021	0,0031	0,0094	245-1
245	161	DEAD	LinStatic		0,027	-0,007949	-0,003238	0,0023	0,0043	0,0089	245-1
245	160	CM	LinStatic		0,082	0,013	0,015	0,0041	-0,0137	0,0153	245-1
245	161	CM	LinStatic		-0,082	-0,013	0,048	0,0031	0,0073	0,0151	245-1
245	160	CV	LinStatic		0	0	0	0	0	0	245-1
245	161	CV	LinStatic		0	0	0	0	0	0	245-1
245	160	L	LinStatic		-0,87	0,336	0,165	0,0925	0,0602	0,3732	245-1
245	161	L	LinStatic		0,87	-0,336	-0,165	0,0912	0,036	0,3987	245-1
245	160	COMB1	Combination		-1,596	0,592	0,306	0,1631	0,1067	0,658	245-1
245	161	COMB1	Combination		1,596	-0,592	-0,306	0,1609	0,064	0,7029	245-1
245	160	COMB5	Combination		-1,596	0,592	0,306	0,1631	0,1067	0,658	245-1
245	161	COMB5	Combination		1,596	-0,592	-0,306	0,1609	0,064	0,7029	245-1
245	160	COMB6	Combination		-1,596	0,592	0,306	0,1631	0,1067	0,658	245-1
245	161	COMB6	Combination		1,596	-0,592	-0,306	0,1609	0,064	0,7029	245-1
245	160	COMB7	Combination		-0,197	0,095	0,031	0,0262	0,0201	0,1071	245-1
245	161	COMB7	Combination		0,197	-0,095	-0,031	0,026	0,0167	0,1123	245-1
245	160	COMB8	Combination		-0,197	0,095	0,031	0,0262	0,0201	0,1071	245-1
245	161	COMB8	Combination		0,197	-0,095	-0,031	0,026	0,0167	0,1123	245-1
245	160	COMB9	Combination		-1,659	0,587	0,324	0,1618	0,1041	0,6522	245-1
245	161	COMB9	Combination		1,659	-0,587	-0,324	0,1596	0,0595	0,698	245-1
245	160	COMB10	Combination		1,605	-0,571	-0,317	-0,1576	-0,0979	-0,6334	245-1
245	161	COMB10	Combination		-1,605	0,571	0,317	-0,1551	-0,0509	-0,6802	245-1
245	160	COMB11	Combination		0,736	-0,236	-0,152	-0,0651	-0,0377	-0,2602	245-1
245	161	COMB11	Combination		-0,736	0,236	0,152	-0,0639	-0,0149	-0,2815	245-1
245	160	COMB12	Combination		-2,529	0,923	0,489	0,2543	0,1644	1,0253	245-1
245	161	COMB12	Combination		2,529	-0,923	-0,489	0,2508	0,0956	1,0967	245-1
245	160	ENV	Combination	Max	1,605	0,923	0,489	0,2543	0,1644	1,0253	245-1
245	161	ENV	Combination	Max	2,529	0,571	0,317	0,2508	0,0956	1,0967	245-1
245	160	ENV	Combination	Min	-2,529	-0,571	-0,317	-0,1576	-0,0979	-0,6334	245-1
245	161	ENV	Combination	Min	-1,605	-0,923	-0,489	-0,1551	-0,0509	-0,6802	245-1
247	163	DEAD	LinStatic		-0,007149	-0,00002814	-0,000239	-0,000002685	0	0,00003564	247-1
247	164	DEAD	LinStatic		0,007149	0,00002814	0,000239	3,606E-07	0	0,00003387	247-1
247	163	CM	LinStatic		-0,123	-0,0001164	0,029	-0,00001268	0	0,0001444	247-1
247	164	CM	LinStatic		0,123	0,0001164	0,037	0,000003066	0	0,0001431	247-1
247	163	CV	LinStatic		0	0	0	0	0	0	247-1
247	164	CV	LinStatic		0	0	0	0	0	0	247-1
247	163	L	LinStatic		-0,723	-0,026	0,348	0,0022	0	0,0125	247-1
247	164	L	LinStatic		0,723	0,026	0,396	-0,0044	0	0,0518	247-1
247	163	COMB1	Combination		-0,742	-0,031	0,347	0,0047	0	0,0042	247-1
247	164	COMB1	Combination		0,742	0,031	0,397	-0,0072	0	0,0732	247-1
247	163	COMB5	Combination		-0,742	-0,031	0,347	0,0047	0	0,0042	247-1
247	164	COMB5	Combination		0,742	0,031	0,397	-0,0072	0	0,0732	247-1
247	163	COMB6	Combination		-0,742	-0,031	0,347	0,0047	0	0,0042	247-1
247	164	COMB6	Combination		0,742	0,031	0,397	-0,0072	0	0,0732	247-1
247	163	COMB7	Combination		-0,717	-0,021	0,348	-0,0002492	0	0,0209	247-1
247	164	COMB7	Combination		0,717	0,021	0,396	-0,0015	0	0,0305	247-1
247	163	COMB8	Combination		-0,717	-0,021	0,348	-0,0002492	0	0,0209	247-1
247	164	COMB8	Combination		0,717	0,021	0,396	-0,0015	0	0,0305	247-1
247	163	COMB9	Combination		-0,036	-0,012	-0,00122	0,0057	0	-0,0195	247-1
247	164	COMB9	Combination		0,036	0,012	0,00122	-0,0067	0	0,0499	247-1
247	163	COMB10	Combination		0,022	0,012	0,0007423	-0,0057	0	0,0196	247-1
247	164	COMB10	Combination		-0,022	-0,012	-0,0007423	0,0067	0	-0,0498	247-1
247	163	COMB11	Combination		-0,701	-0,014	0,349	-0,0035	0	0,0321	247-1
247	164	COMB11	Combination		0,701	0,014	0,395	0,0024	0	0,002	247-1
247	163	COMB12	Combination		-0,759	-0,038	0,347	0,0079	0	-0,007	247-1
247	164	COMB12	Combination		0,759	0,038	0,397	-0,0111	0	0,1017	247-1
247	163	ENV	Combination	Max	0,022	0,012	0,349	0,0079	0	0,0321	247-1
247	164	ENV	Combination	Max	0,759	0,038	0,397	0,0067	0	0,1017	247-1
247	163	ENV	Combination	Min	-0,759	-0,038	-0,00122	-0,0057	0	-0,0195	247-1
247	164	ENV	Combination	Min	-0,022	-0,012	-0,0007423	-0,0111	0	-0,0498	247-1
248	164	DEAD	LinStatic		-0,017	0,000002412	-0,001724	6,798E-07	0	-0,000003886	248-1
248	165	DEAD	LinStatic		0,017	-0,000002412	0,001724	-7,961E-08	0	-0,000002071	248-1
248	164	CM	LinStatic		-0,08	-0,000008646	0,025	7,007E-07	0	0,000007027	248-1
248	165	CM	LinStatic		0,08	0,000008646	0,041	-0,000002852	0	0,00001433	248-1
248	164	CV	LinStatic		0	0	0	0	0	0	248-1
248	165	CV	LinStatic		0	0	0	0	0	0	248-1
248	164	L	LinStatic		-0,629	0,555	0,31	0,0764	0	-0,7093	248-1
248	165	L	LinStatic		0,629	-0,555	0,437	0,0617	0	-0,6615	248-1
248	164	COMB1	Combination		-0,654	0,984	0,308	0,135	0	-1,2564	248-1
248	165	COMB1	Combination		0,654	-0,984	0,439	0,1099	0	-1,1737	248-1
248	164	COMB5	Combination		-0,654	0,984	0,308	0,135	0	-1,2564	248-1
248	165	COMB5	Combination		0,654	-0,984	0,439	0,1099	0	-1,1737	248-1
248	164	COMB6	Combination		-0,654	0,984	0,308	0,135	0	-1,2564	248-1
248	165	COMB6	Combination		0,654	-0,984	0,439	0,1099	0	-1,1737	248-1
248	164	COMB7	Combination		-0,638	0,126	0,309	0,0178	0	-0,1621	248-1
248	165	COMB7	Combination		0,638	-0,126	0,438	0,0136	0	-0,1493	248-1
248	164	COMB8	Combination		-0,638	0,126	0,309	0,0178	0	-0,1621	248-1

248	165	COMB8	Combination		0,638	-0,126	0,438	0,0136	0	-0,1493	248-1
248	164	COMB9	Combination		-0,035	1,001	-0,003532	0,1367	0	-1,2767	248-1
248	165	COMB9	Combination		0,035	-1,001	0,003532	0,1124	0	-1,1952	248-1
248	164	COMB10	Combination		0,0008265	-1,001	0,00008327	-0,1367	0	1,2767	248-1
248	165	COMB10	Combination		-0,0008265	1,001	-0,00008327	-0,1124	0	1,1952	248-1
248	164	COMB11	Combination		-0,628	-0,446	0,31	-0,0603	0	0,5675	248-1
248	165	COMB11	Combination		0,628	0,446	0,437	-0,0507	0	0,5337	248-1
248	164	COMB12	Combination		-0,664	1,556	0,307	0,2131	0	-1,986	248-1
248	165	COMB12	Combination		0,664	-1,556	0,441	0,1741	0	-1,8567	248-1
248	164	ENV	Combination	Max	0,0008265	1,556	0,31	0,2131	0	1,2767	248-1
248	165	ENV	Combination	Max	0,664	1,001	0,441	0,1741	0	1,1952	248-1
248	164	ENV	Combination	Min	-0,664	-1,001	-0,003532	-0,1367	0	-1,986	248-1
248	165	ENV	Combination	Min	-0,0008265	-1,556	-0,00008327	-0,1124	0	-1,8567	248-1
249	165	DEAD	LinStatic		-0,011	0,00001436	-0,001809	0,000002595	0	-0,00001774	249-1
249	166	DEAD	LinStatic		0,011	-0,00001436	0,001809	0,000003417	0	-0,00001773	249-1
249	165	CM	LinStatic		-0,029	0,00007319	0,028	0,00002323	0	-0,00008932	249-1
249	166	CM	LinStatic		0,029	-0,00007319	0,038	0,000007401	0	-0,00009146	249-1
249	165	CV	LinStatic		0	0	0	0	0	0	249-1
249	166	CV	LinStatic		0	0	0	0	0	0	249-1
249	165	L	LinStatic		-0,267	1,154	0,332	0,2327	0	-1,4121	249-1
249	166	L	LinStatic		0,267	-1,154	0,422	0,2502	0	-1,4375	249-1
249	165	COMB1	Combination		-0,283	2,018	0,329	0,407	0	-2,4701	249-1
249	166	COMB1	Combination		0,283	-2,018	0,425	0,4378	0	-2,5153	249-1
249	165	COMB5	Combination		-0,283	2,018	0,329	0,407	0	-2,4701	249-1
249	166	COMB5	Combination		0,283	-2,018	0,425	0,4378	0	-2,5153	249-1
249	165	COMB6	Combination		-0,283	2,018	0,329	0,407	0	-2,4701	249-1
249	166	COMB6	Combination		0,283	-2,018	0,425	0,4378	0	-2,5153	249-1
249	165	COMB7	Combination		-0,274	0,289	0,331	0,0584	0	-0,3541	249-1
249	166	COMB7	Combination		0,274	-0,289	0,423	0,0626	0	-0,3598	249-1
249	165	COMB8	Combination		-0,274	0,289	0,331	0,0584	0	-0,3541	249-1
249	166	COMB8	Combination		0,274	-0,289	0,423	0,0626	0	-0,3598	249-1
249	165	COMB9	Combination		-0,021	2,018	-0,003628	0,4067	0	-2,4686	249-1
249	166	COMB9	Combination		0,021	-2,018	0,003628	0,4378	0	-2,5147	249-1
249	165	COMB10	Combination		0,00005441	-2,018	0,00000922	-0,4067	0	2,4686	249-1
249	166	COMB10	Combination		-0,00005441	2,018	-0,00000922	-0,4378	0	2,5147	249-1
249	165	COMB11	Combination		-0,267	-0,864	0,332	-0,174	0	1,0565	249-1
249	166	COMB11	Combination		0,267	0,864	0,422	-0,1875	0	1,0772	249-1
249	165	COMB12	Combination		-0,289	3,171	0,328	0,6394	0	-3,8807	249-1
249	166	COMB12	Combination		0,289	-3,171	0,426	0,688	0	-3,9523	249-1
249	165	ENV	Combination	Max	0,00005441	3,171	0,332	0,6394	0	2,4686	249-1
249	166	ENV	Combination	Max	0,289	2,018	0,426	0,688	0	2,5147	249-1
249	165	ENV	Combination	Min	-0,289	-2,018	-0,003628	-0,4067	0	-3,8807	249-1
249	166	ENV	Combination	Min	-0,00005441	-3,171	-0,00000922	-0,4378	0	-3,9523	249-1
250	167	DEAD	LinStatic		0,007154	0,00003639	-0,0002392	0,000002908	0	-0,00004499	250-1
250	163	DEAD	LinStatic		-0,007154	-0,00003639	0,0002392	-0,000005914	0	-0,00004491	250-1
250	167	CM	LinStatic		-0,115	-0,00000197	0,037	0,000000665	0	0,000008737	250-1
250	163	CM	LinStatic		0,115	0,00000197	0,029	-5,023E-07	0	-0,000003872	250-1
250	167	CV	LinStatic		0	0	0	0	0	0	250-1
250	163	CV	LinStatic		0	0	0	0	0	0	250-1
250	167	L	LinStatic		-0,59	-0,425	0,02	0,0179	0	0,5146	250-1
250	163	L	LinStatic		0,59	0,425	-0,02	0,0172	0	0,5352	250-1
250	167	COMB1	Combination		-0,59	-0,743	0,02	0,0314	0	0,8993	250-1
250	163	COMB1	Combination		0,59	0,743	-0,02	0,0299	0	0,936	250-1
250	167	COMB5	Combination		-0,59	-0,743	0,02	0,0314	0	0,8993	250-1
250	163	COMB5	Combination		0,59	0,743	-0,02	0,0299	0	0,936	250-1
250	167	COMB6	Combination		-0,59	-0,743	0,02	0,0314	0	0,8993	250-1
250	163	COMB6	Combination		0,59	0,743	-0,02	0,0299	0	0,936	250-1
250	167	COMB7	Combination		-0,575	-0,107	0,019	0,0044	0	0,1298	250-1
250	163	COMB7	Combination		0,575	0,107	-0,019	0,0045	0	0,1342	250-1
250	167	COMB8	Combination		-0,575	-0,107	0,019	0,0044	0	0,1298	250-1
250	163	COMB8	Combination		0,575	0,107	-0,019	0,0045	0	0,1342	250-1
250	167	COMB9	Combination		-0,011	-0,742	0,000372	0,0316	0	0,8977	250-1
250	163	COMB9	Combination		0,011	0,742	-0,000372	0,0297	0	0,9354	250-1
250	167	COMB10	Combination		0,025	0,742	-0,0008503	-0,0316	0	-0,8978	250-1
250	163	COMB10	Combination		-0,025	-0,742	0,0008503	-0,0297	0	-0,9355	250-1
250	167	COMB11	Combination		-0,564	0,317	0,019	-0,0137	0	-0,3832	250-1
250	163	COMB11	Combination		0,564	-0,317	-0,019	-0,0125	0	-0,4003	250-1
250	167	COMB12	Combination		-0,601	-1,167	0,02	0,0495	0	1,4123	250-1
250	163	COMB12	Combination		0,601	1,167	-0,02	0,0469	0	1,4706	250-1
250	167	ENV	Combination	Max	0,025	0,742	0,02	0,0495	0	1,4123	250-1
250	163	ENV	Combination	Max	0,601	1,167	0,0008503	0,0469	0	1,4706	250-1
250	167	ENV	Combination	Min	-0,601	-1,167	-0,0008503	-0,0316	0	-0,8978	250-1
250	163	ENV	Combination	Min	-0,025	-0,742	-0,02	-0,0297	0	-0,9355	250-1
251	168	DEAD	LinStatic		0,017	-0,00002632	-0,001724	5,897E-07	0	0,00003199	251-1
251	167	DEAD	LinStatic		-0,017	0,00002632	0,001724	0,00000596	0	0,00003302	251-1
251	168	CM	LinStatic		-0,062	0,0001189	0,039	-0,00000819	0	-0,0001484	251-1
251	167	CM	LinStatic		0,062	-0,0001189	0,027	-0,0000214	0	-0,0001453	251-1
251	168	CV	LinStatic		0	0	0	0	0	0	251-1
251	167	CV	LinStatic		0	0	0	0	0	0	251-1
251	168	L	LinStatic		-0,346	-0,597	0,035	0,0725	0	0,7323	251-1

251	167	L	LinStatic	0,346	0,597	-0,035	0,076	0	0,7421 251-1
251	168	COMB1	Combination	-0,325	-1,051	0,033	0,1279	0	1,2899 251-1
251	167	COMB1	Combination	0,325	1,051	-0,033	0,1338	0	1,3072 251-1
251	168	COMB5	Combination	-0,325	-1,051	0,033	0,1279	0	1,2899 251-1
251	167	COMB5	Combination	0,325	1,051	-0,033	0,1338	0	1,3072 251-1
251	168	COMB6	Combination	-0,325	-1,051	0,033	0,1279	0	1,2899 251-1
251	167	COMB6	Combination	0,325	1,051	-0,033	0,1338	0	1,3072 251-1
251	168	COMB7	Combination	-0,333	-0,142	0,034	0,0172	0	0,1748 251-1
251	167	COMB7	Combination	0,333	0,142	-0,034	0,0182	0	0,177 251-1
251	168	COMB8	Combination	-0,333	-0,142	0,034	0,0172	0	0,1748 251-1
251	167	COMB8	Combination	0,333	0,142	-0,034	0,0182	0	0,177 251-1
251	168	COMB9	Combination	0,026	-1,061	-0,002641	0,129	0	1,3009 251-1
251	167	COMB9	Combination	-0,026	1,061	0,002641	0,1349	0	1,3186 251-1
251	168	COMB10	Combination	0,008005	1,06	-0,0008066	-0,129	0	-1,3008 251-1
251	167	COMB10	Combination	-0,008005	-1,06	0,0008066	-0,1349	0	-1,3186 251-1
251	168	COMB11	Combination	-0,338	0,464	0,034	-0,0565	0	-0,5685 251-1
251	167	COMB11	Combination	0,338	-0,464	-0,034	-0,0589	0	-0,5765 251-1
251	168	COMB12	Combination	-0,32	-1,657	0,032	0,2016	0	2,0332 251-1
251	167	COMB12	Combination	0,32	1,657	-0,032	0,2109	0	2,0607 251-1
251	168	ENV	Combination Max	0,026	1,06	0,034	0,2016	0	2,0332 251-1
251	167	ENV	Combination Max	0,338	1,657	0,002641	0,2109	0	2,0607 251-1
251	168	ENV	Combination Min	-0,338	-1,657	-0,002641	-0,129	0	-1,3008 251-1
251	167	ENV	Combination Min	-0,026	-1,06	-0,034	-0,1349	0	-1,3186 251-1
252	169	DEAD	LinStatic	0,011	0,000005432	-0,001809	-8,538E-07	0	-0,00000608 252-1
252	168	DEAD	LinStatic	-0,011	-0,000005432	0,001809	-0,00000142	0	-0,000007336 252-1
252	169	CM	LinStatic	-0,012	-0,00006915	0,035	0,000004592	0	0,00008384 252-1
252	168	CM	LinStatic	0,012	0,00006915	0,031	0,00002435	0	0,00008696 252-1
252	169	CV	LinStatic	0	0	0	0	0	0 252-1
252	168	CV	LinStatic	0	0	0	0	0	0 252-1
252	169	L	LinStatic	-0,12	-0,733	0,02	0,1545	0	0,9198 252-1
252	168	L	LinStatic	0,12	0,733	-0,02	0,1523	0	0,8907 252-1
252	169	COMB1	Combination	-0,103	-1,292	0,017	0,2724	0	1,6211 252-1
252	168	COMB1	Combination	0,103	1,292	-0,017	0,2683	0	1,5698 252-1
252	169	COMB5	Combination	-0,103	-1,292	0,017	0,2724	0	1,6211 252-1
252	168	COMB5	Combination	0,103	1,292	-0,017	0,2683	0	1,5698 252-1
252	169	COMB6	Combination	-0,103	-1,292	0,017	0,2724	0	1,6211 252-1
252	168	COMB6	Combination	0,103	1,292	-0,017	0,2683	0	1,5698 252-1
252	169	COMB7	Combination	-0,117	-0,174	0,02	0,0366	0	0,2185 252-1
252	168	COMB7	Combination	0,117	0,174	-0,02	0,0363	0	0,2116 252-1
252	169	COMB8	Combination	-0,117	-0,174	0,02	0,0366	0	0,2185 252-1
252	168	COMB8	Combination	0,117	0,174	-0,02	0,0363	0	0,2116 252-1
252	169	COMB9	Combination	0,027	-1,304	-0,004604	0,2751	0	1,6364 252-1
252	168	COMB9	Combination	-0,027	1,304	0,004604	0,2707	0	1,5846 252-1
252	169	COMB10	Combination	-0,005816	1,304	0,0009856	-0,2751	0	-1,6364 252-1
252	168	COMB10	Combination	0,005816	-1,304	-0,0009856	-0,2707	0	-1,5846 252-1
252	169	COMB11	Combination	-0,126	0,571	0,021	-0,1206	0	-0,7166 252-1
252	168	COMB11	Combination	0,126	-0,571	-0,021	-0,1184	0	-0,6939 252-1
252	169	COMB12	Combination	-0,093	-2,037	0,016	0,4297	0	2,5562 252-1
252	168	COMB12	Combination	0,093	2,037	-0,016	0,423	0	2,4753 252-1
252	169	ENV	Combination Max	0,027	1,304	0,021	0,4297	0	2,5562 252-1
252	168	ENV	Combination Max	0,126	2,037	0,004604	0,423	0	2,4753 252-1
252	169	ENV	Combination Min	-0,126	-2,037	-0,004604	-0,2751	0	-1,6364 252-1
252	168	ENV	Combination Min	-0,027	-1,304	-0,021	-0,2707	0	-1,5846 252-1
253	170	DEAD	LinStatic	0,005281	0,001207	0,0001766	0,0007342	0	-0,0014 253-1
253	171	DEAD	LinStatic	-0,005281	-0,001207	-0,0001766	-0,0006345	0	-0,0016 253-1
253	170	CM	LinStatic	-0,313	-0,002053	0,022	0,0001081	0	0,0022 253-1
253	171	CM	LinStatic	0,313	0,002053	0,043	-0,0002776	0	0,0029 253-1
253	170	CV	LinStatic	0	0	0	0	0	0 253-1
253	171	CV	LinStatic	0	0	0	0	0	0 253-1
253	170	L	LinStatic	1,439	-0,022	0,42	0,0584	0	0,0149 253-1
253	171	L	LinStatic	-1,439	0,022	0,324	-0,0602	0	0,0389 253-1
253	170	COMB1	Combination	3,056	-0,02	0,474	0,0615	0	0,0007886 253-1
253	171	COMB1	Combination	-3,056	0,02	0,27	-0,0631	0	0,0491 253-1
253	170	COMB5	Combination	3,056	-0,02	0,474	0,0615	0	0,0007886 253-1
253	171	COMB5	Combination	-3,056	0,02	0,27	-0,0631	0	0,0491 253-1
253	170	COMB6	Combination	3,056	-0,02	0,474	0,0615	0	0,0007886 253-1
253	171	COMB6	Combination	-3,056	0,02	0,27	-0,0631	0	0,0491 253-1
253	170	COMB7	Combination	-0,167	-0,021	0,366	0,0568	0	0,0264 253-1
253	171	COMB7	Combination	0,167	0,021	0,378	-0,0585	0	0,0255 253-1
253	170	COMB8	Combination	-0,167	-0,021	0,366	0,0568	0	0,0264 253-1
253	171	COMB8	Combination	0,167	0,021	0,378	-0,0585	0	0,0255 253-1
253	170	COMB9	Combination	3,766	0,002152	0,126	0,0062	0	-0,0312 253-1
253	171	COMB9	Combination	-3,766	-0,002152	-0,126	-0,006	0	0,0259 253-1
253	170	COMB10	Combination	-3,755	0,0002624	-0,126	-0,0047	0	0,0285 253-1
253	171	COMB10	Combination	3,755	-0,0002624	0,126	0,0047	0	-0,0292 253-1
253	170	COMB11	Combination	-2,316	-0,022	0,295	0,0537	0	0,0435 253-1
253	171	COMB11	Combination	2,316	0,022	0,449	-0,0555	0	0,0097 253-1
253	170	COMB12	Combination	5,205	-0,02	0,546	0,0646	0	-0,0163 253-1
253	171	COMB12	Combination	-5,205	0,02	0,198	-0,0662	0	0,0648 253-1
253	170	ENV	Combination Max	5,205	0,002152	0,546	0,0646	0	0,0435 253-1

253	171	ENV	Combination	Max	3,755	0,022	0,449	0,0047	0	0,0648	253-1
253	170	ENV	Combination	Min	-3,755	-0,022	-0,126	-0,0047	0	-0,0312	253-1
253	171	ENV	Combination	Min	-5,205	-0,002152	-0,126	-0,0662	0	-0,0292	253-1
254	171	DEAD	LinStatic		0,014	0,002051	0,001427	-0,0000675	0	-0,0022	254-1
254	172	DEAD	LinStatic		-0,014	-0,002051	-0,001427	0,000578	0	-0,0029	254-1
254	171	CM	LinStatic		-0,242	-0,009254	0,008591	-0,0001092	0	0,0109	254-1
254	172	CM	LinStatic		0,242	0,009254	0,057	-0,0022	0	0,0119	254-1
254	171	CV	LinStatic		0	0	0	0	0	0	254-1
254	172	CV	LinStatic		0	0	0	0	0	0	254-1
254	171	L	LinStatic		1,139	0,524	0,488	0,073	0	-0,6659	254-1
254	172	L	LinStatic		-1,139	-0,524	0,259	0,0574	0	-0,6288	254-1
254	171	COMB1	Combination		2,45	0,97	0,62	0,1305	0	-1,2325	254-1
254	172	COMB1	Combination		-2,45	-0,97	0,127	0,1109	0	-1,1638	254-1
254	171	COMB5	Combination		2,45	0,97	0,62	0,1305	0	-1,2325	254-1
254	172	COMB5	Combination		-2,45	-0,97	0,127	0,1109	0	-1,1638	254-1
254	171	COMB6	Combination		2,45	0,97	0,62	0,1305	0	-1,2325	254-1
254	172	COMB6	Combination		-2,45	-0,97	0,127	0,1109	0	-1,1638	254-1
254	171	COMB7	Combination		-0,144	0,082	0,359	0,0153	0	-0,1038	254-1
254	172	COMB7	Combination		0,144	-0,082	0,388	0,0051	0	-0,0994	254-1
254	171	COMB8	Combination		-0,144	0,082	0,359	0,0153	0	-0,1038	254-1
254	172	COMB8	Combination		0,144	-0,082	0,388	0,0051	0	-0,0994	254-1
254	171	COMB9	Combination		3,041	1,038	0,306	0,1344	0	-1,319	254-1
254	172	COMB9	Combination		-3,041	-1,038	-0,306	0,1239	0	-1,2446	254-1
254	171	COMB10	Combination		-3,012	-1,034	-0,303	-0,1345	0	1,3146	254-1
254	172	COMB10	Combination		3,012	1,034	0,303	-0,1228	0	1,2389	254-1
254	171	COMB11	Combination		-1,874	-0,51	0,185	-0,0615	0	0,6487	254-1
254	172	COMB11	Combination		1,874	0,51	0,562	-0,0653	0	0,6101	254-1
254	171	COMB12	Combination		4,179	1,562	0,795	0,2074	0	-1,985	254-1
254	172	COMB12	Combination		-4,179	-1,562	-0,047	0,1814	0	-1,8734	254-1
254	171	ENV	Combination	Max	4,179	1,562	0,795	0,2074	0	1,3146	254-1
254	172	ENV	Combination	Max	3,012	1,034	0,562	0,1814	0	1,2389	254-1
254	171	ENV	Combination	Min	-3,012	-1,034	-0,303	-0,1345	0	-1,985	254-1
254	172	ENV	Combination	Min	-4,179	-1,562	-0,306	-0,1228	0	-1,8734	254-1
255	172	DEAD	LinStatic		-0,009242	0,00302	-0,001566	-0,0005549	0	-0,0038	255-1
255	173	DEAD	LinStatic		0,009242	-0,00302	0,001566	0,0018	0	-0,0037	255-1
255	172	CM	LinStatic		-0,048	-0,016	0,025	-0,0033	0	0,0198	255-1
255	173	CM	LinStatic		0,048	0,016	0,041	-0,0035	0	0,0204	255-1
255	172	CV	LinStatic		0	0	0	0	0	0	255-1
255	173	CV	LinStatic		0	0	0	0	0	0	255-1
255	172	L	LinStatic		0,509	1,069	0,463	0,1827	0	-1,3158	255-1
255	173	L	LinStatic		-0,509	-1,069	0,291	0,2648	0	-1,325	255-1
255	172	COMB1	Combination		1,076	1,954	0,559	0,3603	0	-2,3995	255-1
255	173	COMB1	Combination		-1,076	-1,954	0,195	0,4575	0	-2,4264	255-1
255	172	COMB5	Combination		1,076	1,954	0,559	0,3603	0	-2,3995	255-1
255	173	COMB5	Combination		-1,076	-1,954	0,195	0,4575	0	-2,4264	255-1
255	172	COMB6	Combination		1,076	1,954	0,559	0,3603	0	-2,3995	255-1
255	173	COMB6	Combination		-1,076	-1,954	0,195	0,4575	0	-2,4264	255-1
255	172	COMB7	Combination		-0,076	0,191	0,364	0,004	0	-0,2397	255-1
255	173	COMB7	Combination		0,076	-0,191	0,39	0,0758	0	-0,2311	255-1
255	172	COMB8	Combination		-0,076	0,191	0,364	0,004	0	-0,2397	255-1
255	173	COMB8	Combination		0,076	-0,191	0,39	0,0758	0	-0,2311	255-1
255	172	COMB9	Combination		1,336	2,06	0,226	0,4152	0	-2,5234	255-1
255	173	COMB9	Combination		-1,336	-2,06	-0,226	0,4471	0	-2,5649	255-1
255	172	COMB10	Combination		-1,354	-2,054	-0,229	-0,4163	0	2,5159	255-1
255	173	COMB10	Combination		1,354	2,054	0,229	-0,4435	0	2,5575	255-1
255	172	COMB11	Combination		-0,845	-0,985	0,234	-0,2336	0	1,2001	255-1
255	173	COMB11	Combination		0,845	0,985	0,52	-0,1786	0	1,2325	255-1
255	172	COMB12	Combination		1,845	3,129	0,69	0,5979	0	-3,8393	255-1
255	173	COMB12	Combination		-1,845	-3,129	0,064	0,7119	0	-3,8899	255-1
255	172	ENV	Combination	Max	1,845	3,129	0,69	0,5979	0	2,5159	255-1
255	173	ENV	Combination	Max	1,354	2,054	0,52	0,7119	0	2,5575	255-1
255	172	ENV	Combination	Min	-1,354	-2,054	-0,229	-0,4163	0	-3,8393	255-1
255	173	ENV	Combination	Min	-1,845	-3,129	-0,226	-0,4435	0	-3,8899	255-1
256	174	DEAD	LinStatic		-0,00526	0,001275	0,0001759	0,0006367	0	-0,0017	256-1
256	170	DEAD	LinStatic		0,00526	-0,001275	-0,0001759	-0,000742	0	-0,0014	256-1
256	174	CM	LinStatic		-0,281	0,004576	0,042	-0,0001014	0	-0,0059	256-1
256	170	CM	LinStatic		0,281	-0,004576	0,023	-0,0002765	0	-0,0054	256-1
256	174	CV	LinStatic		0	0	0	0	0	0	256-1
256	170	CV	LinStatic		0	0	0	0	0	0	256-1
256	174	L	LinStatic		1,101	-0,4	-0,037	0,0896	0	0,483	256-1
256	170	L	LinStatic		-1,101	0,4	0,037	-0,0566	0	0,5056	256-1
256	174	COMB1	Combination		2,415	-0,718	-0,081	0,1058	0	0,8678	256-1
256	170	COMB1	Combination		-2,415	0,718	0,081	-0,0465	0	0,9059	256-1
256	174	COMB5	Combination		2,415	-0,718	-0,081	0,1058	0	0,8678	256-1
256	170	COMB5	Combination		-2,415	0,718	0,081	-0,0465	0	0,9059	256-1
256	174	COMB6	Combination		2,415	-0,718	-0,081	0,1058	0	0,8678	256-1
256	170	COMB6	Combination		-2,415	0,718	0,081	-0,0465	0	0,9059	256-1
256	174	COMB7	Combination		-0,223	-0,08	0,007468	0,0747	0	0,0948	256-1
256	170	COMB7	Combination		0,223	0,08	-0,007468	-0,0681	0	0,1025	256-1
256	174	COMB8	Combination		-0,223	-0,08	0,007468	0,0747	0	0,0948	256-1

256	170	COMB8	Combination	0,223	0,08	-0,007468	-0,0681	0	0,1025 256-1
256	174	COMB9	Combination	3,073	-0,743	-0,103	0,0368	0	0,9001 256-1
256	170	COMB9	Combination	-3,073	0,743	0,103	0,0245	0	0,9358 256-1
256	174	COMB10	Combination	-3,084	0,746	0,103	-0,0356	0	-0,9035 256-1
256	170	COMB10	Combination	3,084	-0,746	-0,103	-0,026	0	-0,9387 256-1
256	174	COMB11	Combination	-1,983	0,346	0,066	0,054	0	-0,4205 256-1
256	170	COMB11	Combination	1,983	-0,346	-0,066	-0,0826	0	-0,4331 256-1
256	174	COMB12	Combination	4,174	-1,144	-0,14	0,1265	0	1,3831 256-1
256	170	COMB12	Combination	-4,174	1,144	0,14	-0,032	0	1,4414 256-1
256	174	ENV	Combination	4,174	0,746	0,103	0,1265	0	1,3831 256-1
256	170	ENV	Combination	3,084	1,144	0,14	0,0245	0	1,4414 256-1
256	174	ENV	Combination	-3,084	-1,144	-0,14	-0,0356	0	-0,9035 256-1
256	170	ENV	Combination	-4,174	-0,746	-0,103	-0,0826	0	-0,9387 256-1
257	175	DEAD	LinStatic	-0,014	0,002024	0,001419	-0,0005761	0	-0,0028 257-1
257	174	DEAD	LinStatic	0,014	-0,002024	-0,001419	0,00007252	0	-0,0022 257-1
257	175	CM	LinStatic	-0,191	0,012	0,052	-0,0024	0	-0,015 257-1
257	174	CM	LinStatic	0,191	-0,012	0,014	-0,000536	0	-0,014 257-1
257	175	CV	LinStatic	0	0	0	0	0	0 257-1
257	174	CV	LinStatic	0	0	0	0	0	0 257-1
257	175	L	LinStatic	0,59	-0,567	-0,059	0,0835	0	0,6936 257-1
257	174	L	LinStatic	-0,59	0,567	0,059	0,0577	0	0,7077 257-1
257	175	COMB1	Combination	1,35	-1,021	-0,136	0,1398	0	1,2493 257-1
257	174	COMB1	Combination	-1,35	1,021	0,136	0,1143	0	1,2727 257-1
257	175	COMB5	Combination	1,35	-1,021	-0,136	0,1398	0	1,2493 257-1
257	174	COMB5	Combination	-1,35	1,021	0,136	0,1143	0	1,2727 257-1
257	175	COMB6	Combination	1,35	-1,021	-0,136	0,1398	0	1,2493 257-1
257	174	COMB6	Combination	-1,35	1,021	0,136	0,1143	0	1,2727 257-1
257	175	COMB7	Combination	-0,198	-0,11	0,02	0,0259	0	0,1323 257-1
257	174	COMB7	Combination	0,198	0,11	-0,02	0,0013	0	0,1383 257-1
257	175	COMB8	Combination	-0,198	-0,11	0,02	0,0259	0	0,1323 257-1
257	174	COMB8	Combination	0,198	0,11	-0,02	0,0013	0	0,1383 257-1
257	175	COMB9	Combination	1,792	-1,061	-0,181	0,1323	0	1,3004 257-1
257	174	COMB9	Combination	-1,792	1,061	0,181	0,1318	0	1,3213 257-1
257	175	COMB10	Combination	-1,82	1,065	0,183	-0,1335	0	-1,306 257-1
257	174	COMB10	Combination	1,82	-1,065	-0,183	-0,1317	0	-1,3256 257-1
257	175	COMB11	Combination	-1,23	0,498	0,124	-0,05	0	-0,6124 257-1
257	174	COMB11	Combination	1,23	-0,498	-0,124	-0,074	0	-0,618 257-1
257	175	COMB12	Combination	2,382	-1,629	-0,24	0,2158	0	1,994 257-1
257	174	COMB12	Combination	-2,382	1,629	0,24	0,1896	0	2,0289 257-1
257	175	ENV	Combination	2,382	1,065	0,183	0,2158	0	1,994 257-1
257	174	ENV	Combination	1,82	1,629	0,24	0,1896	0	2,0289 257-1
257	175	ENV	Combination	-1,82	-1,629	-0,24	-0,1335	0	-1,306 257-1
257	174	ENV	Combination	-2,382	-1,065	-0,183	-0,1317	0	-1,3256 257-1
258	176	DEAD	LinStatic	0,009262	0,00301	-0,001569	-0,0018	0	-0,0037 258-1
258	175	DEAD	LinStatic	-0,009262	-0,00301	0,001569	0,0005569	0	-0,0038 258-1
258	176	CM	LinStatic	-0,024	0,019	0,037	-0,0038	0	-0,0237 258-1
258	175	CM	LinStatic	0,024	-0,019	0,029	-0,0041	0	-0,0228 258-1
258	176	CV	LinStatic	0	0	0	0	0	0 258-1
258	175	CV	LinStatic	0	0	0	0	0	0 258-1
258	176	L	LinStatic	0,188	-0,696	-0,032	0,1459	0	0,8713 258-1
258	175	L	LinStatic	-0,188	0,696	0,032	0,1453	0	0,8473 258-1
258	176	COMB1	Combination	0,458	-1,249	-0,078	0,2613	0	1,5647 258-1
258	175	COMB1	Combination	-0,458	1,249	0,078	0,2616	0	1,5212 258-1
258	176	COMB5	Combination	0,458	-1,249	-0,078	0,2613	0	1,5647 258-1
258	175	COMB5	Combination	-0,458	1,249	0,078	0,2616	0	1,5212 258-1
258	176	COMB6	Combination	0,458	-1,249	-0,078	0,2613	0	1,5647 258-1
258	175	COMB6	Combination	-0,458	1,249	0,078	0,2616	0	1,5212 258-1
258	176	COMB7	Combination	-0,062	-0,136	0,011	0,0269	0	0,1706 258-1
258	175	COMB7	Combination	0,062	0,136	-0,011	0,0301	0	0,166 258-1
258	176	COMB8	Combination	-0,062	-0,136	0,011	0,0269	0	0,1706 258-1
258	175	COMB8	Combination	0,062	0,136	-0,011	0,0301	0	0,166 258-1
258	176	COMB9	Combination	0,616	-1,296	-0,104	0,2716	0	1,6227 258-1
258	175	COMB9	Combination	-0,616	1,296	0,104	0,2707	0	1,5773 258-1
258	176	COMB10	Combination	-0,597	1,302	0,101	-0,2752	0	-1,63 258-1
258	175	COMB10	Combination	0,597	-1,302	-0,101	-0,2695	0	-1,5848 258-1
258	176	COMB11	Combination	-0,409	0,606	0,069	-0,1293	0	-0,7587 258-1
258	175	COMB11	Combination	0,409	-0,606	-0,069	-0,1242	0	-0,7375 258-1
258	176	COMB12	Combination	0,804	-1,991	-0,136	0,4175	0	2,494 258-1
258	175	COMB12	Combination	-0,804	1,991	0,136	0,416	0	2,4247 258-1
258	176	ENV	Combination	0,804	1,302	0,101	0,4175	0	2,494 258-1
258	175	ENV	Combination	0,597	1,991	0,136	0,416	0	2,4247 258-1
258	176	ENV	Combination	-0,597	-1,991	-0,136	-0,2752	0	-1,63 258-1
258	175	ENV	Combination	-0,804	-1,302	-0,101	-0,2695	0	-1,5848 258-1
259	177	DEAD	LinStatic	0,205	-0,004456	0,006854	0,0013	0	0,0064 259-1
259	178	DEAD	LinStatic	-0,205	0,004456	-0,006854	-0,0017	0	0,0047 259-1
259	177	CM	LinStatic	-0,214	0,0003728	0,026	0,00006129	0	0,0026 259-1
259	178	CM	LinStatic	0,214	-0,0003728	0,04	-0,0000305	0	-0,0035 259-1
259	177	CV	LinStatic	0	0	0	0	0	0 259-1
259	178	CV	LinStatic	0	0	0	0	0	0 259-1
259	177	L	LinStatic	3,92	0,004035	0,503	0,0952	0	-0,0317 259-1

259	178	L	LinStatic		-3,92	-0,004035	0,241	-0,0949	0	0,0217	259-1
259	177	COMB1	Combination		7,145	0,028	0,611	0,0992	0	-0,087	259-1
259	178	COMB1	Combination		-7,145	-0,028	0,133	-0,0969	0	0,0185	259-1
259	177	COMB5	Combination		7,145	0,028	0,611	0,0992	0	-0,087	259-1
259	178	COMB5	Combination		-7,145	-0,028	0,133	-0,0969	0	0,0185	259-1
259	177	COMB6	Combination		7,145	0,028	0,611	0,0992	0	-0,087	259-1
259	178	COMB6	Combination		-7,145	-0,028	0,133	-0,0969	0	0,0185	259-1
259	177	COMB7	Combination		1,105	-0,029	0,409	0,0938	0	0,0364	259-1
259	178	COMB7	Combination		-1,105	0,029	0,335	-0,0962	0	0,0342	259-1
259	177	COMB8	Combination		1,105	-0,029	0,409	0,0938	0	0,0364	259-1
259	178	COMB8	Combination		-1,105	0,029	0,335	-0,0962	0	0,0342	259-1
259	177	COMB9	Combination		7,252	0,061	0,242	0,0075	0	-0,1376	259-1
259	178	COMB9	Combination		-7,252	-0,061	-0,242	-0,0025	0	-0,0138	259-1
259	177	COMB10	Combination		-6,842	-0,07	-0,229	-0,0049	0	0,1503	259-1
259	178	COMB10	Combination		6,842	0,07	0,229	-0,0008493	0	0,0231	259-1
259	177	COMB11	Combination		-2,922	-0,066	0,274	0,0903	0	0,1186	259-1
259	178	COMB11	Combination		2,922	0,066	0,47	-0,0957	0	0,0448	259-1
259	177	COMB12	Combination		11,172	0,065	0,745	0,1028	0	-0,1692	259-1
259	178	COMB12	Combination		-11,172	-0,065	-0,001585	-0,0974	0	0,0079	259-1
259	177	ENV	Combination	Max	11,172	0,065	0,745	0,1028	0	0,1503	259-1
259	178	ENV	Combination	Max	6,842	0,07	0,47	-0,0008493	0	0,0448	259-1
259	177	ENV	Combination	Min	-6,842	-0,07	-0,229	-0,0049	0	-0,1692	259-1
259	178	ENV	Combination	Min	-11,172	-0,065	-0,242	-0,0974	0	-0,0138	259-1
260	178	DEAD	LinStatic		0,445	-0,0001636	0,045	-0,0006861	0	0,0014	260-1
260	179	DEAD	LinStatic		-0,445	0,0001636	-0,045	0,0006454	0	-0,0009545	260-1
260	178	CM	LinStatic		-0,626	0,002739	-0,03	0,0018	0	-0,0019	260-1
260	179	CM	LinStatic		0,626	-0,002739	0,096	-0,0011	0	-0,0049	260-1
260	178	CV	LinStatic		0	0	0	0	0	0	260-1
260	179	CV	LinStatic		0	0	0	0	0	0	260-1
260	178	L	LinStatic		3,028	0,445	0,679	0,0549	0	-0,5797	260-1
260	179	L	LinStatic		-3,028	-0,445	0,069	0,0558	0	-0,5191	260-1
260	178	COMB1	Combination		5,824	0,855	0,96	0,1005	0	-1,1125	260-1
260	179	COMB1	Combination		-5,824	-0,855	-0,213	0,1124	0	-1,0001	260-1
260	178	COMB5	Combination		5,824	0,855	0,96	0,1005	0	-1,1125	260-1
260	179	COMB5	Combination		-5,824	-0,855	-0,213	0,1124	0	-1,0001	260-1
260	178	COMB6	Combination		5,824	0,855	0,96	0,1005	0	-1,1125	260-1
260	179	COMB6	Combination		-5,824	-0,855	-0,213	0,1124	0	-1,0001	260-1
260	178	COMB7	Combination		1,122	0,034	0,487	0,0079	0	-0,0441	260-1
260	179	COMB7	Combination		-1,122	-0,034	0,261	0,0005519	0	-0,04	260-1
260	178	COMB8	Combination		1,122	0,034	0,487	0,0079	0	-0,0441	260-1
260	179	COMB8	Combination		-1,122	-0,034	0,261	0,0005519	0	-0,04	260-1
260	178	COMB9	Combination		5,93	0,958	0,597	0,1073	0	-1,2452	260-1
260	179	COMB9	Combination		-5,93	-0,958	-0,597	0,1311	0	-1,121	260-1
260	178	COMB10	Combination		-5,04	-0,958	-0,508	-0,1086	0	1,2479	260-1
260	179	COMB10	Combination		5,04	0,958	0,508	-0,1298	0	1,1191	260-1
260	178	COMB11	Combination		-2,012	-0,513	0,171	-0,0538	0	0,6682	260-1
260	179	COMB11	Combination		2,012	0,513	0,576	-0,074	0	0,6	260-1
260	178	COMB12	Combination		8,959	1,403	1,276	0,1622	0	-1,8248	260-1
260	179	COMB12	Combination		-8,959	-1,403	-0,529	0,1869	0	-1,6401	260-1
260	178	ENV	Combination	Max	8,959	1,403	1,276	0,1622	0	1,2479	260-1
260	179	ENV	Combination	Max	5,04	0,958	0,576	0,1869	0	1,1191	260-1
260	178	ENV	Combination	Min	-5,04	-0,958	-0,508	-0,1086	0	-1,8248	260-1
260	179	ENV	Combination	Min	-8,959	-1,403	-0,597	-0,1298	0	-1,6401	260-1
261	179	DEAD	LinStatic		0,415	0,008464	0,07	-0,0012	0	-0,0083	261-1
261	180	DEAD	LinStatic		-0,415	-0,008464	-0,07	0,0047	0	-0,0126	261-1
261	179	CM	LinStatic		-0,94	-0,017	-0,126	-0,001	0	0,0155	261-1
261	180	CM	LinStatic		0,94	0,017	0,192	-0,0063	0	0,0276	261-1
261	179	CV	LinStatic		0	0	0	0	0	0	261-1
261	180	CV	LinStatic		0	0	0	0	0	0	261-1
261	179	L	LinStatic		-0,659	0,919	0,265	0,1341	0	-1,1385	261-1
261	180	L	LinStatic		0,659	-0,919	0,489	0,2507	0	-1,1323	261-1
261	179	COMB1	Combination		-0,19	1,753	0,345	0,3009	0	-2,1574	261-1
261	180	COMB1	Combination		0,19	-1,753	0,409	0,4327	0	-2,1713	261-1
261	179	COMB5	Combination		-0,19	1,753	0,345	0,3009	0	-2,1574	261-1
261	180	COMB5	Combination		0,19	-1,753	0,409	0,4327	0	-2,1713	261-1
261	179	COMB6	Combination		-0,19	1,753	0,345	0,3009	0	-2,1574	261-1
261	180	COMB6	Combination		0,19	-1,753	0,409	0,4327	0	-2,1713	261-1
261	179	COMB7	Combination		-0,298	0,103	0,326	-0,035	0	-0,1363	261-1
261	180	COMB7	Combination		0,298	-0,103	0,428	0,0782	0	-0,1185	261-1
261	179	COMB8	Combination		-0,298	0,103	0,326	-0,035	0	-0,1363	261-1
261	180	COMB8	Combination		0,298	-0,103	0,428	0,0782	0	-0,1185	261-1
261	179	COMB9	Combination		0,542	1,933	0,092	0,3907	0	-2,3663	261-1
261	180	COMB9	Combination		-0,542	-1,933	-0,092	0,4183	0	-2,4076	261-1
261	179	COMB10	Combination		0,289	-1,916	0,049	-0,393	0	2,3497	261-1
261	180	COMB10	Combination		-0,289	1,916	-0,049	-0,4089	0	2,3824	261-1
261	179	COMB11	Combination		-0,371	-0,996	0,314	-0,2589	0	1,2112	261-1
261	180	COMB11	Combination		0,371	0,996	0,44	-0,1582	0	1,2501	261-1
261	179	COMB12	Combination		-0,117	2,852	0,357	0,5248	0	-3,5049	261-1
261	180	COMB12	Combination		0,117	-2,852	0,397	0,669	0	-3,5399	261-1
261	179	ENV	Combination	Max	0,542	2,852	0,357	0,5248	0	2,3497	261-1

261	180	ENV	Combination	Max	0,371	1,916	0,44	0,669	0	2,3824	261-1
261	179	ENV	Combination	Min	-0,371	-1,916	0,049	-0,393	0	-3,5049	261-1
261	180	ENV	Combination	Min	-0,542	-2,852	-0,092	-0,4089	0	-3,5399	261-1
262	181	DEAD	LinStatic		-0,206	-0,004385	0,006877	0,0017	0	0,0046	262-1
262	177	DEAD	LinStatic		0,206	0,004385	-0,006877	-0,0013	0	0,0063	262-1
262	181	CM	LinStatic		-0,455	-0,001237	0,048	0,0007212	0	0,0026	262-1
262	177	CM	LinStatic		0,455	0,001237	0,018	-0,000619	0	0,0004837	262-1
262	181	CV	LinStatic		0	0	0	0	0	0	262-1
262	177	CV	LinStatic		0	0	0	0	0	0	262-1
262	181	L	LinStatic		1,933	-0,289	-0,065	0,1363	0	0,3359	262-1
262	177	L	LinStatic		-1,933	0,289	0,065	-0,1124	0	0,3789	262-1
262	181	COMB1	Combination		3,746	-0,529	-0,125	0,154	0	0,6156	262-1
262	177	COMB1	Combination		-3,746	0,529	0,125	-0,1103	0	0,6915	262-1
262	181	COMB5	Combination		3,746	-0,529	-0,125	0,154	0	0,6156	262-1
262	177	COMB5	Combination		-3,746	0,529	0,125	-0,1103	0	0,6915	262-1
262	181	COMB6	Combination		3,746	-0,529	-0,125	0,154	0	0,6156	262-1
262	177	COMB6	Combination		-3,746	0,529	0,125	-0,1103	0	0,6915	262-1
262	181	COMB7	Combination		-0,29	-0,058	0,009701	0,1219	0	0,0652	262-1
262	177	COMB7	Combination		0,29	0,058	-0,009701	-0,1171	0	0,0789	262-1
262	181	COMB8	Combination		-0,29	-0,058	0,009701	0,1219	0	0,0652	262-1
262	177	COMB8	Combination		0,29	0,058	-0,009701	-0,1171	0	0,0789	262-1
262	181	COMB9	Combination		4,503	-0,554	-0,151	0,0392	0	0,6467	262-1
262	177	COMB9	Combination		-4,503	0,554	0,151	0,0066	0	0,721	262-1
262	181	COMB10	Combination		-4,914	0,545	0,164	-0,0358	0	-0,6376	262-1
262	177	COMB10	Combination		4,914	-0,545	-0,164	-0,0092	0	-0,7084	262-1
262	181	COMB11	Combination		-2,981	0,256	0,1	0,1004	0	-0,3017	262-1
262	177	COMB11	Combination		2,981	-0,256	-0,1	-0,1216	0	-0,3296	262-1
262	181	COMB12	Combination		6,436	-0,843	-0,215	0,1755	0	0,9826	262-1
262	177	COMB12	Combination		-6,436	0,843	0,215	-0,1058	0	1,0999	262-1
262	181	ENV	Combination	Max	6,436	0,545	0,164	0,1755	0	0,9826	262-1
262	177	ENV	Combination	Max	4,914	0,843	0,215	0,0066	0	1,0999	262-1
262	181	ENV	Combination	Min	-4,914	-0,843	-0,215	-0,0358	0	-0,6376	262-1
262	177	ENV	Combination	Min	-6,436	-0,545	-0,164	-0,1216	0	-0,7084	262-1
263	182	DEAD	LinStatic		-0,444	-0,0001858	0,045	-0,0006409	0	-0,0009282	263-1
263	181	DEAD	LinStatic		0,444	0,0001858	-0,045	0,0006871	0	0,0014	263-1
263	182	CM	LinStatic		-0,949	0,007393	0,129	-0,0025	0	-0,0102	263-1
263	181	CM	LinStatic		0,949	-0,007393	-0,063	0,0006806	0	-0,0081	263-1
263	182	CV	LinStatic		0	0	0	0	0	0	263-1
263	181	CV	LinStatic		0	0	0	0	0	0	263-1
263	182	L	LinStatic		0,687	-0,431	-0,069	0,0784	0	0,5229	263-1
263	181	L	LinStatic		-0,687	0,431	0,069	0,0288	0	0,5413	263-1
263	182	COMB1	Combination		1,418	-0,784	-0,143	0,1252	0	0,952	263-1
263	181	COMB1	Combination		-1,418	0,784	0,143	0,0698	0	0,9834	263-1
263	182	COMB5	Combination		1,418	-0,784	-0,143	0,1252	0	0,952	263-1
263	181	COMB5	Combination		-1,418	0,784	0,143	0,0698	0	0,9834	263-1
263	182	COMB6	Combination		1,418	-0,784	-0,143	0,1252	0	0,952	263-1
263	181	COMB6	Combination		-1,418	0,784	0,143	0,0698	0	0,9834	263-1
263	182	COMB7	Combination		-0,932	-0,079	0,094	0,0303	0	0,092	263-1
263	181	COMB7	Combination		0,932	0,079	-0,094	-0,0107	0	0,1019	263-1
263	182	COMB8	Combination		-0,932	-0,079	0,094	0,0303	0	0,092	263-1
263	181	COMB8	Combination		0,932	0,079	-0,094	-0,0107	0	0,1019	263-1
263	182	COMB9	Combination		2,298	-0,823	-0,232	0,1101	0	1,0024	263-1
263	181	COMB9	Combination		-2,298	0,823	0,232	0,0946	0	1,0298	263-1
263	182	COMB10	Combination		-3,186	0,822	0,321	-0,1114	0	-1,0042	263-1
263	181	COMB10	Combination		3,186	-0,822	-0,321	-0,0932	0	-1,027	263-1
263	182	COMB11	Combination		-2,499	0,392	0,252	-0,033	0	-0,4813	263-1
263	181	COMB11	Combination		2,499	-0,392	-0,252	-0,0644	0	-0,4858	263-1
263	182	COMB12	Combination		2,985	-1,254	-0,301	0,1885	0	1,5253	263-1
263	181	COMB12	Combination		-2,985	1,254	0,301	0,1235	0	1,5711	263-1
263	182	ENV	Combination	Max	2,985	0,822	0,321	0,1885	0	1,5253	263-1
263	181	ENV	Combination	Max	3,186	1,254	0,301	0,1235	0	1,5711	263-1
263	182	ENV	Combination	Min	-3,186	-1,254	-0,301	-0,1114	0	-1,0042	263-1
263	181	ENV	Combination	Min	-2,985	-0,822	-0,321	-0,0932	0	-1,027	263-1
264	183	DEAD	LinStatic		-0,415	0,008459	0,07	-0,0047	0	-0,0126	264-1
264	182	DEAD	LinStatic		0,415	-0,008459	-0,07	0,0012	0	-0,0083	264-1
264	183	CM	LinStatic		-1,016	0,034	0,205	-0,0093	0	-0,0488	264-1
264	182	CM	LinStatic		1,016	-0,034	-0,139	-0,005	0	-0,0358	264-1
264	183	CV	LinStatic		0	0	0	0	0	0	264-1
264	182	CV	LinStatic		0	0	0	0	0	0	264-1
264	183	L	LinStatic		0,073	-0,573	-0,012	0,1196	0	0,7243	264-1
264	182	L	LinStatic		-0,073	0,573	0,012	0,1202	0	0,6907	264-1
264	183	COMB1	Combination		0,192	-1,035	-0,033	0,2148	0	1,308	264-1
264	182	COMB1	Combination		-0,192	1,035	0,033	0,2183	0	1,2474	264-1
264	183	COMB5	Combination		0,192	-1,035	-0,033	0,2148	0	1,308	264-1
264	182	COMB5	Combination		-0,192	1,035	0,033	0,2183	0	1,2474	264-1
264	183	COMB6	Combination		0,192	-1,035	-0,033	0,2148	0	1,308	264-1
264	182	COMB6	Combination		-0,192	1,035	0,033	0,2183	0	1,2474	264-1
264	183	COMB7	Combination		-0,878	-0,094	0,149	0,015	0	0,1155	264-1
264	182	COMB7	Combination		0,878	0,094	-0,149	0,0244	0	0,1174	264-1
264	183	COMB8	Combination		-0,878	-0,094	0,149	0,015	0	0,1155	264-1

264	182	COMB8	Combination	0,878	0,094	-0,149	0,0244	0	0,1174 264-1
264	183	COMB9	Combination	0,833	-1,089	-0,141	0,2283	0	1,3788 264-1
264	182	COMB9	Combination	-0,833	1,089	0,141	0,2273	0	1,31 264-1
264	183	COMB10	Combination	-1,664	1,105	0,282	-0,2378	0	-1,4039 264-1
264	182	COMB10	Combination	1,664	-1,105	-0,282	-0,225	0	-1,3266 264-1
264	183	COMB11	Combination	-1,591	0,533	0,27	-0,1181	0	-0,6796 264-1
264	182	COMB11	Combination	1,591	-0,533	-0,27	-0,1048	0	-0,6359 264-1
264	183	COMB12	Combination	0,906	-1,661	-0,153	0,3479	0	2,1031 264-1
264	182	COMB12	Combination	-0,906	1,661	0,153	0,3475	0	2,0007 264-1
264	183	ENV	Combination	0,906	1,105	0,282	0,3479	0	2,1031 264-1
264	182	ENV	Combination	1,664	1,661	0,153	0,3475	0	2,0007 264-1
264	183	ENV	Combination	-1,664	-1,661	-0,153	-0,2378	0	-1,4039 264-1
264	182	ENV	Combination	-0,906	-1,105	-0,282	-0,225	0	-1,3266 264-1
265	184	DEAD	LinStatic	0,005244	-0,001264	0,0001753	-0,0007391	0	0,0014 265-1
265	185	DEAD	LinStatic	-0,005244	0,001264	-0,0001753	0,0006348	0	0,0017 265-1
265	184	CM	LinStatic	-0,313	0,001807	0,022	-0,0001316	0	-0,0019 265-1
265	185	CM	LinStatic	0,313	-0,001807	0,043	0,0002808	0	-0,0026 265-1
265	184	CV	LinStatic	0	0	0	0	0	0 265-1
265	185	CV	LinStatic	0	0	0	0	0	0 265-1
265	184	L	LinStatic	-2,903	-0,016	0,275	-0,0546	0	0,0001344 265-1
265	185	L	LinStatic	2,903	0,016	0,469	0,0532	0	0,0402 265-1
265	184	COMB1	Combination	-4,702	-0,019	0,215	-0,0535	0	-0,009 265-1
265	185	COMB1	Combination	4,702	0,019	0,529	0,0519	0	0,055 265-1
265	184	COMB5	Combination	-4,702	-0,019	0,215	-0,0535	0	-0,009 265-1
265	185	COMB5	Combination	4,702	0,019	0,529	0,0519	0	0,055 265-1
265	184	COMB6	Combination	-4,702	-0,019	0,215	-0,0535	0	-0,009 265-1
265	185	COMB6	Combination	4,702	0,019	0,529	0,0519	0	0,055 265-1
265	184	COMB7	Combination	-1,094	-0,017	0,335	-0,0572	0	0,0121 265-1
265	185	COMB7	Combination	1,094	0,017	0,409	0,0558	0	0,0289 265-1
265	184	COMB8	Combination	-1,094	-0,017	0,335	-0,0572	0	0,0121 265-1
265	185	COMB8	Combination	1,094	0,017	0,409	0,0558	0	0,0289 265-1
265	184	COMB9	Combination	-4,204	-0,003671	-0,141	0,0036	0	-0,0231 265-1
265	185	COMB9	Combination	4,204	0,003671	0,141	-0,0039	0	0,0322 265-1
265	184	COMB10	Combination	4,214	0,001143	0,141	-0,0051	0	0,026 265-1
265	185	COMB10	Combination	-4,214	-0,001143	-0,141	0,0052	0	-0,0288 265-1
265	184	COMB11	Combination	1,311	-0,015	0,416	-0,0596	0	0,0261 265-1
265	185	COMB11	Combination	-1,311	0,015	0,328	0,0584	0	0,0114 265-1
265	184	COMB12	Combination	-7,107	-0,02	0,134	-0,051	0	-0,023 265-1
265	185	COMB12	Combination	7,107	0,02	0,61	0,0493	0	0,0724 265-1
265	184	ENV	Combination	4,214	0,001143	0,416	0,0036	0	0,0261 265-1
265	185	ENV	Combination	7,107	0,02	0,61	0,0584	0	0,0724 265-1
265	184	ENV	Combination	-7,107	-0,02	-0,141	-0,0596	0	-0,0231 265-1
265	185	ENV	Combination	-4,214	-0,001143	-0,141	-0,0039	0	-0,0288 265-1
266	185	DEAD	LinStatic	0,014	-0,002048	0,001418	0,00006832	0	0,0022 266-1
266	186	DEAD	LinStatic	-0,014	0,002048	-0,001418	-0,0005779	0	0,0028 266-1
266	185	CM	LinStatic	-0,243	0,009228	0,008494	0,0001079	0	-0,0109 266-1
266	186	CM	LinStatic	0,243	-0,009228	0,057	0,0022	0	-0,0119 266-1
266	185	CV	LinStatic	0	0	0	0	0	0 266-1
266	186	CV	LinStatic	0	0	0	0	0	0 266-1
266	185	L	LinStatic	-2,407	0,628	0,131	0,0755	0	-0,7996 266-1
266	186	L	LinStatic	2,407	-0,628	0,616	0,0806	0	-0,7505 266-1
266	185	COMB1	Combination	-3,855	1,07	-0,015	0,1318	0	-1,3623 266-1
266	186	COMB1	Combination	3,855	-1,07	0,762	0,1346	0	-1,2814 266-1
266	185	COMB5	Combination	-3,855	1,07	-0,015	0,1318	0	-1,3623 266-1
266	186	COMB5	Combination	3,855	-1,07	0,762	0,1346	0	-1,2814 266-1
266	185	COMB6	Combination	-3,855	1,07	-0,015	0,1318	0	-1,3623 266-1
266	186	COMB6	Combination	3,855	-1,07	0,762	0,1346	0	-1,2814 266-1
266	185	COMB7	Combination	-0,93	0,181	0,28	0,0194	0	-0,2325 266-1
266	186	COMB7	Combination	0,93	-0,181	0,467	0,0255	0	-0,2139 266-1
266	185	COMB8	Combination	-0,93	0,181	0,28	0,0194	0	-0,2325 266-1
266	186	COMB8	Combination	0,93	-0,181	0,467	0,0255	0	-0,2139 266-1
266	185	COMB9	Combination	-3,398	1,036	-0,342	0,1312	0	-1,3158 266-1
266	186	COMB9	Combination	3,398	-1,036	0,342	0,1266	0	-1,2425 266-1
266	185	COMB10	Combination	3,427	-1,04	0,345	-0,131	0	1,3203 266-1
266	186	COMB10	Combination	-3,427	1,04	-0,345	-0,1277	0	1,2482 266-1
266	185	COMB11	Combination	1,02	-0,412	0,476	-0,0555	0	0,5206 266-1
266	186	COMB11	Combination	-1,02	0,412	0,271	-0,0471	0	0,4977 266-1
266	185	COMB12	Combination	-5,805	1,663	-0,211	0,2067	0	-2,1155 266-1
266	186	COMB12	Combination	5,805	-1,663	0,958	0,2072	0	-1,993 266-1
266	185	ENV	Combination	3,427	1,663	0,476	0,2067	0	1,3203 266-1
266	186	ENV	Combination	5,805	1,04	0,958	0,2072	0	1,2482 266-1
266	185	ENV	Combination	-5,805	-1,04	-0,342	-0,131	0	-2,1155 266-1
266	186	ENV	Combination	-3,427	-1,663	-0,345	-0,1277	0	-1,993 266-1
267	186	DEAD	LinStatic	-0,009304	-0,00299	-0,001577	0,0005599	0	0,0037 267-1
267	187	DEAD	LinStatic	0,009304	0,00299	0,001577	-0,0018	0	0,0036 267-1
267	186	CM	LinStatic	-0,049	0,016	0,025	0,0033	0	-0,02 267-1
267	187	CM	LinStatic	0,049	-0,016	0,042	0,0035	0	-0,0206 267-1
267	186	CV	LinStatic	0	0	0	0	0	0 267-1
267	187	CV	LinStatic	0	0	0	0	0	0 267-1
267	186	L	LinStatic	-1,022	1,287	0,204	0,2913	0	-1,5721 267-1

267	187	L	LinStatic	1,022	-1,287	0,55	0,2476	0	-1,608 267-1
267	186	COMB1	Combination	-1,657	2,169	0,096	0,4684	0	-2,6515 267-1
267	187	COMB1	Combination	1,657	-2,169	0,658	0,4393	0	-2,7048 267-1
267	186	COMB5	Combination	-1,657	2,169	0,096	0,4684	0	-2,6515 267-1
267	187	COMB5	Combination	1,657	-2,169	0,658	0,4393	0	-2,7048 267-1
267	186	COMB6	Combination	-1,657	2,169	0,096	0,4684	0	-2,6515 267-1
267	187	COMB6	Combination	1,657	-2,169	0,658	0,4393	0	-2,7048 267-1
267	186	COMB7	Combination	-0,407	0,4	0,308	0,1154	0	-0,4853 267-1
267	187	COMB7	Combination	0,407	-0,4	0,446	0,0522	0	-0,5039 267-1
267	186	COMB8	Combination	-0,407	0,4	0,308	0,1154	0	-0,4853 267-1
267	187	COMB8	Combination	0,407	-0,4	0,446	0,0522	0	-0,5039 267-1
267	186	COMB9	Combination	-1,467	2,06	-0,249	0,4124	0	-2,5236 267-1
267	187	COMB9	Combination	1,467	-2,06	0,249	0,4498	0	-2,5641 267-1
267	186	COMB10	Combination	1,449	-2,066	0,245	-0,4113	0	2,531 267-1
267	187	COMB10	Combination	-1,449	2,066	-0,245	-0,4534	0	2,5714 267-1
267	186	COMB11	Combination	0,426	-0,778	0,449	-0,12	0	0,9589 267-1
267	187	COMB11	Combination	-0,426	0,778	0,305	-0,2058	0	0,9634 267-1
267	186	COMB12	Combination	-2,49	3,347	-0,045	0,7037	0	-4,0957 267-1
267	187	COMB12	Combination	2,49	-3,347	0,799	0,6973	0	-4,172 267-1
267	186	ENV	Combination	1,449	3,347	0,449	0,7037	0	2,531 267-1
267	187	ENV	Combination	2,49	2,066	0,799	0,6973	0	2,5714 267-1
267	186	ENV	Combination	-2,49	-2,066	-0,249	-0,4113	0	-4,0957 267-1
267	187	ENV	Combination	-1,449	-3,347	-0,245	-0,4534	0	-4,172 267-1
268	188	DEAD	LinStatic	-0,005304	-0,001199	0,0001773	-0,0006314	0	0,0016 268-1
268	184	DEAD	LinStatic	0,005304	0,001199	-0,0001773	0,0007305	0	0,0013 268-1
268	188	CM	LinStatic	-0,282	-0,004579	0,042	0,0001015	0	0,0059 268-1
268	184	CM	LinStatic	0,282	0,004579	0,023	0,0002766	0	0,0054 268-1
268	188	CV	LinStatic	0	0	0	0	0	0 268-1
268	184	CV	LinStatic	0	0	0	0	0	0 268-1
268	188	L	LinStatic	-2,391	-0,454	0,08	-0,0486	0	0,553 268-1
268	184	L	LinStatic	2,391	0,454	-0,08	0,0861	0	0,5687 268-1
268	188	COMB1	Combination	-3,863	-0,777	0,129	-0,0335	0	0,9453 268-1
268	184	COMB1	Combination	3,863	0,777	-0,129	0,0977	0	0,9751 268-1
268	188	COMB5	Combination	-3,863	-0,777	0,129	-0,0335	0	0,9453 268-1
268	184	COMB5	Combination	3,863	0,777	-0,129	0,0977	0	0,9751 268-1
268	188	COMB6	Combination	-3,863	-0,777	0,129	-0,0335	0	0,9453 268-1
268	184	COMB6	Combination	3,863	0,777	-0,129	0,0977	0	0,9751 268-1
268	188	COMB7	Combination	-0,93	-0,133	0,031	-0,0649	0	0,164 268-1
268	184	COMB7	Combination	0,93	0,133	-0,031	0,0759	0	0,1651 268-1
268	188	COMB8	Combination	-0,93	-0,133	0,031	-0,0649	0	0,164 268-1
268	184	COMB8	Combination	0,93	0,133	-0,031	0,0759	0	0,1651 268-1
268	188	COMB9	Combination	-3,427	-0,753	0,115	0,036	0	0,9131 268-1
268	184	COMB9	Combination	3,427	0,753	-0,115	0,0262	0	0,9464 268-1
268	188	COMB10	Combination	3,416	0,75	-0,114	-0,0373	0	-0,9099 268-1
268	184	COMB10	Combination	-3,416	-0,75	0,114	-0,0247	0	-0,9437 268-1
268	188	COMB11	Combination	1,025	0,296	-0,034	-0,0859	0	-0,3569 268-1
268	184	COMB11	Combination	-1,025	-0,296	0,034	0,0614	0	-0,3749 268-1
268	188	COMB12	Combination	-5,818	-1,207	0,195	-0,0126	0	1,4661 268-1
268	184	COMB12	Combination	5,818	1,207	-0,195	0,1122	0	1,5151 268-1
268	188	ENV	Combination	3,416	0,75	0,195	0,036	0	1,4661 268-1
268	184	ENV	Combination	5,818	1,207	0,114	0,1122	0	1,5151 268-1
268	188	ENV	Combination	-5,818	-1,207	-0,114	-0,0859	0	-0,9099 268-1
268	184	ENV	Combination	-3,416	-0,75	-0,195	-0,0247	0	-0,9437 268-1
269	189	DEAD	LinStatic	-0,014	-0,002076	0,001427	0,0005784	0	0,0029 269-1
269	188	DEAD	LinStatic	0,014	0,002076	-0,001427	-0,0000618	0	0,0022 269-1
269	189	CM	LinStatic	-0,191	-0,011	0,052	0,0024	0	0,0147 269-1
269	188	CM	LinStatic	0,191	0,011	0,014	0,0004937	0	0,0137 269-1
269	189	CV	LinStatic	0	0	0	0	0	0 269-1
269	188	CV	LinStatic	0	0	0	0	0	0 269-1
269	189	L	LinStatic	-1,443	-0,633	0,145	0,0676	0	0,7779 269-1
269	188	L	LinStatic	1,443	0,633	-0,145	0,0899	0	0,7851 269-1
269	189	COMB1	Combination	-2,318	-1,095	0,234	0,1268	0	1,3456 269-1
269	188	COMB1	Combination	2,318	1,095	-0,234	0,1457	0	1,36 269-1
269	189	COMB5	Combination	-2,318	-1,095	0,234	0,1268	0	1,3456 269-1
269	188	COMB5	Combination	2,318	1,095	-0,234	0,1457	0	1,36 269-1
269	189	COMB6	Combination	-2,318	-1,095	0,234	0,1268	0	1,3456 269-1
269	188	COMB6	Combination	2,318	1,095	-0,234	0,1457	0	1,36 269-1
269	189	COMB7	Combination	-0,596	-0,174	0,06	0,0095	0	0,2159 269-1
269	188	COMB7	Combination	0,596	0,174	-0,06	0,0339	0	0,2147 269-1
269	189	COMB8	Combination	-0,596	-0,174	0,06	0,0095	0	0,2159 269-1
269	188	COMB8	Combination	0,596	0,174	-0,06	0,0339	0	0,2147 269-1
269	189	COMB9	Combination	-2,024	-1,077	0,204	0,1375	0	1,3208 269-1
269	188	COMB9	Combination	2,024	1,077	-0,204	0,1304	0	1,3384 269-1
269	189	COMB10	Combination	1,995	1,072	-0,201	-0,1363	0	-1,3151 269-1
269	188	COMB10	Combination	-1,995	-1,072	0,201	-0,1306	0	-1,3339 269-1
269	189	COMB11	Combination	0,552	0,44	-0,056	-0,0687	0	-0,5372 269-1
269	188	COMB11	Combination	-0,552	-0,44	0,056	-0,0407	0	-0,5488 269-1
269	189	COMB12	Combination	-3,467	-1,709	0,349	0,2051	0	2,0987 269-1
269	188	COMB12	Combination	3,467	1,709	-0,349	0,2203	0	2,1235 269-1
269	189	ENV	Combination	1,995	1,072	0,349	0,2051	0	2,0987 269-1

269	188	ENV	Combination	Max	3,467	1,709	0,201	0,2203	0	2,1235	269-1
269	189	ENV	Combination	Min	-3,467	-1,709	-0,201	-0,1363	0	-1,3151	269-1
269	188	ENV	Combination	Min	-1,995	-1,072	-0,349	-0,1306	0	-1,3339	269-1
270	190	DEAD	LinStatic		0,00926	-0,003001	-0,001569	0,0018	0	0,0037	270-1
270	189	DEAD	LinStatic		-0,00926	0,003001	0,001569	-0,0005588	0	0,0037	270-1
270	190	CM	LinStatic		-0,025	-0,019	0,037	0,0038	0	0,0239	270-1
270	189	CM	LinStatic		0,025	0,019	0,029	0,0042	0	0,0229	270-1
270	190	CV	LinStatic		0	0	0	0	0	0	270-1
270	189	CV	LinStatic		0	0	0	0	0	0	270-1
270	190	L	LinStatic		-0,455	-0,769	0,077	0,1645	0	0,9632	270-1
270	189	L	LinStatic		0,455	0,769	-0,077	0,1574	0	0,9363	270-1
270	190	COMB1	Combination		-0,709	-1,335	0,12	0,2866	0	1,6716	270-1
270	189	COMB1	Combination		0,709	1,335	-0,12	0,2721	0	1,6256	270-1
270	190	COMB5	Combination		-0,709	-1,335	0,12	0,2866	0	1,6716	270-1
270	189	COMB5	Combination		0,709	1,335	-0,12	0,2721	0	1,6256	270-1
270	190	COMB6	Combination		-0,709	-1,335	0,12	0,2866	0	1,6716	270-1
270	189	COMB6	Combination		0,709	1,335	-0,12	0,2721	0	1,6256	270-1
270	190	COMB7	Combination		-0,182	-0,209	0,031	0,046	0	0,262	270-1
270	189	COMB7	Combination		0,182	0,209	-0,031	0,0415	0	0,2546	270-1
270	190	COMB8	Combination		-0,182	-0,209	0,031	0,046	0	0,262	270-1
270	189	COMB8	Combination		0,182	0,209	-0,031	0,0415	0	0,2546	270-1
270	190	COMB9	Combination		-0,606	-1,316	0,103	0,2825	0	1,6483	270-1
270	189	COMB9	Combination		0,606	1,316	-0,103	0,2685	0	1,6032	270-1
270	190	COMB10	Combination		0,624	1,31	-0,106	-0,2789	0	-1,6409	270-1
270	189	COMB10	Combination		-0,624	-1,31	0,106	-0,2696	0	-1,5957	270-1
270	190	COMB11	Combination		0,17	0,541	-0,029	-0,1144	0	-0,6778	270-1
270	189	COMB11	Combination		-0,17	-0,541	0,029	-0,1122	0	-0,6594	270-1
270	190	COMB12	Combination		-1,061	-2,085	0,18	0,447	0	2,6114	270-1
270	189	COMB12	Combination		1,061	2,085	-0,18	0,4258	0	2,5395	270-1
270	190	ENV	Combination	Max	0,624	1,31	0,18	0,447	0	2,6114	270-1
270	189	ENV	Combination	Max	1,061	2,085	0,106	0,4258	0	2,5395	270-1
270	190	ENV	Combination	Min	-1,061	-2,085	-0,106	-0,2789	0	-1,6409	270-1
270	189	ENV	Combination	Min	-0,624	-1,31	-0,18	-0,2696	0	-1,5957	270-1
271	191	DEAD	LinStatic		0,206	0,004406	0,006882	-0,0013	0	-0,0063	271-1
271	192	DEAD	LinStatic		-0,206	-0,004406	-0,006882	0,0017	0	-0,0046	271-1
271	191	CM	LinStatic		-0,215	-0,0006091	0,026	-0,00007769	0	-0,0023	271-1
271	192	CM	LinStatic		0,215	0,0006091	0,04	0,00002738	0	0,0038	271-1
271	191	CV	LinStatic		0	0	0	0	0	0	271-1
271	192	CV	LinStatic		0	0	0	0	0	0	271-1
271	191	L	LinStatic		-3,959	0,043	0,24	-0,0896	0	-0,0991	271-1
271	192	L	LinStatic		3,959	-0,043	0,504	0,0931	0	-0,0068	271-1
271	191	COMB1	Combination		-6,922	0,072	0,141	-0,089	0	-0,1646	271-1
271	192	COMB1	Combination		6,922	-0,072	0,603	0,0949	0	-0,0125	271-1
271	191	COMB5	Combination		-6,922	0,072	0,141	-0,089	0	-0,1646	271-1
271	192	COMB5	Combination		6,922	-0,072	0,603	0,0949	0	-0,0125	271-1
271	191	COMB6	Combination		-6,922	0,072	0,141	-0,089	0	-0,1646	271-1
271	192	COMB6	Combination		6,922	-0,072	0,603	0,0949	0	-0,0125	271-1
271	191	COMB7	Combination		-0,585	0,023	0,352	-0,0927	0	-0,0461	271-1
271	192	COMB7	Combination		0,585	-0,023	0,391	0,0946	0	-0,0104	271-1
271	191	COMB8	Combination		-0,585	0,023	0,352	-0,0927	0	-0,0461	271-1
271	192	COMB8	Combination		0,585	-0,023	0,391	0,0946	0	-0,0104	271-1
271	191	COMB9	Combination		-7,188	0,061	-0,24	0,0031	0	-0,1445	271-1
271	192	COMB9	Combination		7,188	-0,061	0,24	0,002	0	-0,007	271-1
271	191	COMB10	Combination		7,599	-0,053	0,254	-0,0056	0	0,132	271-1
271	192	COMB10	Combination		-7,599	0,053	-0,254	0,0013	0	-0,0021	271-1
271	191	COMB11	Combination		3,64	-0,009672	0,494	-0,0952	0	0,0329	271-1
271	192	COMB11	Combination		-3,64	0,009672	0,25	0,0944	0	-0,009	271-1
271	191	COMB12	Combination		-11,147	0,104	-0,000731	-0,0865	0	-0,2436	271-1
271	192	COMB12	Combination		11,147	-0,104	0,745	0,0951	0	-0,0139	271-1
271	191	ENV	Combination	Max	7,599	0,104	0,494	0,0031	0	0,132	271-1
271	192	ENV	Combination	Max	11,147	0,053	0,745	0,0951	0	-0,0021	271-1
271	191	ENV	Combination	Min	-11,147	-0,053	-0,24	-0,0952	0	-0,2436	271-1
271	192	ENV	Combination	Min	-7,599	-0,104	-0,254	0,0013	0	-0,0139	271-1
272	192	DEAD	LinStatic		0,445	0,0001661	0,045	0,0006857	0	-0,0014	272-1
272	193	DEAD	LinStatic		-0,445	-0,0001661	-0,045	-0,0006443	0	0,0009542	272-1
272	192	CM	LinStatic		-0,63	-0,002768	-0,03	-0,0018	0	0,0019	272-1
272	193	CM	LinStatic		0,63	0,002768	0,096	0,0011	0	0,0049	272-1
272	192	CV	LinStatic		0	0	0	0	0	0	272-1
272	193	CV	LinStatic		0	0	0	0	0	0	272-1
272	192	L	LinStatic		-3,575	0,617	0,013	0,0622	0	-0,8074	272-1
272	193	L	LinStatic		3,575	-0,617	0,734	0,0914	0	-0,7171	272-1
272	192	COMB1	Combination		-5,808	1,014	-0,212	0,105	0	-1,3279	272-1
272	193	COMB1	Combination		5,808	-1,014	0,959	0,1474	0	-1,1773	272-1
272	192	COMB5	Combination		-5,808	1,014	-0,212	0,105	0	-1,3279	272-1
272	193	COMB5	Combination		5,808	-1,014	0,959	0,1474	0	-1,1773	272-1
272	192	COMB6	Combination		-5,808	1,014	-0,212	0,105	0	-1,3279	272-1
272	193	COMB6	Combination		5,808	-1,014	0,959	0,1474	0	-1,1773	272-1
272	192	COMB7	Combination		-0,452	0,221	0,328	0,0208	0	-0,2897	272-1
272	193	COMB7	Combination		0,452	-0,221	0,419	0,0341	0	-0,255	272-1
272	192	COMB8	Combination		-0,452	0,221	0,328	0,0208	0	-0,2897	272-1

272	193	COMB8	Combination	0,452	-0,221	0,419	0,0341	0	-0,255 272-1
272	192	COMB9	Combination	-5,804	0,926	-0,585	0,0989	0	-1,2126 272-1
272	193	COMB9	Combination	5,804	-0,926	0,585	0,1316	0	-1,075 272-1
272	192	COMB10	Combination	6,693	-0,926	0,674	-0,0975	0	1,2098 272-1
272	193	COMB10	Combination	-6,693	0,926	-0,674	-0,1329	0	1,0769 272-1
272	192	COMB11	Combination	3,118	-0,309	0,688	-0,0353	0	0,4024 272-1
272	193	COMB11	Combination	-3,118	0,309	0,059	-0,0415	0	0,3598 272-1
272	192	COMB12	Combination	-9,379	1,543	-0,571	0,1611	0	-2,02 272-1
272	193	COMB12	Combination	9,379	-1,543	1,319	0,2229	0	-1,7921 272-1
272	192	ENV	Combination	6,693	1,543	0,688	0,1611	0	1,2098 272-1
272	193	ENV	Combination	9,379	0,926	1,319	0,2229	0	1,0769 272-1
272	192	ENV	Combination	-9,379	-0,926	-0,585	-0,0975	0	-2,02 272-1
272	193	ENV	Combination	-6,693	-1,543	-0,674	-0,1329	0	-1,7921 272-1
273	193	DEAD	LinStatic	0,415	-0,00844	0,07	0,0012	0	0,0083 273-1
273	194	DEAD	LinStatic	-0,415	0,00844	-0,07	-0,0047	0	0,0126 273-1
273	193	CM	LinStatic	-0,943	0,018	-0,127	0,001	0	-0,0157 273-1
273	194	CM	LinStatic	0,943	-0,018	0,193	0,0063	0	-0,0277 273-1
273	193	CV	LinStatic	0	0	0	0	0	0 273-1
273	194	CV	LinStatic	0	0	0	0	0	0 273-1
273	193	L	LinStatic	-1,235	1,286	0,168	0,3103	0	-1,5623 273-1
273	194	L	LinStatic	1,235	-1,286	0,586	0,2281	0	-1,6147 273-1
273	193	COMB1	Combination	-1,356	2,092	0,147	0,4723	0	-2,549 273-1
273	194	COMB1	Combination	1,356	-2,092	0,607	0,4032	0	-2,6172 273-1
273	193	COMB5	Combination	-1,356	2,092	0,147	0,4723	0	-2,549 273-1
273	194	COMB5	Combination	1,356	-2,092	0,607	0,4032	0	-2,6172 273-1
273	193	COMB6	Combination	-1,356	2,092	0,147	0,4723	0	-2,549 273-1
273	194	COMB6	Combination	1,356	-2,092	0,607	0,4032	0	-2,6172 273-1
273	193	COMB7	Combination	-0,282	0,464	0,329	0,1506	0	-0,559 273-1
273	194	COMB7	Combination	0,282	-0,464	0,425	0,0436	0	-0,5871 273-1
273	193	COMB8	Combination	-0,282	0,464	0,329	0,1506	0	-0,559 273-1
273	194	COMB8	Combination	0,282	-0,464	0,425	0,0436	0	-0,5871 273-1
273	193	COMB9	Combination	-0,838	1,89	-0,142	0,3765	0	-2,3134 273-1
273	194	COMB9	Combination	0,838	-1,89	0,142	0,4148	0	-2,3559 273-1
273	193	COMB10	Combination	1,668	-1,907	0,283	-0,3741	0	2,33 273-1
273	194	COMB10	Combination	-1,668	1,907	-0,283	-0,4242	0	2,381 273-1
273	193	COMB11	Combination	0,434	-0,621	0,451	-0,0639	0	0,7677 273-1
273	194	COMB11	Combination	-0,434	0,621	0,304	-0,1961	0	0,7663 273-1
273	193	COMB12	Combination	-2,073	3,177	0,026	0,6868	0	-3,8757 273-1
273	194	COMB12	Combination	2,073	-3,177	0,728	0,6429	0	-3,9706 273-1
273	193	ENV	Combination	1,668	3,177	0,451	0,6868	0	2,33 273-1
273	194	ENV	Combination	2,073	1,907	0,728	0,6429	0	2,381 273-1
273	193	ENV	Combination	-2,073	-1,907	-0,142	-0,3741	0	-3,8757 273-1
273	194	ENV	Combination	-1,668	-3,177	-0,283	-0,4242	0	-3,9706 273-1
274	195	DEAD	LinStatic	-0,206	0,00447	0,00688	-0,0017	0	-0,0047 274-1
274	191	DEAD	LinStatic	0,206	-0,00447	-0,00688	0,0013	0	-0,0064 274-1
274	195	CM	LinStatic	-0,452	0,001241	0,048	-0,000725	0	-0,0026 274-1
274	191	CM	LinStatic	0,452	-0,001241	0,018	0,0006225	0	-0,0004965 274-1
274	195	CV	LinStatic	0	0	0	0	0	0 274-1
274	191	CV	LinStatic	0	0	0	0	0	0 274-1
274	195	L	LinStatic	-3,503	-0,33	0,117	-0,095	0	0,3902 274-1
274	191	L	LinStatic	3,503	0,33	-0,117	0,1223	0	0,4247 274-1
274	195	COMB1	Combination	-6,138	-0,559	0,205	-0,0809	0	0,6586 274-1
274	191	COMB1	Combination	6,138	0,559	-0,205	0,1271	0	0,7219 274-1
274	195	COMB5	Combination	-6,138	-0,559	0,205	-0,0809	0	0,6586 274-1
274	191	COMB5	Combination	6,138	0,559	-0,205	0,1271	0	0,7219 274-1
274	195	COMB6	Combination	-6,138	-0,559	0,205	-0,0809	0	0,6586 274-1
274	191	COMB6	Combination	6,138	0,559	-0,205	0,1271	0	0,7219 274-1
274	195	COMB7	Combination	-1,28	-0,092	0,043	-0,1124	0	0,1125 274-1
274	191	COMB7	Combination	1,28	0,092	-0,043	0,12	0	0,1147 274-1
274	195	COMB8	Combination	-1,28	-0,092	0,043	-0,1124	0	0,1125 274-1
274	191	COMB8	Combination	1,28	0,092	-0,043	0,12	0	0,1147 274-1
274	195	COMB9	Combination	-5,873	-0,54	0,196	0,0351	0	0,6324 274-1
274	191	COMB9	Combination	5,873	0,54	-0,196	0,0095	0	0,702 274-1
274	195	COMB10	Combination	5,462	0,549	-0,183	-0,0384	0	-0,6417 274-1
274	191	COMB10	Combination	-5,462	-0,549	0,183	-0,0069	0	-0,7147 274-1
274	195	COMB11	Combination	1,958	0,219	-0,065	-0,1335	0	-0,2515 274-1
274	191	COMB11	Combination	-1,958	-0,219	0,065	0,1154	0	-0,29 274-1
274	195	COMB12	Combination	-9,377	-0,87	0,313	-0,0599	0	1,0227 274-1
274	191	COMB12	Combination	9,377	0,87	-0,313	0,1318	0	1,1266 274-1
274	195	ENV	Combination	5,462	0,549	0,313	0,0351	0	1,0227 274-1
274	191	ENV	Combination	9,377	0,87	0,183	0,1318	0	1,1266 274-1
274	195	ENV	Combination	-9,377	-0,87	-0,183	-0,1335	0	-0,6417 274-1
274	191	ENV	Combination	-5,462	-0,549	-0,313	-0,0069	0	-0,7147 274-1
275	196	DEAD	LinStatic	-0,445	0,0001408	0,045	0,0006456	0	0,0009835 275-1
275	195	DEAD	LinStatic	0,445	-0,0001408	-0,045	-0,0006807	0	-0,0013 275-1
275	196	CM	LinStatic	-0,95	-0,007129	0,129	0,0025	0	0,0099 275-1
275	195	CM	LinStatic	0,95	0,007129	-0,063	-0,0007168	0	0,0077 275-1
275	196	CV	LinStatic	0	0	0	0	0	0 275-1
275	195	CV	LinStatic	0	0	0	0	0	0 275-1
275	196	L	LinStatic	-3,112	-0,49	0,314	0,0477	0	0,6033 275-1

275	195	L	LinStatic	3,112	0,49	-0,314	0,0743	0	0,6079	275-1
275	196	COMB1	Combination	-5,419	-0,844	0,546	0,0981	0	1,0376	275-1
275	195	COMB1	Combination	5,419	0,844	-0,546	0,112	0	1,0478	275-1
275	196	COMB5	Combination	-5,419	-0,844	0,546	0,0981	0	1,0376	275-1
275	195	COMB5	Combination	5,419	0,844	-0,546	0,112	0	1,0478	275-1
275	196	COMB6	Combination	-5,419	-0,844	0,546	0,0981	0	1,0376	275-1
275	195	COMB6	Combination	5,419	0,844	-0,546	0,112	0	1,0478	275-1
275	196	COMB7	Combination	-1,695	-0,136	0,171	-0,0014	0	0,1708	275-1
275	195	COMB7	Combination	1,695	0,136	-0,171	0,0353	0	0,1653	275-1
275	196	COMB8	Combination	-1,695	-0,136	0,171	-0,0014	0	0,1708	275-1
275	195	COMB8	Combination	1,695	0,136	-0,171	0,0353	0	0,1653	275-1
275	196	COMB9	Combination	-4,79	-0,826	0,483	0,1168	0	1,0123	275-1
275	195	COMB9	Combination	4,79	0,826	-0,483	0,0888	0	1,0283	275-1
275	196	COMB10	Combination	3,899	0,826	-0,393	-0,1155	0	-1,0103	275-1
275	195	COMB10	Combination	-3,899	-0,826	0,393	-0,0902	0	-1,031	275-1
275	196	COMB11	Combination	0,787	0,336	-0,079	-0,0678	0	-0,407	275-1
275	195	COMB11	Combination	-0,787	-0,336	0,079	-0,0159	0	-0,4231	275-1
275	196	COMB12	Combination	-7,902	-1,316	0,796	0,1644	0	1,6155	275-1
275	195	COMB12	Combination	7,902	1,316	-0,796	0,1632	0	1,6362	275-1
275	196	ENV	Combination	3,899	0,826	0,796	0,1644	0	1,6155	275-1
275	195	ENV	Combination	7,902	1,316	0,393	0,1632	0	1,6362	275-1
275	196	ENV	Combination	-7,902	-1,316	-0,393	-0,1155	0	-1,0103	275-1
275	195	ENV	Combination	-3,899	-0,826	-0,796	-0,0902	0	-1,031	275-1
276	197	DEAD	LinStatic	-0,415	-0,008446	0,07	0,0047	0	0,0126	276-1
276	196	DEAD	LinStatic	0,415	0,008446	-0,07	-0,0012	0	0,0083	276-1
276	197	CM	LinStatic	-1,021	-0,034	0,206	0,0094	0	0,0489	276-1
276	196	CM	LinStatic	1,021	0,034	-0,14	0,005	0	0,0359	276-1
276	197	CV	LinStatic	0	0	0	0	0	0	276-1
276	196	CV	LinStatic	0	0	0	0	0	0	276-1
276	197	L	LinStatic	-2,066	-0,672	0,35	0,15	0	0,8586	276-1
276	196	L	LinStatic	2,066	0,672	-0,35	0,1314	0	0,8022	276-1
276	197	COMB1	Combination	-3,629	-1,165	0,615	0,262	0	1,4883	276-1
276	196	COMB1	Combination	3,629	1,165	-0,615	0,2257	0	1,3899	276-1
276	197	COMB5	Combination	-3,629	-1,165	0,615	0,262	0	1,4883	276-1
276	196	COMB5	Combination	3,629	1,165	-0,615	0,2257	0	1,3899	276-1
276	197	COMB6	Combination	-3,629	-1,165	0,615	0,262	0	1,4883	276-1
276	196	COMB6	Combination	3,629	1,165	-0,615	0,2257	0	1,3899	276-1
276	197	COMB7	Combination	-1,333	-0,196	0,226	0,0475	0	0,254	276-1
276	196	COMB7	Combination	1,333	0,196	-0,226	0,0347	0	0,2311	276-1
276	197	COMB8	Combination	-1,333	-0,196	0,226	0,0475	0	0,254	276-1
276	196	COMB8	Combination	1,333	0,196	-0,226	0,0347	0	0,2311	276-1
276	197	COMB9	Combination	-3,094	-1,139	0,524	0,255	0	1,4527	276-1
276	196	COMB9	Combination	3,094	1,139	-0,524	0,2217	0	1,3603	276-1
276	197	COMB10	Combination	2,263	1,122	-0,384	-0,2456	0	-1,4275	276-1
276	196	COMB10	Combination	-2,263	-1,122	0,384	-0,224	0	-1,3437	276-1
276	197	COMB11	Combination	0,198	0,45	-0,034	-0,0955	0	-0,5689	276-1
276	196	COMB11	Combination	-0,198	-0,45	0,034	-0,0926	0	-0,5415	276-1
276	197	COMB12	Combination	-5,159	-1,811	0,874	0,405	0	2,3113	276-1
276	196	COMB12	Combination	5,159	1,811	-0,874	0,3531	0	2,1625	276-1
276	197	ENV	Combination	2,263	1,122	0,874	0,405	0	2,3113	276-1
276	196	ENV	Combination	5,159	1,811	0,384	0,3531	0	2,1625	276-1
276	197	ENV	Combination	-5,159	-1,811	-0,384	-0,2456	0	-1,4275	276-1
276	196	ENV	Combination	-2,263	-1,122	-0,874	-0,224	0	-1,3437	276-1
277	7	DEAD	LinStatic	-0,656	0,001417	-0,519	-0,0021	0	-0,0006618	277-1
277	207	DEAD	LinStatic	0,656	-0,001417	0,519	0,0003655	-0,0004354	0,0028	277-1
277	7	CM	LinStatic	4,518	0,0009761	3,584	-0,0668	0	0,0056	277-1
277	207	CM	LinStatic	-4,518	-0,0009761	-3,533	0,0657	0,0291	-0,0041	277-1
277	7	CV	LinStatic	0	0	0	0	0	0	277-1
277	207	CV	LinStatic	0	0	0	0	0	0	277-1
277	7	L	LinStatic	2,258	-0,59	1,777	-0,2541	0	-0,1798	277-1
277	207	L	LinStatic	-2,258	-0,14	-1,777	0,522	0,0173	-0,1585	277-1
277	7	COMB1	Combination	1,899	-0,834	1,493	-0,5137	0	-0,2495	277-1
277	207	COMB1	Combination	-1,899	-0,155	-1,493	0,9187	0,0173	-0,2619	277-1
277	7	COMB5	Combination	1,899	-0,834	1,493	-0,5137	0	-0,2495	277-1
277	207	COMB5	Combination	-1,899	-0,155	-1,493	0,9187	0,0173	-0,2619	277-1
277	7	COMB6	Combination	1,899	-0,834	1,493	-0,5137	0	-0,2495	277-1
277	207	COMB6	Combination	-1,899	-0,155	-1,493	0,9187	0,0173	-0,2619	277-1
277	7	COMB7	Combination	1,305	-0,342	1,023	0,0014	0	-0,1114	277-1
277	207	COMB7	Combination	-1,305	-0,128	-1,023	0,126	0,0165	-0,0495	277-1
277	7	COMB8	Combination	1,305	-0,342	1,023	0,0014	0	-0,1114	277-1
277	207	COMB8	Combination	-1,305	-0,128	-1,023	0,126	0,0165	-0,0495	277-1
277	7	COMB9	Combination	0,037	-0,573	0,029	-0,603	0	-0,1618	277-1
277	207	COMB9	Combination	-0,037	-0,032	-0,029	0,9251	0,0005073	-0,2449	277-1
277	7	COMB10	Combination	-1,349	0,575	-1,067	0,5989	0	0,1605	277-1
277	207	COMB10	Combination	1,349	0,029	1,067	-0,9244	-0,0014	0,2505	277-1
277	7	COMB11	Combination	0,909	-0,014	0,71	0,3448	0	-0,0193	277-1
277	207	COMB11	Combination	-0,909	-0,111	-0,71	-0,4024	0,0159	0,092	277-1
277	7	COMB12	Combination	2,295	-1,162	1,806	-0,857	0	-0,3417	277-1
277	207	COMB12	Combination	-2,295	-0,173	-1,806	1,4471	0,0178	-0,4034	277-1
277	7	ENV	Combination	2,295	0,575	1,806	0,5989	0	0,1605	277-1

277	207	ENV	Combination	Max	1,349	0,029	1,067	1,4471	0,0178	0,2505 277-1
277	7	ENV	Combination	Min	-1,349	-1,162	-1,067	-0,857	0	-0,3417 277-1
277	207	ENV	Combination	Min	-2,295	-0,173	-1,806	-0,9244	-0,0014	-0,4034 277-1
277	207	DEAD	LinStatic		-0,657	-0,004207	-0,518	0,0014	-0,0017	-0,004 277-2
277	198	DEAD	LinStatic		0,657	0,004207	0,518	0,0018	0	-0,00003091 277-2
277	207	CM	LinStatic		4,17	-0,004511	3,33	-0,0804	-0,0141	0,0073 277-2
277	198	CM	LinStatic		-4,17	0,004511	-3,297	0,0839	0	-0,0117 277-2
277	207	CV	LinStatic		0	0	0	0	0	0 277-2
277	198	CV	LinStatic		0	0	0	0	0	0 277-2
277	207	L	LinStatic		2,072	-0,076	1,636	-0,5852	0,0033	0,1457 277-2
277	198	L	LinStatic		-2,072	-0,391	-1,636	0,4651	0	0,0061 277-2
277	207	COMB1	Combination		1,672	-0,101	1,315	-1,0269	0,0078	0,2567 277-2
277	198	COMB1	Combination		-1,672	-0,532	-1,315	0,8626	0	-0,0491 277-2
277	207	COMB5	Combination		1,672	-0,101	1,315	-1,0269	0,0078	0,2567 277-2
277	198	COMB5	Combination		-1,672	-0,532	-1,315	0,8626	0	-0,0491 277-2
277	207	COMB6	Combination		1,672	-0,101	1,315	-1,0269	0,0078	0,2567 277-2
277	198	COMB6	Combination		-1,672	-0,532	-1,315	0,8626	0	-0,0491 277-2
277	207	COMB7	Combination		1,159	-0,059	0,922	-0,1409	-0,0047	0,0266 277-2
277	198	COMB7	Combination		-1,159	-0,242	-0,922	0,0712	0	0,0613 277-2
277	207	COMB8	Combination		1,159	-0,059	0,922	-0,1409	-0,0047	0,0266 277-2
277	198	COMB8	Combination		-1,159	-0,242	-0,922	0,0712	0	0,0613 277-2
277	207	COMB9	Combination		-0,059	-0,053	-0,06	-1,0323	0,0129	0,2644 277-2
277	198	COMB9	Combination		0,059	-0,334	0,06	0,9251	0	-0,1289 277-2
277	207	COMB10	Combination		-1,256	0,045	-0,977	1,0351	-0,0163	-0,2724 277-2
277	198	COMB10	Combination		1,256	0,343	0,977	-0,9215	0	0,1288 277-2
277	207	COMB11	Combination		0,817	-0,031	0,66	0,4498	-0,013	-0,1267 277-2
277	198	COMB11	Combination		-0,817	-0,049	-0,66	-0,4564	0	0,135 277-2
277	207	COMB12	Combination		2,014	-0,129	1,577	-1,6176	0,0162	0,41 277-2
277	198	COMB12	Combination		-2,014	-0,725	-1,577	1,3902	0	-0,1228 277-2
277	207	ENV	Combination	Max	2,014	0,045	1,577	1,0351	0,0162	0,41 277-2
277	198	ENV	Combination	Max	1,256	0,343	0,977	1,3902	0	0,135 277-2
277	207	ENV	Combination	Min	-1,256	-0,129	-0,977	-1,6176	-0,0163	-0,2724 277-2
277	198	ENV	Combination	Min	-2,014	-0,725	-1,577	-0,9215	0	-0,1289 277-2
278	198	DEAD	LinStatic		-0,61	0,002548	-0,244	-0,0014	0	0,0038 278-1
278	199	DEAD	LinStatic		0,61	-0,002548	0,244	-0,0011	0	0,0025 278-1
278	198	CM	LinStatic		4,025	0,005859	1,644	-0,0076	0	0,0068 278-1
278	199	CM	LinStatic		-4,025	-0,005859	-1,573	0,0018	0	0,0077 278-1
278	198	CV	LinStatic		0	0	0	0	0	0 278-1
278	199	CV	LinStatic		0	0	0	0	0	0 278-1
278	198	L	LinStatic		1,909	-0,476	0,763	-0,21	0	-0,0835 278-1
278	199	L	LinStatic		-1,909	-0,534	-0,763	0,1813	0	0,1553 278-1
278	198	COMB1	Combination		1,498	-0,64	0,599	-0,4015	0	-0,0766 278-1
278	199	COMB1	Combination		-1,498	-0,729	-0,599	0,3576	0	0,1864 278-1
278	198	COMB5	Combination		1,498	-0,64	0,599	-0,4015	0	-0,0766 278-1
278	199	COMB5	Combination		-1,498	-0,729	-0,599	0,3576	0	0,1864 278-1
278	198	COMB6	Combination		1,498	-0,64	0,599	-0,4015	0	-0,0766 278-1
278	199	COMB6	Combination		-1,498	-0,729	-0,599	0,3576	0	0,1864 278-1
278	198	COMB7	Combination		1,1	-0,307	0,44	-0,0213	0	-0,0828 278-1
278	199	COMB7	Combination		-1,1	-0,345	-0,44	0,0027	0	0,1291 278-1
278	198	COMB8	Combination		1,1	-0,307	0,44	-0,0213	0	-0,0828 278-1
278	199	COMB8	Combination		-1,1	-0,345	-0,44	0,0027	0	0,1291 278-1
278	198	COMB9	Combination		-0,145	-0,386	-0,058	-0,445	0	0,0111 278-1
278	199	COMB9	Combination		0,145	-0,451	0,058	0,4129	0	0,0693 278-1
278	198	COMB10	Combination		-1,074	0,391	-0,429	0,4423	0	-0,0035 278-1
278	199	COMB10	Combination		1,074	0,446	0,429	-0,4152	0	-0,0643 278-1
278	198	COMB11	Combination		0,835	-0,085	0,334	0,2323	0	-0,087 278-1
278	199	COMB11	Combination		-0,835	-0,088	-0,334	-0,2338	0	0,091 278-1
278	198	COMB12	Combination		1,763	-0,863	0,705	-0,655	0	-0,0724 278-1
278	199	COMB12	Combination		-1,763	-0,986	-0,705	0,5942	0	0,2246 278-1
278	198	ENV	Combination	Max	1,763	0,391	0,705	0,4423	0	0,0111 278-1
278	199	ENV	Combination	Max	1,074	0,446	0,429	0,5942	0	0,2246 278-1
278	198	ENV	Combination	Min	-1,074	-0,863	-0,429	-0,655	0	-0,087 278-1
278	199	ENV	Combination	Min	-1,763	-0,986	-0,705	-0,4152	0	-0,0643 278-1
279	199	DEAD	LinStatic		-0,482	0,002087	-0,06	0,00006282	0	0,0024 279-1
279	2	DEAD	LinStatic		0,482	-0,002087	0,06	-0,0007045	0	0,0028 279-1
279	199	CM	LinStatic		3,667	-0,007978	0,49	0,0103	0	-0,0066 279-1
279	2	CM	LinStatic		-3,667	0,007978	-0,424	-0,0079	0	-0,0131 279-1
279	199	CV	LinStatic		0	0	0	0	0	0 279-1
279	2	CV	LinStatic		0	0	0	0	0	0 279-1
279	199	L	LinStatic		1,821	-0,305	0,227	-0,0241	0	0,0211 279-1
279	2	L	LinStatic		-1,821	-0,641	-0,227	-0,0275	0	0,393 279-1
279	199	COMB1	Combination		1,551	-0,358	0,193	-0,0494	0	0,1022 279-1
279	2	COMB1	Combination		-1,551	-0,924	-0,193	-0,0376	0	0,5962 279-1
279	199	COMB5	Combination		1,551	-0,358	0,193	-0,0494	0	0,1022 279-1
279	2	COMB5	Combination		-1,551	-0,924	-0,193	-0,0376	0	0,5962 279-1
279	199	COMB6	Combination		1,551	-0,358	0,193	-0,0494	0	0,1022 279-1
279	2	COMB6	Combination		-1,551	-0,924	-0,193	-0,0376	0	0,5962 279-1
279	199	COMB7	Combination		1,126	-0,248	0,14	0,0013	0	-0,0553 279-1
279	2	COMB7	Combination		-1,126	-0,362	-0,14	-0,0187	0	0,1953 279-1
279	199	COMB8	Combination		1,126	-0,248	0,14	0,0013	0	-0,0553 279-1

279	2	COMB8	Combination		-1,126	-0,362	-0,14	-0,0187	0	0,1953	279-1
279	199	COMB9	Combination		0,013	-0,126	0,001646	-0,059	0	0,1861	279-1
279	2	COMB9	Combination		-0,013	-0,658	-0,001646	-0,0228	0	0,4706	279-1
279	199	COMB10	Combination		-0,978	0,13	-0,122	0,0591	0	-0,1814	279-1
279	2	COMB10	Combination		0,978	0,654	0,122	0,0213	0	-0,465	279-1
279	199	COMB11	Combination		0,843	-0,175	0,105	0,035	0	-0,1603	279-1
279	2	COMB11	Combination		-0,843	0,013	-0,105	-0,0061	0	-0,072	279-1
279	199	COMB12	Combination		1,834	-0,431	0,228	-0,0831	0	0,2072	279-1
279	2	COMB12	Combination		-1,834	-1,298	-0,228	-0,0502	0	0,8635	279-1
279	199	ENV	Combination	Max	1,834	0,13	0,228	0,0591	0	0,2072	279-1
279	2	ENV	Combination	Max	0,978	0,654	0,122	0,0213	0	0,8635	279-1
279	199	ENV	Combination	Min	-0,978	-0,431	-0,122	-0,0831	0	-0,1814	279-1
279	2	ENV	Combination	Min	-1,834	-1,298	-0,228	-0,0502	0	-0,465	279-1
280	14	DEAD	LinStatic		-0,657	-0,001344	0,519	0,002	0	-0,0007209	280-1
280	209	DEAD	LinStatic		0,657	0,001344	-0,519	-0,0003967	-0,0004019	0,0027	280-1
280	14	CM	LinStatic		-2,996	0,003681	2,386	-0,0147	0	-0,007	280-1
280	209	CM	LinStatic		2,996	-0,003681	-2,335	0,0103	-0,015	0,0015	280-1
280	14	CV	LinStatic		0	0	0	0	0	0	280-1
280	209	CV	LinStatic		0	0	0	0	0	0	280-1
280	14	L	LinStatic		1,134	-0,02	-0,893	-0,1122	0	0,0302	280-1
280	209	L	LinStatic		-1,134	0,02	0,893	0,1365	0,0068	0,0005426	280-1
280	14	COMB1	Combination		2,276	-0,043	-1,794	-0,1941	0	0,0605	280-1
280	209	COMB1	Combination		-2,276	0,043	1,794	0,2459	0,0113	0,0049	280-1
280	14	COMB5	Combination		2,276	-0,043	-1,794	-0,1941	0	0,0605	280-1
280	209	COMB5	Combination		-2,276	0,043	1,794	0,2459	0,0113	0,0049	280-1
280	14	COMB6	Combination		2,276	-0,043	-1,794	-0,1941	0	0,0605	280-1
280	209	COMB6	Combination		-2,276	0,043	1,794	0,2459	0,0113	0,0049	280-1
280	14	COMB7	Combination		-1,322	-0,00002786	1,048	-0,0263	0	-0,0016	280-1
280	209	COMB7	Combination		1,322	0,00002786	-1,048	0,0263	0,0015	0,0017	280-1
280	14	COMB8	Combination		-1,322	-0,00002786	1,048	-0,0263	0	-0,0016	280-1
280	209	COMB8	Combination		1,322	0,00002786	-1,048	0,0263	0,0015	0,0017	280-1
280	14	COMB9	Combination		3,542	-0,052	-2,795	-0,1939	0	0,0717	280-1
280	209	COMB9	Combination		-3,542	0,052	2,795	0,2558	0,0111	0,0066	280-1
280	14	COMB10	Combination		-4,855	0,049	3,834	0,1979	0	-0,0732	280-1
280	209	COMB10	Combination		4,855	-0,049	-3,834	-0,2566	-0,0119	-0,0011	280-1
280	14	COMB11	Combination		-3,722	0,029	2,942	0,0857	0	-0,043	280-1
280	209	COMB11	Combination		3,722	-0,029	-2,942	-0,1201	-0,005	-0,0005189	280-1
280	14	COMB12	Combination		4,675	-0,072	-3,688	-0,3061	0	0,1019	280-1
280	209	COMB12	Combination		-4,675	0,072	3,688	0,3923	0,0179	0,0071	280-1
280	14	ENV	Combination	Max	4,675	0,049	3,834	0,1979	0	0,1019	280-1
280	209	ENV	Combination	Max	4,855	0,072	3,688	0,3923	0,0179	0,0071	280-1
280	14	ENV	Combination	Min	-4,855	-0,072	-3,688	-0,3061	0	-0,0732	280-1
280	209	ENV	Combination	Min	-4,675	-0,049	-3,834	-0,2566	-0,0119	-0,0011	280-1
280	209	DEAD	LinStatic		-0,656	0,004204	0,518	-0,0013	-0,0017	-0,004	280-2
280	200	DEAD	LinStatic		0,656	-0,004204	-0,518	-0,0019	0	-0,00007488	280-2
280	209	CM	LinStatic		-2,741	0,000522	2,195	-0,017	0,0071	-0,0024	280-2
280	200	CM	LinStatic		2,741	-0,000522	-2,162	0,0166	0	0,0019	280-2
280	209	CV	LinStatic		0	0	0	0	0	0	280-2
280	200	CV	LinStatic		0	0	0	0	0	0	280-2
280	209	L	LinStatic		1,117	-0,028	-0,892	-0,1581	-0,0071	0,0042	280-2
280	200	L	LinStatic		-1,117	0,028	0,892	0,1797	0	0,023	280-2
280	209	COMB1	Combination		2,245	-0,044	-1,791	-0,2836	-0,0121	0,0021	280-2
280	200	COMB1	Combination		-2,245	0,044	1,791	0,3174	0	0,0405	280-2
280	209	COMB5	Combination		2,245	-0,044	-1,791	-0,2836	-0,0121	0,0021	280-2
280	200	COMB5	Combination		-2,245	0,044	1,791	0,3174	0	0,0405	280-2
280	209	COMB6	Combination		2,245	-0,044	-1,791	-0,2836	-0,0121	0,0021	280-2
280	200	COMB6	Combination		-2,245	0,044	1,791	0,3174	0	0,0405	280-2
280	209	COMB7	Combination		-1,324	-0,003737	1,043	-0,0353	-0,0057	-0,0017	280-2
280	200	COMB7	Combination		1,324	0,003737	-1,043	0,0381	0	0,0053	280-2
280	209	COMB8	Combination		-1,324	-0,003737	1,043	-0,0353	-0,0057	-0,0017	280-2
280	200	COMB8	Combination		1,324	0,003737	-1,043	0,0381	0	0,0053	280-2
280	209	COMB9	Combination		3,508	-0,043	-2,788	-0,291	-0,0092	0,0004961	280-2
280	200	COMB9	Combination		-3,508	0,043	2,788	0,3239	0	0,041	280-2
280	209	COMB10	Combination		-4,821	0,052	3,825	0,2884	0,0057	-0,0084	280-2
280	200	COMB10	Combination		4,821	-0,052	-3,825	-0,3277	0	-0,0412	280-2
280	209	COMB11	Combination		-3,703	0,023	2,932	0,1303	-0,0014	-0,0043	280-2
280	200	COMB11	Combination		3,703	-0,023	-2,932	-0,148	0	-0,0182	280-2
280	209	COMB12	Combination		4,625	-0,071	-3,68	-0,4492	-0,0163	0,0047	280-2
280	200	COMB12	Combination		-4,625	0,071	3,68	0,5036	0	0,064	280-2
280	209	ENV	Combination	Max	4,625	0,052	3,825	0,2884	0,0057	0,0047	280-2
280	200	ENV	Combination	Max	4,821	0,071	3,68	0,5036	0	0,064	280-2
280	209	ENV	Combination	Min	-4,821	-0,071	-3,68	-0,4492	-0,0163	-0,0084	280-2
280	200	ENV	Combination	Min	-4,625	-0,052	-3,825	-0,3277	0	-0,0412	280-2
281	200	DEAD	LinStatic		-0,609	-0,00257	0,243	0,0013	0	0,0039	281-1
281	201	DEAD	LinStatic		0,609	0,00257	-0,243	0,0012	0	0,0025	281-1
281	200	CM	LinStatic		-2,755	-0,003162	1,136	-0,0037	0	0,0036	281-1
281	201	CM	LinStatic		2,755	0,003162	-1,065	0,0068	0	0,0042	281-1
281	200	CV	LinStatic		0	0	0	0	0	0	281-1
281	201	CV	LinStatic		0	0	0	0	0	0	281-1
281	200	L	LinStatic		1,059	-0,06	-0,423	-0,078	0	0,0697	281-1

281	201	L	LinStatic	-1,059	0,06	0,423	0,1374	0	0,079	281-1
281	200	COMB1	Combination	2,234	-0,11	-0,893	-0,1378	0	0,1279	281-1
281	201	COMB1	Combination	-2,234	0,11	0,893	0,2459	0	0,1427	281-1
281	200	COMB5	Combination	2,234	-0,11	-0,893	-0,1378	0	0,1279	281-1
281	201	COMB5	Combination	-2,234	0,11	0,893	0,2459	0	0,1427	281-1
281	200	COMB6	Combination	2,234	-0,11	-0,893	-0,1378	0	0,1279	281-1
281	201	COMB6	Combination	-2,234	0,11	0,893	0,2459	0	0,1427	281-1
281	200	COMB7	Combination	-1,334	-0,016	0,533	-0,0156	0	0,0192	281-1
281	201	COMB7	Combination	1,334	0,016	-0,533	0,0314	0	0,0203	281-1
281	200	COMB8	Combination	-1,334	-0,016	0,533	-0,0156	0	0,0192	281-1
281	201	COMB8	Combination	1,334	0,016	-0,533	0,0314	0	0,0203	281-1
281	200	COMB9	Combination	3,554	-0,112	-1,42	-0,1413	0	0,1306	281-1
281	201	COMB9	Combination	-3,554	0,112	1,42	0,2516	0	0,1453	281-1
281	200	COMB10	Combination	-4,772	0,107	1,907	0,144	0	-0,1228	281-1
281	201	COMB10	Combination	4,772	-0,107	-1,907	-0,2491	0	-0,1403	281-1
281	200	COMB11	Combination	-3,712	0,046	1,483	0,066	0	-0,0532	281-1
281	201	COMB11	Combination	3,712	-0,046	-1,483	-0,1117	0	-0,0613	281-1
281	200	COMB12	Combination	4,613	-0,172	-1,843	-0,2194	0	0,2003	281-1
281	201	COMB12	Combination	-4,613	0,172	1,843	0,389	0	0,2243	281-1
281	200	ENV	Combination	4,613	0,107	1,907	0,144	0	0,2003	281-1
281	201	ENV	Combination	4,772	0,172	1,843	0,389	0	0,2243	281-1
281	200	ENV	Combination	-4,772	-0,172	-1,843	-0,2194	0	-0,1228	281-1
281	201	ENV	Combination	-4,613	-0,107	-1,907	-0,2491	0	-0,1403	281-1
282	201	DEAD	LinStatic	-0,481	-0,002272	0,06	0,0004328	0	0,0026	282-1
282	2	DEAD	LinStatic	0,481	0,002272	-0,06	0,0002659	0	0,003	282-1
282	201	CM	LinStatic	-2,761	0,002505	0,377	-0,0096	0	-0,0018	282-1
282	2	CM	LinStatic	2,761	-0,002505	-0,311	0,0088	0	-0,0043	282-1
282	201	CV	LinStatic	0	0	0	0	0	0	282-1
282	2	CV	LinStatic	0	0	0	0	0	0	282-1
282	201	L	LinStatic	0,782	-0,195	-0,097	-0,0191	0	0,2147	282-1
282	2	L	LinStatic	-0,782	0,195	0,097	0,0792	0	0,2681	282-1
282	201	COMB1	Combination	1,945	-0,351	-0,242	-0,0378	0	0,3829	282-1
282	2	COMB1	Combination	-1,945	0,351	0,242	0,1459	0	0,4847	282-1
282	201	COMB5	Combination	1,945	-0,351	-0,242	-0,0378	0	0,3829	282-1
282	2	COMB5	Combination	-1,945	0,351	0,242	0,1459	0	0,4847	282-1
282	201	COMB6	Combination	1,945	-0,351	-0,242	-0,0378	0	0,3829	282-1
282	2	COMB6	Combination	-1,945	0,351	0,242	0,1459	0	0,4847	282-1
282	201	COMB7	Combination	-1,343	-0,044	0,167	0,0005508	0	0,0516	282-1
282	2	COMB7	Combination	1,343	0,044	-0,167	0,013	0	0,0576	282-1
282	201	COMB8	Combination	-1,343	-0,044	0,167	0,0005508	0	0,0516	282-1
282	2	COMB8	Combination	1,343	0,044	-0,167	0,013	0	0,0576	282-1
282	201	COMB9	Combination	3,355	-0,36	-0,418	-0,0444	0	0,389	282-1
282	2	COMB9	Combination	-3,355	0,36	0,418	0,1552	0	0,5014	282-1
282	201	COMB10	Combination	-4,317	0,356	0,538	0,0452	0	-0,3839	282-1
282	2	COMB10	Combination	4,317	-0,356	-0,538	-0,1547	0	-0,4953	282-1
282	201	COMB11	Combination	-3,535	0,16	0,44	0,0261	0	-0,1692	282-1
282	2	COMB11	Combination	3,535	-0,16	-0,44	-0,0755	0	-0,2272	282-1
282	201	COMB12	Combination	4,137	-0,556	-0,515	-0,0634	0	0,6037	282-1
282	2	COMB12	Combination	-4,137	0,556	0,515	0,2344	0	0,7695	282-1
282	201	ENV	Combination	4,137	0,356	0,538	0,0452	0	0,6037	282-1
282	2	ENV	Combination	4,317	0,556	0,515	0,2344	0	0,7695	282-1
282	201	ENV	Combination	-4,317	-0,556	-0,515	-0,0634	0	-0,3839	282-1
282	2	ENV	Combination	-4,137	-0,356	-0,538	-0,1547	0	-0,4953	282-1
283	29	DEAD	LinStatic	-0,656	-0,001399	-0,519	0,0021	0	0,0006664	283-1
283	206	DEAD	LinStatic	0,656	0,001399	0,519	-0,0003867	-0,0004136	-0,0028	283-1
283	29	CM	LinStatic	4,521	-0,0008414	3,585	0,0667	0	-0,0054	283-1
283	206	CM	LinStatic	-4,521	0,0008414	-3,534	-0,0657	0,029	0,0042	283-1
283	29	CV	LinStatic	0	0	0	0	0	0	283-1
283	206	CV	LinStatic	0	0	0	0	0	0	283-1
283	29	L	LinStatic	4,926	-0,61	3,872	-0,2113	0	-0,2026	283-1
283	206	L	LinStatic	-4,926	-0,12	-3,872	0,5038	0,0406	-0,1669	283-1
283	29	COMB1	Combination	6,879	-0,851	5,406	-0,3861	0	-0,2675	283-1
283	206	COMB1	Combination	-6,879	-0,138	-5,406	0,8111	0,0584	-0,2694	283-1
283	29	COMB5	Combination	6,879	-0,851	5,406	-0,3861	0	-0,2675	283-1
283	206	COMB5	Combination	-6,879	-0,138	-5,406	0,8111	0,0584	-0,2694	283-1
283	29	COMB6	Combination	6,879	-0,851	5,406	-0,3861	0	-0,2675	283-1
283	206	COMB6	Combination	-6,879	-0,138	-5,406	0,8111	0,0584	-0,2694	283-1
283	29	COMB7	Combination	1,661	-0,372	1,3	-0,0323	0	-0,1364	283-1
283	206	COMB7	Combination	-1,661	-0,098	-1,3	0,1957	0,022	-0,07	283-1
283	29	COMB8	Combination	1,661	-0,372	1,3	-0,0323	0	-0,1364	283-1
283	206	COMB8	Combination	-1,661	-0,098	-1,3	0,1957	0,022	-0,07	283-1
283	29	COMB9	Combination	5,432	-0,56	4,272	-0,4107	0	-0,1523	283-1
283	206	COMB9	Combination	-5,432	-0,045	-4,272	0,7176	0,0421	-0,2355	283-1
283	29	COMB10	Combination	-6,744	0,557	-5,31	0,4148	0	0,1536	283-1
283	206	COMB10	Combination	6,744	0,048	5,31	-0,7184	-0,043	0,2299	283-1
283	29	COMB11	Combination	-1,818	-0,053	-1,438	0,2035	0	-0,049	283-1
283	206	COMB11	Combination	1,818	-0,072	1,438	-0,2146	-0,0023	0,063	283-1
283	29	COMB12	Combination	10,357	-1,17	8,144	-0,6219	0	-0,3549	283-1
283	206	COMB12	Combination	-10,357	-0,165	-8,144	1,2214	0,0827	-0,4024	283-1
283	29	ENV	Combination	10,357	0,557	8,144	0,4148	0	0,1536	283-1

283	206	ENV	Combination	Max	6,744	0,048	5,31	1,2214	0,0827	0,2299	283-1
283	29	ENV	Combination	Min	-6,744	-1,17	-5,31	-0,6219	0	-0,3549	283-1
283	206	ENV	Combination	Min	-10,357	-0,165	-8,144	-0,7184	-0,043	-0,4024	283-1
283	206	DEAD	LinStatic		-0,657	0,004174	-0,518	-0,0013	-0,0017	0,004	283-2
283	202	DEAD	LinStatic		0,657	-0,004174	0,518	-0,0018	5,03E-10	0,00002949	283-2
283	206	CM	LinStatic		4,168	0,004539	3,331	0,0804	-0,014	-0,0073	283-2
283	202	CM	LinStatic		-4,168	-0,004539	-3,298	-0,0839	2,289E-08	0,0117	283-2
283	206	CV	LinStatic		0	0	0	0	0	0	283-2
283	202	CV	LinStatic		0	0	0	0	0	0	283-2
283	206	L	LinStatic		4,653	-0,048	3,707	-0,557	-0,0216	0,1604	283-2
283	202	L	LinStatic		-4,653	-0,419	-3,707	0,4153	-1,133E-07	0,0186	283-2
283	206	COMB1	Combination		6,505	-0,054	5,188	-0,8953	-0,0361	0,2713	283-2
283	202	COMB1	Combination		-6,505	-0,579	-5,188	0,6946	-1,895E-07	-0,0179	283-2
283	206	COMB5	Combination		6,505	-0,054	5,188	-0,8953	-0,0361	0,2713	283-2
283	202	COMB5	Combination		-6,505	-0,579	-5,188	0,6946	-1,895E-07	-0,0179	283-2
283	206	COMB6	Combination		6,505	-0,054	5,188	-0,8953	-0,0361	0,2713	283-2
283	202	COMB6	Combination		-6,505	-0,579	-5,188	0,6946	-1,895E-07	-0,0179	283-2
283	206	COMB7	Combination		1,489	-0,034	1,19	-0,2214	-0,0105	0,0574	283-2
283	202	COMB7	Combination		-1,489	-0,267	-1,19	0,1323	-3,61E-08	0,0551	283-2
283	206	COMB8	Combination		1,489	-0,034	1,19	-0,2214	-0,0105	0,0574	283-2
283	202	COMB8	Combination		-1,489	-0,267	-1,19	0,1323	-3,61E-08	0,0551	283-2
283	206	COMB9	Combination		5,196	-0,019	4,147	-0,7876	-0,0316	0,2536	283-2
283	202	COMB9	Combination		-5,196	-0,368	-4,147	0,6542	-1,785E-07	-0,0851	283-2
283	206	COMB10	Combination		-6,509	0,027	-5,183	0,7849	0,0282	-0,2456	283-2
283	202	COMB10	Combination		6,509	0,36	5,183	-0,6579	1,795E-07	0,0851	283-2
283	206	COMB11	Combination		-1,855	-0,021	-1,476	0,2279	0,0066	-0,0852	283-2
283	202	COMB11	Combination		1,855	-0,059	1,476	-0,2425	6,617E-08	0,1037	283-2
283	206	COMB12	Combination		9,849	-0,067	7,853	-1,3446	-0,0532	0,4139	283-2
283	202	COMB12	Combination		-9,849	-0,788	-7,853	1,0695	-2,918E-07	-0,0665	283-2
283	206	ENV	Combination	Max	9,849	0,027	7,853	0,7849	0,0282	0,4139	283-2
283	202	ENV	Combination	Max	6,509	0,36	5,183	1,0695	1,795E-07	0,1037	283-2
283	206	ENV	Combination	Min	-6,509	-0,067	-5,183	-1,3446	-0,0532	-0,2456	283-2
283	202	ENV	Combination	Min	-9,849	-0,788	-7,853	-0,6579	-2,918E-07	-0,0851	283-2
284	202	DEAD	LinStatic		-0,609	-0,002558	-0,243	0,0014	0	-0,0039	284-1
284	203	DEAD	LinStatic		0,609	0,002558	0,243	0,0011	0	-0,0025	284-1
284	202	CM	LinStatic		4,024	-0,005866	1,643	0,0076	0	-0,0068	284-1
284	203	CM	LinStatic		-4,024	0,005866	-1,573	-0,0018	0	-0,0077	284-1
284	202	CV	LinStatic		0	0	0	0	0	0	284-1
284	203	CV	LinStatic		0	0	0	0	0	0	284-1
284	202	L	LinStatic		4,435	-0,489	1,772	-0,2052	0	-0,105	284-1
284	203	L	LinStatic		-4,435	-0,522	-1,772	0,189	0	0,1453	284-1
284	202	COMB1	Combination		6,245	-0,668	2,496	-0,3846	0	-0,1185	284-1
284	203	COMB1	Combination		-6,245	-0,702	-2,496	0,3677	0	0,1609	284-1
284	202	COMB5	Combination		6,245	-0,668	2,496	-0,3846	0	-0,1185	284-1
284	203	COMB5	Combination		-6,245	-0,702	-2,496	0,3677	0	0,1609	284-1
284	202	COMB6	Combination		6,245	-0,668	2,496	-0,3846	0	-0,1185	284-1
284	203	COMB6	Combination		-6,245	-0,702	-2,496	0,3677	0	0,1609	284-1
284	202	COMB7	Combination		1,406	-0,315	0,562	-0,023	0	-0,0991	284-1
284	203	COMB7	Combination		-1,406	-0,336	-0,562	0,0127	0	0,1249	284-1
284	202	COMB8	Combination		1,406	-0,315	0,562	-0,023	0	-0,0991	284-1
284	203	COMB8	Combination		-1,406	-0,336	-0,562	0,0127	0	0,1249	284-1
284	202	COMB9	Combination		5,036	-0,414	2,012	-0,4205	0	-0,0265	284-1
284	203	COMB9	Combination		-5,036	-0,424	-2,012	0,4153	0	0,0395	284-1
284	202	COMB10	Combination		-6,254	0,409	-2,499	0,4233	0	0,0188	284-1
284	203	COMB10	Combination		6,254	0,429	2,499	-0,413	0	-0,0445	284-1
284	202	COMB11	Combination		-1,819	-0,081	-0,727	0,2181	0	-0,0862	284-1
284	203	COMB11	Combination		1,819	-0,092	0,727	-0,224	0	0,1009	284-1
284	202	COMB12	Combination		9,47	-0,903	3,785	-0,6257	0	-0,1314	284-1
284	203	COMB12	Combination		-9,47	-0,946	-3,785	0,6043	0	0,1849	284-1
284	202	ENV	Combination	Max	9,47	0,409	3,785	0,4233	0	0,0188	284-1
284	203	ENV	Combination	Max	6,254	0,429	2,499	0,6043	0	0,1849	284-1
284	202	ENV	Combination	Min	-6,254	-0,903	-2,499	-0,6257	0	-0,1314	284-1
284	203	ENV	Combination	Min	-9,47	-0,946	-3,785	-0,413	0	-0,0445	284-1
285	203	DEAD	LinStatic		-0,482	-0,002214	-0,06	0,0001372	1,46E-11	-0,0025	285-1
285	31	DEAD	LinStatic		0,482	0,002214	0,06	0,0005438	5,788E-11	-0,003	285-1
285	203	CM	LinStatic		3,667	0,007879	0,49	-0,0101	-1,072E-09	0,0065	285-1
285	31	CM	LinStatic		-3,667	-0,007879	-0,424	0,0077	8,144E-10	0,0129	285-1
285	203	CV	LinStatic		0	0	0	0	0	0	285-1
285	31	CV	LinStatic		0	0	0	0	0	0	285-1
285	203	L	LinStatic		3,846	-0,291	0,479	-0,037	-3,937E-09	0,0351	285-1
285	31	L	LinStatic		-3,846	-0,655	-0,479	-0,0191	-2,033E-09	0,4153	285-1
285	203	COMB1	Combination		5,437	-0,34	0,677	-0,0829	-8,828E-09	0,1199	285-1
285	31	COMB1	Combination		-5,437	-0,942	-0,677	-0,0098	-1,038E-09	0,6245	285-1
285	203	COMB5	Combination		5,437	-0,34	0,677	-0,0829	-8,828E-09	0,1199	285-1
285	31	COMB5	Combination		-5,437	-0,942	-0,677	-0,0098	-1,038E-09	0,6245	285-1
285	203	COMB6	Combination		5,437	-0,34	0,677	-0,0829	-8,828E-09	0,1199	285-1
285	31	COMB6	Combination		-5,437	-0,942	-0,677	-0,0098	-1,038E-09	0,6245	285-1
285	203	COMB7	Combination		1,292	-0,246	0,161	0,0092	9,838E-10	-0,0546	285-1
285	31	COMB7	Combination		-1,292	-0,364	-0,161	-0,0273	-2,911E-09	0,2	285-1
285	203	COMB8	Combination		1,292	-0,246	0,161	0,0092	9,838E-10	-0,0546	285-1

285	31	COMB8	Combination		-1,292	-0,364	-0,161	-0,0273	-2,911E-09	0,2	285-1
285	203	COMB9	Combination		4,355	-0,111	0,542	-0,1074	-1,143E-08	0,2012	285-1
285	31	COMB9	Combination		-4,355	-0,673	-0,542	0,0211	2,243E-09	0,4922	285-1
285	203	COMB10	Combination		-5,318	0,107	-0,662	0,1077	1,146E-08	-0,2061	285-1
285	31	COMB10	Combination		5,318	0,677	0,662	-0,02	-2,127E-09	-0,4982	285-1
285	203	COMB11	Combination		-1,472	-0,184	-0,183	0,0707	7,525E-09	-0,171	285-1
285	31	COMB11	Combination		1,472	0,022	0,183	-0,0391	-4,159E-09	-0,0829	285-1
285	203	COMB12	Combination		8,201	-0,402	1,021	-0,1444	-1,537E-08	0,2363	285-1
285	31	COMB12	Combination		-8,201	-1,328	-1,021	0,002	2,102E-10	0,9075	285-1
285	203	ENV	Combination	Max	8,201	0,107	1,021	0,1077	1,146E-08	0,2363	285-1
285	31	ENV	Combination	Max	5,318	0,677	0,662	0,0211	2,243E-09	0,9075	285-1
285	203	ENV	Combination	Min	-5,318	-0,402	-0,662	-0,1444	-1,537E-08	-0,2061	285-1
285	31	ENV	Combination	Min	-8,201	-1,328	-1,021	-0,0391	-4,159E-09	-0,4982	285-1
286	40	DEAD	LinStatic		-0,656	0,001379	0,519	-0,002	1,447E-17	0,0006847	286-1
286	208	DEAD	LinStatic		0,656	-0,001379	-0,519	0,0003995	-0,0004153	-0,0028	286-1
286	40	CM	LinStatic		-2,995	-0,003817	2,386	0,0148	-1,045E-16	0,0071	286-1
286	208	CM	LinStatic		2,995	0,003817	-2,335	-0,0102	-0,0151	-0,0014	286-1
286	40	CV	LinStatic		0	0	0	0	0	0	286-1
286	208	CV	LinStatic		0	0	0	0	0	0	286-1
286	40	L	LinStatic		-5,069	-0,038	4,007	-0,1039	7,355E-16	0,0566	286-1
286	208	L	LinStatic		5,069	0,038	-4,007	0,1498	-0,0082	0,0014	286-1
286	40	COMB1	Combination		-8,761	-0,062	6,925	-0,188	1,33E-15	0,093	286-1
286	208	COMB1	Combination		8,761	0,062	-6,925	0,2615	-0,0155	-0,00004578	286-1
286	40	COMB5	Combination		-8,761	-0,062	6,925	-0,188	1,33E-15	0,093	286-1
286	208	COMB5	Combination		8,761	0,062	-6,925	0,2615	-0,0155	-0,00004578	286-1
286	40	COMB6	Combination		-8,761	-0,062	6,925	-0,188	1,33E-15	0,093	286-1
286	208	COMB6	Combination		8,761	0,062	-6,925	0,2615	-0,0155	-0,00004578	286-1
286	40	COMB7	Combination		-2,689	-0,013	2,128	-0,024	1,697E-16	0,0216	286-1
286	208	COMB7	Combination		2,689	0,013	-2,128	0,0389	-0,0017	-0,0028	286-1
286	40	COMB8	Combination		-2,689	-0,013	2,128	-0,024	1,697E-16	0,0216	286-1
286	208	COMB8	Combination		2,689	0,013	-2,128	0,0389	-0,0017	-0,0028	286-1
286	40	COMB9	Combination		-7,74	-0,056	6,116	-0,1934	1,368E-15	0,0839	286-1
286	208	COMB9	Combination		7,74	0,056	-6,116	0,2601	-0,0165	0,0004126	286-1
286	40	COMB10	Combination		6,427	0,059	-5,077	0,1893	-1,339E-15	-0,0825	286-1
286	208	COMB10	Combination		-6,427	-0,059	5,077	-0,2593	0,0157	-0,0059	286-1
286	40	COMB11	Combination		1,358	0,02	-1,07	0,0854	-6,04E-16	-0,0259	286-1
286	208	COMB11	Combination		-1,358	-0,02	1,07	-0,1095	0,0075	-0,0046	286-1
286	40	COMB12	Combination		-12,808	-0,094	10,123	-0,2973	2,104E-15	0,1405	286-1
286	208	COMB12	Combination		12,808	0,094	-10,123	0,41	-0,0248	0,0018	286-1
286	40	ENV	Combination	Max	6,427	0,059	10,123	0,1893	2,104E-15	0,1405	286-1
286	208	ENV	Combination	Max	12,808	0,094	5,077	0,41	0,0157	0,0018	286-1
286	40	ENV	Combination	Min	-12,808	-0,094	-5,077	-0,2973	-1,339E-15	-0,0825	286-1
286	208	ENV	Combination	Min	-6,427	-0,059	-10,123	-0,2593	-0,0248	-0,0059	286-1
286	208	DEAD	LinStatic		-0,657	-0,004186	0,518	0,0013	-0,0017	0,004	286-2
286	204	DEAD	LinStatic		0,657	0,004186	-0,518	0,0019	5,093E-10	0,00004746	286-2
286	208	CM	LinStatic		-2,743	-0,0004952	2,195	0,0167	0,0071	0,0022	286-2
286	204	CM	LinStatic		2,743	0,0004952	-2,163	-0,0164	-4,466E-09	-0,0017	286-2
286	208	CV	LinStatic		0	0	0	0	0	0	286-2
286	204	CV	LinStatic		0	0	0	0	0	0	286-2
286	208	L	LinStatic		-5,025	-0,029	3,977	-0,1625	-0,0012	0,0047	286-2
286	204	L	LinStatic		5,025	0,029	-3,977	0,1849	5,045E-08	0,0236	286-2
286	208	COMB1	Combination		-8,682	-0,055	6,872	-0,2841	-0,0016	0,0112	286-2
286	204	COMB1	Combination		8,682	0,055	-6,872	0,3262	8,898E-08	0,0419	286-2
286	208	COMB5	Combination		-8,682	-0,055	6,872	-0,2841	-0,0016	0,0112	286-2
286	204	COMB5	Combination		8,682	0,055	-6,872	0,3262	8,898E-08	0,0419	286-2
286	208	COMB6	Combination		-8,682	-0,055	6,872	-0,2841	-0,0016	0,0112	286-2
286	204	COMB6	Combination		8,682	0,055	-6,872	0,3262	8,898E-08	0,0419	286-2
286	208	COMB7	Combination		-2,681	-0,012	2,118	-0,0383	-0,0044	0,0062	286-2
286	204	COMB7	Combination		2,681	0,012	-2,118	0,0474	1,294E-08	0,0054	286-2
286	208	COMB8	Combination		-2,681	-0,012	2,118	-0,0383	-0,0044	0,0062	286-2
286	204	COMB8	Combination		2,681	0,012	-2,118	0,0474	1,294E-08	0,0054	286-2
286	208	COMB9	Combination		-7,658	-0,055	6,065	-0,2855	0,0015	0,0099	286-2
286	204	COMB9	Combination		7,658	0,055	-6,065	0,3271	8,923E-08	0,0427	286-2
286	208	COMB10	Combination		6,345	0,046	-5,029	0,2881	-0,005	-0,0019	286-2
286	204	COMB10	Combination		-6,345	-0,046	5,029	-0,3234	-8,821E-08	-0,0426	286-2
286	208	COMB11	Combination		1,32	0,017	-1,052	0,1256	-0,0062	0,0028	286-2
286	204	COMB11	Combination		-1,32	-0,017	1,052	-0,1384	-3,776E-08	-0,019	286-2
286	208	COMB12	Combination		-12,683	-0,084	10,042	-0,448	0,0002856	0,0146	286-2
286	204	COMB12	Combination		12,683	0,084	-10,042	0,512	1,397E-07	0,0663	286-2
286	208	ENV	Combination	Max	6,345	0,046	10,042	0,2881	0,0015	0,0146	286-2
286	204	ENV	Combination	Max	12,683	0,084	5,029	0,512	1,397E-07	0,0663	286-2
286	208	ENV	Combination	Min	-12,683	-0,084	-5,029	-0,448	-0,0062	-0,0019	286-2
286	204	ENV	Combination	Min	-6,345	-0,046	-10,042	-0,3234	-8,821E-08	-0,0426	286-2
287	204	DEAD	LinStatic		-0,609	0,002605	0,243	-0,0014	0	-0,0039	287-1
287	205	DEAD	LinStatic		0,609	-0,002605	-0,243	-0,0011	0	-0,0026	287-1
287	204	CM	LinStatic		-2,756	0,003254	1,137	0,0039	0	-0,0037	287-1
287	205	CM	LinStatic		2,756	-0,003254	-1,066	-0,0071	0	-0,0043	287-1
287	204	CV	LinStatic		0	0	0	0	0	0	287-1
287	205	CV	LinStatic		0	0	0	0	0	0	287-1
287	204	L	LinStatic		-5,126	-0,058	2,048	-0,0786	0	0,067	287-1

287	205	L	LinStatic		5,126	0,058	-2,048	0,1354	0	0,0752	287-1
287	204	COMB1	Combination		-8,774	-0,098	3,506	-0,1386	0	0,1126	287-1
287	205	COMB1	Combination		8,774	0,098	-3,506	0,2351	0	0,1289	287-1
287	204	COMB5	Combination		-8,774	-0,098	3,506	-0,1386	0	0,1126	287-1
287	205	COMB5	Combination		8,774	0,098	-3,506	0,2351	0	0,1289	287-1
287	204	COMB6	Combination		-8,774	-0,098	3,506	-0,1386	0	0,1126	287-1
287	205	COMB6	Combination		8,774	0,098	-3,506	0,2351	0	0,1289	287-1
287	204	COMB7	Combination		-2,696	-0,012	1,077	-0,0214	0	0,0137	287-1
287	205	COMB7	Combination		2,696	0,012	-1,077	0,0334	0	0,0163	287-1
287	204	COMB8	Combination		-2,696	-0,012	1,077	-0,0214	0	0,0137	287-1
287	205	COMB8	Combination		2,696	0,012	-1,077	0,0334	0	0,0163	287-1
287	204	COMB9	Combination		-7,701	-0,097	3,077	-0,1381	0	0,1115	287-1
287	205	COMB9	Combination		7,701	0,097	-3,077	0,2341	0	0,1288	287-1
287	204	COMB10	Combination		6,482	0,102	-2,591	0,1352	0	-0,1192	287-1
287	205	COMB10	Combination		-6,482	-0,102	2,591	-0,2364	0	-0,1339	287-1
287	204	COMB11	Combination		1,356	0,045	-0,542	0,0567	0	-0,0522	287-1
287	205	COMB11	Combination		-1,356	-0,045	0,542	-0,101	0	-0,0587	287-1
287	204	COMB12	Combination		-12,827	-0,155	5,126	-0,2167	0	0,0137	287-1
287	205	COMB12	Combination		12,827	0,155	-5,126	0,3695	0	0,204	287-1
287	204	ENV	Combination	Max	6,482	0,102	5,126	0,1352	0	0,1785	287-1
287	205	ENV	Combination	Max	12,827	0,155	2,591	0,3695	0	0,204	287-1
287	204	ENV	Combination	Min	-12,827	-0,155	-2,591	-0,2167	0	-0,1192	287-1
287	205	ENV	Combination	Min	-6,482	-0,102	-5,126	-0,2364	0	-0,1339	287-1
288	205	DEAD	LinStatic		-0,482	0,001874	0,06	-0,00001122	1,195E-12	-0,0021	288-1
288	31	DEAD	LinStatic		0,482	-0,001874	-0,06	-0,000565	6,014E-11	-0,0025	288-1
288	205	CM	LinStatic		-2,762	-0,002414	0,377	0,0095	-1,009E-09	0,0018	288-1
288	31	CM	LinStatic		2,762	0,002414	-0,311	-0,0087	9,301E-10	0,0041	288-1
288	205	CV	LinStatic		0	0	0	0	0	0	288-1
288	31	CV	LinStatic		0	0	0	0	0	0	288-1
288	205	L	LinStatic		-5,118	-0,207	0,637	-0,0167	1,773E-09	0,2225	288-1
288	31	L	LinStatic		5,118	0,207	-0,637	0,0802	-8,54E-09	0,2881	288-1
288	205	COMB1	Combination		-8,575	-0,36	1,068	-0,023	2,448E-09	0,3879	288-1
288	31	COMB1	Combination		8,575	0,36	-1,068	0,1339	-1,425E-08	0,5024	288-1
288	205	COMB5	Combination		-8,575	-0,36	1,068	-0,023	2,448E-09	0,3879	288-1
288	31	COMB5	Combination		8,575	0,36	-1,068	0,1339	-1,425E-08	0,5024	288-1
288	205	COMB6	Combination		-8,575	-0,36	1,068	-0,023	2,448E-09	0,3879	288-1
288	31	COMB6	Combination		8,575	0,36	-1,068	0,1339	-1,425E-08	0,5024	288-1
288	205	COMB7	Combination		-2,625	-0,049	0,327	-0,0103	1,101E-09	0,0528	288-1
288	31	COMB7	Combination		2,625	0,049	-0,327	0,0255	-2,711E-09	0,0686	288-1
288	205	COMB8	Combination		-2,625	-0,049	0,327	-0,0103	1,101E-09	0,0528	288-1
288	31	COMB8	Combination		2,625	0,049	-0,327	0,0255	-2,711E-09	0,0686	288-1
288	205	COMB9	Combination		-7,424	-0,361	0,924	-0,0148	1,573E-09	0,3889	288-1
288	31	COMB9	Combination		7,424	0,361	-0,924	0,1259	-1,34E-08	0,5036	288-1
288	205	COMB10	Combination		6,46	0,365	-0,804	0,0148	-1,57E-09	-0,3931	288-1
288	31	COMB10	Combination		-6,46	-0,365	0,804	-0,127	1,352E-08	-0,5086	288-1
288	205	COMB11	Combination		1,342	0,158	-0,167	-0,0019	2,029E-10	-0,1706	288-1
288	31	COMB11	Combination		-1,342	-0,158	0,167	-0,0468	4,981E-09	-0,2205	288-1
288	205	COMB12	Combination		-12,542	-0,568	1,562	-0,0314	3,346E-09	0,6113	288-1
288	31	COMB12	Combination		12,542	0,568	-1,562	0,2061	-2,194E-08	0,7916	288-1
288	205	ENV	Combination	Max	6,46	0,365	1,562	0,0148	3,346E-09	0,6113	288-1
288	31	ENV	Combination	Max	12,542	0,568	0,804	0,2061	1,352E-08	0,7916	288-1
288	205	ENV	Combination	Min	-12,542	-0,568	-0,804	-0,0314	-1,57E-09	-0,3931	288-1
288	31	ENV	Combination	Min	-6,46	-0,365	-1,562	-0,127	-2,194E-08	-0,5086	288-1